

gorenje

NEW APPLIANCES 2015




www.gorenje.co.uk

MORE THAN 60 YEARS OF EXPERIENCE

Gorenje is one of Europe's leading appliance manufacturers with the largest production facility in Europe producing over 4.5 million quality appliances each year. Our product range combines the very latest technology and innovative designs.

Widely recognised as one of the fastest growing appliance brands in the UK, Gorenje is a multi-award winning company that is successfully sold in over 70 countries. Our confidence in new technologies combined with our constant innovation is demonstrated by our unique free 5 year parts and labour guarantee on selected products. Our goal is to become recognised as the most INNOVATIVE, DESIGN-MINDED manufacturer of kitchen appliances in the world.



Sales in 70 markets around the world




INDEX PAGE

4	Cooking
4	Gorenje designed by Karim Rashid
5	Built-in ovens
8	Built-in compact oven & compact microwave oven
8	Built-in compact coffee machine
8	Built-in microwave ovens
10	Warming drawers
11	Freestanding cookers
14	Built-in Induction hobs
16	Built-in Glass ceramic hobs
18	Built-in Gas hobs
20	Cooker hoods

24	Cooling
24	Gorenje Retro Collection
25	Freestanding Fridge freezers
27	Freestanding Refrigerators
27	Freestanding Freezers

28	Washing & drying
28	Built-in Dishwashers
29	Built-in Washers & dryers
30	Freestanding Washing machines
31	Freestanding Tumble dryers

32	Symbol description
----	--------------------





BO 8 KR UK
Built-in single oven



- Colour: White
- Handle colour: Colour of aluminium
- Control panel material: Glass
- GentleClose door hinge

Efficiency

- Usable oven volume: **63 l**
- Multi-function oven BigSpace - 63 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill

Control

- Electronic control
- DirecTOUCH

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Glass baking pan
- 1 Wire shelf
- 1 Tray handle
- Telescopic oven guides - 3 levels
- Stainless grease filter

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 × 59.7 × 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 × 56-56.8 × 55 cm**



BO 8 KRB UK
Built-in single oven



- Colour: Black
- Handle colour: Black matte
- Control panel material: Glass
- GentleClose door hinge

Efficiency

- Usable oven volume: **63 l**
- Multi-function oven BigSpace - 63 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill

Control

- Electronic control
- DirecTOUCH

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Glass baking pan
- 1 Wire shelf
- 1 Tray handle
- Telescopic oven guides - 3 levels
- Stainless grease filter

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 × 59.7 × 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 × 56-56.8 × 55 cm**



IT 310 KR
Induction hob



- Colour: White
- Aluminium hob frame

Control

- Touch control
- Timer function

Cooking surface

- 2 induction heating zones
- Front: Ø 16 cm, 1.4 kW
- Behind: Ø 20 cm, 2.3/3 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **3650 W**
- Product dimensions (HxWxD): **7.2 × 30 × 51 cm**
- Niche dimensions (HxWxD): **6.8 × 27.5 × 49 cm**



DVG 6565 KRB UK
Colour of housing: Black



DVG 6565 KR UK
Wall mounted cooker hood



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: White / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **463 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **211 m³/h**
- Air flow by extraction version, step 2: **332 m³/h**
- Air flow by extraction version, step 3: **463 m³/h**

Control

- Electronic control
- Control setting: Touch
- Timer function
- Number of speed positions: **3**

Features

- Constant ventilation ReFeresh
- Lamp type LED
- Number of lights: **4**
- Power of lights: **4 W**
- Airflow boost position (PowerBoost 1): **623 m³/h**
- Number of PowerBoost positions: **1**
- Perimetric suction

Equipment

- Filter material: Aluminium
- Grease filter indicator
- Washable grease filter
- Number of motors: **1**
- No return airflow flap: 150 mm

Technical data

- Noise level (max.): **52 dB(A)re 1 pW**
- Product dimensions (WxD): **60 × 44.2 cm**
- Height: **523 mm**
- Min. height of the chimney: **465 mm**
- Max. height of the chimney: **916 mm**
- Product dimensions (HxWxD): **52.3 × 60 × 44.2 cm**



BOP 799 S51X
Built-in pyrolytic single oven

HomeCHEF
Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **73 l**
- Multi-function oven BigSpace - 73 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- HomeChef, electronic programme module

Heating types



Features

- Double lightning
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pyrolytic pan
- 2 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 3 levels

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.91 kWh** (venting), **0.94 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



BO 799 S50X
Built-in single oven

HomeCHEF
Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **75 l**
- Multi-function oven BigSpace - 75 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- HomeChef, electronic programme module

Heating types



Features

- Double lightning
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pan
- 2 Shallow enamelled pans
- 1 Glass baking pen
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 3 levels

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with double heat deflector (UltraCoolDoor)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



BOP 747 S32X
Built-in pyrolytic single oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **73 l**
- Multi-function oven BigSpace - 73 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pyrolytic pan
- 2 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 2 levels

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.91 kWh** (venting), **0.94 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



BO 747 S30X
Built-in single oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **75 l**
- Multi-function oven BigSpace - 75 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pan
- 2 Shallow enamelled pans
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 2 levels

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with double heat deflector (UltraCoolDoor)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.85 kWh** (venting), **0.94 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



BO 658 A41XG
Built-in single oven

Advanced Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **67 l**
- Multi-function oven BigSpace - 67 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- DirecTouch

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 3 levels
- Catalytic oven side and backwall

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

EasyCleaning

- Catalytic liners
- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BOP 647 A12XG

Built-in pyrolytic single oven

Advanced Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **65 l**
- Multi-function oven BigSpace - 65 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- Knobs illumination
- Ergonomic knobs
- Push pull knobs
- IconTouch

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pyrolytic pan
- 1 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- Wire oven guides

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.87 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BO 647 A20XG

Built-in single oven

Advanced Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **67 l**
- Multi-function oven BigSpace - 67 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- Knobs illumination
- Ergonomic knobs
- Push pull knobs
- IconTouch

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Wire shelf
- Telescopic oven guides - 1 level
- Catalytic oven side and backwall

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

EasyCleaning

- Catalytic liners
- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BOP 637 E11X

Built-in single oven

Essential Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **65 l**
- Multi-function oven BigSpace - 65 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic temperature control
- Ergonomic knobs
- Push pull knobs
- IconLed

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pyrolytic pan
- 1 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- Wire oven guides

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.87 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BO 637 E24X

Built-in single oven

Essential Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Stainless steel
- GentleClose door hinge

- Features**
- Illumination
 - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
 - Multi-function oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - PerfectGrill
 - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
 - 1 Shallow enamelled pan
 - 1 Wire shelf
 - Telescopic oven guides - 1 level

- Safety**
- Thermoelectric fuse
 - Dynamic oven cooling - DC
 - Double glazed oven door with one heat deflector (CompactDoor)

- Control**
- Mechanic temperature control
 - Ergonomic knobs
 - Push pull knobs
 - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

Heating types



- Technical data**
- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **3300 W**
 - Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
 - Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BO 635 E11X UK

Built-in single oven

Essential Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Stainless steel
- GentleClose door hinge

- Features**
- Illumination
 - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
 - Multi-function oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - PerfectGrill
 - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
 - 1 Shallow enamelled pan
 - 1 Wire shelf
 - Wire oven guides

- Safety**
- Thermoelectric fuse
 - Dynamic oven cooling - DC
 - Double glazed oven door with one heat deflector (CompactDoor)
 - Mechanic door safety bolt

- Control**
- Mechanic temperature control
 - Ergonomic sinkable knobs
 - Push pull knobs
 - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

Heating types



- Technical data**
- Energy consumption: **0.86 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **2700 W**
 - Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
 - Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BO 635 E11W UK

Built-in single oven

Essential Line



- Colour: White
- Handle colour: Colour of stainless steel
- Control panel material: Varnished metal
- GentleClose door hinge

- Features**
- Illumination
 - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
 - Multi-function oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - PerfectGrill
 - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
 - 1 Shallow enamelled pan
 - 1 Wire shelf
 - Wire oven guides

- Safety**
- Thermoelectric fuse
 - Dynamic oven cooling - DC
 - Double glazed oven door with one heat deflector (CompactDoor)
 - Mechanic door safety bolt

- Control**
- Mechanic temperature control
 - Ergonomic sinkable knobs
 - Push pull knobs
 - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

Heating types



- Technical data**
- Energy consumption: **0.86 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **2700 W**
 - Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
 - Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BO 635 E11B UK

Built-in single oven

Essential Line



- Colour: Black
- Handle colour: Black
- Control panel material: Varnished metal
- GentleClose door hinge

- Features**
- Illumination
 - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
 - Multi-function oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - PerfectGrill
 - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
 - 1 Shallow enamelled pan
 - 1 Wire shelf
 - Wire oven guides

- Safety**
- Thermoelectric fuse
 - Dynamic oven cooling - DC
 - Double glazed oven door with one heat deflector (CompactDoor)
 - Mechanic door safety bolt

- Control**
- Mechanic temperature control
 - Ergonomic sinkable knobs
 - Push pull knobs
 - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

Heating types



- Technical data**
- Energy consumption: **0.86 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **2700 W**
 - Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
 - Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



BO 547 S10X

Built-in compact oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

Efficiency

- Usable oven volume: **51 l**
- Multi-function oven - 51 l
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

Control

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Shallow enamelled pan
- 1 Wire shelf
- Wire oven guides

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption: **0.76 kWh** (venting), **0.83 kWh** (conventional)
- Connected load: **2600 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



BCM 547 S12X

Built-in compact microwave oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- Classic door hinge

Efficiency

- Usable oven volume: **50 l**
- Combined microwave oven - 50 l
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven
- MultiFlow 360°

Control

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

Heating types



Features

- Inverter technology
- Stirrer technology
- Illumination

Equipment

- 1 Shallow enamelled pan
- 1 Glass baking pan
- 1 Wire shelf
- Wire oven guides

Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazing with a protective grid

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface


Technical data

- Energy consumption: **0.78 kWh** (venting), **0.93 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



CMA 9200 UX

Automatic built-in coffee machine



- Colour: Stainless steel

Efficiency

- Brewing / steam heating time: 2 min

Control

- Knob control
- LCD display
- Timer function
- Coffee preparation mode: Bean and ground

Features

- Autocappuccino function
- Number of different shots of espresso coffee: 3
- Own coffee setting according to the recipe
- Possibility of 2 simultaneous brewed cups
- Milk frothing option

EasyCleaning

- Descaling programme

Equipment

- Lighting
- Beans container: **200 g**
- Water container capacity: **1.8 l**
- Removable milk container
- Tea brewing option

Safety

- Automatic shut down

Technical data

- Container water intake
- Pump pressure: **15 bar**
- Product dimensions (HxWxD): **45.5 x 59.5 x 40.5 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



BM 2140 X

Built-in microwave oven



- Colour: Stainless steel
- Control panel material: Stainless steel
- Door material: Glass
- Stainless steel oven interior

- Door opening: Left
- Door open type: Button

Efficiency

- Oven volume: **17 l**
- Microwave power: **700 W**

Control

- Electronic control
- Input type: Button
- Type of display: LED display
- LogicalChoice

Heating types



- Microwaves

Features

- AUTO menu
- Defrost function by weight

Safety

- ChildLock

Equipment

- Rotating glass plate

Technical data

- Connected load: **1200 W**
- Frame dimensions: **595 x 385 x 20 mm**
- Product dimensions (HxWxD): **24 x 44,8 x 32 cm**
- Niche dimensions (HxWxD): **38 x 56,8 x 51,5 cm**



BM 251 S7XG

Built-in microwave oven

Superior Line



- Colour: Black
- Control panel material: Glass
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **25 l**
 - Microwave power: **900 W**
 - Power of upper infra heater: **1100 W**
 - Number of infra heaters: 1
 - Convection: **2500 W**
 - Technology of producing microwaves: Standard technology (HVT)
 - Type of microwave distribution: Rotating plate

- Control**
- Electronic control
 - Touch control
 - LCD display

Heating types



- Combined heating: Microwaves / Grill / Hot air

- Features**
- AUTO menu
 - Time display
- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
 - Rotating grid

- Technical data**
- Connected load: **1450 W**
 - Frame dimensions: **595 × 390 × 20 mm**
 - Product dimensions (HxWxD): **38.8 × 59.5 × 47 cm**
 - Niche dimensions (HxWxD): **38 × 56.7 × 55 cm**



BM 171 A4XG

Built-in microwave oven

Advanced Line



- Colour: Black
- Control panel material: Glass
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **17 l**
 - Microwave power: **700 W**
 - Power of upper infra heater: **1000 W**
 - Number of infra heaters: 1
 - Technology of producing microwaves: Standard technology (HVT)
 - Type of microwave distribution: Rotating plate

- Control**
- Electronic control
 - Input type: Button
 - LCD display

Heating types



- Combined heating: Microwaves + grill

- Features**
- AUTO menu
- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
 - Rotating grid

- Technical data**
- Connected load: **1050 W**
 - Frame dimensions: **595 × 390 × 20 mm**
 - Product dimensions (HxWxD): **38.8 × 59.5 × 32 cm**
 - Niche dimensions (HxWxD): **38 × 56.7 × min. 32 cm**



BM 171 E2XG

Built-in microwave oven

Essential Line



- Colour: Black
- Control panel material: Glass
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **17 l**
 - Microwave power: **700 W**
 - Power of upper infra heater: **1000 W**
 - Number of infra heaters: 1
 - Technology of producing microwaves: Standard technology (HVT)
 - Type of microwave distribution: Rotating plate

- Control**
- Manual control
 - Input type: Button

Heating types



- Combined heating: Microwaves + grill

- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
 - Rotating grid

- Technical data**
- Connected load: **1050 W**
 - Frame dimensions: **595 × 390 × 20 mm**
 - Product dimensions (HxWxD): **38.8 × 59.5 × 32 cm**
 - Niche dimensions (HxWxD): **38 × 56.7 × min. 32 cm**



BM 171 E2X

Built-in microwave oven

Essential Line




- Colour: Stainless steel
- Control panel material: Stainless steel
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **17 l**
 - Microwave power: **700 W**
 - Power of upper infra heater: **1000 W**
 - Number of infra heaters: 1
 - Technology of producing microwaves: Standard technology (HVT)
 - Type of microwave distribution: Rotating plate

- Control**
- Manual control
 - Input type: Button

Heating types




- Combined heating: Microwaves + grill

- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
 - Rotating grid

- Technical data**
- Connected load: **1050 W**
 - Frame dimensions: **595 × 390 × 20 mm**
 - Product dimensions (HxWxD): **38.8 × 59.5 × 32 cm**
 - Niche dimensions (HxWxD): **38 × 56.7 × min. 32 cm**



UWD 3000 X
Warming drawer



• Colour: Stainless steel

Efficiency

- Number of servings:
12 standard place settings or
160 coffee cups or
80 tea cups

Features

- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

Technical data

- Connected load: **417 W**
- Product dimensions (HxWxD):
29.5 × 59.5 × 56.5 cm
- Niche dimensions (HxWxD):
29.5 × 56 × 55 cm



UWD 3000 X
Warming drawer



• Colour: Black

Efficiency

- Number of servings:
12 standard place settings or
160 coffee cups or
80 tea cups

Features


- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

Technical data

- Connected load: **417 W**
- Product dimensions (HxWxD):
29.5 × 59.5 × 56.5 cm
- Niche dimensions (HxWxD):
29.5 × 56 × 55 cm



UWD 1400 X
Warming drawer



• Colour: Stainless steel

Efficiency

- Number of servings
Set for **6** persons or
20 dishes in diameter 28 cm or
80 coffee cups or
40 tea cups
- Capacity: 6 servings

Features


- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

Technical data

- Connected load: **417 W**
- Product dimensions (HxWxD):
14 × 59.5 × 56.5 cm
- Niche dimensions (HxWxD):
14 × 56 × 55 cm



UWD 1400 X
Warming drawer



• Colour: Black

Efficiency

- Number of servings
Set for **6** persons or
20 dishes in diameter 28 cm or
80 coffee cups or
40 tea cups
- Capacity: 6 servings

Features

- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

Technical data

- Connected load: **417 W**
- Product dimensions (HxWxD):
14 × 59.5 × 56.5 cm
- Niche dimensions (HxWxD):
14 × 56 × 55 cm



EI 647 A21X2
Electric cooker

Advanced Line



- Colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- Door material: Glass
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
 - Multisystem oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
 - IconTouch

- Hob**
- Induction hob
 - BoilControl, prevents pots from boiling over
 - Cooking surface: 4 induction heating zones, Left front: Ø 18,5 cm, 1,4/2 kW, Right front: Ø 16,5 cm, 1,2/1,4 kW, Left behind: Ø 16,5 cm, 1,2/1,4 kW, Right behind: Ø 20,5 cm, 2/2,3 kW

Heating types



- Features**
- Illumination
 - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
 - 2 Shallow enamelled pans
 - 1 Wire shelf
 - 1 Meat probe
 - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
 - Thermoelectric fuse
 - ChildLock
 - Mechanic door safety bolt
 - Dynamic oven cooling plus - DC+
 - Triple glazed oven door with one heat deflector (CoolDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

- Technical data**
- Energy consumption: **0.88 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **10400 W**
 - Product dimensions (HxWxD): **90 x 60 x 60 cm**



EI 647 A21W2
Electric cooker

Advanced Line



- Colour: White
- Control panel material: Glass and stainless steel
- Door material: Glass and stainless steel
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
 - Multisystem oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
 - IconTouch

- Hob**
- Induction hob
 - BoilControl, prevents pots from boiling over
 - Cooking surface: 4 induction heating zones, Left front: Ø 18,5 cm, 1,4/2 kW, Right front: Ø 16,5 cm, 1,2/1,4 kW, Left behind: Ø 16,5 cm, 1,2/1,4 kW, Right behind: Ø 20,5 cm, 2/2,3 kW

Heating types



- Features**
- Illumination
 - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
 - 2 Shallow enamelled pans
 - 1 Wire shelf
 - 1 Meat probe
 - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
 - Thermoelectric fuse
 - ChildLock
 - Mechanic door safety bolt
 - Dynamic oven cooling plus - DC+
 - Triple glazed oven door with one heat deflector (CoolDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

- Technical data**
- Energy consumption: **0.88 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **10400 W**
 - Product dimensions (HxWxD): **90 x 60 x 60 cm**



EC 647 A21XV
Electric cooker

Advanced Line



- Colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- Door material: Glass and stainless steel
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
 - Multisystem oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
 - IconTouch

- Hob**
- Glass ceramic hob
 - Cooking surface: 4 HiLight heating zones, Left front: Ø two ring 21/12 cm, 2,2 kW, Right front: Ø 14,5 cm, 1,2 kW, Left behind: Ø 14,5 cm, 1,2 kW, Right behind: Ø 26,5x17 cm, 2,4 kW

Heating types



- Features**
- Illumination
 - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
 - 2 Shallow enamelled pans
 - 1 Wire shelf
 - 1 Meat probe
 - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
 - Thermoelectric fuse
 - Mechanic door safety bolt
 - Dynamic oven cooling plus - DC+
 - Double glazed oven door with one heat deflector (CompactDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

- Technical data**
- Energy consumption: **0.82 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **10300 W**
 - Product dimensions (HxWxD): **90 x 60 x 60 cm**



EC 647 A21WV
Electric cooker

Advanced Line



- Colour: White
- Control panel material: Glass and stainless steel
- Door material: Glass
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
 - Multisystem oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
 - IconTouch

- Hob**
- Glass ceramic hob
 - Cooking surface: 4 HiLight heating zones, Left front: Ø two ring 21/12 cm, 2,2 kW, Right front: Ø 14,5 cm, 1,2 kW, Left behind: Ø 14,5 cm, 1,2 kW, Right behind: Ø 26,5x17 cm, 2,4 kW

Heating types



- Features**
- Illumination
 - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
 - 2 Shallow enamelled pans
 - 1 Wire shelf
 - 1 Meat probe
 - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
 - Thermoelectric fuse
 - Mechanic door safety bolt
 - Dynamic oven cooling plus - DC+
 - Double glazed oven door with one heat deflector (CompactDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

- Technical data**
- Energy consumption: **0.82 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **10300 W**
 - Product dimensions (HxWxD): **90 x 60 x 60 cm**



EC 637 E14WX
Electric cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
 - Multisystem oven BigSpace - 67 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven
 - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
 - IconLed

- Hob**
- Glass ceramic hob
 - Cooking surface: 4 HiLight heating zones, Left front: Ø two ring 21/12 cm, 2,2 kW, Right front: Ø 18 cm, 1,8 kW, Left behind: Ø 14,5 cm, 1,2 kW, Right behind: Ø two ring 18/12 cm, 1,7 kW

Heating types



- Features**
- Illumination
 - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
 - 2 Shallow enamelled pans
 - 1 Wire shelf
 - Wire oven guides

- Safety**
- Residual heat indicator
 - Thermoelectric fuse
 - Mechanic door safety bolt
 - Double glazed oven door with one heat deflector (CompactDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

- Technical data**
- Energy consumption: **0.82 kWh** (venting), **0.92 kWh** (conventional)
 - Connected load: **10200 W**
 - Product dimensions (HxWxD): **90 x 60 x 60 cm**



E 613 E17WKE
Electric cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- Cover material: Varnished

- Oven**
- Usable oven volume: **72 l**
 - Conventional oven - 72 l
 - SuperSize baking area
 - Surface of the largest baking pan: **1316 cm²**
 - HomeMADE® modelled on traditional wood-fired bread oven

- Control**
- Ergonomic knobs

- Hob**
- Electric hob
 - Cooking surface: 1 fast electric cooking zone + 3 standard electric cooking zones, Left front: Ø 18 cm, 2 kW, Right front: Ø 14,5 cm, 1 kW, Left behind: Ø 14,5 cm, 1 kW, Right behind: Ø 18 cm, 1,5 kW

Heating types



- Features**
- Illumination

- Equipment**
- 1 Deep enamelled pan
 - 2 Shallow enamelled pans
 - 1 Wire shelf
 - Wire oven guides

- Safety**
- Thermoelectric fuse
 - Mechanic door safety bolt
 - Triple glazed oven door with one heat deflector (CoolDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
 - Smooth oven door surface

- Technical data**
- Energy consumption: **0.88 kWh** (conventional)
 - Connected load: **8200 W**
 - Product dimensions (HxWxD): **90 x 60 x 60 cm**



K 637 E14WKE
Dual Fuel cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- GentleClose door hinge

Oven

- Usable oven volume: **65 l**
- Multisystem oven BigSpace - 65 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven

Control

- Ergonomic knobs
- IconLed
- Single-handed ignition device

Hob

- Gas hob
- Triple burner
- Burner frames number: 2
- Cooking surface:
2 standard burners + 1 auxiliary burner + 1 triple burner,
Left front: Ø 6,9 cm, 1,9 kW,
Right front: Ø 13,2 cm, 3,5 kW,
Left behind: Ø 6,9 cm, 1,9 kW,
Right behind: Ø 4,6 cm, 1 kW
- Type of pan support: Enameled

Heating types



Features

- Illumination
- Baking on different levels at the same time

Equipment

- 1 Deep enamelled pan
- 2 Shallow enamelled pans
- 1 Wire shelf
- Wire oven guides

Safety

- Thermoelectric fuse
- Dynamic oven cooling - DC
- Double glazed oven door with one heat deflector (CompactDoor)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface


Technical data

- Energy consumption:
0.82 kWh (venting),
0.92 kWh (conventional)
- Product dimensions (HxWxD):
90 x 60 x 60 cm



K 613 E17WKD
Dual Fuel cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- Cover material: Varnished

Oven

- Usable oven volume: **65 l**
- Conventional oven - 65 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm²**
- HomeMADE® modelled on traditional wood-fired bread oven

Control

- Ergonomic knobs
- Electric ignition of gas burners

Hob

- Gas hob
- Burner frames number: 2
- Cooking surface: 1 auxiliary burner + 1 large burner + 2 standard burners,
Left front: Ø 6,9 cm, 1,9 kW,
Right front: Ø 9,4 cm, 3 kW,
Left behind: Ø 6,9 cm, 1,9 kW,
Right behind: Ø 4,6 cm, 1 kW
- Type of pan support: Enameled

Heating types



Features

- Illumination

Equipment

- 1 Deep enamelled pan
- 2 Shallow enamelled pans
- 1 Wire shelf
- Wire oven guides

Safety

- Thermoelectric fuse
- Double glazed oven door with one heat deflector (CompactDoor)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption:
0.79 kWh (venting),
0.88 kWh (conventional)
- Product dimensions (HxWxD):
90 x 60 x 60 cm



G 611 E17WKA
Gas cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass

Oven

- Usable oven volume: **47 l**
- Gas oven - 47 l
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven

Control

- Ergonomic knobs
- Electric ignition of gas burners

Hob

- Gas hob
- Burner frames number 2
- Cooking surface:
1 auxiliary burner + 1 large burner + 2 standard burners,
Left front: Ø 6,9 cm, 1,9 kW,
Right front: Ø 9,4 cm, 3 kW,
Left behind: Ø 6,9 cm, 1,9 kW,
Right behind: Ø 4,6 cm, 1 kW
- Type of pan support: Enameled

Heating types



Features

- Illumination

Equipment

- 1 Deep enamelled pan
- 2 Shallow enamelled pans
- 1 Wire shelf
- Wire oven guides

Safety

- Double glazed oven door with one heat deflector (CompactDoor)
- Mechanic door safety bolt

EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

Technical data

- Energy consumption:
1.69 kWh (conventional)
- Product dimensions (HxWxD):
90 x 60 x 60 cm



IT 984 USC
Induction hob

Superior Line



- Colour: Black
- Bevelled hob edges

Control

- SmartControl
- Timer function

Features

- BoilControl, prevents pots from boiling over
- StopGo function
- StayWarm function
- SoftMelt function
- Silent operation SuperSilent

Cooking surface


- 5 induction heating zones
- Left front: Ø 18 cm, 1,85/3 kW
- Middle front: Ø 18 cm, 1,85/3 kW
- Left behind: Ø 18 cm, 1,85/3 kW
- Middle behind: Ø 18 cm, 1,85/3 kW
- Right middle: Ø 26 cm, 2,6/3,7 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **11100 W**
- Product dimensions (HxWxD): **5.3 × 90 × 51 cm**
- Niche dimensions (HxWxD): **4.8 × 86 × 49 cm**



IS 777 USC
Induction hob

Superior Line



- Colour: Black
- Bevelled hob edges

Control

- SmartControl
- Timer function

Features

- BoilControl, prevents pots from boiling over
- MultiSlider
- StayWarm function
- PowerBoost Supreme
- XpandZone
- Silent operation SuperSilent

Cooking surface


- 4 induction heating zones
- Left front: Ø 19×22 cm, 2,3/3,7 kW
- Right front: Ø 19×22 cm, 2,3/3,7 kW
- Left behind: Ø 19×22 cm, 2,3/3,7 kW
- Right behind: Ø 19×22 cm, 2,3/3,7 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **7400 W**
- Product dimensions (HxWxD): **5.3 × 75 × 51 cm**
- Niche dimensions (HxWxD): **4.8 × 56 × 49 cm**



IS 677 USC
Induction hob

Superior Line



- Colour: Black
- Bevelled hob edges

Control

- SmartControl
- Timer function

Features

- BoilControl, prevents pots from boiling over
- MultiSlider
- StayWarm function
- PowerBoost Supreme
- XpandZone
- Silent operation SuperSilent

Cooking surface

- 4 induction heating zones
- Left front: Ø 19×22 cm, 2,3/3,7 kW
- Right front: Ø 19×22 cm, 2,3/3,7 kW
- Left behind: Ø 19×22 cm, 2,3/3,7 kW
- Right behind: Ø 19×22 cm, 2,3/3,7 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **7400 W**
- Product dimensions (HxWxD): **5.3 × 60 × 51 cm**
- Niche dimensions (HxWxD): **4.8 × 56 × 49 cm**



IT 635 SC
Induction hob

Advanced Line



- Colour: Black
- Bevelled hob edge

Control

- Touch control
- Timer function

Features

- SuperBoost
- PowerBoost function
- AllBoost
- BridgeZone
- Silent operation SuperSilent

Cooking surface

- 4 induction heating zones
- Left front: Ø 18,5 cm, 1,4/2 kW
- Right front: Ø 16,5 cm, 1,2/1,4 kW
- Left behind: Ø 18,5 cm, 1,2/1,4 kW
- Right behind: Ø 20,5 cm, 2/2,3 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.6 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5.2 × 56 × 49 cm**



IQ 634 USC
Induction hob

Advanced Line



- Colour: Black
- Bevelled hob edge

Control

- SliderTouch, control at your fingertips
- Timer function

Features

- IQcook sensor
- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent
- IQboil, cooking with a large amount of water
- IQgrill, grilling mode (Doneness level setting)
- IQpoach
- IQpro, slow cooking
- IQsteam, steam cooking

Cooking surface

- 4 induction heating zones
- Left front: Ø 18.5 cm, 1.4/2 kW
- Right front: Ø 16.5 cm, 1.2/1.4 kW
- Left behind: Ø 16.5 cm, 1.2/1.4 kW
- Right behind: Ø 20.5 cm, 2/2.3 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.6 × 60 × 51 cm**
- Niche dimensions (HxWxD): **5.2 × 56 × 49 cm**



IT 332 CSC
Induction hob

Advanced Line



- Colour: Black
- Bevelled front hob edge

Control

- Touch control
- Timer function

Cooking surface

- 2 induction heating zones
- Front: Ø 16 cm, 1.4 kW
- Behind: Ø 20 cm, 2.3/3 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **3650 W**
- Product dimensions (HxWxD): **7.2 × 30 × 51 cm**
- Niche dimensions (HxWxD): **6.8 × 27.5 × 49 cm**



IT 734 CSC
Induction hob

Essential Line



- Colour: Black
- Bevelled front hob edge

Control

- Touch control
- Timer function

Features

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

Cooking surface

- 4 induction heating zones
- Left front: Ø 18,5 cm, 1,4/2 kW
- Right front: Ø 16,5 cm, 1,2/1,4 kW
- Left behind: Ø 16,5 cm, 1,2/1,4 kW
- Right behind: Ø 20,5 cm, 2/2,3 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.5 × 75 × 51 cm**
- Niche dimensions (HxWxD): **5 × 71 × 49 cm**



IT 734 X
Induction hob

Essential Line



- Colour: Black
- Stainless steel hob frame

Control

- Touch control
- Timer function

Features

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

Cooking surface

- 4 induction heating zones
- Left front: Ø 18,5 cm, 1,4/2 kW
- Right front: Ø 16,5 cm, 1,2/1,4 kW
- Left behind: Ø 16,5 cm, 1,2/1,4 kW
- Right behind: Ø 20,5 cm, 2/2,3 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **7100 W**
- Product dimensions (HxWxD): **6.2 × 75.4 × 51.4 cm**
- Niche dimensions (HxWxD): **5.6 × 71 × 49 cm**



IT 614 CSC
Induction hob

Essential Line



- Colour: Black
- Bevelled front hob edge

Control

- Touch control
- Timer function

Features

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

Cooking surface

- 4 induction heating zones
- Left front: Ø 18.5 cm, 1.4/1.9 kW
- Right front: Ø 16.5 cm, 1.2/1.4 kW
- Left behind: Ø 16.5 cm, 1.2/1.4 kW
- Right behind: Ø 20.5 cm, 1.9/2.1 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **6800 W**
- Product dimensions (HxWxD): **5.5 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



IT 614 X
Induction hob

Essential Line



- Colour: Black
- Stainless steel hob frame

Control

- Touch control
- Timer function

Features

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

Cooking surface

- 4 induction heating zones
- Left front: Ø 18.5 cm, 1.4/1.9 kW
- Right front: Ø 16.5 cm, 1.2/1.4 kW
- Left behind: Ø 16.5 cm, 1.2/1.4 kW
- Right behind: Ø 20.5 cm, 1.9/2.1 kW

Safety and durability

- Residual heat indicator
- ChildLock

Technical data

- Connected load: **6800 W**
- Product dimensions (HxWxD): **5.7 × 60 × 51.5 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



ECT 880 USC
Glass ceramic hob

Advanced Line



- Colour: Black
- Bevelled hob edges

Control

- SliderTouch, control at your fingertips
- Timer function

Features

- BoilControl, prevents pots from boiling over
- StayWarm function

Cooking surface

- 4 HiLight heating zones + 1 resistance heater
- Left front: Ø 21/17.5/12 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Middle behind: Resistance heater 29×16 cm, 0.1 kW
- Right behind: Ø 26.5×17 cm, 2.4 kW

Safety and durability

- Residual indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **7200 W**
- Product dimensions (HxWxD): **5.4 × 85 × 51 cm**
- Niche dimensions (HxWxD): **5 × 81 × 49 cm**



ECS 780 USC
Glass ceramic hob

Advanced Line



- Colour: Black
- Bevelled hob edges

Control

- SliderTouch, control at your fingertips
- Timer function

Features

- BoilControl, prevents pots from boiling over
- StayWarm function

Cooking surface

- 4 HiLight heating zones
- Left front: Ø 21/17.5/12 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 26.5×17 cm, 2.4 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.5 × 75 × 51 cm**
- Niche dimensions (HxWxD): **5 × 71 × 49 cm**



ECS 680 USC
Glass ceramic hob

Advanced Line



- Colour: Black
- Bevelled hob edges

Control

- SliderTouch, control at your fingertips
- Timer function

Features

- BoilControl, prevents pots from boiling over
- StayWarm function

Cooking surface

- 4 HiLight heating zones
- Left front: Ø 21/17.5/12 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 26.5x17 cm, 2.4 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.4 × 60 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



ECT 693 CSC
Glass ceramic hob

Essential Line



- Colour: Black
- Bevelled front hob edge

Control

- Touch control
- Timer function

Features

- BoilControl, prevents pots from boiling over
- StopGo function
- StayWarm function

Cooking surface

- 4 HiLight heating zones
- Left front: Ø 21 cm, 2.1/3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 17x26.5 cm, 2.4 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **6600 W**
- Product dimensions (HxWxD): **5.6 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



ECT 610 SC
Glass ceramic hob

Essential Line



- Colour: Black
- Bevelled hob edge

Control

- Touch control

Features

- BoilControl, prevents pots from boiling over

Cooking surface

- 4 HiLight heating zones
- Left front: Ø 21 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 18 cm, 1.8 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **6500 W**
- Product dimensions (HxWxD): **5.4 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



ECT 330 CSC
Glass ceramic hob

Essential Line



- Colour: Black
- Faceted front hob edge

Control

- Touch control

Features

- BoilControl, prevents pots from boiling over

Cooking surface


- 1 HiLight heating zone + 1 HiLight two ring heating zone
- Front: Ø two ring 18/12 cm, 1.7 kW
- Behind: Ø 14.5 cm, 1.2 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- ChildLock

Technical data

- Connected load: **2900 W**
- Product dimensions (HxWxD): **6.6 × 30 × 51 cm**
- Niche dimensions (HxWxD): **6.2 × 27.5 × 49 cm**



GW 761 UX
Gas hob



- Colour: Stainless steel
- Control**
- Ergonomic knobs
- Features**
- Triple burner

- Cooking surface**
- Single-handed ignition device
- 1 auxiliary burner + 1 large burner + 2 normal burners + 1 wok burner
- Left front: Ø 13.44 cm, 3.8 kW
- Middle front: Ø 4.3 cm, 1 kW
- Right front: Ø 6.7 cm, 1.75 kW
- Middle behind: Ø 9.7 cm, 3 kW
- Right behind: Ø 6.7 cm, 1.75 kW
- Wok burner
- Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD): **9.6 × 75 × 51 cm**
- Niche dimensions (HxWxD): **4.5 × 72 × 48 cm**



GTW 761 UB
Gas on tempered glass



- Colour: Black
- Control**
- Ergonomic knobs
- Features**
- Triple burner

- Cooking surface**
- Single-handed ignition device
- 1 auxiliary burner + 1 large burner + 2 normal burners + 1 wok burner
- Left front: Ø 13.44 cm, 3.8 kW
- Middle front: Ø 4.3 cm, 1 kW
- Right front: Ø 6.7 cm, 1.75 kW
- Middle behind: Ø 9.7 cm, 3 kW
- Right behind: Ø 6.7 cm, 1.75 kW
- Wok burner
- Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD): **9.6 × 75 × 51 cm**
- Niche dimensions (HxWxD): **4.5 × 72 × 48 cm**



GW 6N41 IX
Gas hob



- Colour: Stainless steel
- Control**
- Ergonomic knobs
- Features**
- Double burner

- Cooking surface**
- Single-handed ignition device
- 1 auxiliary burner + 1 double burner + 2 normal burners
- Left front: Ø 6.9 cm, 1.9 kW
- Right front: Ø 4.4 cm, 1 kW
- Left behind: Ø 6.9 cm, 1.9 kW
- Right behind: Ø 13.2 cm, 3.5 kW
- Wok burner
- Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD): **10.7 × 58 × 51 cm**
- Niche dimensions (HxWxD): **4.7 × 56 × 49 cm**



G 6N41 IX
Gas hob



- Colour: Stainless steel
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
- 1 auxiliary burner + 1 large burner + 2 standard burners
- Left front: Ø 6.9 cm, 1.9 kW,
- Right front: Ø 4.4 cm, 1 kW,
- Left behind: Ø 6.9 cm, 1.9 kW,
- Right behind: Ø 9.4 cm, 3 kW
- Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD): **10.7 × 58 × 51 cm**
- Niche dimensions (HxWxD): **4.7 × 56 × 49 cm**



G 6N41 IB
Gas hob




- Colour: Black
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
 - 1 auxiliary burner + 1 large burner + 2 standard burners
 - Left front: Ø 6.9 cm, 1.9 kW,
 - Right front: Ø 4.4 cm, 1 kW,
 - Left behind: Ø 6.9 cm, 1.9 kW,
 - Right behind: Ø 9.4 cm, 3 kW
 - Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):
10.7 × 58 × 51 cm
 - Niche dimensions (HxWxD):
4.7 × 56 × 49 cm



G 6N41 IW
Gas hob



- Colour: White
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
 - 1 auxiliary burner + 1 large burner + 2 standard burners
 - Left front: Ø 6.9 cm, 1.9 kW,
 - Right front: Ø 4.4 cm, 1 kW,
 - Left behind: Ø 6.9 cm, 1.9 kW,
 - Right behind: Ø 9.4 cm, 3 kW
 - Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):
10.7 × 58 × 51 cm
 - Niche dimensions (HxWxD):
4.7 × 56 × 49 cm



GC 341 UC
Gas on glass ceramic



- Colour: Black
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
 - 1 auxiliary burner + 1 large burner
 - Front: Ø 5.5 cm, 1 kW
 - Behind: Ø 10 cm, 3 kW
 - Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):
10.8 × 30 × 51 cm
 - Niche dimensions (HxWxD):
6.4 × 27.5 × 49 cm



G 340 UX
Gas hob



- Colour: Stainless steel
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
 - 1 auxiliary burner + 1 large burner
 - Front: Ø 4.3 cm, 1 kW,
 - Behind: Ø 9.7 cm, 3 kW
 - Type of pan support: Enameled

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):
5.5 × 28.8 × 51 cm
 - Niche dimensions (HxWxD):
5.5 × 28.8 × 48 cm



IHT 961 S2X UK
Island cooker hood

Superior Line

A Energy Class **89.8** ← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **400 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **200 m³/h**
- Air flow by extraction version, step 2: **288 m³/h**
- Air flow by extraction version, step 3: **400 m³/h**

Control

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: Touch control on metal
- Timer function
- Number of speed positions: **3**

Features

- TouchFree Inox
- Constant ventilation ReRefresh
- Lamp type Led strip
- Number of lights: **2**
- Power of lights: **14 W**
- Airflow boost position (PowerBoost 1): **619 m³/h**
- Airflow boost position (PowerBoost 2): **729 m³/h**
- Number of PowerBoost functions: **2**

Equipment

- Filter material: AdaptAir
- Grease filter indicator
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 61.1 cm**
- Height: **59 mm**
- Min. height of the chimney: **797 mm**
- Max. height of the chimney: **1141 mm**
- Product dimensions (HxWxD): **5.9 × 89.8 × 61.1 cm**



WHI 961 S2X UK
Wall mounted cooker hood

Superior Line

A Energy Class **89.8** ← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **448 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **250 m³/h**
- Air flow by extraction version, step 2: **320 m³/h**
- Air flow by extraction version, step 3: **448 m³/h**

Control

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: Touch control on metal
- Timer function
- Number of speed positions: **3**

Features

- TouchFree Inox
- Constant ventilation ReRefresh
- Lamp type Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1): **641 m³/h**
- Airflow boost position (PowerBoost 2): **729 m³/h**
- Number of PowerBoost functions: **2**

Equipment

- Filter material: AdaptAir
- Grease filter indicator
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **61 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**



WHI 661 S2X UK
Wall mounted cooker hood

Superior Line

A Energy Class **59.5** ← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **448 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **250 m³/h**
- Air flow by extraction version, step 2: **320 m³/h**
- Air flow by extraction version, step 3: **448 m³/h**

Control

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: Touch control on metal
- Timer function
- Number of speed positions: **3**

Features

- TouchFree Inox
- Constant ventilation ReRefresh
- Lamp type Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1): **641 m³/h**
- Airflow boost position (PowerBoost 2): **729 m³/h**
- Number of PowerBoost functions: **2**

Equipment

- Filter material: AdaptAir
- Grease filter indicator
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **61 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 59.5 × 37.1 cm**

**WHI 951 S1XGB UK**

Wall mounted cooker hood

Superior Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **464 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **195 m³/h**
- Air flow by extraction version, step 2: **240 m³/h**
- Air flow by extraction version, step 3: **304 m³/h**
- Air flow by extraction version, step 9: **464 m³/h**

Control

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: SliderTouch control
- Timer function
- Number of speed positions: **9**

Features

- TouchFree Inox
- Constant ventilation ReFresh
- Lamp type: Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1 / PowerBoost 2): **641 m³/h / 707 m³/h**
- Number of PowerBoost functions: **2**
- Perimetric suction

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Grease filter indicator
- Number of motors: **1**
- Motor type: Inverter motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **59 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**

**WHI 651 S1XGB UK**

Wall mounted cooker hood

Superior Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **464 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **195 m³/h**
- Air flow by extraction version, step 2: **240 m³/h**
- Air flow by extraction version, step 3: **304 m³/h**
- Air flow by extraction version, step 9: **464 m³/h**

Control

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: SliderTouch control
- Timer function
- Number of speed positions: **9**

Features

- TouchFree Inox
- Constant ventilation ReFresh
- Lamp type: Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1 / PowerBoost 2): **641 m³/h / 707 m³/h**
- Number of PowerBoost functions: **2**
- Perimetric suction

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Grease filter indicator
- Number of motors: **1**
- Motor type: Inverter motor
- No return airflow flap: **150 mm**


Technical data

- Noise level (max.): **59 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 59.5 × 37.1 cm**

**WHI 921 E3B UK**

Wall mounted cooker hood

Essential Line



- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Black

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- Lamp type: Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**

**WHI 621 E3B UK**

Wall mounted cooker hood

Essential Line



- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Black

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- Lamp type: Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 59.5 × 37.1 cm**



WHI 921 E1XGB UK
Wall mounted cooker hood

Essential Line

C Energy Class **89,8**
← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**



WHI 621 E1XGB UK
Wall mounted cooker hood

Essential Line

C Energy Class **59,5**
← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.3 cm**
- Height: **450 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1104 mm**
- Product dimensions (HxWxD): **45 × 59.5 × 37.3 cm**



WHT 921 E3XBG UK
Wall mounted cooker hood

Essential Line

C Energy Class **89,8**
← cm →

- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **352 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **68 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 89.8 × 45 cm**



WHT 621 E3XBG UK
Wall mounted cooker hood

Essential Line

C Energy Class **59,8**
← cm →

- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **352 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**


Technical data

- Noise level (max.): **68 dB(A)re 1 pW**
- Product dimensions (WxD): **59.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 59.8 × 45 cm**

**WHT 921 E5X UK**

Wall mounted cooker hood

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**


Technical data

- Noise level (max.): **65 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 89.8 × 45 cm**

**WHT 621 E5X UK**

Wall mounted cooker hood

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

The capacity of ventilator

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

Control

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

Features

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

Equipment

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

Technical data

- Noise level (max.): **65 dB(A)re 1 pW**
- Product dimensions (WxD): **59.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 59.8 × 45 cm**



RK 60359 OX
Freestanding fridge freezer

Gorenje Retro Collection

A⁺ Energy Class
60 cm
188.7 cm

- Colour: Metallic grey
- Right door opening
- Climate class: **SN, ST, N, T**

- Efficiency**
- 1 compressor
 - Total gross/net volume: **342 / 321 l**
 - Capacity of cooling compartment: gross/net **231 / 229 l**
 - Capacity of freezer compartment: gross/net **111 / 92 l**
 - Freezing capacity in 24 hours: **4 kg / 24h**
 - Power cut safe time: **21 h**

- Control**
- Mechanic control

- Features**
- Fan-assisted cooling in fridge
 - SuperCool

- Equipment of refrigerator**
- Decorative cover
 - Type of interior light: LED
 - 4 glass shelves
 - Bottle holder
 - Dairy shelf
 - Bottle shelf with fixed trap
 - Flexible egg tray (12x)
 - Deep door two-partition bottle shelf
 - Large crisper pan for vegetables and fruit

- Equipment of freezer**
- 2 storage drawers
 - 1 drawer for freezing
 - 1 ice tray

Technical data

- Energy consumption kWh/24h: **0,628 kWh**
- Energy consumption kWh/year: **229 kWh**
- Level of noise (max.): **41 dB(A)re 1 pW**
- Product dimensions (HxWxD): **188,7 x 60 x 64 cm**



RF 60309 OX
Freestanding fridge freezer

Gorenje Retro Collection

A⁺ Energy Class
60 cm
173.4 cm

- Colour: Metallic grey
- Right door opening
- Climate class: **SN, ST, N, T**

- Efficiency**
- 1 compressor
 - Total gross/net volume: **296 / 294 l**
 - Capacity of cooling compartment: gross/net **231 / 229 l**
 - Capacity of freezer compartment: gross/net **65 / 65 l**
 - Freezing capacity in 24 hours: **4,5 kg / 24h**
 - Power cut safe time: **22 h**

- Control**
- Mechanic control

- Features**
- Fan-assisted cooling in fridge
 - SuperCool
 - FastFreeze

- Equipment of refrigerator**
- Decorative cover
 - Type of interior light: LED
 - 4 glass shelves
 - Bottle holder
 - Dairy shelf
 - Bottle shelf with fixed trap
 - Flexible egg tray (12x)
 - Deep door two-partition bottle shelf
 - Large crisper pan for vegetables and fruit

- Equipment of freezer**
- 1 wire shelf in freezer department
 - 1 compartment with door for frozen food
 - 1 ice tray

Technical data

- Energy consumption kWh/24h: **0,583 kWh**
- Energy consumption kWh/year: **213 kWh**
- Level of noise (max.): **38 dB(A)re 1 pW**
- Product dimensions (HxWxD): **173,4 x 60 x 64 cm**



RB 60299 OX
Freestanding refrigerator

Gorenje Retro Collection

A⁺ Energy Class
60 cm
152.4 cm

- Colour: Metallic grey
- Right door opening
- Climate class: **SN, ST, N, T**

- Efficiency**
- 1 compressor
 - Total gross/net volume: **288 / 281 l**
 - Capacity of cooling compartment: gross/net **262 / 255 l**
 - Capacity of freezer compartment: gross/net **26 / 26 l**
 - Freezing capacity in 24 hours: **2 kg / 24h**
 - Power cut safe time: **18 h**

- Control**
- Mechanic control

- Features**
- Fan-assisted cooling in fridge
 - SuperCool

- Equipment of refrigerator**
- Decorative cover
 - Type of interior light: LED
 - 4 glass shelves
 - Bottle holder
 - Dairy shelf
 - Bottle shelf with fixed trap
 - Flexible egg tray (12x)
 - Deep door two-partition bottle shelf
 - Large crisper pan for vegetables and fruit

- Equipment of freezer**
- 1 compartment with door for frozen food
 - 1 ice tray

Technical data

- Energy consumption kWh/24h: **0,536 kWh**
- Energy consumption kWh/year: **196 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **152,4 x 60 x 64 cm**



RB 60299 OBL/OBL-L
Freestanding refrigerator

Gorenje Retro Collection

A⁺ Energy Class
60 cm
152.4 cm

- Colour: Baby Blue
- **RB60299OBL**: Right door opening
- **RB60299OBL-L**: Left door opening
- Climate class: **SN, ST, N, T**

- Efficiency**
- 1 compressor
 - Total gross/net volume: **288 / 281 l**
 - Capacity of cooling compartment: gross/net **262 / 255 l**
 - Capacity of freezer compartment: gross/net **26 / 26 l**
 - Freezing capacity in 24 hours: **2 kg / 24h**
 - Power cut safe time: **18 h**

- Control**
- Mechanic control

- Features**
- Fan-assisted cooling in fridge
 - SuperCool

- Equipment of refrigerator**
- Decorative cover
 - Type of interior light: LED
 - 4 glass shelves
 - Bottle holder
 - Dairy shelf
 - Bottle shelf with fixed trap
 - Flexible egg tray (12x)
 - Deep door two-partition bottle shelf
 - Large crisper pan for vegetables and fruit

- Equipment of freezer**
- 1 compartment with door for frozen food
 - 1 ice tray

Technical data

- Energy consumption kWh/24h: **0,536 kWh**
- Energy consumption kWh/year: **196 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **152,4 x 60 x 64 cm**



NRK 6192 TX
Freestanding fridge freezer

Superior Line



- Colour: Metallic grey
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **329 / 307 l**
- Capacity of cooling compartment: gross/net **231 / 222 l**
- Capacity of freezer compartment: gross/net **98 / 85 l**
- Freezing capacity in 24 hours: **12 kg / 24h**
- Power cut safe time: **18 h**

Control

- Electronic control
- LED display
- Sound alarm for open door
- Sound and visual signal for high temperature in refrigerator: white signal

Features

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Multiflow 360 °: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- SuperCool

- FastFreeze
- Saving programme EcoMode

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- ZeroZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer

- XXL SpaceBox drawer
- XtremeFreeze: very intensive freezing in the upper freezer drawer
- 3 drawers for freezing

Technical data

- Energy consumption kWh/24h: **0,643 kWh**
- Energy consumption kWh/year: **235 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



NRK 6192 TW
Freestanding fridge freezer

Superior Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **329 / 307 l**
- Capacity of cooling compartment: gross/net **231 / 222 l**
- Capacity of freezer compartment: gross/net **98 / 85 l**
- Freezing capacity in 24 hours: **12 kg / 24h**
- Power cut safe time: **18 h**

Control

- Electronic control
- LED display
- Sound alarm for open door
- Sound and visual signal for high temperature in refrigerator: white signal

Features

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Multiflow 360 °: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- SuperCool

- FastFreeze
- Saving programme EcoMode

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- ZeroZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer

- XXL SpaceBox drawer
- XtremeFreeze: very intensive freezing in the upper freezer drawer
- 3 drawers for freezing

Technical data

- Energy consumption kWh/24h: **0,643 kWh**
- Energy consumption kWh/year: **235 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



NRK 6192 JW
Freestanding fridge freezer

Advanced Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **329 / 306 l**
- Capacity of cooling compartment: gross/net **231 / 221 l**
- Capacity of freezer compartment: gross/net **98 / 85 l**
- Freezing capacity in 24 hours: **5 kg / 24h**
- Power cut safe time: **18 h**

Control

- Electronic control

Features

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Multiflow 360 °: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- FastFreeze

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer

- XXL SpaceBox drawer
- 3 drawers for freezing

Technical data

- Energy consumption kWh/24h: **0,643 kWh**
- Energy consumption kWh/year: **235 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



NRK 6191 GX
Freestanding fridge freezer

Essential Line



- Colour: Metallic grey
- Reversible door opening
- Climate class: **ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **325 / 307 l**
- Capacity of cooling compartment: gross/net **230 / 222 l**
- Capacity of freezer compartment: gross/net **95 / 85 l**
- Freezing capacity in 24 hours: **5 kg / 24h**
- Power cut safe time: **21 h**

Control

- Electronic control

Features

- IonAir: Ionizer in the fridge
- Multiflow 360°: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- FastFreeze
- Saving programme EcoMode

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer

- XXL SpaceBox drawer
- 3 drawers for freezing

Technical data

- Energy consumption kWh/24h: **0,819 kWh**
- Energy consumption kWh/year: **299 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



NRK 6191 GW
Freestanding fridge freezer

Essential Line



- Colour: White
- Reversible door opening
- Climate class: **ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **325 / 307 l**
- Capacity of cooling compartment: gross/net **230 / 222 l**
- Capacity of freezer compartment: gross/net **95 / 85 l**
- Freezing capacity in 24 hours: **5 kg / 24h**
- Power cut safe time: **21 h**

Control

- Electronic control

Features

- IonAir: Ionizer in the fridge
- Multiflow 360°: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- FastFreeze
- Saving programme EcoMode

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer

- XXL SpaceBox drawer
- 3 drawers for freezing

Technical data

- Energy consumption kWh/24h: **0,819 kWh**
- Energy consumption kWh/year: **299 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



RK 6193 KW
Freestanding fridge freezer

Advanced Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **326 / 322 l**
- Capacity of cooling compartment: gross/net **229 / 227 l**
- Capacity of freezer compartment: gross/net **97 / 95 l**
- Freezing capacity in 24 hours: **4,5 kg / 24h**
- Power cut safe time: **30 h**

Control

- Electronic control

Features

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- FrostLess: Less ice building in the freezer
- DynamiCooling
- FastFreeze

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer

- XXL SpaceBox drawer
- 2 storage drawers
- 1 drawer for freezing

Technical data

- Energy consumption kWh/24h: **0,423 kWh**
- Energy consumption kWh/year: **154 kWh**
- Level of noise (max.): **40 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



R 6192 FX
Freestanding refrigerator

Essential Line

Energy Class **A+**
 60 cm
 185 cm

- Colour: Metallic grey
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **370 / 368 l**
- Capacity of cooling compartment: gross/net **370 / 368 l**

Control

- Mechanic control

Features

- CrispZone with HumidityControl: big vegetable drawer with humidity regulation
- CrispZone: vegetable drawer
- IonAir: ionizer in the fridge
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- DynamiCooling
- SuperCool

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 3
- Type of interior light: LED
- 7 glass shelves
- Bottle holder
- Bottle shelf without trap
- Bottle shelf with fixed trap
- FreshZone drawer

Technical data

- Energy consumption kWh/24h: **0,312 kWh**
- Energy consumption kWh/year: **114 kWh**
- Level of noise (max.): **38 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



R 6192 FW
Freestanding refrigerator

Essential Line

Energy Class **A+**
 60 cm
 185 cm

- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **370 / 368 l**
- Capacity of cooling compartment: gross/net **370 / 368 l**

Control

- Mechanic control

Features

- CrispZone with HumidityControl: big vegetable drawer with humidity regulation
- CrispZone: vegetable drawer
- IonAir: ionizer in the fridge
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- DynamiCooling
- SuperCool

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 3
- Type of interior light: LED
- 7 glass shelves
- Bottle holder
- Bottle shelf without trap
- Bottle shelf with fixed trap
- FreshZone drawer

Technical data

- Energy consumption kWh/24h: **0,312 kWh**
- Energy consumption kWh/year: **114 kWh**
- Level of noise (max.): **38 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



FN 6192 CX
Upright freezer

Essential Line

Energy Class **A+**
 60 cm
 185 cm

- Colour: Metallic grey brown
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **277 / 243 l**
- FastFreeze
- Freezing capacity in 24 hours: **18 kg**
- Power cut safe time: **15 h**

Control

- Electronic control

Features

- Automatic defrost freezer
- NoFrost

Equipment of freezer

- Illuminated interior of freezer compartment: LED light
- Storage compartments with door for frozen food: 1
- 5 storage drawers for frozen food
- Drawers for freezing: 1

Technical data

- Energy consumption kWh/24h: **0,649 kWh**
- Energy consumption kWh/year: **237 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



FN 6192 CW
Upright freezer

Essential Line

Energy Class **A+**
 60 cm
 185 cm

- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

Efficiency

- 1 compressor
- Total gross/net volume: **277 / 243 l**
- FastFreeze
- Freezing capacity in 24 hours: **18 kg**
- Power cut safe time: **15 h**

Control

- Electronic control

Features

- Automatic defrost freezer
- NoFrost

Equipment of freezer

- Illuminated interior of freezer compartment: LED light
- Storage compartments with door for frozen food: 1
- 5 storage drawers for frozen food
- Drawers for freezing: 1

Technical data

- Energy consumption kWh/24h: **0,649 kWh**
- Energy consumption kWh/year: **237 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



GV 63315 UK
Integrated dishwasher

Exclusive Line

A+ Energy Class	A Washing Efficiency	A Drying Efficiency	59.8 ← cm →	total	eco	
------------------------	-----------------------------	----------------------------	----------------	-------	-----	--

Efficiency

- Max. temperature of inflow water: **60 °C**

Control

- Selected programme indicator
- On/Off indicator

Programmes

- Washing temperature(s): **40, 50, 55, 60, 65 °C**
- **8** programmes: Normal; Half load; Automatic programme; 1; Sensitive programme; Programme for glass; Intensive programme; Eco programme; Quick intensive programme; Quick programme; Soaking
- Reference programme: **4**

Features

- SpaceDeluxe: **14** place settings
- Function 3 in 1
- Selected programme indicator
- Visual indicator for wash finish on control panel
- Voice signal for the end of washing cycle
- Time remaining indicator

UseLogic technology

- Start delay up to 24 hours

Equipment

- Number of baskets: **3**
- Variable top basket
- Upper basket system: Click Clack system
- Basket with handle
- Foldable bottom plate baskets
- Number of water jet levels: **5**
- Number of sprinkle hands: **3**
- Selfcleaning filter

Safety

- Total Aquastop
- Service diagnostics
- Stainless steel tub

Consumption data (IEC standard EN 50242)

- Water consumption: **10 l**
- Energy consumption - normal program: **0.93 kWh**
- Energy consumption kWh/year: **266 kWh**
- Estimated annual water consumption: **2800 l**

Technical data

- Height setting: **50 mm**
- Level of noise (max.): **47 dB(A)re 1 pW**
- Product dimensions (HxWxD): **81.5 × 59.8 × 55 cm**
- Niche dimensions (HxWxD): **82 × 60 × 58 cm**



GV 61214 UK
Integrated dishwasher

Classic Line

A+ Energy Class	A Washing Efficiency	A Drying Efficiency	59.8 ← cm →	total	eco	
------------------------	-----------------------------	----------------------------	----------------	-------	-----	--

Efficiency

- Max. temperature of inflow water: **60 °C**

Control

- Selected programme indicator
- On/Off indicator

Programmes

- Washing temperature(s): **40, 50, 62, 65 °C**
- **6** programmes: Normal; Half load; Sensitive programme; Intensive programme; Eco programme; Quick intensive programme; Quick programme
- Reference programme: **3**

Features

- **12** place settings
- Function 3 in 1
- Selected programme indicator
- Visual indicator for wash finish on control panel
- Voice signal for the end of washing cycle

UseLogic technology

- Variable start delay up to 3/6/9 hours

Equipment

- Number of baskets: **2**
- Variable top basket
- Basket with handle
- Foldable bottom plate baskets
- Number of water jet levels: **4**
- Number of sprinkle hands: **2**
- Selfcleaning filter

Safety

- Total Aquastop
- Service diagnostics
- Stainless steel tub

Consumption data (IEC standard EN 50242)

- Water consumption: **12 l**
- Energy consumption - normal program: **1.02 kWh**
- Energy consumption kWh/year: **291 kWh**
- Estimated annual water consumption: **3360 l**

Technical data

- Height setting: **60 mm**
- Level of noise (max.): **49 dB(A)re 1 pW**
- Product dimensions (HxWxD): **81.8 × 59.8 × 55 cm**
- Niche dimensions (HxWxD): **82 × 60 × 57 cm**



GV 53315 UK
Integrated dishwasher

Classic Line

A+ Energy Class	A Washing Efficiency	A Drying Efficiency	44.8 ← cm →	total	eco	
------------------------	-----------------------------	----------------------------	----------------	-------	-----	--

Efficiency

- Max. temperature of inflow water: **60 °C**

Control

- Selected programme indicator
- On/Off indicator

Programmes

- Washing temperature(s): **40, 50, 55, 60, 65 °C**
- **8** programmes: Normal; Half load; Automatic programme; 1; Sensitive programme; Programme for glass; Intensive programme; Eco programme; Quick intensive programme; Quick programme
- Reference programme: **4**

Features

- **10** place settings
- Selected programme indicator
- Visual indicator for wash finish on control panel
- Voice signal for the end of washing cycle
- Time remaining indicator

UseLogic technology

- Start delay up to 24 hours

Equipment

- Number of baskets: **3**
- Variable top basket
- Upper basket system: Click Clack system
- Basket with handle
- Number of water jet levels: **5**
- Number of sprinkle hands: **3**
- Selfcleaning filter

Safety

- Total Aquastop
- Service diagnostics
- Stainless steel tub

Consumption data (IEC standard EN 50242)

- Water consumption: **8.5 l**
- Energy consumption - normal program: **0.75 kWh**
- Energy consumption kWh/year: **211 kWh**
- Estimated annual water consumption: **2380 l**

Technical data

- Level of noise (max.): **47 dB(A)re 1 pW**
- Product dimensions (HxWxD): **81.5 × 44.8 × 55 cm**
- Niche dimensions (HxWxD): **82 × 45 × 57 cm**



WI 73140

Integrated washing machine

A+ Energy Class
B Spinning Efficiency
59,6 ← cm →
7 kg
Carbo Tech
1400
LED

• Colour: White

Efficiency

- Standard collector motor
- Spin speed: 1400 rpm
- Washer load: 1-7 kg

Control

- Type of display: LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Preset washing EndTime
- Cold wash Knob

Programmes

- 15 programmes
- Special programs: Eko 20°C, Quick-wash 15', Sport, Shirts
- Easy ironing: Button

Features

- Selfcleaning filter
- Audio signal SoftSound
- Cold water connection

Safety and durability

- Child protection (CDP)
- Carbotech tub

Technical data

- Energy consumption kWh/year: **218 kWh**
- Annual water consumption: **10340 l**
- Level of noise (max.): **72 dB(A)re 1 pW**
- Product dimensions (HxWxD): **82 x 59.6 x 56 cm**
- Niche dimensions (HxWxD): **82 x 60 x 58 cm**



WDI 73120

Integrated washing-drying machine

B Energy Class
59,6 ← cm →
7 kg
Carbo Tech
1200
LED
LED

• Colour: White

Efficiency

- Spin speed: 1200 rpm
- Washer load: 1-7 kg
- Door opening angle: 110 °

Control

- LED display
- Temperature setting
- Start delay: 24h
- Audio signal SoftSound

Programmes washing

- 15 programmes
- Functions: Phase indicator, Start delay: 24 h, Easy ironing, Spinning stop control
- Basic programmes: Cotton, Synthetics, Delicate, Wool
- Extra programmes: Rinsing, Water pump, Spinning

Special programmes washing

- Easy ironing: Button
- Intensive washing
- Cold wash Knob
- Extra rinsing

Features

- Pump STOP
- Audio signal SoftSound
- Shower system

Safety and durability

- Child protection (CDP)
- Time-attendance door lock
- Carbotech tub

Technical data

- Energy consumption kWh/year: **238 kWh**
- Annual water consumption: **9400 l**
- Level of noise (max.): **70 dB(A)re 1 pW**
- Product dimensions (HxWxD): **82 x 59.6 x 56 cm**
- Niche dimensions (HxWxD): **82 x 60 x 58 cm**



W 9865 E
Washing machine

Superior Line

A⁺⁺ Energy Class | **A** Spinning Efficiency | 60 cm | 85 cm | 9 kg | 34cm | **total** | **LCD** | 24h

• Colour: White

Efficiency

- Inverter PowerDrive motor
- SensoCARE
- StainExpert
- Special drum construction SpaDrum
- Spin speed: **1600 rpm**
- Washer load: **1-9 kg**
- Drum volume: **64 l**
- Drum illumination with LED light

Control

- LCD display
- TimeComfort
- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

Programmes

- **31** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Prewash
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

Features

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold & hot water connection

SensorIQ technology

- Automatic recognition of laundry weight TotalWeight
- QuickWet
- ECOSystem

Safety and durability

- Durable heater DuraHeat
- Total Aqua STOP
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- FiberTech

Technical data

- Energy consumption kWh/year: **170 kWh**
- Annual water consumption: **10654 l**
- Level of noise (max.): **74 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



W 8543 C
Washing machine

Essential Line

A⁺ Energy Class | **B** Spinning Efficiency | 60 cm | 85 cm | 8 kg | 34cm | **total** | **LCD** | 24h

• Colour: White

Efficiency

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1400 rpm**
- Washer load: **1-8 kg**
- Drum volume: **64 l**

Control

- LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

Programmes

- **23** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

Features

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

SensorIQ technology

- Automatic recognition of laundry weight TotalWeight
- ECOSystem

Safety and durability

- Durable heater DuraHeat
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- FiberTech

Technical data

- Energy consumption kWh/year: **192 kWh**
- Annual water consumption: **10340 l**
- Level of noise (max.): **74 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



W 7543 LC
Washing machine

Essential Line

A⁺ Energy Class | **B** Spinning Efficiency | 60 cm | 85 cm | 7 kg | 34cm | **Carbo Tech** | **total** | **LCD** | 24h

• Colour: White

Efficiency

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1400 rpm**
- Washer load: **1-7 kg**
- Drum volume: **54 l**

Control

- LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

Programmes

- **23** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

Features

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

SensorIQ technology

- Automatic recognition of laundry weight TotalWeight
- ECOSystem

Safety and durability

- Durable heater DuraHeat
- Partial AquaStop
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- Carbotech tub

Technical data

- Energy consumption kWh/year: **166 kWh**
- Annual water consumption: **9586 l**
- Level of noise (max.): **73 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



W 7223
Washing machine

Primary Line

A⁺ Energy Class | **B** Spinning Efficiency | 60 cm | 85 cm | 7 kg | 34cm | **Carbo Tech** | **total** | **LCD** | 24h

• Colour: White

Efficiency

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1200 rpm**
- Washer load: **1-7 kg**
- Drum volume: **54 l**

Control

- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

Programmes

- **18** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Prewash
- Special programs: UltraWhite, PerfectBlack

Features

- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

SensorIQ technology

- ECOSystem

Safety and durability

- Durable heater DuraHeat
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- Carbotech tub

Technical data

- Energy consumption kWh/year: **166 kWh**
- Annual water consumption: **9586 l**
- Level of noise (max.): **74 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



W 6523/SC
Washing machine

Essential Line

A⁺⁺ Energy Class | **B** Spinning Efficiency

60 cm → | 85 cm ↓ | 6 kg | 34cm | Carbo Tech | SensorIQ | LED

• Colour: White

Efficiency

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1200 rpm**
- Washer load: **1-6 kg**
- Drum volume: **42 l**

Control

- LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Cold wash Button
- Personal settings for all programmes

Programmes

- **23** programmes
- Wool, Hand wash, Mix, Cotton, Quick programme, Synthetics
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

Features

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

SensorIQ technology

- Automatic recognition of laundry weight TotalWeight
- ECOSystem

Safety and durability

- Durable heater DuraHeat
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- Carbotech tub

Technical data

- Energy consumption kWh/year: **153 kWh**
- Annual water consumption: **9209 l**
- Level of noise (max.): **70 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 x 60 x 44 cm**



D 9866 E
Freestanding condenser tumble dryer

Superior Line

A⁺⁺ Energy Class

60 cm → | 85 cm ↓ | 9 kg | 35cm | SensorIQ | LCD | LED

• Colour: White

Efficiency

- Dryer load: Large drum volume - **9 kg**
- IonTech technology
- TwinAir
- Heat pump
- Drum volume: **120 l**
- Drum illumination with LED light
- Porthole diameter: **35 cm**
- Door opening angle: **180 °**
- Reversible drum action

Control

- Personal settings for all programmes
- LCD display

Programmes

- **27** programmes
- Programmes: Cotton / Synthetics / Delicates / Mix / Wool / XL programme
- SteamTech

Functions

- Energy temperature of drying
- Anticrease

Features

- Audio signal SoftSound
- FiltrationSupreme
- Drying phase indicator
- Signal for "full water container"
- Remaining time on display
- Vacuum feet

SensorIQ technology

- Humidity sensor
- Service diagnostic indicator

Safety and durability

- Protective thermostat
- Automatic switch off when door is open
- Child protection (CDP)
- Stainless steel inner/outer drum

Technical data

- Noise level: **66 dB(A)re 1 pW**
- Energy consumption kWh/year: **189 kWh**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



D 9665 N
Freestanding condenser tumble dryer

Advanced Line

A⁺ Energy Class

60 cm → | 85 cm ↓ | 9 kg | 35cm | SensorIQ | LCD | auto | LED

• Colour: White

Efficiency

- Dryer load: Large drum volume - **9 kg**
- IonTech technology
- TwinAir
- Heat pump
- Drum volume: **120 l**
- Drum illumination with LED light
- Porthole diameter: **35 cm**
- Door opening angle: **180 °**
- Reversible drum action
- Direct discharge of condensate AutoDrain

Control

- Personal settings for all programmes
- LCD display

Programmes

- **27** programmes
- Programmes: Cotton / Synthetics / Delicates / Mix / Wool / XL programme

Functions

- Refresh
- Lower temperature of drying
- Anticrease

Features

- Audio signal SoftSound
- FiltrationSupreme
- Drying phase indicator
- Signal for "full water container"
- Remaining time on display
- Vacuum feet

SensorIQ technology

- Humidity sensor
- Service diagnostic indicator

Safety and durability

- Protective thermostat
- Automatic switch off when door is open
- Child protection (CDP)
- Stainless steel inner/outer drum

Technical data

- Noise level: **65 dB(A)re 1 pW**
- Energy consumption kWh/year: **259 kWh**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



D 8565 N
Freestanding condenser tumble dryer

Essential Line

A⁺ Energy Class

60 cm → | 85 cm ↓ | 8 kg | 35cm | SensorIQ | LCD | auto | LED

• Colour: White

Efficiency

- Dryer load: **1-8 kg**
- IonTech technology
- TwinAir
- Heat pump
- Drum volume: **120 l**
- Drum illumination with LED light
- Porthole diameter: **35 cm**
- Door opening angle: **180 °**
- Reversible drum action
- Direct discharge of condensate AutoDrain

Control

- Personal settings for all programmes
- LED display

Programmes

- **15** programmes
- Programmes: Cotton / Synthetics / Delicates / Mix / Wool / XL programme

Functions

- Refresh
- Anticrease

Features

- Audio signal SoftSound
- FiltrationSupreme
- Drying phase indicator
- Signal for "full water container"
- Remaining time on display
- Vacuum feet

SensorIQ technology

- Humidity sensor
- Service diagnostic indicator

Safety and durability

































- Protective thermostat
- Automatic switch off when door is open
- Child protection (CDP)
- Stainless steel inner/outer drum

Technical data















- Noise level: **65 dB(A)re 1 pW**
- Energy consumption kWh/year: **218 kWh**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**

SYMBOL DESCRIPTION

BUILT-IN OVENS AND FREESTANDING COOKERS

	HomeMade oven		Double glazed oven door with one heat deflector (CompactDoor)		Lower heater and fan
	PerfectGrill		Pyrolytic cleaning		Lower heater with circular heater and fan
	GentleClose door hinge		AquaClean		Defrosting
	BigSpace, large oven capacity 73/75 L		Upper & lower heater		FastPreheat
	SuperSize baking area		Lower heater		AquaClean
	Telescopic oven guides - 3 levels		Upper heater		StayWarm, keeping dishes warm
	Telescopic oven guides - 2 levels		Fan		WarmPlate, for professional service
	Telescopic oven guides - 1 level		Circular heater and fan		Auto roast
	Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)		Large infra grill		Pyrolytic
	Triple glazed oven door with double heat deflector (UltraCoolDoor)		Small grill		Gas thermostat
	Triple glazed oven door with one heat deflector (CoolDoor)		Large infra grill and fan		





BUILT-IN COMPACT MICROWAVE OVENS





	HomeMade oven		Large infra grill		Defrosting
	SuperSize baking area		Large infra grill and fan		FastPreheat
	Upper & lower heater		Lower heater with circular heater and fan		AquaClean
	Fan		Microwaves		WarmPlate, for professional service
	Circular heater and fan		Microwaves and circular heater and fan		





BUILT-IN MICROWAVE OVENS

	Microwaves		Microwaves + grill
	Grill		Fan

BUILT-IN HOBS


	IQcook
	SliderTouch
	Touch control
	SmartControl


	SuperSilent
	PowerBoost faster heating and cooking
	PowerBoost Supreme
	BoilControl prevents the food from boiling over

	SoftMelt melting food at low temperature
	StayWarm function
	StopGo function
	Wok gas burner






COOKER HOODS





	SliderTouch
---	-------------





	Touch control
---	---------------

	AdaptTech venting: Memorizing intelligent system
---	---

COOLING

	AdaptTech cooling - Memorizing intelligent system
	NoFrost Plus
	FrostLess - Less ice building in the freezer
	NoFrost
	Multiflow 360 °

	DynamCooling
	IonAir - Ionizer in the fridge
	SuperCool function for rapid cooling of a major quantity of food
	Fan-assisted cooling in fridge

	CrispZone with HumidityControl - big vegetable drawer with humidity regulation
	ZeroZone drawer
	FreshZone drawer
	FastFreeze - rapid food freezing







INTEGRATED DISHWASHERS

	Total AquaStop, total spill protection
---	--






















	ECO programme
---	---------------

	Function 3 in 1
---	-----------------













INTEGRATED WASHING & DRYING MACHINES

 Load 1-7 kg	 Cold wash at 15°C	 Spin speed 1400 rpm
 CarboTech tub material	 LED display	 Spin speed 1200 rpm

FREESTANDING WASHING MACHINES

 Load 1-9 kg	 SensorIQ system - advanced sensor technology	 Inverter PowerDrive efficient brushless motor
 Load 1-8 kg	 Super silent operation	 Total AquaStop, spill protection
 Load 1-7 kg	 Silent operation	 AquaStop, spill protection
 Load 1-6 kg	 Durable heater DuraHeat	 LCD display
 Door opening 34 cm	 SterilTub self-cleaning program	 LED display
 FiberTech tub material	 SensoCare - washing modes which upgrade and personalize standard washing programs	 StartDelay 24h in advance
 CarboTech tub material	 StainExpert efficient stain removal	 Low temperature wash 20 °C

FREESTANDING TUMBLE DRYERS

 Load 1-9 kg	 Condenser dryer with a heat pump	 LED display
 Load 1-8 kg	 IonTech anti-bacterial treatment	 SteamTech steam drying technology
 Door opening 35 cm	 SensorIQ sensor technology	 AutoDrain - direct discharge of Condensate
 TwinAir - Special two-directional air blowing system	 LCD display	 Drum illumination with LED light



gorenje

GORENJE UK Ltd
Tuition House
27-37 St George's Road
London
SW19 4EU
T 020 8247 39 80
F 020 8247 39 99
E info.uk@gorenje.com
www.gorenje.co.uk