





Glass. Metal. Harmony. Presence. Eye candy.

The way it's designed – IT'S SO ME!

LOGICAL CHOICE

In appliances from the Gorenje Simplicity collection, the most frequently used and the most convenient settings are immediately available – via a single knob.



Advanced appliances memorize our personal choices and suggest them next time we use them. All that's left is to press the button to confirm.





Pure lines, genuine materials and ergonomics allow integrating the appliances into any home.



As they are well-priced, these appliances offer immediate savings. In addition, advanced technology makes sure you only pay for what you truly need, which leads to extra savings in the long run.





OVENS

SMELLS WONDERFUL. THE WAY IT'S BAKED - IT'S SO ME!







AdaptTech baking No need to repeat your own settings

The oven will memorize your temperature setting for each preset program and suggest the most recent or the most frequently used setting the next time you use it.



Preservation program A reliable way to make your preserves

A special preset program will make sure your preserves keep throughout the season and well after that.



A GentleClose oven door closing system

Extra comfort when closing the oven door. The door will close gently and silently, regardless of the force applied.





Electronic programming timer with touch control Easy and clear control

The timer allows you to set the cooking time and to select the right temperature. This and the heating system currently in use can be monitored on a clearly laid out screen. Timer surface is completely smooth and easy to clean.





HOBS

I'M ENJOYING IT. THE WAY IT'S COOKED - IT'S SO ME!








Gas hob with SimpleOff program timer Safe, simple, clear, and controlled cooking

Ergonomically designed knob with built-in electronic timer allows setting the cooking time (up to 99 minutes). When the set time expires, the gas burner will be automatically switched off, which will also be indicated by an acoustic signal.



Simple control with SmartControl Clarity and control in cooking

Cooking time can be set separately for each cooking zone. When the set time expires, the timer will automatically switch off the cooking zone and notify you with an acoustic signal.









SuperPower induction hob

simple cleaning

power.

Induction hobs operate

prepare excellent and

Fast and efficient cooking and

remarkably fast and efficiently to

wholesome food. SuperBoost

function for rapid and powerful

more efficient cooking which

operation allows even faster and

leads to savings of both time and

BoilControl

BoilControl is an automatic system that will temporarily adjust the output power of a cooking zone. After initially operating at maximum power, the cooking zone will maintain the temperature at the desired level to prevent the food from boiling over or overcooking.





REFRIGERATORS

IT'S FRESH. THE WAY IT'S COOLED - IT'S SO ME!







NoFrost Plus No frost, ice, or manual defrosting

Modern NoFrost technology uses intensive circulation of cool air to eliminate moisture from the freezer and refrigerator. This prevents accumulation of frost on the food and ice in the appliance interior.







AdaptTech cooling Keeping the food fresh 20% longer

Adaptive intelligent system monitors, analyzes, and records the use of the refrigerator in weekly intervals. Then, its operation, especially maintaining of the set temperature and the resulting power consumption are adjusted to the identified pattern. When the door is opened, the temperature of the food will not rise as it does in conventional refrigerators; this will hinder the development of bacteria.



IonAir

Keeping the food fresh and tasty up to 10 days longer

lons generated in the refrigerator eliminate up to 95% of bacteria, viruses, gases, and odours to make sure the air in your refrigerator is always fresh.



< MultiFlow 360°

Long lasting freshness and lower power consumption

The intensive MultiFlow 360° air circulation generated by intensive multi-point blowing of cool air through ventilation slots located in the column on the back wall of the refrigerator provides constant and even temperature in the entire refrigerator compartment.





HOODS

THE AIR IS FRESH. THE WAY IT WORKS - IT'S SO ME!









AdaptTech venting Automatic hood operation

In the automatic operating mode, a sensor in the kitchen hood will sense the impurities in the air, steam, and gases released during cooking, and adjust the fan speed accordingly – and even stop the fan when it is no longer needed.



Functional design

In addition to performance, hoods boast genuine materials such as stainless steel in combination with glass. Appealing design is an increasingly important aspect; however, hoods can also provide highly convenient lighting of the cooktop during operation.

A Halogen lighting Excellent cooking hob lighting

Extra source of light for optimum cooking hob lighting. Halogen lighting is both more powerful and more economical than lighting with incandescent lamps.





< Easy-to-clean filters

Easier maintenance and longer life cycle

Metal filters in hoods, which are designed to remove fat particles, can be easily removed and cleaned. You can wash them by hand or in a dishwasher using a 'gentle wash' programme.



IT'S SHINY. THE WAY IT'S WASHED -- IT'S SO ME!





Preset program start time Clean dishes when you want it

Start of dishwashing program can be delayed by 3, 6, or 9 hours. Running the dishwasher during the lower electricity rate means extra savings.





Λ 3 v 1

The appliance offers programs specially tailored for use of $\rm \ast 3$ in 1 $\rm \ast$ tabs.



AquaStop

Do not worry about water spillage

In case of water spillage, the AquaStop safety system will automatically shut off the water inlet valve and the pump will pump out the remaining water from the dishwasher tub.






High efficiency Economical dishwashing

From now on, your dishes will be washed responsibly and with great care for the environment as Gorenje dishwashers fully meet the stringent European guidelines on energy efficiency.







WASHING MACHINES

IT'S SPOTLESS. THE WAY IT'S WASHED - IT'S SO ME!







AdaptTech washing No need to repeat your own settings

The washing machine will memorize your settings for the spinning cycle for each preset program. It wall also memorize if you selected higher water level or pre-wash for a particular program. The most recent settings will be suggested when you use the same program again.



SensorIQ sensor technology

Optimum results with considerable savings in power, water, and time

Numerous sensors constantly monitor the washing process. Based on collected data, they automatically adjust the washing process according to the selected program and the type and weight of the laundry.





Programming the start of the washing cycle Washed at the right time

All washing machines offer the option to delay the start of the washing cycle by up to 24 hours. This will allow you to make use of the lower electricity rate during the night.





Excellent energy efficiency Many innovative solutions like the efficient program algorithms, OptiDrum washing machine drum, and QuickWet optimum soaking system, combined with the intelligent SensorIQ sensor technology, deliver excellent washing and energy efficiency. Gorenje Simplicity models boast A+++ or A^{-30%} rating, which means they use 30 % less power than an A energy class appliance.



IT'S SOFT. THE WAY IT'S DRIED - IT'S SO ME!







< AdaptTech drying

No need to repeat your own settings

The dryer will memorize if you used the ExtraDry function, lower drying temperature, refreshment function, or anti-crease function for a particular program.

The most recent settings will be suggested when you use the same program again.



Condenser dryer with a heat pump Exceptionally economical drying A++

It is the only home appliance to use both the cooling and the heating part of the heat pump. Full use leads to a 50-percent reduction in energy consumption relative to the A class.



Programming the start of the drying cycle Dried at the right time

Start of the drying process may be programmed up to 24 hours in advance. Your clothes will be dried to the previously set level of moisture and ready to be stored in the cupboard or for ironing whenever you feel is most convenient.





A TwinAir For evenly dried laundry

Condenser dryers with a heat pump boast a unique air blowing system that allows introducing warm dry air into the drum through two air vents as the drum spins in both directions.









- Product code: 423442



BO 75 SY2 B Built-in Multi-function oven



- · Colour: Black
- · Handle colour: Imitation of stainless steel
- · Control panel material: Glass

Efficiency

24

- Usable oven volume: 65 I
- Multi-function oven BigSpace 65 I
- SuperSize baking area
- Surface of the largest baking pan: 1316 cm²
- · HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill

Control

- Electronic control
- · AdaptTech baking: Memorizing intelligent system

Heating types



Features

- GentleClose door hinge
- Illumination
- FastPreheat
- · Baking on different levels at the same time

Equipment

- Deep enamelled pan
- · Shallow enamelled pan
- Grid · Telescopic oven guides - 2 levels

Safety

- Thermoelectric fuse
- Dynamic oven cooling DC • Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

EasyCleaning

- AquaClean function
- Eco enamel (oven and baking tray)
- · Smooth oven door surface

Technical data

- Energy consumption: 0,79 kWh (venting), 0,87 kWh (conventional)
- Product dimensions (HxWxD): 59,5 × 59,7 × 56,5 cm
- Niche dimensions min-max (HxWxD): 59-60 × 56-56,8 × 55 cm
- EAN code: 3838942950247
- Product code: 423441
- BO 75 SY2 B & BO 75 SY2 W models come with a European plug as standard



BO 71 SY2 B Built-in Multi-function oven



- · Colour: Black
- · Handle colour: Imitation of stainless steel
- · Control panel material: Glass

Efficiency

- Usable oven volume: 65 I
- Multi-function oven BigSpace 65 I
- · SuperSize baking area
- Surface of the largest baking pan: 1316 cm²
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill

Control

- · Mechanic temperature control
- · Ergonomic sinkable knobs

Heating types



Features

- · Classic door hinge
- Illumination
- · Baking on different levels at the same time

Equipment

- · Deep enamelled pan
- · Shallow enamelled pan
- Grid
- Wire oven guides

Safetv

- Thermoelectric fuse • Dynamic oven cooling - DC
- · Double glazed oven door with one heat deflector (CompactDoor) · Mechanic door safety bolt

EasyCleaning

- AquaClean function
- · Eco enamel (oven and baking tray)
- · Smooth oven door surface

Technical data

- Energy consumption: 0,79 kWh (venting), 0,87 kWh (conventional)
- Product dimensions (HxWxD): 59,5 × 59,7 × 56,5 cm
- Niche dimensions min-max (HxWxD): 59-60 × 56-56,8 × 55 cm
- EAN code: 3838942950278
- Product code: 423438
- BO 71 SY2 B & BO 71 SY2 W models come with a European plug as standard





simplicity COLLECTION

gorenje [simplicity 25







- IT 612 SY2 W
- Colour: White
- EAN code: 3838942949685Product code: 423499



IT 612 SY2 B Induction hob



Colour: Black

Bevelled edge

Control

- Touch control
- Timer function
- SmartControl

Features

- Enhanced performance with Powerboost
- SuperBoost
- AllBoost
- Silent operation SuperSilent

Cooking surface

 4 induction heating zones Left front: Ø 18,5 cm, 1,4/2 kW Right front: Ø 16,5 cm, 1,2/1,4 kW Left behind: Ø 16,5 cm, 1,2/1,4 kW Right behind: Ø 20,5 cm, 2/2,3 kW

Safety and durability

- · Residual heat indicator
- Child protection
- Safety function

Technical data

- Connected load: 7100 W
- Product dimensions (HxWxD): 5,6 × 60 × 51 cm
- Niche dimensions (HxWxD): 5,2 × 56 × 49 cm
- EAN code: 3838942949692
- Product code: 423498



ECT 6 SY2 W

- Colour: White
- EAN code: 3838942950209
- Product code: 423443



Super Power

ECT 6 SY2 B Glass ceramic hob



- Colour: Black
- Bevelled edge

Control

- Touch control
- Timer function
- SmartControl

Features

- · BoilControl, prevents pots from boiling over
- StopGo function
- StayWarm function

Cooking surface

 4 HiLight heating zones Left front: Ø two ring 21/12 cm, 2,2 kW Right front: Ø 14,5 cm, 1,2 kW Left behind: Ø 14,5 cm, 1,2 kW Right behind: Ø two ring 18/12 cm, 1,7 kW

Safety and durability

- Residual heat indicator
- Safety control hob lock
- Safety function

- Connected load: 6300 W
- Product dimensions (HxWxD): 5,4 × 60 × 51 cm
- Niche dimensions (HxWxD): 5 × 56 × 49 cm
- EAN code: 3838942940354
- Product code 423444

simplicity





GKTG 6 SY2 W

- Colour: White
- EAN code: 3838942928598





Gas on tempered glass



Colour: Black

Control

- SimpleOff program timer
- Timer function

Features

• Triple burner

Cooking surface


- Single-handed ignition device
- 2 standard burners + 1 auxiliary burner + 1 triple burner Left front: Ø 10,3 cm, 3,3 kW Right front: Ø 4,3 cm, 1 kW Left behind: Ø 6,7 cm, 1,75 kW Right behind: Ø 6,7 cm, 1,75 kW
- Type of pan support: Cast iron grid

Technical data

- Product dimensions (HxWxD): 9,6 × 58,5 × 51 cm
- Niche dimensions (HxWxD): 4,5 × 56 × 48 cm

• EAN code: 3838942928581

• Product code 426143



GKT 6 SY2 W

- Colour: White
- EAN code: 3838942928567Product code: 426141
- •



Colour: Black

GKT 6 SY2 B

Gas hob

60 ← cm -

Control

SimpleOff program timer

(J)

- Timer function
- Features

Triple burner

.

Cooking surface

- Single-handed ignition device
- 2 standard burners + 1 auxiliary burner + 1 triple burner Left front: Ø 10,3 cm, 3,3 kW Right front: Ø 4,3 cm, 1 kW
- Left behind: Ø 6,7 cm, 1,75 kW
- Right behind: Ø 6,7 cm, 1,75 kW
- Type of pan support: Cast iron grid

- Product dimensions (HxWxD): 8,7 × 60 × 51 cm
- Niche dimensions (HxWxD): 4,5 × 56 × 48 cm
- EAN code: 3838942928574
- Product code: 426142

gorenje | simplicity 27

simplicity COLLECTION



DT 9 SY2 B

Wall mounted cooker hood



- Venting with air extraction or recirculation
- Material of housing/chimney: Varnished steel / Stainless steel
- · Colour of housing/chimney: Black / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: 618 m³/h
- Maximum extraction rate by recirculation operation: 572 m³/h
- Venting tube diameter: 15 cm
- The capacity of ventilator:
- Air flow by extraction version, step 1: 201 m3/h
- Air flow by extraction version, step 2: 327 m3/h
- Air flow by extraction version, step 3: 618 m³/h

Control

- Mechanic control
- Control setting: Simplicity knob for easy control
- Number of speed settings: 3

Features

- Lamp type: Halogen
- Number of lights: 2
- · Power of lights: 40 W

Equipment

- Filter material: Aluminium
- No return airflow flap: 150 mm

Technical data

- Noise level (max.): 65 dB(A)
- Product dimensions (WxD): 90 × 43,5 cm
- Height: 95 mm
- Min. height of the chimney: 485 mm
- Max. height of the chimney: 955 mm

• EAN code: 3838942002823

Product code: 312587



DT 6 SY2 W · Colour: White

- EAN code: 3838942001819
- Product code: 312586





DT 6 SY2 B

Wall mounted cooker hood



simplicity

COLLECTIC

- · Venting with air extraction or recirculation
- Material of housing/chimney: Varnished steel / Stainless steel
- · Colour of housing/chimney: Black / Stainless steel

Efficiency

- Maximum extraction rate by extraction operation: 618 m³/h
- Maximum extraction rate by recirculation operation: 572 m³/h
- Venting tube diameter: 15 cm
- The capacity of ventilator:
 - Air flow by extraction version, step 1: 201 m3/h
 - Air flow by extraction version, step 2: 327 m3/h
 - Air flow by extraction version, step 3: 618 m³/h

Control

- Mechanic control
- · Control setting: Simplicity knob for easy control
- Number of speed settings: 3

Features

- Lamp type: Halogen
- Number of lights: 2
- · Power of lights: 40 W

Equipment

- Filter material: Aluminium
- · No return airflow flap: 150 mm

- Noise level (max.): 65 dB(A) • Product dimensions (WxD): 60 × 43,5 cm
- Height: 95 mm
- Min. height of the chimney: 485 mm
- Max. height of the chimney: 955 mm
- EAN code: 3838942001802
- Product code: 312585

28



simplicity

NRK 62J SY2 W

- Colour: White
- EAN code: 3838942005688Product code: 471525







- Colour: Black
- Reversible door opening
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- Climate class: SN, ST, N, T

Efficiency

- 1 compressor
- Total gross/net volume: 329 / 306 I
- Capacity of cooling compartment: gross/net: 231 / 221 I
- Capacity of freezer compartment: gross/net: 98 / 85 I
- Freezing capacity in 24 hours: 5 kg / 24h
 Power cut safe time: 18 h

Control

Electronic control

Features

- · IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Multiflow 360 °: Multi 3D air blowing
- NoFrost Plus
- FastFreeze

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 5 glass shelves
- BottleMat holder
- Bottle shelf with trap
- MultiBox for butter and cheese
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer ****

- XXL SpaceBox drawer
- · 3 drawers for freezing

Technical data

- Energy consumption kWh/24h: 0,643 kWh
- Energy consumption kWh/year: 235 kWh
- Level of noise (max.): 42 dB(A)
- Product dimensions (HxWxD): 185 × 60 × 64 cm
- EAN code: 3838942005671
- Product code: 471524



- RK 62F SY2 W • Colour: White • EAN code: 3838942005701
- Product code: 471527





simplicity

RK 62F SY2 B Freestanding fridge freezer



- Colour: Black
- Reversible door opening
- · Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- Climate class: SN, ST, N, T

Efficiency

- 1 compressor
- Total gross/net volume: 326 / 322 I
- Capacity of cooling compartment: gross/net: 229 / 227 I
- Capacity of freezer compartment: gross/net: 97 / 95 I
- Freezing capacity in 24 hours: 4,5 kg / 24h
- Power cut safe time: 30 h

Control

Mechanic control

Features

- IonAir: Ionizer in the fridge
- · FrostLess: Less ice building in the freezer
- DynamiCooling

Equipment of refrigerator

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 5 glass shelves
- BottleMat holder
- Bottle shelf with trap
- MultiBox for butter and cheese
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

Equipment of freezer * ***

- XXL SpaceBox drawer
- 2 storage drawers
- 1 drawer for freezing

- Energy consumption kWh/24h: 0,635 kWh
- Energy consumption kWh/year: 232 kWh
- Level of noise (max.): 40 dB(A)
- Product dimensions (HxWxD): 185 × 60 × 64 cm
- EAN code: 3838942005695
- Product code: 471526

gorenje [simplicity 29]

D 76 SY2 W

· Colour: White

• EAN code: 3838942006487

Product code: 471371

simplicity






- WA 74 SY2 W
- Colour: WhiteEAN code: 3838942006463
- Product code: 471348



WA 74 SY2 B

Washing machine



Programmes16 programmes

Cotton, Hand wash, Quick programme

Features

- Audio signal SoftSound
- · Self cleaning program SterilTub
- Cold water connection

SensorIQ technology

- AdaptTech washing: Memorizing intelligent system
- Automatic recognition of laundry weight TotalWeight
- ECOSystem

Safety and durability

- Durable heater DuraHeat
- Partial AguaStop
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- Carbotech tub

Technical data

- Energy consumption kWh/year: 166 kWh
- Annual water consumption: 9586 I
- Level of noise (max.): 74 dB(A)
- Product dimensions (HxWxD): 85 × 60 × 60 cm
- EAN code: 3838942006456
- Product code: 471324



D 76 SY2 B

Energy

Freestanding condenser tumble dryer



Colour: Black

Efficiency

- Dryer load: 1-7 kg
 TwinAir
- Warming pump
- Drum volume: 117 I
- Drum illumination
- Big door: 35 cm
- Door opening angle: 180 °
- Reversible drum action

- Control • LED display
- Start delay
- Programmes

7 programmes

- Programmes: Cotton / Synthetycs / Wool / XL programme
- Functions
- Refresh
- Anticrease

Features

Audio signal SoftSound • Easy filter cleaning • Drying phase indicator • Signal for "full water container" • Remaining time on display • Vacuum feet

SensorIQ technology

AdaptTech drying: Memorizing intelligent system • Humidity sensor • Service diagnostic indicator

Safety and durability

- Protective thermostat
- Automatic switch off when door is openChild protection (CDP)
- Stainless steel inner/outer drum

- Noise level: 65 dB(A)re 1 pW
- Energy consumption kWh/year: 199 kWh
- Product dimensions (HxWxD): 85 × 60 × 60 cm
- EAN code: 3838942006470
- Product code: 471350








| 1000 4 | 1 |
|--------|----------|
| 3110 | 9.4 |
| | - |
| | |
| | 213 |

GV 6 SY2 W-1 Colour: White

GV 6 SY2 B-1

30

Integrated dishwasher



Control

Selected programme indicator

On/Off indicator

Programmes

Washing temperature(s): 40, 50, 62, 65 °C

- 6 programmes: Sensitive programme; Intensive programme; Eco programme; Quick
- intensive programme; Quick programme; Rinse and drying
- Reference programme: 3

Features

- 12 place settings
- Function 3 in 1
- Selected programme indicator
- · Visual indicator for wash finish

UseLogic technology

• Variable start delay up to 3/6/9 hours

Equipment

• Number of baskets: 2 • Variable top basket • Basket with handle • Foldable bottom plate baskets • Number of water jet levels: 4 • Number of sprinkle hands: 2 • Selfcleaning filter

Safety

- Total Aquastop
- Service diagnostics
- · Stainless steel tub

Technical data

- · Height setting: 60 mm
- Product dimensions (HxWxD): 81,8 × 59,8 × 57 cm

Consumption data (IEC standard EN 50242)

- Water consumption: 12 I
- Energy consumption normal program: 1,02 kWh
- Energy consumption kWh/year: 291 kWh
- Estimated annual water consumption: 3360 I
- Level of noise (max.): 49 dB(A)
- EAN code: 3838942935022
- Product code: 429349
- GV 6 SY2 W-1 & GV 6 SY2 B-1 models come with a European plug as standard







gorenje

www.gorenje.com



www.parsital.com