



VALID FROM 1 APRIL 2018

**GEBERIT**  
**BATHROOM**  
**SERIES**  
**CATALOGUE**  
**2018/2019**

**KNOW  
HOW  
INSTALLED**

**Citterio**

**Xeno<sup>2</sup>**

**Acanto**


**iCon**

**Smyle**

**Abalona**

**Product Solutions**

**Appendix**



# Citterio

Geberit Citterio combines puristic geometric contours with organically flowing shapes, resulting in an unmistakable design language. A premium bathroom series of products with remarkable originality, designed with timeless elegance and quality. The Geberit Citterio bathroom series reflects the unique design hallmarks of the renowned Italian architect and designer Antonio Citterio.

**Italian design with simple, timeless elegance.**


---

<b>Washbasins.....</b>	<b>7</b>
Handrinse basins.....	7
Washbasins.....	8
Lay-on washbasins.....	10
Accessories.....	11
<b>Bathroom furniture.....</b>	<b>13</b>
Washbasin cabinets.....	13
Side cabinets.....	17
Mirrors.....	18
Accessories.....	19
<b>WCs.....</b>	<b>20</b>
Wall-hung WCs.....	20
Floor-standing WCs.....	21
WC seats.....	21
Accessories.....	22
<b>Bidets.....</b>	<b>23</b>
Wall-hung bidets.....	23
Floor-standing bidets.....	24
Accessories.....	24

# Washbasins

## Handrinse basins

### Geberit Citterio handrinse basin



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Drain cover

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.541.01.1	KeraTect / white	45	16	30	right	without

#### Can be combined with


- Geberit Citterio cabinet for handrinse basin, with one door → p. 13

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

## Washbasins

### Geberit Citterio washbasin



#### Characteristics

- Can be installed with a washbasin cabinet
- Suitable for Geberit washbasin connector Clou

#### Technical data

Material	Fine fireclay
----------	---------------

#### Scope of delivery

- Drain cover

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.544.01.1	KeraTect / white	60	-	53	58.4	16	50	centred	without
500.547.01.1	KeraTect / white	90	16	83	88.4	16	50	centred	without
500.553.01.1	KeraTect / white	120	28	113	118.4	16	50	left and right	without

#### Can be combined with

- Geberit Citterio cabinet for washbasin, with one drawer → p. 15




#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit washbasin connector Clou with lever actuation → p. 11
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



- Washbasin 60 cm is fastened with 2 hanger bolts
- Washbasins 90 and 120 cm are fastened with 4 hanger bolts
- Geberit washbasin connector Clou with lever actuation only for washbasins with one tap hole

## Geberit Citterio washbasin with shelf surface



### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical
- Suitable for Geberit washbasin connector Clou

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Drain cover

Art. no.	Surface / colour	Cabinet		H [cm]	T [cm]	Tap hole	Overflow Shelf space		
		B [cm]	B1 [cm]				width [cm]	without	right
500.545.01.1	KeraTect / white	75	14	73.4 / 118.4	16	50	left	without	right
500.546.01.1	KeraTect / white	75	14	73.4 / 118.4	16	50	right	without	left
500.548.01.1	KeraTect / white	90	29	88.4 / 133.4	16	50	left	without	right
500.549.01.1	KeraTect / white	90	29	88.4 / 133.4	16	50	right	without	left

### Can be combined with

- Geberit Citterio cabinet for washbasin, with one drawer → p. 15
- Geberit Citterio cabinet for washbasin, with two drawers and shelf surface → p. 14


### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit washbasin connector Clou with lever actuation → p. 11
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



## Lay-on washbasins

### Geberit Citterio lay-on washbasin



#### Application purposes

- For mounting on washbasin cabinets

#### Characteristics

- Asymmetrical

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Drain cover
- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.542.01.1	KeraTect / white	56	18.5	40	without	without


#### Can be combined with

- Geberit Citterio cabinet for lay-on washbasin, with one drawer → p. 16
- Geberit Citterio cabinet for lay-on washbasin, with two drawers and shelf surface → p. 16

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11

### Geberit Citterio lay-on washbasin with waste outlet



#### Application purposes

- For mounting on washbasin cabinets

#### Characteristics

- Asymmetrical

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Drain cover
- Fastening material
- Waste outlet

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.543.01.1	KeraTect / white	56	18.5	40	without	visible

#### Can be combined with

- Geberit Citterio cabinet for lay-on washbasin, with one drawer → p. 16
- Geberit Citterio cabinet for lay-on washbasin, with two drawers and shelf surface → p. 16

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11

## Accessories

### Geberit waste outlet with external push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics


- Push button waste plug,  $\varnothing$  1 1/4"

Art. no.	d, $\varnothing$ [mm]
500.055.00.1	60

#### Technical data

Material	Brass chrome-plated
----------	---------------------

### Geberit washbasin connector Clou with lever actuation



#### Application purposes

- For washbasins without visible overflow

#### Characteristics

- Quality-monitored in accordance with EN 274-3
- Hygienic with optimum flow behaviour
- Waste outlet can be closed
- Actuation using rod
- Hidden overflow function
- Length and height can be adapted to washbasin

Art. no.
152.018.00.1


#### Technical data

Material	Plastic
----------	---------

#### Scope of delivery

- Waste outlet
- Actuator lever
- Plug
- Washbasin connector

### Geberit waste outlet with free outlet



#### Application purposes

- For washbasins without overflow

#### Characteristics

- Valve cover made of plastic, chrome-plated
- With built-in screen

Art. no.	Surface / colour	L [cm]
152.050.21.1	bright chrome-plated	5
152.080.21.1	bright chrome-plated	8

#### Technical data

Material	Brass chrome-plated
----------	---------------------

#### Scope of delivery

- Screen
- Seals

## Fastening set for Geberit washbasins



### Application purposes

- For fastening Geberit washbasins on solid walls


### Scope of delivery

- Set of 2 pieces

Art. no.

500.121.00.1

## Geberit bottle trap with dip tube, for washbasin, horizontal outlet



### Application purposes

- For washbasins

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Corrosion-resistant

### Technical data


Material	Plastic
----------	---------

### Scope of delivery

- Wall collar

Art. no.	Surface / colour	d, Ø [mm]	G ["]
151.034.21.1	bright chrome-plated	32	1 1/4
151.035.21.1	bright chrome-plated	40	1 1/4

## Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet



### Application purposes

- For space-saving connection of washbasins in bathroom furniture

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Space-saving model
- For cleaning accessible

### Technical data

Depth of water seal	50 mm
Material	Plastic

### Scope of delivery

- Seals
- Connection bend with union nut

Art. no.	Surface / colour	d, Ø [mm]	G ["]
151.116.11.1	white alpine	32	1 1/4

## Fastening set for Geberit handrinse basins



### Application purposes

- For fastening Geberit handrinse basins on solid walls

### Scope of delivery

- Set of 2 pieces


Art. no.

500.122.00.1

## Bathroom furniture

### Washbasin cabinets

#### Geberit Citterio cabinet for handrinse basin, with one door



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Can be equipped with feet
- Front made of glass
- Delivered pre-assembled
- Door frame made of metal

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.555.JI.1	Doors: shiny glass / taupe Body: wood-textured melamine / oak beige	44	55.4	31.6
500.555.JJ.1	Doors: shiny glass / black Body: wood-textured melamine / oak grey-brown	44	55.4	31.6


### Can be combined with

- Geberit Citterio handrinse basin → p. 7

### Accessories

- Accessory overview: Bathroom furniture

## Geberit Citterio cabinet for washbasin, with two drawers and shelf surface



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Can be equipped with feet
- Front made of glass
- Drawer frame made of metal
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	B3 [cm]	B4 [cm]	Washbasin width [cm]	H [cm]	T [cm]	Shelf space
500.562.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	118.4	68.4	49.7	73.4	52	75	55.4	50.4	right
500.562.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	118.4	68.4	49.7	73.4	52	75	55.4	50.4	right
500.563.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	118.4	68.4	49.7	73.4	52	75	55.4	50.4	left
500.563.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	118.4	68.4	49.7	73.4	52	75	55.4	50.4	left
500.567.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	133.4	83.4	41.7	88.4	67	90	55.4	50.4	right
500.567.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	133.4	83.4	41.7	88.4	67	90	55.4	50.4	right
500.568.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	133.4	83.4	41.7	88.4	67	90	55.4	50.4	left
500.568.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	133.4	83.4	41.7	88.4	67	90	55.4	50.4	left


### Can be combined with

- Geberit Citterio washbasin with shelf surface → p. 9

### Accessories

- Accessory overview: Bathroom furniture

## Geberit Citterio cabinet for washbasin, with one drawer



### Characteristics

- Wall-hung
- With one drawer
- Opening via handle
- Drawer with self-closing
- Can be equipped with feet
- Front made of glass
- Drawer frame made of metal
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Washbasin		
					width [cm]	H [cm]	T [cm]
500.556.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	58.4	53.4	34.5	60	55.4	50.4
500.556.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	58.4	53.4	34.5	60	55.4	50.4
500.557.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	73.4	68.4	49.5	75	55.4	50.4
500.557.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	73.4	68.4	49.5	75	55.4	50.4
500.559.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	88.4	83.4	64.5	90	55.4	50.4
500.559.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	88.4	83.4	64.5	90	55.4	50.4
500.566.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	118.4	113.4	94.5	120	55.4	50.4
500.566.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	118.4	113.4	94.5	120	55.4	50.4


### Can be combined with

- Geberit Citterio washbasin → p. 8
- Geberit Citterio washbasin with shelf surface → p. 9

### Accessories

- Accessory overview: Bathroom furniture

### Geberit Citterio cabinet for lay-on washbasin, with two drawers and shelf surface



#### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Can be equipped with feet
- Front made of glass
- Cover plate made of glass
- Drawer frame made of metal
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Shelf space
500.564.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	118.4	54.3	50.4	right
500.564.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	118.4	54.3	50.4	right
500.565.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	118.4	54.3	50.4	left
500.565.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	118.4	54.3	50.4	left


#### Can be combined with

- Geberit Citterio lay-on washbasin with waste outlet → p. 10
- Geberit Citterio lay-on washbasin → p. 10

#### Accessories

- Accessory overview: Bathroom furniture

### Geberit Citterio cabinet for lay-on washbasin, with one drawer



#### Characteristics

- Wall-hung
- With one drawer
- Opening via handle
- Drawer with self-closing
- Front made of glass
- Can be equipped with feet
- Cover plate made of glass

- Drawer frame made of metal
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	Siphon cutout
500.558.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	73.4	68.4	54.3	50.4	left or right
500.558.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	73.4	68.4	54.3	50.4	left or right
500.560.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	88.4	83.4	54.3	50.4	left or right
500.560.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	88.4	83.4	54.3	50.4	left or right
500.561.JI.1	Drawers: shiny glass / taupe Body: wood-textured melamine / oak beige	118.4	113.4	54.3	50.4	left or right
500.561.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	118.4	113.4	54.3	50.4	left or right

**Can be combined with**


- Geberit Citterio lay-on washbasin → p. 10
- Geberit Citterio lay-on washbasin with waste outlet → p. 10

**Accessories**

- Accessory overview: Bathroom furniture

## Side cabinets

### Geberit Citterio tall cabinet with one door



**Characteristics**

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- With four movable shelves
- Left or right hinge side
- Front made of glass
- Door frame made of metal
- Delivered pre-assembled

**Technical data**

Material	Chipboard
----------	-----------

**Scope of delivery**

- 4 movable shelves
- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.554.JI.1	Doors: shiny glass / taupe Body: wood-textured melamine / oak beige	40	160	35.2
500.554.JJ.1	Drawers: shiny glass / black Body: wood-textured melamine / oak grey-brown	40	160	35.2

**Accessories**

- Accessory overview: Bathroom furniture



## Geberit Citterio shelf unit with mirror



### Characteristics

- Front with mirror
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.569.JI.1	wood-textured melamine / oak beige	40	160	25
500.569.JJ.1	wood-textured melamine / oak grey-brown	40	160	25

### Accessories

- Accessory overview: Bathroom furniture

## Mirrors

### Geberit Citterio illuminated mirror



### Characteristics


- Mirror surface with LED light strip integrated in frame
- Light operated by wall switch
- Frame made of wood

### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Operating voltage	12 V DC
Material	Glass
Energy efficiency class	A+

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	B3 [cm]	H [cm]	T [cm]	Power consumption [W]	Luminous flux [lm]
500.570.JI.1	oak beige	118.4	110	80	77	58.4	14	37.5	3584
500.570.JJ.1	oak grey-brown	118.4	110	80	77	58.4	14	37.5	3584
500.572.JI.1	oak beige	88.4	80	57.6	47	58.4	14	29.5	2816
500.572.JJ.1	oak grey-brown	88.4	80	57.6	47	58.4	14	29.5	2816

## Geberit Citterio illuminated mirror, lateral storage shelf



### Characteristics

- With right or left storage shelf
- Light operated by wall switch
- Mirror surface with LED light strip integrated in frame
- Frame made of wood


### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Operating voltage	12 V DC
Power consumption	29.5 W
Material	Glass
Energy efficiency class	A+

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Luminous flux [lm]
500.571.JI.1	oak beige	133.4	58.4	14	2816
500.571.JJ.1	oak grey-brown	133.4	58.4	14	2816

## Accessories

### Geberit Citterio set of feet



### Technical data

Material	Aluminium
----------	-----------

### Scope of delivery


- Set of 2 pieces

Art. no.	Surface / colour
500.573.39.1	champagne

## WCs

### Wall-hung WCs

#### Geberit Citterio wall-hung WC, washdown, Rimfree



#### Application purposes

- For concealed cisterns
- For pressure flushing valves

#### Characteristics

- Wall-hung
- Washdown WC
- Rimfree
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.510.01.1	KeraTect / white	36	33	56

#### To order additionally

- WC seat

#### Can be combined with

- Citterio WC seat

#### Accessories


- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22
- Geberit connection set for wall-hung WC, length 30 cm → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

## Floor-standing WCs

### Geberit Citterio floor-standing WC, washdown, back-to-wall



#### Application purposes

- For concealed cisterns

#### Characteristics

- Floor-standing
- Back-to-wall
- Washdown WC
- With flush rim
- Class 1, full flush volume 6 l, in accordance with EN 997
- Horizontal or vertical outlet
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.511.01.1	KeraTect / white	36	47.5	56

#### To order additionally

- WC seat

#### Can be combined with


- Geberit Citterio WC seat → p. 21



- May require: Geberit connection set for wall-hung WC, length 30 cm

## WC seats

### Geberit Citterio WC seat



#### Characteristics

- Overlapping WC lid

#### Technical data

Material	Duroplast
----------	-----------


Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.540.01.1	white	yes	from above	Brass chrome-plated

#### Can be combined with

- Geberit Citterio wall-hung WC, washdown, Rimfree → p. 20
- Geberit Citterio floor-standing WC, washdown, back-to-wall → p. 21

## Accessories

### Geberit connection bend 90°



#### Application purposes

- For floor-standing WCs with horizontal and open outlet  
ø 105 mm

#### Technical data

Material	PP
----------	----

#### Scope of delivery

- Sleeve made of EPDM

Art. no.	Surface / colour	d, ø [mm]	A [cm]	a [cm]	H [cm]
152.610.11.1	white alpine	110	9	7	35

### Fastening set for Geberit wall-hung WCs and wall-hung bidets



#### Application purposes

- For wall-hung bidets and WCs


#### Scope of delivery

- Set of 2 pieces

Art. no.

500.105.00.1

### Geberit connection set for wall-hung WC, length 30 cm



#### Application purposes

- For wall-hung WCs

#### Characteristics

- Extended connection set

#### Technical data

Material	PE-HD
----------	-------

#### Scope of delivery

- Flush pipe with sleeve, made of PE-HD
- Straight connector with sleeve, made of PE-HD
- 2 cover caps
- Fastening material

Art. no.	Surface / colour	d, ø [mm]	d1, ø [mm]	L [cm]	l [cm]	l1 [cm]
152.441.46.1	matt chrome-plated	90	45	30	26.5	27.5

## Geberit P-bend set for floor-standing WC



### Application purposes

- For connecting floor-standing WCs to floor drains

### Scope of delivery

- Connection bend made of PP,  $\varnothing$  90 mm
- Adapter socket made of PE-HD,  $\varnothing$  90 / 110 mm
- Sleeve made of EPDM,  $\varnothing$  122 mm

- Sleeve made of EPDM,  $\varnothing$  105 mm
- Sleeve made of EPDM,  $\varnothing$  90 / 110 mm
- Sleeve made of EPDM,  $\varnothing$  90 / 100 mm
- Fastening material


Art. no.

131.081.11.1

## Bidets

### Wall-hung bidets

#### Geberit Citterio wall-hung bidet



### Application purposes

- For single-hole taps with flexible hoses

### Characteristics

- Wall-hung
- Hidden water supply connection
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material




Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.539.01.1	KeraTect / white	36	31	56	visible

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Floor-standing bidets

### Geberit Citterio floor-standing bidet, back-to-wall



#### Application purposes

- For single-hole taps

#### Characteristics

- Floor-standing
- Back-to-wall
- Hidden water supply connection
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------



#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.538.01.1	KeraTect / white	36	41	56	visible

## Accessories

### Geberit waste outlet with internal push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics

- Push button waste plug,  $\varnothing$  1 1/4"

#### Technical data

Material	Brass chrome-plated
----------	---------------------

Art. no.	d, $\varnothing$ [mm]
500.087.00.1	60

### Fastening set for Geberit wall-hung WCs and wall-hung bidets



#### Application purposes

- For wall-hung bidets and WCs

#### Scope of delivery

- Set of 2 pieces

Art. no.
500.105.00.1







# Xeno<sup>2</sup>

The Geberit Xeno<sup>2</sup> bathroom series is synonymous with architectonic design minimalism. Clear geometric lines outside – soft, natural shapes in the inner basin. This combination of features creates the impression that the inner basin has been washed out with running water for decades. Geberit Xeno<sup>2</sup> boasts a perfectly coordinated product range of intelligent, well thought-through elements created in an identical design language.




**Superior poise to perfection.**

<b>Washbasins.....</b>	<b>29</b>
Handrinse basins.....	29
Washbasins.....	28
Accessories.....	30
<b>Bathroom furniture.....</b>	<b>32</b>
Washbasin cabinets.....	32
Side cabinets.....	36
Mirrors.....	38
Accessories.....	39
<b>WCs.....</b>	<b>40</b>
Wall-hung WCs.....	40
WC seats.....	41
Accessories.....	41
<b>Bidets.....</b>	<b>42</b>
Wall-hung bidets.....	42
Accessories.....	43

# Washbasins

## Handrinse basins

### Geberit Xeno<sup>2</sup> handrinse basin



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.528.01.1	KeraTect / white	40	12.5	28	left	without
500.529.01.1	KeraTect / white	40	12.5	28	right	without

#### Can be combined with




- Geberit Xeno<sup>2</sup> cabinet for handrinse basin, with one door → p. 34

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

## Washbasins

### Geberit Xeno<sup>2</sup> washbasin



#### Characteristics

- Can be installed with a washbasin cabinet

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.530.01.1	KeraTect / white	60	-	57.2	58	14	48	centred	without
500.531.01.1	KeraTect / white	90	12	87.2	88	14	48	centred	without
500.532.01.1	KeraTect / white	90	12	87.2	88	14	48	without	without
500.550.01.1	KeraTect / white	120	24	117.2	118	14	48	left and right	without
500.551.01.1	KeraTect / white	120	24	117.2	118	14	48	centred	without
500.552.01.1	KeraTect / white	120	24	117.2	118	14	48	without	without

#### Can be combined with

- Geberit Xeno<sup>2</sup> cabinet for washbasin, with one drawer → p. 34
- Geberit Xeno<sup>2</sup> cabinet for washbasin, with two drawers → p. 35
- Geberit Xeno<sup>2</sup> cabinet for washbasin with width from 120 cm, with two drawers → p. 37
- Geberit Xeno<sup>2</sup> cabinet for washbasin with width from 120 cm, with four drawers → p. 38




#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit washbasin connector Clou with lever actuation → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



- Washbasin 60 cm is fastened with 2 hanger bolts
- Washbasins 90 and 120 cm are fastened with 4 hanger bolts
- Geberit washbasin connector Clou with lever actuation only for washbasins with one tap hole. Compatible with washbasins with one tap hole 60 and 90 cm only when installed without cabinet

## Geberit Xeno<sup>2</sup> washbasin with shelf surface



### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical

### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow	Shelf space
500.533.01.1	KeraTect / white	90	14	48	left	without	right
500.534.01.1	KeraTect / white	90	14	48	without	without	right
500.535.01.1	KeraTect / white	90	14	48	right	without	left
500.536.01.1	KeraTect / white	90	14	48	without	without	left

### Can be combined with

- Geberit Xeno<sup>2</sup> cabinet for washbasin with shelf surface, with one drawer → p. 36
- Geberit Xeno<sup>2</sup> cabinet for washbasin with shelf surface, with two drawers → p. 36

### Accessories


- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit washbasin connector Clou with lever actuation → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



- Geberit drain valve with free outlet only for washbasins without tap hole
- Geberit washbasin connector Clou with lever actuation only for washbasins with one tap hole. Compatible with washbasins with one tap hole only when installed without cabinet

## Accessories

### Geberit washbasin connector Clou with lever actuation



#### Application purposes

- For washbasins without visible overflow

#### Characteristics

- Quality-monitored in accordance with EN 274-3
- Hygienic with optimum flow behaviour
- Waste outlet can be closed
- Actuation using rod
- Hidden overflow function
- Length and height can be adapted to washbasin

#### Technical data

Material	Plastic
----------	---------

#### Scope of delivery

- Waste outlet
- Actuator lever
- Plug
- Washbasin connector

Art. no.

152.018.00.1

### Geberit waste outlet with free outlet



#### Application purposes

- For washbasins without overflow

#### Characteristics

- Valve cover made of plastic, chrome-plated
- With built-in screen

#### Technical data

Material	Brass chrome-plated
----------	---------------------

#### Scope of delivery

- Screen
- Seals

Art. no.

Surface / colour

L  
[cm]

152.050.21.1	bright chrome-plated	5
152.080.21.1	bright chrome-plated	8

### Fastening set for Geberit washbasins



#### Application purposes

- For fastening Geberit washbasins on solid walls


#### Scope of delivery

- Set of 2 pieces

Art. no.

500.121.00.1

## Geberit bottle trap with dip tube, for washbasin, horizontal outlet



### Application purposes

- For washbasins

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Corrosion-resistant

Art. no.      Surface / colour

151.034.21.1    bright chrome-plated

151.035.21.1    bright chrome-plated

### Technical data

Material	Plastic
----------	---------

### Scope of delivery


- Wall collar

d, Ø [mm]	G ["]
--------------	----------

32	1 1/4
----	-------

40	1 1/4
----	-------

## Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet



### Application purposes

- For space-saving connection of washbasins in bathroom furniture

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Space-saving model
- For cleaning accessible

Art. no.      Surface / colour

151.116.11.1    white alpine

### Technical data

Depth of water seal	50 mm
---------------------	-------

Material	Plastic
----------	---------

### Scope of delivery

- Seals
- Connection bend with union nut

d, Ø [mm]	G ["]
--------------	----------

32	1 1/4
----	-------

## Fastening set for Geberit handrinse basins



### Application purposes

- For fastening Geberit handrinse basins on solid walls

Art. no.

500.122.00.1

### Scope of delivery


- Set of 2 pieces



## Bathroom furniture

### Washbasin cabinets

#### Geberit Xeno<sup>2</sup> cabinet for handrinse basin, with one door



##### Characteristics

- Wall-hung
- With one door
- Door with soft closing
- Drawer with antislip mat
- Left or right hinge side
- Moisture-resistant
- Delivered pre-assembled

##### Technical data

Material	Chipboard
----------	-----------

##### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.502.01.1	high-gloss coated / white	38	52.5	26.5
500.502.43.1	structured coated / scultura grey	38	52.5	26.5


##### Can be combined with

- Geberit Xeno<sup>2</sup> handrinse basin → p. 29

##### Accessories

- Accessory overview: Bathroom furniture

#### Geberit Xeno<sup>2</sup> cabinet for washbasin, with one drawer



##### Characteristics

- Wall-hung
- With one drawer
- Opened using push-to-open mechanism
- Drawer with antislip mat
- Drawer with LED lighting
- Moisture-resistant
- Delivered pre-assembled

##### Technical data

Protection class	II
Protection degree	IP21
Nominal voltage	220–240 V AC
Mains frequency	50–60 Hz
Operating voltage	12 V DC
Material	Chipboard
Energy efficiency class	A++
Light colour	3000 K

##### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	B3 [cm]	Washbasin width [cm]	H [cm]	T [cm]
500.505.01.1	high-gloss coated / white	58	54.6	10	51.6	60	22	46.2
500.505.43.1	structured coated / scultura grey	58	54.6	10	51.6	60	22	46.2
500.508.01.1	high-gloss coated / white	88	84.6	23	81.6	90	22	46.2
500.508.43.1	structured coated / scultura grey	88	84.6	23	81.6	90	22	46.2


**Can be combined with**

- Geberit Xeno<sup>2</sup> washbasin → p. 30

**Accessories**

- Accessory overview: Bathroom furniture

**Geberit Xeno<sup>2</sup> cabinet for washbasin, with two drawers**



**Characteristics**

- Wall-hung
- With two drawers
- Opened using push-to-open mechanism
- Drawer with antislip mat
- Drawer with LED lighting
- Moisture-resistant
- Delivered pre-assembled

**Technical data**

Protection class	II
Protection degree	IP21
Nominal voltage	220–240 V AC
Mains frequency	50–60 Hz
Operating voltage	12 V DC
Material	Chipboard
Energy efficiency class	A++
Light colour	3000 K

**Scope of delivery**

- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	B3 [cm]	Washbasin width [cm]	H [cm]	T [cm]
500.506.01.1	high-gloss coated / white	58	53	10	51.6	60	53	46.2
500.506.43.1	structured coated / scultura grey	58	53	10	51.6	60	53	46.2
500.509.01.1	high-gloss coated / white	88	83	23	81.6	90	53	46.2
500.509.43.1	structured coated / scultura grey	88	83	23	81.6	90	53	46.2



**Can be combined with**

- Geberit Xeno<sup>2</sup> washbasin → p. 30

**Accessories**

- Accessory overview: Bathroom furniture

## Geberit Xeno<sup>2</sup> cabinet for washbasin with shelf surface, with one drawer



### Characteristics

- Wall-hung
- With one drawer
- Opened using push-to-open mechanism
- Drawer with antislip mat
- Drawer with LED lighting
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Protection class	II
Protection degree	IP21
Nominal voltage	220–240 V AC
Mains frequency	50–60 Hz
Operating voltage	12 V DC
Power consumption	3.75 W
Material	Chipboard
Energy efficiency class	A++
Light colour	3000 K

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Siphon cutout
500.513.01.1	high-gloss coated / white	88	22	46.2	left
500.513.43.1	structured coated / scultura grey	88	22	46.2	left
500.514.01.1	high-gloss coated / white	88	22	46.2	right
500.514.43.1	structured coated / scultura grey	88	22	46.2	right



### Can be combined with

- Geberit Xeno<sup>2</sup> washbasin with shelf surface → p. 31

### Accessories

- Accessory overview: Bathroom furniture

## Geberit Xeno<sup>2</sup> cabinet for washbasin with shelf surface, with two drawers



### Characteristics

- Wall-hung
- With two drawers
- Opened using push-to-open mechanism
- Drawer with antislip mat
- Drawer with LED lighting
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Protection class	II
Protection degree	IP21
Nominal voltage	220–240 V AC
Mains frequency	50–60 Hz
Operating voltage	12 V DC
Power consumption	3.75 W
Material	Chipboard
Energy efficiency class	A++
Light colour	3000 K

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Siphon cutout
500.515.01.1	high-gloss coated / white	88	53	46.2	left
500.515.43.1	structured coated / scultura grey	88	53	46.2	left
500.516.01.1	high-gloss coated / white	88	53	46.2	right
500.516.43.1	structured coated / scultura grey	88	53	46.2	right


**Can be combined with**

- Geberit Xeno<sup>2</sup> washbasin with shelf surface → p. 31

**Accessories**

- Accessory overview: Bathroom furniture

**Geberit Xeno<sup>2</sup> cabinet for washbasin with width from 120 cm, with two drawers**



**Characteristics**

- Wall-hung
- With two drawers
- Opened using push-to-open mechanism
- Drawer with antislip mat
- Drawer with LED lighting
- Moisture-resistant
- Delivered pre-assembled

**Technical data**

Protection class	II
Protection degree	IP21
Nominal voltage	220–240 V AC
Mains frequency	50–60 Hz
Operating voltage	12 V DC
Power consumption	4 W
Material	Chipboard
Energy efficiency class	A++
Light colour	3000 K

**Scope of delivery**

- Fastening material

Art. no.	Surface / colour	B [cm]	Washbasin width [cm]	H [cm]	T [cm]
500.517.01.1	high-gloss coated / white	117.4	120	22	46.2
500.517.43.1	structured coated / scultura grey	117.4	120	22	46.2


**Can be combined with**

- Geberit Xeno<sup>2</sup> washbasin → p. 30

**Accessories**

- Accessory overview: Bathroom furniture

## Geberit Xeno<sup>2</sup> cabinet for washbasin with width from 120 cm, with four drawers



### Characteristics

- Wall-hung
- With four drawers
- Opened using push-to-open mechanism
- Drawer with antislip mat
- Drawer with LED lighting
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Protection class	II
Protection degree	IP21
Nominal voltage	220–240 V AC
Mains frequency	50–60 Hz
Operating voltage	12 V DC
Power consumption	4 W
Material	Chipboard
Energy efficiency class	A++
Light colour	3000 K

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B	Washbasin width	H	T
		[cm]	[cm]	[cm]	[cm]
500.518.01.1	high-gloss coated / white	117.4	120	53	46.2
500.518.43.1	structured coated / scultura grey	117.4	120	53	46.2

### Can be combined with


- Geberit Xeno<sup>2</sup> washbasin → p. 30

### Accessories

- Accessory overview: Bathroom furniture

## Side cabinets

### Geberit Xeno<sup>2</sup> tall cabinet with one door and internal mirror



### Characteristics

- Wall-hung
- With one door
- Door with soft closing
- With two fixed shelves
- With four movable shelves
- Moisture-resistant
- Mirror on inside of door
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- 4 movable shelves
- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.503.01.1	high-gloss coated / white	40	170	33.8
500.503.43.1	structured coated / scultura grey	40	170	33.8

#### Accessories

- Accessory overview: Bathroom furniture

### Geberit Xeno<sup>2</sup> low cabinet with one drawer



#### Characteristics

- Wall-hung
- With one drawer
- Opened using push-to-open mechanism
- Moisture-resistant
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.507.01.1	high-gloss coated / white	58	20	46.2
500.507.43.1	structured coated / scultura grey	58	20	46.2

#### Accessories

- Accessory overview: Bathroom furniture

### Geberit Xeno<sup>2</sup> low cabinet with two drawers



#### Characteristics

- Wall-hung
- With two drawers
- Opened using push-to-open mechanism
- Moisture-resistant
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.504.01.1	high-gloss coated / white	45	51	46.2
500.504.43.1	structured coated / scultura grey	45	51	46.2

#### Accessories

- Accessory overview: Bathroom furniture

## Mirrors

### Geberit Xeno<sup>2</sup> illuminated mirror



#### Characteristics


- LED lighting
- Heated rear to prevent mirror steaming up
- Touch-sensor switch
- Dimmable

#### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Operating voltage	24 V DC
Material	Glass
Energy efficiency class	A++
Light colour	4000 K

Art. no.	B [cm]	B1 [cm]	H [cm]	T [cm]	Power consumption [W]	Luminous flux [lm]
500.520.00.1	40	20	91	5.5	23	1025

### Geberit Xeno<sup>2</sup> illuminated mirror



#### Characteristics

- LED lighting
- Indirect lighting
- Heated rear to prevent mirror steaming up
- Touch-sensor switch
- Dimmable


#### Technical data

Protection class	I
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Operating voltage	24 V DC
Material	Glass
Energy efficiency class	A++
Light colour	4200 K

Art. no.	B [cm]	B1 [cm]	H [cm]	T [cm]	Power consumption [W]	Luminous flux [lm]	Luminous flux, indirect [lm]
500.519.00.1	120	71.5	71	5.5	56	3213	2209
500.521.00.1	60	32.5	71	5.5	38	1572	1430
500.522.00.1	90	62.5	71	5.5	47	2392	1819

## Accessories

### Geberit Xeno<sup>2</sup> drawer insert, H-partition



#### Characteristics


- H-partition

#### Technical data

Material	Chipboard
----------	-----------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.526.00.1	wood-textured melamine / scultura grey	32.3	6.2	15
500.527.00.1	wood-textured melamine / scultura grey	37.3	6.2	20.8

### Geberit Xeno<sup>2</sup> drawer insert, T-partition



#### Characteristics


- T-partition

#### Technical data

Material	Chipboard
----------	-----------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.525.00.1	wood-textured melamine / scultura grey	32.3	6.2	15

### Geberit Xeno<sup>2</sup> glass shelf



#### Application purposes

- For Geberit Xeno<sup>2</sup> side cabinets with two drawers

#### Technical data

Material	Glass
----------	-------

Art. no.	B [cm]	H [cm]	T [cm]
500.523.00.1	45	0.8	45



## Geberit Xeno<sup>2</sup> glass shelf



### Application purposes


- For Geberit Xeno<sup>2</sup> side cabinets with one drawer

Art. no.	B [cm]	H [cm]	T [cm]
500.524.00.1	58	0.8	45

## WCs

### Wall-hung WCs

#### Geberit Xeno<sup>2</sup> wall-hung WC, washdown, Rimfree



### Application purposes

- For concealed cisterns
- For pressure flushing valves

### Characteristics

- Wall-hung
- Washdown WC
- Rimfree

- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.500.01.1	KeraTect / white	35	37.5	54

### To order additionally

- WC seat

### Can be combined with

- Xeno<sup>2</sup> WC seat

### Accessories



- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22
- Geberit connection set for wall-hung WC, length 30 cm → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

## WC seats

### Geberit Xeno<sup>2</sup> WC seat



#### Characteristics

- Overlapping WC lid


#### Technical data

Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.537.01.1	white	yes	from above	Brass chrome-plated

## Accessories

### Geberit connection bend 90°



#### Application purposes

- For floor-standing WCs with horizontal and open outlet  
ø 105 mm

#### Technical data

Material	PP
----------	----

#### Scope of delivery

- Sleeve made of EPDM

Art. no.	Surface / colour	d, ø [mm]	A [cm]	a [cm]	H [cm]
152.610.11.1	white alpine	110	9	7	35

### Fastening set for Geberit wall-hung WCs and wall-hung bidets



#### Application purposes


- For wall-hung bidets and WCs

#### Scope of delivery

- Set of 2 pieces

Art. no.  
500.105.00.1

## Geberit connection set for wall-hung WC, length 30 cm



### Application purposes

- For wall-hung WCs

### Characteristics

- Extended connection set

### Technical data

Material	PE-HD
----------	-------

### Scope of delivery


- Flush pipe with sleeve, made of PE-HD
- Straight connector with sleeve, made of PE-HD
- 2 cover caps
- Fastening material

Art. no.	Surface / colour	d, ø [mm]	d1, ø [mm]	L [cm]	l [cm]	l1 [cm]
152.441.46.1	matt chrome-plated	90	45	30	26.5	27.5

## Bidets

### Wall-hung bidets

#### Geberit Xeno<sup>2</sup> wall-hung bidet



### Application purposes

- For single-hole taps with flexible hoses

### Characteristics

- Wall-hung
- Hidden water supply connection
- Hidden fastening
- Suitable for Geberit washbasin connector Clou

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.501.01.1	KeraTect / white	35	23.5	54	without

### Accessories

- Geberit washbasin connector Clou with lever actuation → p. 11
- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Accessories

### Fastening set for Geberit wall-hung WCs and wall-hung bidets



#### Application purposes

- For wall-hung bidets and WCs
- 

#### Scope of delivery

- Set of 2 pieces

Art. no.

500.105.00.1



# Acanto

The Geberit Xeno<sup>2</sup> bathroom series is synonymous with architectonic design minimalism. Clear geometric lines outside – soft, natural shapes in the inner basin. This combination of features creates the impression that the inner basin has been washed out with running water for decades. Geberit Xeno<sup>2</sup> boasts a perfectly coordinated product range of intelligent, well thought-through elements created in an identical design language.

**Superior poise to perfection.**

---


<b>Washbasins</b> .....	<b>49</b>
Handrinse basins.....	49
Washbasins.....	50
Double washbasins.....	54
Lay-on washbasins.....	55
Accessories.....	55
<b>Bathroom furniture</b> .....	<b>57</b>
Washbasin cabinets.....	57
Side cabinets.....	61
Mirror cabinets.....	66
Other furniture.....	67
Accessories.....	67
<b>WCs</b> .....	<b>69</b>
Wall-hung WCs.....	69
Floor-standing WCs, raised.....	70
WC seats.....	70
Accessories.....	71
<b>Bidets</b> .....	<b>71</b>
Wall-hung bidets.....	71
Floor-standing bidets.....	72
<b>Bathtubs</b> .....	<b>72</b>
Bathtubs made of acrylic.....	72
Accessories.....	74

# Washbasins

## Handrinse basins

New

### Geberit Acanto handrinse basin



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical overflow

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.636.01.1	white	45	16.8	38.2	centred	visible

#### Can be combined with


- Geberit Acanto cabinet for handrinse basin, with one door → p. 58

#### Accessories

- Fastening set for Geberit handrinse basins → p. 13

New

### Geberit Acanto handrinse basin, right tap hole



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.635.01.1	white	40	11.5	25	right	without

#### Can be combined with

- Geberit Acanto cabinet for handrinse basin, with one door → p. 58

#### Accessories


- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13



## Washbasins

New

### Geberit Acanto washbasin



#### Characteristics

- Can be installed with a washbasin cabinet

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	B1 [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.620.01.1	white	60	57	59.5	17	48.2	centred	visible
500.621.01.1	white	65	61.5	64	17	48.2	centred	visible

#### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer → p. 59

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

New

### Geberit Acanto washbasin with shelf surface



#### Characteristics

- Can be installed with a washbasin cabinet

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.622.01.1	white	75	74	16.8	48.2	centred	visible

#### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer → p. 59

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

New

## Geberit Acanto washbasin with shelf surface, easy fastening



### Characteristics

- Can be installed with a washbasin cabinet
- Easy fastening with Geberit washbasin wall fixing type EFF1

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Wall fixing type EFF1

Art. no.	Surface / colour	B	Cabinet width	H	T	Tap hole	Overflow
		[cm]	[cm]	[cm]	[cm]		
500.623.01.1	white	90	89	16.8	48.2	centred	visible
500.624.01.1	white	90	89	16.8	48.2	without	visible

### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer → p. 59

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

New

## Geberit Acanto washbasin with right shelf surface, easy fastening



### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical
- Easy fastening with Geberit washbasin wall fixing type EFF1

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Wall fixing type EFF1

Art. no.	Surface / colour	B	H	T	Tap hole	Overflow	Shelf space
		[cm]	[cm]	[cm]			
500.625.01.1	white	90	16.8	48.2	centred	visible	right
500.626.01.1	white	90	16.8	48.2	without	visible	right

### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer → p. 59

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

**New**

## Geberit Acanto washbasin with hidden overflow and drain cover



### Characteristics

- Can be installed with a washbasin cabinet
- Ceramic overflow system

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Drain cover

Art. no.	Surface / colour	B Cabinet width [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.629.01.1	white	60	59.5	20	48.2	centred	hidden

### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer → p. 59

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

**New**

## Geberit Acanto washbasin, small projection



### Characteristics

- Can be installed with a washbasin cabinet
- Small projection

### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B Cabinet width [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.631.01.1	white	60	59.5	16.8	42.2	centred	visible

### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and internal drawer, small projection → p. 60

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

New

## Geberit Acanto washbasin with hidden overflow, shelf surface and drain cover



### Characteristics

- Can be installed with a washbasin cabinet
- Ceramic overflow system

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Drain cover

Art. no.	Surface / colour	B	Cabinet width	H	T	Tap hole	Overflow
		[cm]	[cm]	[cm]	[cm]		
500.630.01.1	white	75	74	20	48.2	centred	hidden

### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer → p. 59

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

New

## Geberit Acanto washbasin, small projection, shelf surface



### Characteristics

- Can be installed with a washbasin cabinet
- Small projection

### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B	Cabinet width	H	T	Tap hole	Overflow
		[cm]	[cm]	[cm]	[cm]		
500.632.01.1	white	75	74	16.8	42.2	centred	visible

### Can be combined with


- Geberit Acanto cabinet for washbasin, with one drawer and internal drawer, small projection → p. 60

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

New

## Geberit Acanto washbasin, small projection, shelf surface, easy fastening



### Characteristics

- Can be installed with a washbasin cabinet
- Small projection
- Easy fastening with Geberit washbasin wall fixing type EFF1

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Wall fixing type EFF1

Art. no.	Surface / colour	B [cm]	Cabinet width [cm]	H [cm]	H1 [cm]	T [cm]	Tap hole	Overflow
500.633.01.1	white	90	89	16.8	7.5	42.2	centred	visible
500.634.01.1	white	90	89	16.8	7.5	42.2	without	visible

### Can be combined with

- Geberit Acanto cabinet for washbasin, with one drawer and internal drawer, small projection → p. 60


### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

## Double washbasins

New

## Geberit Acanto double washbasin for cabinet



### Characteristics

- Can be installed with a washbasin cabinet
- Easy fastening with Geberit washbasin wall fixing type EFF1

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Wall fixing type EFF1

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.627.01.1	white	120	16.8	48.2	centred	visible
500.628.01.1	white	120	16.8	48.2	without	visible

Can be combined with

- Geberit Acanto cabinet for double washbasin, with two drawers → p. 61


Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

## Lay-on washbasins

New

### Geberit Acanto vanity basin



Application purposes

- For mounting on washbasin cabinets

Characteristics

- Slim rim

Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	B1 [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.640.01.1	white	60	48.8	59	16.8	48	centred	visible
500.641.01.1	white	75	63.3	74	16.8	48	centred	visible
500.642.01.1	white	90	78.3	89	16.8	48	centred	visible
500.643.01.1	white	90	78.3	89	16.8	48	without	visible

Can be combined with

- Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer → p. 59

## Accessories

### Fastening set for Geberit washbasins



Application purposes

- For fastening Geberit washbasins on solid walls


Scope of delivery

- Set of 2 pieces

Art. no.

500.121.00.1

## Geberit bottle trap with dip tube, for washbasin, horizontal outlet



### Application purposes

- For washbasins

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Corrosion-resistant

Art. no.	Surface / colour	d, Ø [mm]	G ["]
151.034.21.1	bright chrome-plated	32	1 1/4
151.035.21.1	bright chrome-plated	40	1 1/4


### Technical data

Material	Plastic
----------	---------

### Scope of delivery

- Wall collar

## Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet



### Application purposes

- For space-saving connection of washbasins in bathroom furniture

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Space-saving model
- For cleaning accessible

Art. no.	Surface / colour	d, Ø [mm]	G ["]
151.116.11.1	white alpine	32	1 1/4

### Technical data

Depth of water seal	50 mm
Material	Plastic

### Scope of delivery


- Seals
- Connection bend with union nut

## Bathroom furniture

### Washbasin cabinets

New

#### Geberit Acanto cabinet for handrinse basin, with one door



#### Characteristics

- Wall-hung
- With one door
- Opened using push-to-open mechanism
- Left or right hinge side
- Moisture-resistant
- Front made of chipboard with glass cover
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	Washbasin width [cm]	H [cm]	T [cm]	T1 [cm]
500.607.01.1	Body: high-gloss coated / white Doors: shiny glass / white	39.5	36	40	53.5	24.5	23
500.607.16.7	Body: matt coated / black Doors: shiny glass / black	39.5	36	40	53.5	24.5	23
500.607.JK.1	Body: matt coated / lava Doors: shiny glass / lava	39.5	36	40	53.5	24.5	23
500.607.JL.1	Body: matt coated / sand grey Doors: shiny glass / sand grey	39.5	36	40	53.5	24.5	23
500.608.01.1	Body: high-gloss coated / white Doors: shiny glass / white	44.5	41	45	53.5	37.5	36
500.608.16.7	Body: matt coated / black Doors: shiny glass / black	44.5	41	45	53.5	37.5	36
500.608.JK.1	Body: matt coated / lava Doors: shiny glass / lava	44.5	41	45	53.5	37.5	36
500.608.JL.1	Body: matt coated / sand grey Doors: shiny glass / sand grey	44.5	41	45	53.5	37.5	36


#### Can be combined with

- Geberit Acanto handrinse basin, right tap hole → p. 49
- Geberit Acanto handrinse basin → p. 49



New

## Geberit Acanto cabinet for washbasin, with one drawer and one internal drawer



### Characteristics

- Wall-hung
- With one drawer
- With one internal drawer
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Front made of chipboard with glass cover
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	B1 [cm]	Washbasin width [cm]	H [cm]	T [cm]
500.609.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	59.5	53.1	60	53.5	47.5
500.609.16.7	Body: matt coated / black Drawers: shiny glass / black	59.5	53.1	60	53.5	47.5
500.609.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	59.5	53.1	60	53.5	47.5
500.609.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	59.5	53.1	60	53.5	47.5
500.610.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	64	57.6	65	53.5	47.5
500.610.16.7	Body: matt coated / black Drawers: shiny glass / black	64	57.6	65	53.5	47.5
500.610.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	64	57.6	65	53.5	47.5
500.610.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	64	57.6	65	53.5	47.5
500.611.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	74	67.6	75	53.5	47.5
500.611.16.7	Body: matt coated / black Drawers: shiny glass / black	74	67.6	75	53.5	47.5
500.611.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	74	67.6	75	53.5	47.5
500.611.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	74	67.6	75	53.5	47.5
500.612.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	89	82.6	90	53.5	47.5
500.612.16.7	Body: matt coated / black Drawers: shiny glass / black	89	82.6	90	53.5	47.5
500.612.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	89	82.6	90	53.5	47.5
500.612.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	89	82.6	90	53.5	47.5

### Can be combined with

- Geberit Acanto washbasin with shelf surface → p. 49
- Geberit Acanto vanity basin → p. 58
- Geberit Acanto washbasin with right shelf surface, easy fastening → p. 51
- Geberit Acanto washbasin with hidden overflow, shelf surface and drain cover → p. 54
- Geberit Acanto washbasin → p. 48
- Geberit Acanto washbasin with shelf surface, easy fastening → p. 50
- Geberit Acanto washbasin with hidden overflow and drain cover → p. 52

New

## Geberit Acanto cabinet for washbasin, with one drawer and internal drawer, small projection



### Characteristics

- Wall-hung
- With one drawer
- With one internal drawer
- Opening via handle
- Drawer with self-closing
- Small projection
- Moisture-resistant

- Front made of chipboard with glass cover
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	B1 [cm]	Washbasin width [cm]	H [cm]	T [cm]
500.614.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	59.5	53.1	60	53.5	41.6
500.614.16.7	Body: matt coated / black Drawers: shiny glass / black	59.5	53.1	60	53.5	41.6
500.614.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	59.5	53.1	60	53.5	41.6
500.614.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	59.5	53.1	60	53.5	41.6
500.615.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	74	67.6	75	53.5	41.6
500.615.16.7	Body: matt coated / black Drawers: shiny glass / black	74	67.6	75	53.5	41.6
500.615.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	74	67.6	75	53.5	41.6
500.615.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	74	67.6	75	53.5	41.6
500.616.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	89	82.6	90	53.5	41.6
500.616.16.7	Body: matt coated / black Drawers: shiny glass / black	89	82.6	90	53.5	41.6
500.616.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	89	82.6	90	53.5	41.6
500.616.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	89	82.6	90	53.5	41.6

### Can be combined with

- Geberit Acanto washbasin, small projection, shelf surface → p. 53
- Geberit Acanto washbasin, small projection → p. 52
- Geberit Acanto washbasin, small projection, shelf surface, easy fastening → p. 54

New

## Geberit Acanto cabinet for double washbasin, with two drawers



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Front made of chipboard with glass cover
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.613.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	119	53.5	47.6
500.613.16.7	Body: matt coated / black Drawers: shiny glass / black	119	53.5	47.6
500.613.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	119	53.5	47.6
500.613.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	119	53.5	47.6


### Can be combined with

- Geberit Acanto double washbasin for cabinet → p. 55

## Side cabinets

New

### Geberit Acanto tall cabinet with two doors



#### Characteristics

- Wall-hung
- With two doors
- Opening via handle
- With one lockable internal drawer
- Door with soft closing
- With four movable shelves
- Storage boxes on inside of doors

- Front made of chipboard with glass cover
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.619.01.1	Body: high-gloss coated / white Doors: shiny glass / white	38	173	36
500.619.16.7	Body: matt coated / black Drawers: shiny glass / black	38	173	36
500.619.JK.1	Body: matt coated / lava Doors: shiny glass / lava	38	173	36
500.619.JL.1	Body: matt coated / sand grey Doors: shiny glass / sand grey	38	173	36

#### Accessories

- Geberit Acanto set of feet → p. 69

New

## Geberit Acanto tall cabinet with one door



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- With two fixed shelves
- With five movable shelves
- Front made of chipboard with glass cover
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------


### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.637.01.1	Body: high-gloss coated / white Doors: shiny glass / white	45	173	17.4
500.637.16.7	Body: matt coated / black Drawers: shiny glass / black	45	173	17.4
500.637.JK.1	Body: matt coated / lava Doors: shiny glass / lava	45	173	17.4
500.637.JL.1	Body: matt coated / sand grey Doors: shiny glass / sand grey	45	173	17.4

New

## Geberit Acanto tall cabinet with two cargos



### Characteristics

- Wall-hung
- With two cargos
- Opening via handle
- Drawer with self-closing
- Front made of chipboard with glass cover
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.638.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	22	173	47.6
500.638.16.7	matt coated / black	22	173	47.6
500.638.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	22	173	47.6
500.638.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	22	173	47.6

### Accessories

- Geberit Acanto set of feet → p. 69

**New**

## Geberit Acanto low cabinet with one drawer and internal drawer



### Characteristics

- Wall-hung
- With one drawer
- With one internal drawer
- Opening via handle
- Drawer with self-closing
- Moisture-resistant

- Front made of chipboard with glass cover
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.618.01.1	Body: high-gloss coated / white Drawers: shiny glass / white	45	52	47.6
500.618.16.7	Body: matt coated / black Drawers: shiny glass / black	45	52	47.6
500.618.JK.1	Body: matt coated / lava Drawers: shiny glass / lava	45	52	47.6
500.618.JL.1	Body: matt coated / sand grey Drawers: shiny glass / sand grey	45	52	47.6

### Accessories

- Geberit Acanto drawer insert → p. 69
- Geberit Acanto set of feet → p. 69

New

## Geberit Acanto high-level cabinet with one door



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- With three movable shelves
- Mirror on inside of door
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.639.01.1	Body: high-gloss coated / white Doors: shiny glass / white	45	82	17.4
500.639.16.7	Body: matt coated / black Drawers: shiny glass / black	45	82	17.4
500.639.JK.1	Body: matt coated / lava Doors: shiny glass / lava	45	82	17.4
500.639.JL.1	Body: matt coated / sand grey Doors: shiny glass / sand grey	45	82	17.4



## Mirror cabinets

New

### Geberit Acanto mirror cabinet with functional lighting, two doors



#### Characteristics

- LED lighting
- Internal lighting
- Mechanical switch
- Power socket
- USB port
- Mirrored back side

- With two doors
- Magnifying mirror
- Storage boxes on inside of doors

#### Technical data


Material	Chipboard
----------	-----------

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	T [cm]
500.644.00.1	Body: melamine wooden structure / mystic oak Doors: outside mirrored	60	29.6	54.6	83	21.5
500.645.00.1	Body: melamine wooden structure / mystic oak Doors: outside mirrored	75	36.8	69	83	21.5
500.646.00.1	Body: melamine wooden structure / mystic oak Doors: outside mirrored	90	44.3	84	83	21.5

## Other furniture

New

### Geberit Acanto floating shelf



#### Characteristics

- Wall-hung
- With three towel hooks
- Front made of chipboard with glass cover
- Delivered pre-assembled

#### Technical data

Material	Steel
----------	-------

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.617.01.1	Body: matt powder-coated / white Front: shiny glass / white	45	14.8	15.9
500.617.16.7	Body: matt powder-coated / black Front: shiny glass / black	45	14.8	15.9
500.617.JK.1	Body: matt powder-coated / lava Front: shiny glass / lava	45	14.8	15.9
500.617.JL.1	Body: matt powder-coated / sand grey Front: shiny glass / sand grey	45	14.8	15.9

## Accessories

New

### Geberit Acanto magnetic board with storage boxes



#### Characteristics

- Storage boxes of different sizes
- Storage boxes fixed with magnetic fixing

#### Technical data

Material	Steel
----------	-------


#### Scope of delivery

- Storage boxes

Art. no.	Surface / colour
500.649.01.1	Magnet board: matt powder-coated / white Storage magnets: matt powder-coated / lava
500.649.16.7	Magnet board: matt powder-coated / black Storage magnets: matt powder-coated / lava
500.649.JK.1	Magnet board: matt powder-coated / lava Storage magnets: matt powder-coated / lava
500.649.JL.1	Magnet board: matt powder-coated / sand grey Storage magnets: matt powder-coated / lava

**New**

## Geberit Acanto set of feet



### Characteristics

- Height adjustable for compensating floor unevenness

### Technical data

Material	Aluminium
----------	-----------


Art. no.	Surface / colour	H [cm]
500.657.00.1	bright chrome-plated	31.6
500.658.00.1	bright chrome-plated	28.1



- Acanto washbasin cabinets in combination with Acanto vanity basins are installed with set of feet 31.6 cm
- Acanto washbasin cabinets in combination with all other Acanto washbasins are installed with set of feet 28.1 cm

**New**

## Geberit Acanto drawer insert




### Technical data

Material	Chipboard
----------	-----------

Art. no.	Surface / colour
500.648.00.1	matt laminated

**New**

## Geberit Acanto towel hook



### Technical data

Material	Steel
----------	-------


Art. no.	Surface / colour
500.647.JK.1	matt powder-coated / lava

## WCs

### Wall-hung WCs

**New**

#### Geberit Acanto wall-hung WC, washdown, Rimfree



#### Application purposes

- For concealed cisterns
- For concealed flushing valves

#### Characteristics

- Wall-hung
- Washdown WC

- Rimfree
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.600.01.1	white	35	33.5	51

#### To order additionally

- WC seat

#### Can be combined with

- Geberit Acanto WC seat → p. 72


#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Floor-standing WCs, raised

New

### Geberit Acanto floor-standing WC, washdown, raised, back-to-wall



#### Application purposes

- For concealed cisterns
- For concealed flushing valves

#### Characteristics

- Floor-standing
- Back-to-wall
- Washdown WC
- Rimfree
- Class 1, full flush volume 6 l, in accordance with EN 997

- Horizontal or vertical outlet
- Hidden fastening
- Raised seat height
- Small projection

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.602.01.1	white	35	42.5	51

#### To order additionally

- WC seat


#### Can be combined with

- Geberit Acanto WC seat → p. 72

## WC seats

New

### Geberit Acanto WC seat



#### Characteristics

- Overlapping WC lid
- Slim design

#### Technical data

Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Quick-release hinges	Hinge material
500.604.01.1	white	no	from above	no	Stainless steel
500.605.01.1	white	yes	from above	yes	Brass chrome-plated
500.660.01.1	white	yes	from above	no	Brass chrome-plated

#### Can be combined with

- Geberit Acanto wall-hung WC, washdown, Rimfree → p. 70
- Geberit Acanto floor-standing WC, washdown, raised, back-to-wall → p. 71

## Accessories

### Fastening set for Geberit wall-hung WCs and wall-hung bidets



#### Application purposes

- For wall-hung bidets and WCs


Art. no.

500.105.00.1

#### Scope of delivery

- Set of 2 pieces

### Geberit P-bend set for floor-standing WC



#### Application purposes

- For connecting floor-standing WCs to floor drains

#### Scope of delivery

- Connection bend made of PP,  $\varnothing$  90 mm
- Adapter socket made of PE-HD,  $\varnothing$  90 / 110 mm

Art. no.

131.081.11.1




- Sleeve made of EPDM,  $\varnothing$  122 mm
- Sleeve made of EPDM,  $\varnothing$  105 mm
- Sleeve made of EPDM,  $\varnothing$  90 / 110 mm
- Sleeve made of EPDM,  $\varnothing$  90 / 100 mm
- Fastening material

## Bidets

### Wall-hung bidets

New

### Geberit Acanto wall-hung bidet



#### Characteristics

- Wall-hung
- Hidden water supply connection
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.601.01.1	white	35	29	51	visible


#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Floor-standing bidets

New

### Geberit Acanto floor-standing bidet, back-to-wall



#### Characteristics

- Floor-standing
- Back-to-wall
- Hidden water supply connection
- Hidden fastening
- Small projection

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material



Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.603.01.1	white	35	42.5	51	visible

## Bathtubs

### Bathtubs made of acrylic

New

### Geberit Acanto rectangular bathtub with set of feet



#### Application purposes

- For private bathrooms and hotels
- For installation with bathtub feet or supports

#### Characteristics

- Built-in bathtub
- Rectangular
- Slim rim
- Outlet at the feet end

#### Technical data

Material	Acrylic
----------	---------




#### Scope of delivery

- Set of feet
- Mounting material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	b [cm]	H [cm]	L [cm]	L1 [cm]	L2 [cm]	Total water capacity [l]	Usable water capacity [l]
554.001.01.1	white	70	61	47.3	35	45	160	147.5	104.8	195	120
554.002.01.1	white	70	61	47.3	35	45	170	157.5	104.8	213	138
554.014.01.1	white	75	66	52.3	37.5	45	170	157.5	114.8	233	158
554.015.01.1	white	80	71.5	57.2	37.5	45	180	167.5	125	272	197

New

## Geberit Acanto rectangular bathtub, duo, with feet



### Application purposes

- For private bathrooms and hotels
- For installation with bathtub feet or supports

### Characteristics

- Built-in bathtub
- Rectangular
- Suitable for two persons

- Slim rim
- Centred outlet

### Technical data

Material	Acrylic
----------	---------

### Scope of delivery



- Set of feet
- Mounting material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	L [cm]	L1 [cm]	L2 [cm]	Total water capacity [l]	Usable water capacity [l]
554.003.01.1	white	75	58.7	44.4	45	170	163	91.8	179	104
554.004.01.1	white	80	64	49.4	45	180	173	101.8	212	137
554.005.01.1	white	90	75	59.4	45	190	183	111.8	271	196



## Accessories

### Geberit bathtub drain with turn handle actuation, d52, with ready-to-fit-set, special size



#### Application purposes

- For bathtubs with valve hole  $\varnothing$  52 mm
- For bathtubs made of steel, plastic or cast iron
- For custom-size bathtubs

#### Characteristics

- Quality-monitored in accordance with EN 274-3
- With overflow
- Double-sided seals on drain and overflow
- Overflow head with extendible mount can be fastened

#### Technical data



Discharge rate	0.8 l/s
Overflow discharge rate	0.6 l/s
Depth of water seal	50 mm

#### Scope of delivery

- Ready-to-fit set
- T-piece made of PP,  $\varnothing$  39 / 28 mm, G 1"
- Waste outlet
- Trap
- Connection bend made of PE-HD,  $\varnothing$  40 / 50 mm
- Protection box
- Fastening material

Art. no.	Surface / colour
150.525.21.1	bright chrome-plated

### Geberit bathtub drain with turn handle actuation and inlet, d52, with ready-to-fit-set, special size



#### Application purposes

- For bathtubs with valve hole  $\varnothing$  52 mm
- For bathtubs made of steel, plastic or cast iron
- For custom-size bathtubs

#### Characteristics

- With overflow and inlet
- Quality-monitored in accordance with EN 274-3
- Inlet jet can be aligned
- Double-sided seals on drain and overflow
- Overflow head with extendible mount can be fastened

#### Technical data



Sound class	1
Inlet capacity	0.35 l/s
Discharge rate	0.85 l/s
Overflow discharge rate	0.6 l/s
Depth of water seal	50 mm

#### Scope of delivery

- Ready-to-fit set
- Elbow tap connector 90° with male thread G 3/4" and Euro cone  $\varnothing$  20 cm, rotatable
- Connection bend made of PE-HD,  $\varnothing$  40 / 50 mm
- T-piece made of PP,  $\varnothing$  39 / 28 mm, G 1"
- Waste outlet
- Trap
- Protection box
- Fastening material

Art. no.	Surface / colour
150.711.21.1	bright chrome-plated

## Geberit bathtub drain with push actuation PushControl, d52, length 26 cm, with ready-to-fit-set and connection bend



### Application purposes

- For bathtubs made of steel, plastic or cast iron
- For standard-size bathtubs
- For bathtubs with valve hole  $\varnothing$  52 mm

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Push actuation aligned with bathtub surface
- With overflow
- Double-sided seals on drain and overflow
- Overflow head with extendible mount can be fastened

### Technical data

Discharge rate	1 l/s
Overflow discharge rate	0.65 l/s
Depth of water seal	50 mm

### Scope of delivery

- Waste outlet
- Trap
- Connection bend 45° made of PE-HD,  $\varnothing$  40 / 50 mm
- Ready-to-fit set
- Protection box
- Fastening material

Art. no.	Surface / colour
150.755.21.1	bright chrome-plated



SAVON LIQUIDE  
LIQUID SOAP  
WITH COCOA BUTTER  
ESSENCE  
200ML / 6.7 FL OZ

SAVON LIQUIDE  
LIQUID SOAP  
WITH COCOA BUTTER  
ESSENCE  
200ML / 6.7 FL OZ

# iCon

The bathroom is a reflection of personality. The Geberit iCon bathroom series is as multifaceted as people and their lives today. An extensive range of ceramic appliances and bathroom furniture in a clear and modern design language provides the maximum in design flexibility. The Geberit iCon bathroom series shines with its linear design and is impressively versatile.


**The all-rounder in flexible bathroom design.**

<b>Washbasins</b> .....	<b>79</b>
Handrinse basins.....	79
Corner handrinse basins.....	80
Washbasins.....	80
Double washbasins.....	82
Accessories.....	83
<b>Bathroom furniture</b> .....	<b>85</b>
Washbasin cabinets.....	85
Side cabinets.....	91
Mirrors.....	94
Other furniture.....	94
<b>WCs</b> .....	<b>95</b>
Wall-hung WCs.....	95
Floor-standing WCs.....	98
WC seats.....	101
Accessories.....	103
<b>Bidets</b> .....	<b>104</b>
Wall-hung bidets.....	104
Floor-standing bidets.....	105
Accessories.....	106
<b>Urinals</b> .....	<b>106</b>
For concealed controls.....	106
Accessories.....	107
<b>Exposed Cisterns</b> .....	<b>109</b>
Exposed cisterns for WCs, made of ceramic.....	109

# Washbasins

## Handrinse basins

### Geberit iCon handrinse basin with shelf surface



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow	Shelf space
500.457.01.1	white	53	13.5	31	right	without	right
500.459.01.1	white	53	13.5	31	left	without	left


#### Can be combined with

- Geberit iCon cabinet for handrinse basin, with one drawer → p. 90

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

### Geberit iCon handrinse basin



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical

#### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.460.01.1	white	38	13.5	28	right	without
500.461.01.1	white	38	13.5	28	left	without

#### Can be combined with


- Geberit iCon cabinet for handrinse basin, with one door → p. 90

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

## Corner handrinse basins

### Geberit iCon corner handrinse basin



#### Application purposes

- For corner installation

#### Technical data


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.454.01.1	white	46	13	33	centred	without

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with free outlet → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

## Washbasins

### Geberit iCon washbasin



#### Characteristics

- Can be installed with a washbasin cabinet

#### Technical data

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.450.01.1	white	60	-	54.5	59.5	16	48.5	centred	visible
500.463.01.1	white	60	-	54.5	59.5	16	48.5	without	visible
500.451.01.1	white	75	-	69	74	16	48.5	centred	visible
500.464.01.1	white	75	-	69	74	16	48.5	without	visible
500.452.01.1	white	90	13	84	89	16	48.5	centred	visible
500.465.01.1	white	90	13	84	89	16	48.5	without	visible
500.453.01.1	white	120	28	114.5	119	16	48.5	left and right	visible
500.462.01.1	white	120	28	114.5	119	16	48.5	without	visible

#### Can be combined with

- Geberit iCon cabinet for washbasin with width from 120 cm, with four drawers → p. 89
- Geberit iCon cabinet for washbasin, with one drawer → p. 85
- Geberit iCon cabinet for washbasin, with two drawers → p. 86
- Geberit iCon cabinet for washbasin with width from 120 cm, with two drawers → p. 89


#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



- Washbasins 60 and 75 cm are fastened with 2 hanger bolts
- Washbasins 90 and 120 cm are fastened with 4 hanger bolts

### Geberit iCon washbasin with shelf surface and decorative dish



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical
- Decorative dish inserted

#### Technical data

Material	Fine fireclay
----------	---------------

#### Scope of delivery

- Decorative dish

Art. no.	Surface / colour	Cabinet		H [cm]	T [cm]	Tap hole	Overflow	Shelf space	Decorative dish
		B [cm]	width [cm]						
500.466.01.1	white	90	89	16	48.5	left	visible	right	right
500.467.01.1	white	90	89	16	48.5	right	visible	left	left

#### Can be combined with




- Geberit iCon cabinet for washbasin, with one drawer → p. 85
- Geberit iCon cabinet for washbasin, with two drawers → p. 86

#### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



## Geberit iCon washbasin with decorative dish



### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical
- Decorative dish inserted

### Technical data

Material	Fine fireclay
----------	---------------

### Scope of delivery

- Decorative dish

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow	Shelf space	Decorative dish
500.456.01.1	white	50	15	48.5	left	visible	right	right
500.458.01.1	white	50	15	48.5	right	visible	left	left

### Can be combined with




- Geberit iCon cabinet for two washbasins, with two drawers and shelf surface → p. 88
- Geberit iCon cabinet for washbasin, with one drawer and shelf surface → p. 86

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

## Double washbasins

### Geberit iCon double washbasin



### Characteristics

- Can be installed with a washbasin cabinet

### Technical data

Material	Fine fireclay
----------	---------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.455.01.1	white	120	16	48.5	left and right	visible

### Can be combined with

- Geberit iCon cabinet for double washbasin, with two drawers → p. 87
- Geberit iCon cabinet for double washbasin, with four drawers → p. 88

### Accessories

- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

## Accessories

### Geberit waste outlet with external push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics

- Push button waste plug,  $\varnothing$  1 1/4"

#### Technical data

Material	Brass chrome-plated
----------	---------------------

Art. no.	d, $\varnothing$ [mm]
500.055.00.1	60

### Geberit waste outlet with free outlet



#### Application purposes

- For washbasins without overflow

#### Characteristics

- Valve cover made of plastic, chrome-plated
- With built-in screen

#### Technical data

Material	Brass chrome-plated
----------	---------------------

#### Scope of delivery

- Screen
- Seals

Art. no.	Surface / colour	L [cm]
152.050.21.1	bright chrome-plated	5
152.080.21.1	bright chrome-plated	8

### Fastening set for Geberit washbasins



#### Application purposes

- For fastening Geberit washbasins on solid walls

#### Scope of delivery

- Set of 2 pieces

Art. no.	500.121.00.1
----------	--------------

### Fastening set for Geberit handrinse basins



#### Application purposes


- For fastening Geberit handrinse basins on solid walls

#### Scope of delivery

- Set of 2 pieces

Art. no.	500.122.00.1
----------	--------------

## Geberit bottle trap with dip tube, for washbasin, horizontal outlet



### Application purposes

- For washbasins

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Corrosion-resistant

Art. no.	Surface / colour	d, $\emptyset$ [mm]	G ["]
151.034.21.1	bright chrome-plated	32	1 1/4
151.035.21.1	bright chrome-plated	40	1 1/4


### Technical data

Material	Plastic
----------	---------

### Scope of delivery

- Wall collar

## Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet



### Application purposes

- For space-saving connection of washbasins in bathroom furniture

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Space-saving model
- For cleaning accessible

Art. no.	Surface / colour	d, $\emptyset$ [mm]	G ["]
151.116.11.1	white alpine	32	1 1/4

### Technical data

Depth of water seal	50 mm
Material	Plastic


### Scope of delivery

- Seals
- Connection bend with union nut

## Bathroom furniture

### Washbasin cabinets

#### Geberit iCon cabinet for washbasin, with one drawer



#### Characteristics

- Wall-hung
- With one drawer
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Washbasin width [cm]	H [cm]	T [cm]	Siphon cutout
500.428.01.1	high-gloss coated / white	59.5	56	53.1	60	24	47.7	centred
500.428.JH.1	foil-covered / oak nature	59.5	56	53.1	60	24	47.7	centred
500.428.JK.1	matt coated / lava	59.5	56	53.1	60	24	47.7	centred
500.435.01.1	high-gloss coated / white	74	70.5	67.6	75	24	47.7	centred
500.435.JH.1	foil-covered / oak nature	74	70.5	67.6	75	24	47.7	centred
500.435.JK.1	matt coated / lava	74	70.5	67.6	75	24	47.7	centred
500.437.01.1	high-gloss coated / white	89	85.5	82.6	90	24	47.7	centred
500.437.JH.1	foil-covered / oak nature	89	85.5	82.6	90	24	47.7	centred
500.437.JK.1	matt coated / lava	89	85.5	82.6	90	24	47.7	centred

#### Can be combined with

- Geberit iCon washbasin → p. 81
- Geberit iCon washbasin with shelf surface and decorative dish → p. 80

## Geberit iCon cabinet for washbasin, with one drawer and shelf surface



### Characteristics

- Wall-hung
- With one drawer
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Siphon cutout
500.438.01.1	high-gloss coated / white	89	24	47.7	left
500.438.JH.1	foil-covered / oak nature	89	24	47.7	left
500.438.JK.1	matt coated / lava	89	24	47.7	left
500.439.01.1	high-gloss coated / white	89	24	47.7	right
500.439.JH.1	foil-covered / oak nature	89	24	47.7	right
500.439.JK.1	matt coated / lava	89	24	47.7	right

### Can be combined with

- Geberit iCon washbasin with decorative dish → p. 82

## Geberit iCon cabinet for washbasin, with two drawers



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Washbasin width [cm]	H [cm]	T [cm]	Siphon cutout
500.429.01.1	high-gloss coated / white	59.5	56	53.1	60	62	47.7	centred
500.429.JH.1	foil-covered / oak nature	59.5	56	53.1	60	62	47.7	centred
500.429.JK.1	matt coated / lava	59.5	56	53.1	60	62	47.7	centred
500.436.01.1	high-gloss coated / white	74	70.5	67.6	75	62	47.7	centred
500.436.JH.1	foil-covered / oak nature	74	70.5	67.6	75	62	47.7	centred
500.436.JK.1	matt coated / lava	74	70.5	67.6	75	62	47.7	centred
500.441.01.1	high-gloss coated / white	89	85.5	82.6	90	62	47.7	centred
500.441.JH.1	foil-covered / oak nature	89	85.5	82.6	90	62	47.7	centred
500.441.JK.1	matt coated / lava	89	85.5	82.6	90	62	47.7	centred

**Can be combined with**

- Geberit iCon washbasin → p. 81
- Geberit iCon washbasin with shelf surface and decorative dish → p. 80

**Geberit iCon cabinet for double washbasin, with two drawers**



**Characteristics**

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

**Technical data**

Material Chipboard

**Scope of delivery**


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.443.01.1	high-gloss coated / white	119	24	47.7
500.443.JH.1	foil-covered / oak nature	119	24	47.7
500.443.JK.1	matt coated / lava	119	24	47.7

**Can be combined with**

- Geberit iCon double washbasin → p. 82

## Geberit iCon cabinet for double washbasin, with four drawers



### Characteristics

- Wall-hung
- With four drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.446.01.1	high-gloss coated / white	119	62	47.7
500.446.JH.1	foil-covered / oak nature	119	62	47.7
500.446.JK.1	matt coated / lava	119	62	47.7

### Can be combined with

- Geberit iCon double washbasin → p. 82

## Geberit iCon cabinet for two washbasins, with two drawers and shelf surface



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.444.01.1	high-gloss coated / white	119	24	47.7
500.444.JH.1	foil-covered / oak nature	119	24	47.7
500.444.JK.1	matt coated / lava	119	24	47.7

### Can be combined with

- Geberit iCon washbasin with decorative dish → p. 82

## Geberit iCon cabinet for washbasin with width from 120 cm, with two drawers



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	Washbasin width [cm]	H [cm]	T [cm]	Siphon cutout
500.442.01.1	high-gloss coated / white	119	120	24	47.7	centred
500.442.JH.1	foil-covered / oak nature	119	120	24	47.7	centred
500.442.JK.1	matt coated / lava	119	120	24	47.7	centred

### Can be combined with

- Geberit iCon washbasin → p. 81

## Geberit iCon cabinet for washbasin with width from 120 cm, with four drawers



### Characteristics

- Wall-hung
- With four drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	Washbasin width [cm]	H [cm]	T [cm]	Siphon cutout
500.445.01.1	high-gloss coated / white	119	120	62	47.7	centred
500.445.JH.1	foil-covered / oak nature	119	120	62	47.7	centred
500.445.JK.1	matt coated / lava	119	120	62	47.7	centred

### Can be combined with

- Geberit iCon washbasin → p. 81



## Geberit iCon cabinet for handrinse basin, with one door



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Right hinge side
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.425.01.1	high-gloss coated / white	37	42	28
500.425.JH.1	foil-covered / oak nature	37	42	28
500.425.JK.1	matt coated / lava	37	42	28

### Can be combined with

- iCon handrinse basin

## Geberit iCon cabinet for handrinse basin, with one drawer



### Characteristics

- Wall-hung
- With one drawer
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.427.01.1	high-gloss coated / white	52	42	30.8
500.427.JH.1	foil-covered / oak nature	52	42	30.8
500.427.JK.1	matt coated / lava	52	42	30.8

### Can be combined with

- iCon handrinse basin with shelf surface

## Side cabinets

### Geberit iCon tall cabinet with one door



#### Characteristics

- Wall-hung
- With one door
- Opening via handle
- With one fixed shelf
- With four movable shelves
- Left or right hinge side
- Moisture-resistant
- Delivered pre-assembled

#### Technical data


Material	Chipboard
----------	-----------

#### Scope of delivery

- 4 movable shelves
- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.417.01.1	high-gloss coated / white	36	180	29.2
500.417.JH.1	foil-covered / oak nature	36	180	29.2
500.417.JK.1	matt coated / lava	36	180	29.2

## Geberit iCon tall cabinet with one door and external mirror



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- With two fixed shelves
- With two movable shelves
- Left or right hinge side
- Mirror on exterior side of door
- Delivered pre-assembled

### Technical data


Material	Chipboard
----------	-----------

### Scope of delivery

- 2 movable shelves
- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.447.01.1	high-gloss coated / white	36	150	29.2
500.447.JH.1	foil-covered / oak nature	36	150	29.2
500.447.JK.1	matt coated / lava	36	150	29.2

## Geberit iCon low cabinet with one drawer, floor-standing



### Characteristics

- Floor-standing
- With one drawer
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data


Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.440.01.1	high-gloss coated / white	89	47.2	47.7
500.440.JH.1	foil-covered / oak nature	89	47.2	47.7
500.440.JK.1	matt coated / lava	89	47.2	47.7

## Geberit iCon low cabinet with two drawers



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data


Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.426.01.1	high-gloss coated / white	45	60	47.7
500.426.JH.1	foil-covered / oak nature	45	60	47.7
500.426.JK.1	matt coated / lava	45	60	47.7

## Geberit iCon side element with storage box



### Characteristics

- Wall-hung
- Moisture-resistant
- With storage box
- Can be connected with washbasin cabinet
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.419.01.1	high-gloss coated / white	37	40	24.5
500.419.JH.1	foil-covered / oak nature	37	40	24.5
500.419.JK.1	matt coated / lava	37	40	24.5
500.423.01.1	high-gloss coated / white	37	40	27.3
500.423.JH.1	foil-covered / oak nature	37	40	27.3
500.423.JK.1	matt coated / lava	37	40	27.3



- Side element 500.419.xx.1 only for Geberit iCon cabinet for handrinse basin 500.425.xx.1
- Side element 500.423.xx.1 only for Geberit iCon cabinet for handrinse basin 500.427.xx.1

## Mirrors

### Geberit iCon illuminated mirror



#### Characteristics

- LED lighting
- Mechanical switch
- Adjustable lamp


#### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Operating voltage	12 V DC
Material	Glass
Energy efficiency class	A+
Light colour	4000 K

Art. no.	B [cm]	B1 [cm]	B2 [cm]	H [cm]	T [cm]	Power	
						consumption [W]	Luminous flux [lm]
500.448.00.1	37	31	–	110	10.4	12	234
500.449.00.1	120	114	10/15/20/25	75	10.4	40	368
500.468.00.1	90	84	10/15/20	75	10.4	30	768
500.469.00.1	60	54	10	75	10.4	19	568

## Other furniture

### Geberit iCon wall shelf



#### Characteristics

- Wall-hung

#### Technical data


Material	Chipboard
----------	-----------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.413.01.1	high-gloss coated / white	37	5	16.5
500.413.JH.1	foil-covered / oak nature	37	5	16.5
500.413.JK.1	matt coated / lava	37	5	16.5
500.414.01.1	high-gloss coated / white	60	5	16.5
500.414.JH.1	foil-covered / oak nature	60	5	16.5
500.414.JK.1	matt coated / lava	60	5	16.5
500.416.01.1	high-gloss coated / white	90	5	16.5
500.416.JH.1	foil-covered / oak nature	90	5	16.5
500.416.JK.1	matt coated / lava	90	5	16.5

## WCs

### Wall-hung WCs

#### Geberit iCon wall-hung WC, washdown, Rimfree



#### Application purposes

- For concealed cisterns
- For pressure flushing valves

#### Characteristics

- Wall-hung
- Washdown WC
- Rimfree

- Class 1, full flush volume 6 l, in accordance with EN 997
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.410.01.1	white	35.5	33	53

#### To order additionally

- WC seat

#### Can be combined with

- Geberit iCon WC seat → p. 101
- Geberit iCon WC seat, slim design → p. 102


#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22
- Geberit connection set for wall-hung WC, length 30 cm → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

## Geberit iCon wall-hung WC, washdown



### Application purposes

- For concealed cisterns
- For pressure flushing valves

### Characteristics

- Wall-hung
- Washdown WC
- With flush rim

Art. no. Surface / colour

500.400.01.1 white

- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

	B	H	T
	[cm]	[cm]	[cm]
500.400.01.1	35.5	33	53

### To order additionally

- WC seat

### Can be combined with

- Geberit iCon WC seat → p. 101
- Geberit iCon WC seat, slim design → p. 102


### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22
- Geberit connection set for wall-hung WC, length 30 cm → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

## Geberit iCon Square wall-hung WC, washdown, Rimfree



### Application purposes

- For concealed cisterns
- For pressure flushing valves

### Characteristics

- Wall-hung
- Washdown WC
- Rimfree

Art. no. Surface / colour

500.420.01.1 white

- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

	B	H	T
	[cm]	[cm]	[cm]
500.420.01.1	35	33	54

**To order additionally**

- WC seat

**Can be combined with**

- Geberit iCon Square WC seat → p. 102


**Accessories**

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22
- Geberit connection set for wall-hung WC, length 30 cm → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

**Geberit iCon wall-hung WC, washdown, small projection, Rimfree**



**Application purposes**

- For concealed cisterns
- For pressure flushing valves
- Suitable for installation in small bathrooms and guest WCs

- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Hidden fastening
- Small projection

**Characteristics**

- Wall-hung
- Washdown WC
- Rimfree

**Technical data**

Material	Vitreous china
----------	----------------

**Scope of delivery**

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.415.01.1	white	35	33	49

**To order additionally**

- WC seat

**Can be combined with**

- Geberit iCon WC seat → p. 101
- Geberit iCon WC seat, slim design → p. 102


**Accessories**

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22



## Floor-standing WCs

### Geberit iCon floor-standing WC, washdown, back-to-wall, Rimfree



#### Application purposes

- For concealed cisterns

#### Characteristics

- Floor-standing
- Back-to-wall
- Washdown WC
- Rimfree

- Class 1, full flush volume 6 l, in accordance with EN 997
- Horizontal or vertical outlet
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.402.01.1	white	35.5	40.5	56


#### To order additionally

- WC seat

#### Can be combined with

- Geberit iCon WC seat → p. 101
- Geberit iCon WC seat, slim design → p. 102

### Geberit iCon floor-standing WC for close-coupled exposed cistern, washdown, Rimfree



#### Application purposes

- For close-coupled exposed cistern

#### Characteristics

- Floor-standing
- Washdown WC
- Rimfree

- Multidirectional outlet
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.401.01.1	white	35.5	40	63.5


**To order additionally**

- Cistern
- WC seat

**Can be combined with**

- Geberit iCon exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 109
- Geberit iCon exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 109
- Geberit iCon WC seat → p. 101
- Geberit iCon WC seat, slim design → p. 102

**Geberit iCon Square floor-standing WC for close-coupled exposed cistern, washdown, Rimfree**



**Application purposes**

- For close-coupled exposed cistern

**Characteristics**

- Floor-standing
- Washdown WC
- Rimfree

- Multidirectional outlet
- Hidden fastening

**Technical data**

Material	Vitreous china
----------	----------------

**Scope of delivery**

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.421.01.1	white	35.5	40	63.5

**To order additionally**


- Cistern
- WC seat

**Can be combined with**

- Geberit iCon exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 109
- Geberit iCon exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 109
- Geberit iCon WC seat → p. 101

**New**

## Geberit iCon Square floor-standing WC, for close-coupled exposed cistern, washdown, back-to-wall



### Application purposes

- For close-coupled exposed cistern

### Characteristics

- Floor-standing
- Washdown WC
- With flush rim
- Horizontal or vertical outlet

Art. no. Surface / colour

500.195.01.1 white

Available as of April 2018

### To order additionally

- Cistern
- WC seat

### Can be combined with

- Geberit iCon Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 110
- Geberit iCon Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 110
- Geberit iCon Square WC seat → p. 102

### Technical data


Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

B [cm]	H [cm]
37.5	83

## Geberit iCon Square floor-standing WC, washdown, back-to-wall, Rimfree



### Application purposes

- For concealed cisterns

### Characteristics

- Floor-standing
- Back-to-wall
- Washdown WC
- Rimfree

- Class 1, full flush volume 6 l, in accordance with EN 997
- Horizontal or vertical outlet
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.422.01.1	white	35.5	40.5	56

**To order additionally**


- WC seat

**Can be combined with**

- Geberit iCon Square WC seat → p. 102

## WC seats

### Geberit iCon WC seat



**Characteristics**

- Overlapping WC lid

**Technical data**


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.430.01.1	white	no	from below	Stainless steel
500.431.01.1	white	yes	from above	Brass chrome-plated

**Can be combined with**

- Geberit Smyle wall-hung WC, washdown, opening for wall mounting, Rimfree → p. 127
- Geberit iCon floor-standing WC, washdown, back-to-wall, Rimfree → p. 98
- Geberit iCon Square floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 99
- Geberit iCon floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 98

## Geberit iCon WC seat, slim design



### Characteristics

- Slim design
- Overlapping WC lid
- Antibacterial

### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.432.01.1	white	yes	from above	Brass chrome-plated

### Can be combined with

- Geberit Smyle wall-hung WC, washdown, opening for wall mounting, Rimfree → p. 127
- Geberit iCon wall-hung WC, washdown → p. 96
- Geberit iCon floor-standing WC, washdown, back-to-wall, Rimfree → p. 98
- Geberit iCon wall-hung WC, washdown, Rimfree → p. 95
- Geberit iCon floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 98

## Geberit iCon Square WC seat



### Characteristics

- Overlapping WC lid

### Technical data

Material	Duroplast
----------	-----------


Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.433.01.1	white	no	from above	Brass chrome-plated
500.434.01.1	white	yes	from above	Brass chrome-plated

### Can be combined with

- Geberit iCon Square wall-hung WC, washdown, Rimfree → p. 96
- Geberit iCon Square floor-standing WC, for close-coupled exposed cistern, washdown, back-to-wall → p. 100
- iCon Square floor-standing WC for close-coupled exposed cistern, washdown, Rimfree
- Geberit iCon Square floor-standing WC, washdown, back-to-wall, Rimfree → p. 100

## Accessories

### Geberit connection bend 90°



#### Application purposes

- For floor-standing WCs with horizontal and open outlet  
ø 105 mm

#### Technical data

Material	PP
----------	----

#### Scope of delivery

- Sleeve made of EPDM

Art. no.	Surface / colour	d, ø [mm]	A [cm]	a [cm]	H [cm]
152.610.11.1	white alpine	110	9	7	35

### Geberit connection set for wall-hung WC, length 30 cm



#### Application purposes

- For wall-hung WCs

#### Characteristics

- Extended connection set

#### Technical data


Material	PE-HD
----------	-------

#### Scope of delivery

- Flush pipe with sleeve, made of PE-HD
- Straight connector with sleeve, made of PE-HD
- 2 cover caps
- Fastening material

Art. no.	Surface / colour	d, ø [mm]	d1, ø [mm]	L [cm]	l [cm]	l1 [cm]
152.441.46.1	matt chrome-plated	90	45	30	26.5	27.5

### Geberit P-bend set for floor-standing WC



#### Application purposes

- For connecting floor-standing WCs to floor drains

#### Scope of delivery

- Connection bend made of PP, ø 90 mm
- Adapter socket made of PE-HD, ø 90 / 110 mm


- Sleeve made of EPDM, ø 122 mm
- Sleeve made of EPDM, ø 105 mm
- Sleeve made of EPDM, ø 90 / 110 mm
- Sleeve made of EPDM, ø 90 / 100 mm
- Fastening material

Art. no.	131.081.11.1
----------	--------------

# Bidets

## Wall-hung bidets

### Geberit iCon wall-hung bidet



#### Application purposes

- For single-hole taps with flexible hoses

#### Characteristics

- Wall-hung
- Hidden water supply connection
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.405.01.1	white	35.5	23.5	54	visible

#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

### Geberit iCon Square wall-hung bidet



#### Application purposes

- For single-hole taps with flexible hoses

#### Characteristics

- Wall-hung
- Hidden water supply connection
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.403.01.1	white	35	23.5	54	visible

#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Floor-standing bidets

### Geberit iCon floor-standing bidet, back-to-wall



#### Characteristics

- Floor-standing
- Back-to-wall
- Hidden water supply connection
- Hidden fastening

#### Technical data


Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.406.01.1	white	35.5	40	56	visible

### Geberit iCon Square floor-standing bidet, back-to-wall



#### Characteristics

- Floor-standing
- Back-to-wall
- Hidden water supply connection
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.404.01.1	white	35.5	40	56	visible



## Accessories

### Geberit waste outlet with external push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics

- Push button waste plug,  $\varnothing$  1 1/4"

Art. no.

d,  $\varnothing$   
[mm]

500.055.00.1

60

#### Technical data

Material	Brass chrome-plated
----------	---------------------

### Fastening set for Geberit wall-hung WCs and wall-hung bidets



#### Application purposes

- For wall-hung bidets and WCs

#### Scope of delivery

- Set of 2 pieces


Art. no.

500.105.00.1

## Urinals

### For concealed controls

### Geberit iCon urinal for concealed urinal flush control, outlet to the rear



#### Application purposes

- For operating with automatic, water-saving flush
- For connecting to concealed urinal flush controls

#### Characteristics

- Wall-hung
- With flush rim

- Hidden trap
- Hidden fastening
- Easy to fasten thanks to Geberit fastening set Kerafix, for urinal

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Inlet	Outlet
500.470.01.1	white	30	52	26.5	rear	to the rear

#### To order additionally

- Geberit fastening set for urinal, Kerafix → p. 108

#### Accessories

- Geberit urinal trap d40, horizontal outlet → p. 108
- Geberit Abalona urinal division → p. 182
- Geberit flush bend extension with sleeve → p. 107
- Geberit urinal trap, horizontal outlet → p. 108
- Geberit concealed cistern for urinal → p. 108
- Geberit flush pipe for urinals, with concealed urinal flush control → p. 107

## Accessories

### Geberit flush pipe for urinals, with concealed urinal flush control



#### Application purposes

- For Geberit iCon, Geberit Smyle and Geberit Abalona urinals for concealed urinal flush control

#### Characteristics

- Elbow made of brass

#### Technical data


Material	Stainless steel
----------	-----------------

#### Scope of delivery

- Rubber connector
- Connection set

Art. no.	d, ø [mm]
500.089.00.1	15

### Geberit flush bend extension with sleeve



#### Application purposes

- For urinals with inlet connector with sleeve, plug-in

#### Technical data

Material	Brass
----------	-------

Art. no.	G ["]	di, ø [mm]
119.702.00.1	1/2	35

## Geberit fastening set for urinal, Kerafix



### Application purposes

- For fastening Geberit iCon, Geberit Smyle and Geberit Abalona urinals on solid walls

### Characteristics

- With white cover caps for covering the fastening

### Scope of delivery

- Set of 2 pieces

Art. no.

500.123.00.1

## Geberit concealed cistern for urinal



### Application purposes

- For installation in part- or room-height prewall installations
- For automatic flush actuation of urinals

### Characteristics

- Flush interval controlled by refilling rate
- Adjustable refilling rate


### Technical data

Flush volume	4.5 l
Material	Plastic

Art. no.

500.091.00.1

## Geberit urinal trap, horizontal outlet



### Application purposes

- For urinals with outlet to the rear
- For urinals with flush volume 1–4 litres

### Technical data

Depth of water seal	50 mm
Material	Plastic

### Scope of delivery

- Sleeve made of EPDM

Art. no.

Surface / colour


152.950.11.1

white alpine

d, ø  
[mm]

50

## Geberit urinal trap d40, horizontal outlet



### Application purposes

- For urinals with outlet to the rear
- For connecting to urinals

### Technical data

Material	Plastic
----------	---------

Art. no.

Surface / colour


261.483.11.1

white alpine

# Exposed Cisterns

## Exposed cisterns for WCs, made of ceramic

### Geberit iCon exposed cistern, close-coupled, dual flush, bottom water supply connection



#### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the bottom

#### Technical data


Flush volume, factory setting	6 and 4 l
Flush volume small, adjustment range	3 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.409.01.1	white	37.5	42.5	14.5

#### Can be combined with

- Geberit iCon Square floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 99
- Geberit iCon floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 98

### Geberit iCon exposed cistern, close-coupled, dual flush, lateral water supply connection



#### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the left/right

#### Technical data


Flush volume, factory setting	6 and 3 l
Flush volume small, adjustment range	3 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.408.01.1	white	37.5	42.5	14.5

#### Can be combined with

- Geberit iCon Square floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 99
- Geberit iCon floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 98

## Geberit iCon Square exposed cistern, close-coupled, dual flush, bottom water supply connection



### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the bottom

### Technical data


Flush volume, factory setting	6 and 4 l
Flush volume small, adjustment range	3 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.411.01.1	white	37.5	42.5	14.5

### Can be combined with

- Geberit iCon Square floor-standing WC, for close-coupled exposed cistern, washdown, back-to-wall → p. 100
- iCon Square floor-standing WC for close-coupled exposed cistern, washdown, Rimfree

## Geberit iCon Square exposed cistern, close-coupled, dual flush, lateral water supply connection



### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the left/right

### Technical data

Flush volume, factory setting	6 and 3 l
Flush volume small, adjustment range	3 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.407.01.1	white	37.5	42.5	14.5

### Can be combined with

- iCon Square floor-standing WC for close-coupled exposed cistern, washdown, Rimfree
- Geberit iCon Square floor-standing WC, for close-coupled exposed cistern, washdown, back-to-wall → p. 100





# Smyle

Geberit Smyle brings harmony and lightness into family and guest bathrooms. With its contemporary design and sophisticated lines, the Geberit Smyle bathroom series creates a relaxing and positive bathroom ambience. With a clear sense of order and efficient use of space, Geberit Smyle achieves the highest level of convenience in the bathroom from any structural situation.

**The harmony of lightness and sophisticated lines.**




---

<b>Washbasins.....</b>	<b>115</b>
Handrinse basins.....	115
Washbasins.....	115
Double washbasins.....	116
Under-countertop washbasins.....	117
Pedestals.....	118
Accessories.....	120
<b>Bathroom furniture.....</b>	<b>122</b>
Washbasin cabinets.....	122
Side cabinets.....	124
<b>WCs.....</b>	<b>125</b>
Wall-hung WCs.....	125
Floor-standing WCs.....	128
WC seats.....	129
Accessories.....	131
<b>Bidets.....</b>	<b>132</b>
Wall-hung bidets.....	132
Floor-standing bidets.....	133
Accessories.....	133
<b>Urinals.....</b>	<b>134</b>
For concealed controls.....	134
Waterless.....	134
Accessories.....	135
<b>Exposed Cisterns.....</b>	<b>137</b>
Exposed cisterns for WCs, made of ceramic.....	137

## Washbasins

### Handrinse basins

#### Geberit Smyle Square handrinse basin



#### Characteristics

- Can be installed with a washbasin cabinet
- Asymmetrical overflow

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.222.01.1	white	45	16	36	centred	visible

#### Can be combined with


- Geberit Smyle cabinet for handrinse basin, with one door → p. 123

#### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

## Washbasins

#### Geberit Smyle washbasin



#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.227.01.1	white	55	51.5	16.5	48	centred	visible
500.228.01.1	white	60	56.8	16.5	48	centred	visible
500.230.01.1	white	65	61.8	16.5	48	centred	visible
500.248.01.1	white	70	66.8	16.5	48	centred	visible


#### Can be combined with

- Geberit Abalona full pedestal → p. 118
- Geberit Smyle half pedestal → p. 119

#### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

## Geberit Smyle Square washbasin



### Characteristics

- Can be installed with a washbasin cabinet

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Cabinet width [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.229.01.1	white	60	-	56.8	57	16.5	48	centred	visible
500.249.01.1	white	75	-	71.5	72	16.5	48	centred	visible
500.250.01.1	white	90	13	86.8	87	16.5	48	without	visible
500.251.01.1	white	90	13	86.8	87	16.5	48	centred	visible
500.252.01.1	white	90	13	86.8	87	16.5	48	left and right	visible
500.225.01.1	white	120	28	116.8	117	16.5	48	without	visible
500.226.01.1	white	120	28	116.8	117	16.5	48	centred	visible
500.253.01.1	white	120	28	116.8	117	16.5	48	left and right	visible

### Can be combined with

- Geberit Smyle cabinet for washbasin, with two drawers → p. 124

### Accessories


- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



- Geberit Abalona Square full pedestal only for washbasins 60 cm
- Geberit Abalona full pedestal only for washbasins 75–120 cm
- Washbasins 60 and 75 cm are fastened with 2 hanger bolts
- Washbasins 90 and 120 cm are fastened with 4 hanger bolts

## Double washbasins

### Geberit Smyle Square double washbasin



### Characteristics

- Can be installed with a washbasin cabinet

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.223.01.1	white	120	16.5	48	left and right	visible
500.224.01.1	white	120	16.5	48	without	visible

**Can be combined with**


- Geberit Smyle cabinet for double washbasin, with two drawers → p. 122
- Geberit Smyle half pedestal → p. 119

**Accessories**

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

## Under-countertop washbasins

### Geberit Smyle Square under-countertop washbasin



**Application purposes**

- For mounting in a worktop

**Technical data**

Material	Vitreous china
----------	----------------

**Scope of delivery**

- Fastening material


Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	T [cm]	T1 [cm]	T2 [cm]
500.127.01.1	white	52	46	26	19.5	41	35	20.5
500.128.01.1	white	56	50	28	19.5	44	38	22

**Accessories**

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12

## Pedestals

### Geberit Smyle half pedestal for handrinse basins



#### Application purposes

- For handrinse basins

#### Characteristics

- Easy fastening with Geberit fastening set Kerafix, for half pedestals

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour
500.575.01.1	white

#### Can be combined with

- Smyle Square handrinse basin
- Geberit Abalona handrinse basin → p. 146

### Geberit Abalona full pedestal



#### Technical data


Material	Vitreous china
----------	----------------

Art. no.	Surface / colour
500.341.01.1	white

#### Can be combined with

- Geberit Abalona handrinse basin → p. 146
- Geberit Abalona washbasin → p. 146
- Geberit Abalona Square washbasin → p. 148
- Geberit Abalona Square washbasin, barrier-free → p. 151
- Geberit Smyle washbasin → p. 115
- Geberit Abalona corner handrinse basin → p. 148
- Smyle Square washbasin

## Geberit Abalona Square full pedestal



### Technical data


Material	Vitreous china
----------	----------------

Art. no.	Surface / colour
500.342.01.1	white

### Can be combined with

- Smyle Square washbasin
- Geberit Abalona Square handrinse basin, asymmetrical overflow → p. 143
- Geberit Abalona Square handrinse basin → p. 144
- Geberit Abalona Square washbasin → p. 148
- Geberit Abalona Square handrinse basin, small projection → p. 144
- Smyle Square handrinse basin

## Geberit Smyle half pedestal



### Application purposes

- For washbasins with a width of 55 cm or more

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour
500.576.01.1	white

### Can be combined with

- Geberit Smyle washbasin → p. 115
- Geberit Smyle Square double washbasin → p. 116
- Smyle Square washbasin

## Accessories

### Geberit waste outlet with external push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics


- Push button waste plug,  $\varnothing$  1 1/4"

Art. no.	d, $\varnothing$ [mm]
500.055.00.1	60

#### Technical data

Material	Brass chrome-plated
----------	---------------------

### Geberit waste outlet with internal push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics


- Push button waste plug,  $\varnothing$  1 1/4"

Art. no.	d, $\varnothing$ [mm]
500.087.00.1	60

#### Technical data

Material	Brass chrome-plated
----------	---------------------

### Geberit waste outlet with free outlet



#### Application purposes

- For washbasins without overflow

#### Characteristics

- Valve cover made of plastic, chrome-plated
- With built-in screen

Art. no.	Surface / colour	L [cm]
152.050.21.1	bright chrome-plated	5
152.080.21.1	bright chrome-plated	8

#### Technical data

Material	Brass chrome-plated
----------	---------------------

#### Scope of delivery

- Screen
- Seals

## Fastening set for Geberit washbasins



### Application purposes

- For fastening Geberit washbasins on solid walls


### Scope of delivery

- Set of 2 pieces

Art. no.

500.121.00.1

## Geberit bottle trap with dip tube, for washbasin, horizontal outlet



### Application purposes

- For washbasins

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Corrosion-resistant

### Technical data


Material	Plastic
----------	---------

### Scope of delivery

- Wall collar

Art. no.	Surface / colour	d, $\emptyset$ [mm]	G ["]
151.034.21.1	bright chrome-plated	32	1 1/4
151.035.21.1	bright chrome-plated	40	1 1/4

## Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet



### Application purposes

- For space-saving connection of washbasins in bathroom furniture

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Space-saving model
- For cleaning accessible

### Technical data

Depth of water seal	50 mm
Material	Plastic

### Scope of delivery

- Seals
- Connection bend with union nut

Art. no.	Surface / colour	d, $\emptyset$ [mm]	G ["]
151.116.11.1	white alpine	32	1 1/4



## Fastening set for Geberit handrinse basins



### Application purposes

- For fastening Geberit handrinse basins on solid walls

### Scope of delivery

- Set of 2 pieces


Art. no.

500.122.00.1

## Bathroom furniture

### Washbasin cabinets

#### Geberit Smyle cabinet for double washbasin, with two drawers



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.246.01.1	high-gloss coated / white	117	62.5	49
500.246.42.1	high-gloss coated / light grey	117	62.5	49

### Can be combined with

- Geberit Smyle Square double washbasin → p. 116

## Geberit Smyle cabinet for handrinse basin, with one door



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.242.01.1	high-gloss coated / white	43.4	62.5	38.4
500.242.42.1	high-gloss coated / light grey	43.4	62.5	38.4

### Can be combined with

- Geberit Smyle Square handrinse basin → p. 115

## Geberit Smyle cabinet for washbasin, with two drawers



### Characteristics

- Wall-hung
- With two drawers
- Opening via handle
- Drawer with self-closing
- Moisture-resistant
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	Washbasin	H [cm]	T [cm]
					width [cm]		
500.243.01.1	high-gloss coated / white	57	51.9	50.4	60	62.5	49
500.243.42.1	high-gloss coated / light grey	57	51.9	50.4	60	62.5	49
500.247.01.1	high-gloss coated / white	72	66.9	65.4	75	62.5	49
500.247.42.1	high-gloss coated / light grey	72	66.9	65.4	75	62.5	49
500.244.01.1	high-gloss coated / white	87	81.9	80.4	90	62.5	49
500.244.42.1	high-gloss coated / light grey	87	81.9	80.4	90	62.5	49
500.245.01.1	high-gloss coated / white	116.8	111.9	80.4	120	62.5	49
500.245.42.1	high-gloss coated / light grey	116.8	111.9	80.4	120	62.5	49

### Can be combined with

- Geberit Smyle Square washbasin → p. 116

## Side cabinets

### Geberit Smyle tall cabinet with one door and internal mirror



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- With two fixed shelves
- With four movable shelves
- Left or right hinge side
- Moisture-resistant

- Mirror on inside of door
- Delivered pre-assembled

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery


- 4 movable shelves
- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.241.01.1	high-gloss coated / white	36	180	29.5
500.241.42.1	high-gloss coated / light grey	36	180	29.5

## WCs

### Wall-hung WCs

#### Geberit Smyle wall-hung WC, washdown



#### Application purposes

- For concealed cisterns
- For pressure flushing valves

#### Characteristics

- Wall-hung
- Washdown WC

- With flush rim
- Class 1, full flush volume 6 l, in accordance with EN 997

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.211.01.1	white	35	34	54

#### To order additionally

- WC seat


#### Can be combined with

- Geberit Smyle WC seat → p. 129
- Geberit Smyle Square WC seat → p. 129

#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Geberit Smyle wall-hung WC, washdown, Rimfree



### Application purposes

- For concealed cisterns
- For pressure flushing valves

### Characteristics

- Wall-hung
- Washdown WC

- Rimfree
- Class 1, full flush volume 6 l, in accordance with EN 997

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.210.01.1	white	35	34	54

### To order additionally

- WC seat


### Can be combined with

- Geberit Smyle WC seat → p. 129
- Geberit Smyle Square WC seat → p. 129

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Geberit Smyle Square wall-hung WC, washdown, opening for wall mounting, Rimfree



### Application purposes

- For concealed cisterns
- For pressure flushing valves

### Characteristics

- Wall-hung
- Washdown WC

- Rimfree
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Opening for wall mounting

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.200.01.1	white	35	33	54

**To order additionally**

- WC seat

**Can be combined with**

- Geberit Smyle Square WC seat, slim design → p. 130
- Geberit Smyle Square WC seat, slim design, sandwich shape → p. 130


**Accessories**

- Geberit connection set for wall-hung WC, length 30 cm → p. 22
- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

**Geberit Smyle wall-hung WC, washdown, opening for wall mounting, Rimfree**



**Application purposes**

- For concealed cisterns
- For pressure flushing valves

**Characteristics**

- Wall-hung
- Washdown WC

- Rimfree
- Class 1, full flush volume 6 or 4.28, in accordance with EN 997

**Technical data**

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.215.01.1	white	36	33	53

**To order additionally**

- WC seat

**Can be combined with**

- Geberit iCon WC seat → p. 101
- Geberit iCon WC seat, slim design → p. 102

**Accessories**


- Geberit connection set for wall-hung WC, length 30 cm → p. 22
- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

## Floor-standing WCs

### Geberit Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree



#### Characteristics

- Floor-standing
- Washdown WC
- Rimfree
- Multidirectional outlet
- Hidden fastening

Art. no. Surface / colour

500.212.01.1 white

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

B	H	T
[cm]	[cm]	[cm]
35	41	64


#### To order additionally

- Cistern
- WC seat

#### Can be combined with

- Geberit Smyle exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 138
- Geberit Smyle WC seat → p. 129
- Geberit Smyle Square WC seat → p. 129
- Geberit Smyle exposed cistern, dual flush, bottom water supply connection → p. 138

### Geberit Smyle floor-standing WC, washdown, back-to-wall



#### Application purposes

- For concealed cisterns

#### Characteristics

- Floor-standing
- Back-to-wall
- Washdown WC
- With flush rim

Art. no. Surface / colour

500.213.01.1 white

- Class 1, full flush volume 6 l, in accordance with EN 997
- Horizontal or vertical outlet

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

B	H	T
[cm]	[cm]	[cm]
35	41	54

To order additionally



- WC seat

Can be combined with

- Geberit Smyle WC seat → p. 129
- Geberit Smyle Square WC seat → p. 129

## WC seats

### Geberit Smyle Square WC seat



**Characteristics**

- Overlapping WC lid

**Technical data**




Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.233.01.1	white	yes	from above	Brass chrome-plated
500.234.01.1	white	no	from above	Stainless steel

Can be combined with

- Geberit Smyle wall-hung WC, washdown, Rimfree → p. 126
- Geberit Smyle floor-standing WC, washdown, back-to-wall → p. 128
- Geberit Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 128
- Geberit Smyle wall-hung WC, washdown → p. 125

### Geberit Smyle WC seat



**Characteristics**

- Overlapping WC lid

**Technical data**

Material	Duroplast
----------	-----------



Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.235.01.1	white	no	from above	Stainless steel
500.236.01.1	white	yes	from above	Brass chrome-plated

Can be combined with

- Geberit Smyle wall-hung WC, washdown, Rimfree → p. 126
- Geberit Smyle floor-standing WC, washdown, back-to-wall → p. 128
- Geberit Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 128
- Geberit Smyle wall-hung WC, washdown → p. 125



## Geberit Smyle Square WC seat, slim design



### Characteristics

- Slim design
- Overlapping WC lid

### Technical data



Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.237.01.1	white	yes	from above	Brass chrome-plated
500.238.01.1	white	no	from above	Stainless steel

### Can be combined with

- Geberit Smyle Square wall-hung WC, washdown, opening for wall mounting, Rimfree → p. 126

## Geberit Smyle Square WC seat, slim design, sandwich shape



### Characteristics

- Slim design
- Sandwich shape

### Technical data



Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.239.01.1	white	no	from above	Stainless steel
500.240.01.1	white	yes	from above	Brass chrome-plated

### Can be combined with

- Geberit Smyle Square wall-hung WC, washdown, opening for wall mounting, Rimfree → p. 126

## Geberit Smyle WC seat



### Application purposes

- For Geberit Smyle wall-hung WC, horizontal outlet, opening for wall mounting, Rimfree

### Characteristics

- Overlapping WC lid


### Technical data

Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.231.01.1	white	no	from above	Stainless steel
500.232.01.1	white	yes	from above	Brass chrome-plated

## Accessories

### Geberit connection bend 90°



#### Application purposes

- For floor-standing WCs with horizontal and open outlet  
ø 105 mm

#### Technical data

Material	PP
----------	----

#### Scope of delivery

- Sleeve made of EPDM

Art. no.	Surface / colour	d, ø [mm]	A [cm]	a [cm]	H [cm]
152.610.11.1	white alpine	110	9	7	35

### Geberit connection set for wall-hung WC, length 30 cm



#### Application purposes

- For wall-hung WCs

#### Characteristics

- Extended connection set

#### Technical data

Material	PE-HD
----------	-------

#### Scope of delivery

- Flush pipe with sleeve, made of PE-HD
- Straight connector with sleeve, made of PE-HD
- 2 cover caps
- Fastening material

Art. no.	Surface / colour	d, ø [mm]	d1, ø [mm]	L [cm]	l [cm]	l1 [cm]
152.441.46.1	mat chrome-plated	90	45	30	26.5	27.5

### Geberit P-bend set for floor-standing WC



#### Application purposes

- For connecting floor-standing WCs to floor drains

#### Scope of delivery

- Connection bend made of PP, ø 90 mm
- Adapter socket made of PE-HD, ø 90 / 110 mm
- Sleeve made of EPDM, ø 122 mm


- Sleeve made of EPDM, ø 105 mm
- Sleeve made of EPDM, ø 90 / 110 mm
- Sleeve made of EPDM, ø 90 / 100 mm
- Fastening material

Art. no.	131.081.11.1
----------	--------------

## Bidets

### Wall-hung bidets

#### Geberit Smyle wall-hung bidet



#### Application purposes

- For single-hole taps with flexible hoses

#### Characteristics

- Wall-hung
- Hidden water supply connection

#### Technical data


Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.216.01.1	white	35	33.5	54	visible

#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

#### Geberit Smyle Square wall-hung bidet



#### Application purposes

- For single-hole taps with flexible hoses

#### Characteristics

- Wall-hung
- Hidden water supply connection

#### Technical data

Material	Vitreous china
----------	----------------


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.218.01.1	white	35	26	54	visible

#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Floor-standing bidets

### Geberit Smyle floor-standing bidet, back-to-wall



#### Characteristics

- Floor-standing
- Back-to-wall
- Hidden water supply connection
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.217.01.1	white	35	41	54	visible

## Accessories

### Geberit waste outlet with external push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics

- Push button waste plug,  $\varnothing$  1 1/4"

#### Technical data


Material	Brass chrome-plated
----------	---------------------

Art. no.	d, $\varnothing$ [mm]
500.055.00.1	60

## Urinals

### For concealed controls

#### Geberit Smyle urinal for concealed flush control, outlet to the rear



#### Application purposes

- For operating with automatic, water-saving flush
- For connecting to concealed urinal flush controls

#### Characteristics

- Wall-hung
- With flush rim
- Hidden trap

- Hidden fastening
- Easy to fasten thanks to Geberit fastening set Kerafix, for urinal

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Inlet	Outlet
500.254.01.1	white	32.5	58	30	rear	to the rear

#### Accessories

- Geberit urinal trap d40, horizontal outlet → p. 108
- Geberit urinal flush control with electronic flush actuation → p. 136
- Geberit flush pipe for urinals, with concealed urinal flush control → p. 107
- Geberit concealed cistern for urinal → p. 108
- Geberit Abalona urinal division → p. 182
- Geberit flush bend extension with sleeve → p. 107
- Geberit urinal trap, horizontal outlet → p. 108

## Waterless

#### Geberit Smyle urinal, waterless, outlet to the rear



#### Characteristics

- Wall-hung
- Hidden drain
- Hidden fastening
- Easy to fasten thanks to Geberit fastening set Kerafix, for urinal

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Outlet
500.255.01.1	white	32.5	60	30	to the rear

#### Accessories

- Geberit Abalona urinal division → p. 182

## Accessories

### Geberit flush bend extension with sleeve



#### Application purposes

- For urinals with inlet connector with sleeve, plug-in

#### Technical data

Material	Brass
----------	-------

Art. no.	G [""]	di, ø [mm]
119.702.00.1	1/2	35

### Geberit flush pipe for urinals, with concealed urinal flush control



#### Application purposes

- For Geberit iCon, Geberit Smyle and Geberit Abalona urinals for concealed urinal flush control

#### Technical data

Material	Stainless steel
----------	-----------------

#### Characteristics

- Elbow made of brass

#### Scope of delivery

- Rubber connector
- Connection set

Art. no.	d, ø [mm]
500.089.00.1	15

### Geberit concealed cistern for urinal



#### Application purposes

- For installation in part- or room-height prewall installations
- For automatic flush actuation of urinals

#### Technical data

Flush volume	4.5 l
Material	Plastic

#### Characteristics

- Flush interval controlled by refilling rate
- Adjustable refilling rate

Art. no.
500.091.00.1

## Geberit urinal flush control with electronic flush actuation



### Application purposes

- For Geberit Smyle and Geberit Abalona urinals for concealed urinal flush control
- For mains operation

### Characteristics

- Touchless flush actuation
- Flush actuation via temperature sensor
- Solenoid valve made of brass

### Technical data

Nominal voltage	230 V AC
Mains frequency	50 Hz
Operating voltage	6 V DC
Flush volume	0.5 l
Depth of water seal	50 mm
Material	Plastic


### Scope of delivery

- Trap with outlet  $\varnothing$  50 mm and temperature sensor
- Solenoid valve
- Power supply unit

Art. no.

500.131.00.1

## Geberit urinal trap, horizontal outlet



### Application purposes

- For urinals with outlet to the rear
- For urinals with flush volume 1–4 litres

### Technical data

Depth of water seal	50 mm
Material	Plastic

### Scope of delivery

- Sleeve made of EPDM

Art. no.

Surface / colour


d,  $\varnothing$   
[mm]

152.950.11.1

white alpine

50

## Geberit urinal trap d40, horizontal outlet



### Application purposes

- For urinals with outlet to the rear
- For connecting to urinals

### Technical data

Material	Plastic
----------	---------

Art. no.

Surface / colour


261.483.11.1

white alpine

# Exposed Cisterns

## Exposed cisterns for WCs, made of ceramic

### Geberit Smyle Square exposed cistern, close-coupled, dual flush, lateral water supply connection



#### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the left/right

#### Technical data

Flush volume, factory setting	6 and 3 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.221.01.1	white	37.5	43	14.5


#### Can be combined with

- Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree

#### Accessories

- Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree

### Geberit Smyle Square exposed cistern, close-coupled, dual flush, bottom water supply connection



#### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the bottom

#### Technical data

Flush volume, factory setting	4 and 2.6 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.214.01.1	white	37.5	43	14.5

#### Can be combined with


- Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree

#### Accessories

- Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree



## Geberit Smyle exposed cistern, dual flush, bottom water supply connection



### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the bottom

### Technical data


Flush volume, factory setting	4 and 2.6 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.219.01.1	white	37.5	43	14.7

### Can be combined with

- Geberit Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 128
- Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree

## Geberit Smyle exposed cistern, close-coupled, dual flush, lateral water supply connection



### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the left/right

### Technical data

Flush volume, factory setting	6 and 3 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.220.01.1	white	37.5	43	14.7

### Can be combined with

- Geberit Smyle floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 128





# Abalona

With its timeless, classic lines, the Geberit Abalona bathroom series can be incorporated into any bathroom. Geberit has selected a reserved and discreet design and has instead brought the functionality to the fore. Geberit Abalona sets itself apart with its outstanding value for money and the uncompromisingly high quality that has become synonymous with Geberit.


**Classically timeless. For every bathroom.**

<b>Washbasins.....</b>	<b>143</b>
Handrinse basins.....	143
Corner handrinse basins .....	146
Washbasins .....	147
Semirecessed washbasins .....	149
Countertop washbasins .....	150
Under-countertop washbasins .....	151
Washbasins, barrier-free .....	151
Pedestals .....	152
Accessories.....	154
<b>Bathroom furniture .....</b>	<b>156</b>
Washbasin cabinets.....	156
Side cabinets .....	157
Mirror cabinets.....	158
Accessories.....	160
<b>WCs .....</b>	<b>161</b>
Wall-hung WCs.....	161
Floor-standing WCs .....	166
Floor-standing WCs, raised.....	172
WC seats.....	172
WC seat rings .....	176
Accessories.....	176
<b>Bidets.....</b>	<b>177</b>
Wall-hung bidets .....	177
Floor-standing bidets .....	179
Accessories.....	180
<b>Urinals.....</b>	<b>180</b>
For concealed controls.....	180
Urinal divisions .....	182
Accessories.....	182
<b>Exposed Cisterns.....</b>	<b>185</b>
Exposed cisterns for WCs, made of ceramic.....	185
<b>Bathroom accessories .....</b>	<b>188</b>
Wall panels.....	188

# Washbasins

## Handrinse basins

### Geberit Abalona Square handrinse basin, asymmetrical overflow



#### Characteristics

- Asymmetrical overflow

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.316.01.1	white	36	14.85	28	centred	visible

#### Can be combined with

- Geberit Abalona Square full pedestal → p. 119


#### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13



- Geberit drain valve with waste plug and chain only for handrinse basins with two tap holes

## Geberit Abalona Square handrinse basin



### Technical data

Material		Vitreous china											
Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	H1 [cm]	H2 [cm]	H3 [cm]	T [cm]	T1 [cm]	T2 [cm]	T3 Tap hole [cm]	Overflow
500.322.01.1	white	45	18	40	16	83	10	77.5	35	18	21.5	5.5 centred	visible
500.301.01.1	white	50	23	44.5	17	83.5	10	78	42	20	27.5	- without	visible
500.310.01.1	white	50	23	44.5	17	83.5	10	78	42	20	27.5	6 centred	visible

### Can be combined with

- Geberit Abalona Square full pedestal → p. 119
- Geberit Abalona half pedestal → p. 153
- Geberit Abalona Square half pedestal for handrinse basins → p. 153


### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13



- Geberit Abalona Square half pedestal only for washbasins 45 cm
- Geberit Abalona half pedestal only for handrinse basins 50 cm
- Geberit drain valve with waste plug and chain only for handrinse basins 45 cm with two tap holes

## Geberit Abalona Square handrinse basin, small projection



### Application purposes

- Suitable for installation in small bathrooms and guest WCs

### Characteristics

- Asymmetrical

### Technical data

Material		Vitreous china					
----------	--	----------------	--	--	--	--	--

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow	Shelf space
500.318.01.1	white	45	15	25	right	visible	left
500.319.01.1	white	45	15	25	left	visible	right




**Can be combined with**

- Geberit Abalona Square full pedestal → p. 119

**Accessories**

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13

**Geberit Abalona handrinse basin, asymmetrical overflow**



**Characteristics**

- Asymmetrical overflow

**Technical data**

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.320.01.1	white	36	15	29	centred	visible

**Accessories**


- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13



- Geberit drain valve with waste plug and chain only for handrinse basins with two tap holes



## Geberit Abalona handrinse basin



### Technical data

Material		Vitreous china												
Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	H1 [cm]	H2 [cm]	H3 [cm]	T [cm]	T1 [cm]	T2 [cm]	T3 [cm]	Tap hole	Overflow
500.324.01.1	white	45	16.5	39.5	17	83	13	77.5	37	18	24	5.5	centred	visible
500.294.01.1	white	50	23	42.7	18	84	14.2	78.4	41	19.5	26	-	without	visible
500.295.01.1	white	50	23	42.7	18	84	14.2	78.4	41	19.5	26	6.5	centred	visible

### Can be combined with

- Geberit Smyle half pedestal for handrinse basins → p. 118
- Geberit Abalona half pedestal → p. 153
- Geberit Abalona full pedestal → p. 118

### Accessories


- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13



- Geberit Smyle half pedestal only for washbasins 45 cm
- Geberit Abalona half pedestal only for handrinse basins 50 cm
- Geberit drain valve with waste plug and chain only for handrinse basins with two tap holes

## Corner handrinse basins

### Geberit Abalona corner handrinse basin



### Application purposes

- For corner installation

### Technical data

Material		Vitreous china												
Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	H1 [cm]	H2 [cm]	T [cm]	T1 [cm]	T2 [cm]	T3 [cm]	T4 [cm]	T5 [cm]	Tap hole	Overflow
500.326.01.1	white	41.4	36	16.4	58	10	41.2	22	10.3	22.5	35	9.1	centred	visible
500.327.01.1	white	59	53	17.8	55	13	56	28.3	16.5	31.5	50	14.5	centred	visible

Can be combined with

- Geberit Abalona full pedestal → p. 118

Accessories


- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit handrinse basins → p. 13



- Geberit Abalona full pedestal only for corner handrinse basins 50 cm

## Washbasins

### Geberit Abalona washbasin



Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	H1 [cm]	H2 [cm]	H3 [cm]	T [cm]	T1 [cm]	Tap hole	Overflow
500.304.01.1	white	55	47.5	18	84	14.5	78.5	44	29	without	visible
500.315.01.1	white	55	47.5	18	84	14.5	78.5	44	29	centred	visible
500.305.01.1	white	60	53.5	18	83	14.5	77.5	48	33	centred	visible
500.297.01.1	white	65	58	18.5	85.5	15	80	50	35	centred	visible

Can be combined with

- Geberit Abalona half pedestal → p. 153
- Geberit Abalona full pedestal → p. 118


Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



- Geberit drain valve with waste plug and chain only for washbasins with two tap holes

## Geberit Abalona Square washbasin



### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	H1 [cm]	H2 [cm]	H3 [cm]	T [cm]	T1 [cm]	T2 [cm]	Tap hole	Overflow
500.290.01.1	white	55	47.5	17	83	14	78.5	44	20	29	centred	visible
500.291.01.1	white	55	47.5	17	83	14	78.5	44	20	29	without	visible
500.300.01.1	white	60	54.5	18	85	14.5	79.5	46	21	30.5	centred	visible
500.299.01.1	white	65	61	18	85	14.5	79.5	48	21	32	centred	visible

### Can be combined with

- Geberit Abalona Square full pedestal → p. 119
- Geberit Abalona half pedestal → p. 153
- Geberit Abalona full pedestal → p. 118

### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12



- Geberit Abalona Square full pedestal only for washbasins 55–60 cm
- Geberit Abalona full pedestal only for washbasins 65 cm

**New**

## Geberit Abalona washplace set



### Scope of delivery

- Geberit Abalona mirror cabinet, one door and one pull-down door (500.155.01.1)
- Geberit Abalona cabinet for washbasin, with one door (500.177.01.1)
- Geberit Abalona wall panel (500.191.01.1)

Art. no.	Surface / colour
----------	------------------

500.189.01.1	white
--------------	-------


Available as of April 2018

### Accessories

- Geberit Abalona set of feet → p. 160
- Geberit Abalona towel hook → p. 160

## Semirecessed washbasins

### Geberit Abalona semirecessed washbasin



#### Application purposes

- For mounting in a worktop

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.311.01.1	white	55	18.5	44	centred	visible

#### Accessories


- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12



- Geberit drain valve with waste plug and chain only for semirecessed washbasins with two tap holes

## Countertop washbasins

### Geberit Abalona countertop washbasin



#### Application purposes

- For mounting in a worktop

#### Technical data


Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.309.01.1	white	55	19.5	45	centred	visible

#### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12

### Geberit Abalona Square countertop washbasin



#### Application purposes

- For mounting in a worktop

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.306.01.1	white	55	46	17.3	45	centred	visible
500.307.01.1	white	60	50	17.3	45	centred	visible

#### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12

## Under-countertop washbasins

### Geberit Abalona Square under-countertop washbasin



#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.308.01.1	white	60	18.3	50	centred	visible

#### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12

## Washbasins, barrier-free

### Geberit Abalona Square washbasin, barrier-free



#### Application purposes

- Suitable for use by wheelchair users

#### Technical data

Material	Vitreous china
----------	----------------

#### Characteristics

- Ergonomically shaped front
- Shallow basin

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	Tap hole	Overflow
500.187.01.1	N white	55	48	15	55	centred	without
500.302.01.1	white	55	48	15	55	centred	visible
500.188.01.1	N white	65	58	15	55	centred	without
500.292.01.1	white	65	58	15	55	centred	visible

N: New, available as of April 2018

#### Can be combined with


- Geberit Abalona half pedestal → p. 153
- Geberit Abalona full pedestal → p. 118

#### Accessories

- Geberit waste outlet with external push-button waste plug → p. 11
- Geberit waste outlet with internal push-button waste plug → p. 24
- Geberit bottle trap with dip tube, for washbasin, horizontal outlet → p. 12
- Fastening set for Geberit washbasins → p. 12

## Pedestals

### Geberit Abalona full pedestal



#### Technical data


Material	Vitreous china
----------	----------------

Art. no.	Surface / colour
500.341.01.1	white

#### Can be combined with

- Geberit Abalona handrinse basin → p. 146
- Geberit Abalona washbasin → p. 146
- Geberit Abalona Square washbasin → p. 148
- Geberit Abalona Square washbasin, barrier-free → p. 151
- Geberit Smyle washbasin → p. 115
- Geberit Abalona corner handrinse basin → p. 148
- Smyle Square washbasin

### Geberit Abalona Square full pedestal



#### Technical data


Material	Vitreous china
----------	----------------

Art. no.	Surface / colour
500.342.01.1	white

#### Can be combined with

- Smyle Square washbasin
- Geberit Abalona Square handrinse basin, asymmetrical overflow → p. 143
- Geberit Abalona Square washbasin → p. 148
- Geberit Abalona Square handrinse basin → p. 144
- Geberit Abalona Square handrinse basin, small projection → p. 144
- Smyle Square handrinse basin

## Geberit Abalona Square half pedestal for handrinse basins



### Application purposes

- For handrinse basins

### Technical data

Material	Vitreous china
----------	----------------

Art. no.          Surface / colour

500.328.01.1    white


### To order additionally

- Fastening material

### Can be combined with

- Geberit Abalona Square handrinse basin → p. 144

## Geberit Abalona half pedestal



### Technical data

Material	Vitreous china
----------	----------------

Art. no.          Surface / colour

500.329.01.1    white

### To order additionally

- Fastening material

### Can be combined with

- Geberit Abalona washbasin → p. 146
- Geberit Abalona Square handrinse basin → p. 144
- Geberit Abalona Square washbasin → p. 148
- Geberit Abalona Square washbasin, barrier-free → p. 151
- Geberit Abalona handrinse basin → p. 146



## Accessories

### Geberit waste outlet with external push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics


- Push button waste plug,  $\varnothing$  1 1/4"

Art. no.	d, $\varnothing$ [mm]
500.055.00.1	60

#### Technical data

Material	Brass chrome-plated
----------	---------------------

### Geberit waste outlet with internal push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics


- Push button waste plug,  $\varnothing$  1 1/4"

Art. no.	d, $\varnothing$ [mm]
500.087.00.1	60

#### Technical data

Material	Brass chrome-plated
----------	---------------------

### Geberit waste outlet with free outlet



#### Application purposes

- For washbasins without overflow

#### Characteristics

- Valve cover made of plastic, chrome-plated
- With built-in screen

Art. no.	Surface / colour	L [cm]
152.050.21.1	bright chrome-plated	5
152.080.21.1	bright chrome-plated	8

#### Technical data

Material	Brass chrome-plated
----------	---------------------

#### Scope of delivery

- Screen
- Seals

## Fastening set for Geberit washbasins



### Application purposes

- For fastening Geberit washbasins on solid walls


### Scope of delivery

- Set of 2 pieces

Art. no.

500.121.00.1

## Geberit bottle trap with dip tube, for washbasin, horizontal outlet



### Application purposes

- For washbasins

### Characteristics

- Quality-monitored in accordance with EN 274-3
- Corrosion-resistant

### Technical data

Material	Plastic
----------	---------

### Scope of delivery

- Wall collar

Art. no.	Surface / colour	d, $\emptyset$ [mm]	G ["]
151.034.21.1	bright chrome-plated	32	1 1/4
151.035.21.1	bright chrome-plated	40	1 1/4

## Fastening set for Geberit handrinse basins



### Application purposes

- For fastening Geberit handrinse basins on solid walls

### Scope of delivery

- Set of 2 pieces

Art. no.


500.122.00.1

## Bathroom furniture

### Washbasin cabinets

New

#### Geberit Abalona cabinet for handrinse basin, with one door



#### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- With one fixed shelf
- Left or right hinge side
- Moisture-resistant
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material
- Handle

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	T [cm]
500.183.01.1	white	27.6	32.9	34.4	55.7	32.9
500.158.01.1	white	30.3	25.8	27.1	55.7	25.4
500.176.01.1	white	37.6	32.9	34.4	55.7	32.9


Available as of April 2018

#### Accessories

- Geberit Abalona set of feet → p. 160
- Geberit Abalona towel hook → p. 160

New

#### Geberit Abalona cabinet for washbasin, with one door



#### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- With one fixed shelf
- Left or right hinge side

- Moisture-resistant
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material
- Handle

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	T [cm]
500.177.01.1	white	41.8	37	38.6	55.7	38.6
500.178.01.1	white	46.4	41.8	32.2	55.7	40.6
500.179.01.1	white	49.3	44.8	46.1	55.7	42.6
500.180.01.1	white	54.4	49.9	54.2	55.7	44.6

Available as of April 2018


#### Accessories

- Geberit Abalona set of feet → p. 160
- Geberit Abalona towel hook → p. 160

## Side cabinets

**New**

### Geberit Abalona low cabinet with one door



#### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- With two movable shelves
- Left or right hinge side
- Moisture-resistant
- Delivered pre-assembled

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.181.01.1	white	33	65.4	28

Available as of April 2018

#### Accessories

- Geberit Abalona set of feet → p. 160
- Geberit Abalona towel hook → p. 160

#### Technical data


Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material
- Handle

**New**

## Geberit Abalona medium cabinet with one door



### Characteristics

- Wall-hung
- With one door
- Opening via handle
- Door with soft closing
- With two movable shelves
- Left or right hinge side
- Moisture-resistant
- Delivered pre-assembled

Art. no. Surface / colour

500.182.01.1 white

Available as of April 2018

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material
- Handle

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.182.01.1	white	33	86.6	28


### Accessories

- Geberit Abalona set of feet → p. 160
- Geberit Abalona towel hook → p. 160

## Mirror cabinets

**New**

## Geberit Abalona mirror cabinet, one door and one pull-down door



### Characteristics

- Wall-hung
- With one door and one pull-down door
- Door with soft closing
- Pull-down door with push-to-open
- With two movable shelves
- Left or right hinge side
- Delivered pre-assembled

Art. no. Surface / colour

500.155.01.1 glossy / white

500.156.01.1 glossy / white

500.157.01.1 glossy / white

Available as of April 2018

### Technical data

Material	Chipboard
----------	-----------

### Scope of delivery

- Fastening material
- 2 movable shelves


Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]
500.155.01.1	glossy / white	41.8	42.4	85	17.6
500.156.01.1	glossy / white	47	32.4	85	17.6
500.157.01.1	glossy / white	49.3	32.4	85	17.6

#### Accessories

- Geberit Abalona towel hook → p. 160
- Geberit Abalona wall panel → p. 188

**New**

### Geberit Abalona mirror cabinet, one door and two pull-down doors



#### Characteristics

- Wall-hung
- With one door and two pull-down doors
- Door with soft closing
- Pull-down door with push-to-open
- With two movable shelves
- Left or right hinge side
- Delivered pre-assembled

#### Technical data

Material	Chipboard
----------	-----------

#### Scope of delivery

- Fastening material
- 2 movable shelves

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]
500.185.01.1	white	70.8	25.8	85	17.6
500.186.01.1	white	70.8	25.8	85	17.6

Available as of April 2018

#### Accessories

- Geberit Abalona towel hook → p. 160
- Geberit Abalona wall panel → p. 188

**New**

### Geberit Abalona washplace set



#### Scope of delivery

- Geberit Abalona mirror cabinet, one door and one pull-down door (500.157.01.1)
- Geberit Abalona cabinet for washbasin, with one door (500.179.01.1)
- Geberit Abalona wall panel (500.192.01.1)

Art. no.	Surface / colour
500.190.01.1	white

Available as of April 2018

#### Accessories

- Geberit Abalona set of feet → p. 160
- Geberit Abalona towel hook → p. 160

**New**

## Geberit Abalona set of mirror cabinet with cabinet for washbasin and wall panel B50



### Scope of delivery

- Geberit Abalona mirror cabinet, one door and one pull-down door (500.155.01.1)
- Geberit Abalona cabinet for washbasin, with one door (500.177.01.1)
- Geberit Abalona wall panel (500.191.01.1)

Art. no.

500.189.01.1

Available as of April 2018


### Accessories

- Geberit Abalona set of feet → p. 160
- Geberit Abalona towel hook → p. 160

## Accessories

**New**

### Geberit Abalona set of feet



### Technical data

Material	Aluminium
----------	-----------

Art. no.

Surface / colour

500.199.21.1 bright chrome-plated


Available as of April 2018

### Scope of delivery

- Set of 2 pieces

**New**

### Geberit Abalona towel hook



### Technical data

Material	Steel
----------	-------

Art. no.

Surface / colour

500.193.21.1 bright chrome-plated

Available as of April 2018


### Scope of delivery

- Fastening material

## WCs

### Wall-hung WCs

#### Geberit Abalona Square wall-hung WC, washdown, Rimfree



#### Application purposes

- For concealed cisterns
- For pressure flushing valves

#### Characteristics

- Wall-hung
- Washdown WC

- Rimfree
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.275.01.1	white	35	34	53

#### To order additionally

- WC seat

#### Can be combined with


- Geberit Abalona Square WC seat → p. 175
- Geberit Abalona Square WC seat, quick-release hinges → p. 173

#### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22



## Geberit Abalona Square wall-hung WC, washdown, small projection



### Application purposes

- For concealed cisterns
- For pressure flushing valves
- Suitable for installation in small bathrooms and guest WCs

- With flush rim
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Small projection

### Characteristics

- Wall-hung
- Washdown WC

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.263.01.1	white	36	34	48

### To order additionally

- WC seat


### Can be combined with

- Geberit Abalona Square WC seat → p. 175
- Geberit Abalona Square WC seat, quick-release hinges → p. 173

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Geberit Abalona wall-hung WC, washdown, Rimfree



### Application purposes

- For concealed cisterns
- For pressure flushing valves

- Rimfree
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997

### Characteristics

- Wall-hung
- Washdown WC

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.265.01.1	white	35.5	34	53

### To order additionally

- WC seat


### Can be combined with

- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Geberit Abalona wall-hung WC, washdown



### Application purposes

- For concealed cisterns
- For pressure flushing valves

### Characteristics

- Wall-hung
- Washdown WC

- With flush rim
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.260.01.1	white	35.5	34	53

### To order additionally

- WC seat


### Can be combined with

- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Geberit Abalona wall-hung WC, washdown, large projection, Rimfree



### Application purposes

- For concealed cisterns
- For pressure flushing valves
- Suitable for use by wheelchair users

- Rimfree
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Large projection

### Characteristics

- Wall-hung
- Washdown WC

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.262.01.1	white	35.5	34	70

### To order additionally

- WC seat

### Can be combined with

- Geberit Abalona WC seat ring → p. 176


### Accessories

- Geberit connection set for wall-hung WC, length 30 cm → p. 22
- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

## Geberit Abalona wall-hung WC, washdown, large projection



### Application purposes

- For concealed cisterns
- For pressure flushing valves
- Suitable for use by wheelchair users

- With flush rim
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997
- Large projection

### Characteristics

- Wall-hung
- Washdown WC

### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.261.01.1	white	35.5	34	70

**To order additionally**

- WC seat

**Can be combined with**

- Geberit Abalona WC seat ring → p. 176


**Accessories**

- Geberit connection set for wall-hung WC, length 30 cm → p. 22
- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22



- May require: Geberit connection set for wall-hung WC, length 30 cm

**Geberit Abalona Square wall-hung WC, washdown**



**Application purposes**

- For concealed cisterns
- For pressure flushing valves

- With flush rim
- Class 1, full flush volume 6 or 4.5 l, in accordance with EN 997

**Characteristics**

- Wall-hung
- Washdown WC

**Technical data**

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.270.01.1	white	35	34	53

**To order additionally**

- WC seat

**Can be combined with**


- Geberit Abalona Square WC seat → p. 175
- Geberit Abalona Square WC seat, quick-release hinges → p. 173

**Accessories**

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Floor-standing WCs

### Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree



#### Application purposes

- For close-coupled exposed cistern

#### Characteristics

- Floor-standing
- Washdown WC
- Rimfree
- Horizontal outlet

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.283.01.1	white	35.6	39	66.5


#### To order additionally

- Cistern
- WC seat

#### Can be combined with

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 187
- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

### Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet



#### Application purposes

- For close-coupled exposed cistern

#### Characteristics

- Floor-standing
- Washdown WC
- With flush rim
- Vertical outlet

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.281.01.1	white	36	39	67




#### To order additionally

- Cistern
- WC seat

#### Can be combined with

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 187
- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

### Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet



#### Application purposes

- For close-coupled exposed cistern

#### Characteristics

- Floor-standing
- Washdown WC
- With flush rim
- Horizontal outlet

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.282.01.1	white	36	39	67

#### To order additionally

- Cistern
- WC seat

#### Can be combined with

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 187
- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

#### Technical data


Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

**New**

## Geberit Abalona Square floor-standing WC for close-coupled exposed cistern, washdown, square design, hidden fastening, Rimfree



### Application purposes

- For close-coupled exposed cistern

### Characteristics

- Floor-standing
- Washdown WC
- Rimfree

- Horizontal outlet
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.                  Surface / colour

		B [cm]	H [cm]	T [cm]
500.152.01.1	white	35	40	68

Available as of April 2018

### To order additionally


- Cistern
- WC seat

### Can be combined with

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona Square WC seat → p. 175
- Geberit Abalona Square WC seat, quick-release hinges → p. 173

**New**

## Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening



### Application purposes

- For close-coupled exposed cistern

### Characteristics

- Floor-standing
- Washdown WC
- With flush rim

- Vertical outlet
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.151.01.1	white	35.6	40	66.5

Available as of April 2018

**To order additionally**


- Cistern
- WC seat

**Can be combined with**

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 187
- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

**New**

**Geberit Abalona Square floor-standing WC, washdown, back-to-wall, square design, Rimfree**



**Characteristics**

- Floor-standing
- Back-to-wall
- Washdown WC
- Rimfree
- Horizontal or vertical outlet
- Hidden fastening

**Technical data**

Material	Vitreous china
----------	----------------

**Scope of delivery**

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.153.01.1	white	35.5	40	53

Available as of April 2018

**To order additionally**




- WC seat

**Can be combined with**

- Geberit Abalona Square WC seat → p. 175
- Geberit Abalona Square WC seat, quick-release hinges → p. 173



## Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree



### Application purposes

- For close-coupled exposed cistern

### Characteristics

- Floor-standing
- Washdown WC
- Rimfree

- Horizontal outlet
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.285.01.1	white	36	40	68




### To order additionally

- Cistern
- WC seat

### Can be combined with

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 187
- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

## Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening



### Application purposes

- For close-coupled exposed cistern

### Characteristics

- Floor-standing
- Washdown WC
- With flush rim

- Horizontal outlet
- Hidden fastening

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.287.01.1	white	36	40	68


**To order additionally**

- Cistern
- WC seat

**Can be combined with**

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 187
- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

**Geberit Abalona floor-standing WC, washdown, back-to-wall**



**Application purposes**

- For concealed cisterns

**Characteristics**

- Floor-standing
- Washdown WC
- With flush rim

- Horizontal outlet
- Class 1, full flush volume 6 l, in accordance with EN 997

**Technical data**

Material	Vitreous china
----------	----------------

**Scope of delivery**

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.286.01.1	white	36	40	53

**To order additionally**


- WC seat

**Can be combined with**

- Geberit Abalona WC seat, hinges made of plastic → p. 172
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat, quick-release hinges → p. 174
- Geberit Abalona WC seat, seat ring for children → p. 173

## Floor-standing WCs, raised

### Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern



#### Application purposes

- For close-coupled exposed cistern

#### Characteristics

- Floor-standing
- Washdown WC
- With flush rim

- Horizontal outlet
- Raised seat height of 46 cm

#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.284.01.1	white	36	46	67

#### To order additionally


- Cistern
- WC seat

#### Can be combined with

- Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 185
- Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection → p. 186
- Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection → p. 187
- Geberit Abalona WC seat → p. 174
- Geberit Abalona WC seat ring → p. 176
- Geberit Abalona WC seat, seat ring for children → p. 173

## WC seats

### Geberit Abalona WC seat, hinges made of plastic



#### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening
500.330.01.1	white	no	from below

#### Can be combined with

- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 168
- Geberit Abalona wall-hung WC, washdown → p. 163
- Geberit Abalona wall-hung WC, washdown, Rimfree → p. 162
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 170
- Geberit Abalona floor-standing WC, washdown, back-to-wall → p. 171
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 167
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 170

## Geberit Abalona Square WC seat, quick-release hinges



### Characteristics

- Overlapping WC lid

### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening Quick-release hinges
500.336.01.1	white	yes	from above yes

### Can be combined with

- Geberit Abalona Square wall-hung WC, washdown, small projection → p. 162
- Geberit Abalona Square floor-standing WC for close-coupled exposed cistern, washdown, square design, hidden fastening, Rimfree → p. 168
- Geberit Abalona Square wall-hung WC, washdown → p. 165
- Geberit Abalona Square floor-standing WC, washdown, back-to-wall, square design, Rimfree → p. 169
- Geberit Abalona Square wall-hung WC, washdown, Rimfree → p. 161

## Geberit Abalona WC seat, seat ring for children



### Characteristics

- Overlapping WC lid
- Adapted for the use of a child with a small seat ring
- Integrated magnets to secure the child seat ring in place

### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening Quick-release hinges
500.339.01.1	white	yes	from above yes

### Can be combined with

- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 171
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 174
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 172
- Geberit Abalona wall-hung WC, washdown → p. 168
- Geberit Abalona floor-standing WC, washdown, back-to-wall → p. 177
- Geberit Abalona wall-hung WC, washdown, Rimfree → p. 168
- Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 176
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 172
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 175

## Geberit Abalona WC seat, quick-release hinges



### Characteristics

- Overlapping WC lid

### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Quick-release hinges
500.335.01.1	white	yes	from above	yes

### Can be combined with

- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 168
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 166
- Geberit Abalona wall-hung WC, washdown, Rimfree → p. 162
- Geberit Abalona wall-hung WC, washdown → p. 163
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 167
- Geberit Abalona floor-standing WC, washdown, back-to-wall → p. 171
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 166

## Geberit Abalona WC seat



### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening
500.331.01.1	white	no	from below
500.333.01.1	white	yes	from above
500.337.01.1	white	no	from above

### Can be combined with

- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 166
- Geberit Abalona wall-hung WC, washdown → p. 163
- Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern → p. 172
- Geberit Abalona floor-standing WC, washdown, back-to-wall → p. 171
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 170
- Geberit Abalona wall-hung WC, washdown, Rimfree → p. 162
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 167
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 168
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 170

## Geberit Abalona Square WC seat



### Characteristics

- Overlapping WC lid

### Technical data

Material	Duroplast
----------	-----------


Art. no.	Surface / colour	Soft-closing mechanism	Fastening
500.332.01.1	white	no	from below
500.334.01.1	white	yes	from above
500.338.01.1	white	no	from above

### Can be combined with

- Geberit Abalona Square floor-standing WC, washdown, back-to-wall, square design, Rimfree → p. 169
- Geberit Abalona Square wall-hung WC, washdown, small projection → p. 162
- Geberit Abalona Square floor-standing WC for close-coupled exposed cistern, washdown, square design, hidden fastening, Rimfree → p. 168
- Geberit Abalona Square wall-hung WC, washdown → p. 165
- Geberit Abalona Square wall-hung WC, washdown, Rimfree → p. 161

**New**

## Geberit Abalona WC seat, barrier-free



### Characteristics

- Overlapping WC lid

### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.133.00.1	white	no	from below	Stainless steel

Available as of April 2018

## WC seat rings

### Geberit Abalona WC seat ring



#### Technical data

Material	Duroplast
----------	-----------


Art. no.	Surface / colour	Soft-closing mechanism	Fastening
500.340.01.1	white	no	from below

#### Can be combined with

- Geberit Abalona wall-hung WC, washdown, large projection → p. 164
- Geberit Abalona wall-hung WC, washdown, large projection, Rimfree → p. 164
- Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern → p. 172

**New**

### Geberit Abalona WC seat ring, barrier-free



#### Technical data


Material	Duroplast
----------	-----------

Art. no.	Surface / colour	Soft-closing mechanism	Fastening	Hinge material
500.134.01.1	white	no	from below	Stainless steel

Available as of April 2018

## Accessories

### Geberit connection bend 90°



#### Application purposes

- For floor-standing WCs with horizontal and open outlet  
ø 105 mm

#### Technical data

Material	PP
----------	----

#### Scope of delivery

- Sleeve made of EPDM

Art. no.	Surface / colour	d, ø [mm]	A [cm]	a [cm]	H [cm]
152.610.11.1	white alpine	110	9	7	35

## Geberit P-bend set for floor-standing WC



### Application purposes

- For connecting floor-standing WCs to floor drains

### Scope of delivery

- Connection bend made of PP,  $\varnothing$  90 mm
- Adapter socket made of PE-HD,  $\varnothing$  90 / 110 mm
- Sleeve made of EPDM,  $\varnothing$  122 mm

- Sleeve made of EPDM,  $\varnothing$  105 mm
- Sleeve made of EPDM,  $\varnothing$  90 / 110 mm
- Sleeve made of EPDM,  $\varnothing$  90 / 100 mm
- Fastening material


Art. no.

131.081.11.1

## Bidets

### Wall-hung bidets

#### Geberit Abalona Square wall-hung bidet



### Characteristics

- Wall-hung

### Technical data

Material	Vitreous china
----------	----------------


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.271.01.1	white	35	34.7	53	visible

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22



## Geberit Abalona Square wall-hung bidet, small projection



### Characteristics

- Wall-hung
- Small projection

### Technical data


Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.272.01.1	white	35	34.7	48	visible

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Geberit Abalona wall-hung bidet



### Characteristics

- Wall-hung

### Technical data

Material	Vitreous china
----------	----------------


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.264.01.1	white	35	34.7	53	visible

### Accessories

- Fastening set for Geberit wall-hung WCs and wall-hung bidets → p. 22

## Floor-standing bidets

### Geberit Abalona floor-standing bidet, freestanding, hidden fastening



#### Characteristics

- Floor-standing
- Freestanding
- Hidden fastening

#### Technical data


Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.288.01.1	white	35	39	54	visible

### Geberit Abalona floor-standing bidet, back-to-wall, hidden fastening



#### Characteristics

- Floor-standing
- Back-to-wall
- Hidden water supply connection
- Hidden fastening

#### Technical data

Material	Vitreous china
----------	----------------


#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.289.01.1	white	35	40	53	visible

## Accessories

### Geberit waste outlet with internal push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics

- Push button waste plug,  $\varnothing$  1 1/4"

#### Technical data

Material	Brass chrome-plated
----------	---------------------

Art. no.

d,  $\varnothing$   
[mm]

500.087.00.1

60

### Geberit waste outlet with external push-button waste plug



#### Application purposes

- For washbasins with overflow

#### Characteristics

- Push button waste plug,  $\varnothing$  1 1/4"

#### Technical data

Material	Brass chrome-plated
----------	---------------------

Art. no.

d,  $\varnothing$   
[mm]


500.055.00.1

60

## Urinals

### For concealed controls

#### Geberit Abalona urinal, inlet from the rear, outlet to the rear



#### Application purposes

- For operating with automatic, water-saving flush
- For connecting to concealed urinal flush controls

#### Characteristics

- Wall-hung
- With flush rim

- Hidden trap

- Hidden fastening

- Easy to fasten thanks to Geberit fastening set Kerafix, for urinal

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Inlet	Outlet
500.344.01.1	white	36	61	37	rear	to the rear


#### To order additionally

- Geberit fastening set for urinal, Kerafix → p. 108

#### Accessories

- Geberit urinal trap d40, horizontal outlet → p. 108
- Geberit urinal flush control with electronic flush actuation → p. 136
- Geberit Abalona urinal division → p. 182
- Geberit flush bend extension with sleeve → p. 107
- Geberit urinal trap, horizontal outlet → p. 108
- Geberit concealed cistern for urinal → p. 108
- Geberit flush pipe for urinals, with concealed urinal flush control → p. 107

### Geberit Abalona urinal, inlet from the top, outlet to the rear or downwards



#### Application purposes

- For operating with automatic, water-saving flush
- For exposed urinal flush controls

#### Characteristics

- Wall-hung
- With flush rim

- Hidden trap
- Hidden fastening
- Easy to fasten thanks to Geberit fastening set Kerafix, for urinal

#### Technical data

Material	Vitreous china
----------	----------------

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Inlet	Outlet
500.343.01.1	white	36	61	37	above	to the rear and downwards

#### To order additionally


- Geberit fastening set for urinal, Kerafix → p. 108

#### Accessories

- Geberit urinal trap d40, horizontal outlet → p. 108
- Geberit Abalona urinal division → p. 182
- Geberit urinal trap, horizontal outlet → p. 108
- Geberit urinal trap, vertical outlet → p. 183
- Geberit Abalona drain strainer for urinals → p. 184

## Urinal divisions

### Geberit Abalona urinal division



#### Technical data

Material	Vitreous china
----------	----------------

#### Scope of delivery

- Fastening material

Art. no. Surface / colour

500.345.01.1 white

## Accessories

### Geberit flush pipe for urinals, with concealed urinal flush control



#### Application purposes

- For Geberit iCon, Geberit Smyle and Geberit Abalona urinals for concealed urinal flush control

#### Characteristics

- Elbow made of brass

#### Technical data

Material	Stainless steel
----------	-----------------


#### Scope of delivery

- Rubber connector
- Connection set

Art. no. d, ø  
[mm]

500.089.00.1 15

### Geberit flush bend extension with sleeve



#### Application purposes

- For urinals with inlet connector with sleeve, plug-in

#### Technical data

Material	Brass
----------	-------

Art. no. G di, ø  
["] [mm]

119.702.00.1 1/2 35

## Geberit fastening set for urinal, Kerafix



### Application purposes

- For fastening Geberit iCon, Geberit Smyle and Geberit Abalona urinals on solid walls

### Characteristics

- With white cover caps for covering the fastening


### Scope of delivery

- Set of 2 pieces

Art. no.

500.123.00.1

## Geberit urinal trap, vertical outlet



### Application purposes

- For urinals with outlet to the rear
- For urinals with flush volume 1–4 litres

### Technical data

Depth of water seal	50 mm
Material	Plastic

### Scope of delivery

- Sleeve made of EPDM

Art. no.

Surface / colour

d, ø  
[mm]

152.951.11.1

white alpine

50

## Geberit concealed cistern for urinal



### Application purposes

- For installation in part- or room-height prewall installations
- For automatic flush actuation of urinals

### Characteristics

- Flush interval controlled by refilling rate
- Adjustable refilling rate

### Technical data

Flush volume	4.5 l
Material	Plastic

Art. no.

500.091.00.1

## Geberit Abalona drain strainer for urinals



### Application purposes

- For flushing urinals

### Characteristics

- Corrosion-resistant

Art. no.

500.102.00.1

### Technical data

Material	Stainless steel
----------	-----------------

## Geberit urinal flush control with electronic flush actuation



### Application purposes

- For Geberit Smyle and Geberit Abalona urinals for concealed urinal flush control
- For mains operation

### Characteristics

- Touchless flush actuation
- Flush actuation via temperature sensor
- Solenoid valve made of brass

### Technical data

Nominal voltage	230 V AC
Mains frequency	50 Hz
Operating voltage	6 V DC
Flush volume	0.5 l
Depth of water seal	50 mm
Material	Plastic


### Scope of delivery

- Trap with outlet  $\varnothing$  50 mm and temperature sensor
- Solenoid valve
- Power supply unit

Art. no.

500.131.00.1

## Geberit urinal trap, horizontal outlet



### Application purposes

- For urinals with outlet to the rear
- For urinals with flush volume 1–4 litres

### Technical data

Depth of water seal	50 mm
Material	Plastic

### Scope of delivery

- Sleeve made of EPDM

Art. no.

Surface / colour


d,  $\varnothing$   
[mm]

152.950.11.1

white alpine

50

## Geberit urinal trap d40, horizontal outlet



### Application purposes

- For urinals with outlet to the rear
- For connecting to urinals

### Technical data

Material	Plastic
----------	---------


Art. no. Surface / colour

261.483.11.1 white alpine

## Exposed Cisterns

### Exposed cisterns for WCs, made of ceramic

#### Geberit Abalona Square exposed cistern, close-coupled, dual flush, lateral water supply connection



### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the left/right

### Technical data

Flush volume, factory setting	6 and 3 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 3 l
Material	Vitreous china

Art. no. Surface / colour


Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.267.01.1	white	36.8	38.6	16

### Can be combined with

- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 167
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 166
- Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern → p. 172
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 168
- Geberit Abalona Square floor-standing WC for close-coupled exposed cistern, washdown, square design, hidden fastening, Rimfree → p. 168
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 170



## Geberit Abalona Square exposed cistern, close-coupled, dual flush, bottom water supply connection



### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the bottom

### Technical data


Flush volume, factory setting	4 and 2.6 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.266.01.1	white	36.8	38.6	16

### Can be combined with

- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 167
- Geberit Abalona Square floor-standing WC for close-coupled exposed cistern, washdown, square design, hidden fastening, Rimfree → p. 168
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 168
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 166
- Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern → p. 172

## Geberit Abalona exposed cistern, close-coupled, dual flush, bottom water supply connection



### Characteristics

- Close-coupled
- Dual flush
- Water supply connection on the bottom

### Technical data


Flush volume, factory setting	4 and 2.6 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 4 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.268.01.1	white	36.5	38	16.3

**Can be combined with**

- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 168
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 167
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 166
- Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern → p. 172

**Geberit Abalona exposed cistern, close-coupled, dual flush, lateral water supply connection**



**Characteristics**

- Close-coupled
- Dual flush
- Water supply connection on the left/right

**Technical data**

Flush volume, factory setting	6 and 3 l
Flush volume large, adjustment range	4 / 6 l
Flush volume small, adjustment range	2.6 / 3 l
Material	Vitreous china

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.269.01.1	white	36.5	38	16.3

**Can be combined with**


- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet, hidden fastening → p. 168
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, Rimfree → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet → p. 167
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet, hidden fastening → p. 170
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, vertical outlet → p. 166
- Geberit Abalona floor-standing WC for close-coupled exposed cistern, washdown, hidden fastening, Rimfree → p. 170
- Geberit Abalona floor-standing WC, washdown, raised, for close-coupled exposed cistern → p. 172

## Bathroom accessories

### Wall panels

**New**

#### Geberit Abalona wall panel




#### Scope of delivery

- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]
500.191.01.1	white	41.8	30	1.6
500.192.01.1	white	49.3	30	1.6

Available as of April 2018







# Product solutions

<b>Option</b> .....	<b>192</b>
Bathroom furniture .....	192
<b>VariForm</b> .....	<b>195</b>
Washbasins .....	195

# Option

## Bathroom furniture

### Geberit illuminated mirror Option, lighting on both sides



#### Characteristics



- LED lighting
- Mechanical switch

#### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Power consumption	2 x 24 W
Material	Glass
Light colour	4000 K

Art. no.	B [cm]	B1 [cm]	H [cm]	T [cm]
500.580.00.1	40	19.4	65	3.6
500.581.00.1	50	19.4	65	3.6
500.586.00.1	60	29.4	65	3.6
500.587.00.1	70	39.4	65	3.6
500.588.00.1	80	49.4	65	3.6
500.589.00.1	90	59.4	65	3.6

### Geberit illuminated mirror Option, lighting at the top



#### Characteristics



- LED lighting
- Mechanical switch

#### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Power consumption	21 W
Material	Glass
Light colour	4000 K

Art. no.	B [cm]	B1 [cm]	H [cm]	T [cm]
500.584.00.1	100	69.4	65	3.6
500.585.00.1	120	89.4	65	3.6

## Geberit mirror cabinet Option, with lighting, two doors



### Characteristics

- LED lighting
- Indirect lighting
- Touch-sensor switch for the upper light
- Touch-sensor switch for the bottom light
- Power socket
- Mirrored body
- With two doors
- Doors mirrored on both sides
- Movable glass shelves

### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Material	Glass
Energy efficiency class	A++
Light colour	4200 K

### Scope of delivery

- 2 glass shelves
- Fastening material


Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	B3 [cm]	H [cm]	T [cm]	Power consumption [W]	Plug type	Luminous flux, [lm]	
										above	below
500.582.00.1	Body: outside mirrored Doors: inside and outside mirrored	60	55.8	37	29.8	70	15	7.15	CEE 7/16	935	350
500.583.00.1	Body: outside mirrored Doors: inside and outside mirrored	90	85.8	67	44.8	70	15	11.05		1445	560

### Accessories

- Accessory overview: Bathroom furniture



## Geberit mirror cabinet Option Plus, with lighting, three doors



### Characteristics

- LED lighting
- Indirect lighting
- Touch-sensor switch for the upper light
- Touch-sensor switch for the bottom light
- Power socket
- USB port
- Mirrored body
- Mirrored back side
- With three doors
- Doors mirrored on both sides
- Movable glass shelves
- Magnifying mirror

### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Material	Chipboard
Energy efficiency class	A++
Light colour	4200 K

### Scope of delivery


- 6 glass shelves
- Magnifying mirror
- Magnetic holder
- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	B3 [cm]	B4 [cm]	H [cm]	T [cm]	Power consumption [W]	Luminous	Luminous
										flux, above [lm]	flux, below [lm]
500.592.00.1	Body: outside mirrored Doors: inside and outside mirrored	120	114.6	97	49.4	35	70	15	13.5	1890	770
500.594.00.1	Body: outside mirrored Doors: inside and outside mirrored	90	86.4	67	41.4	24	70	15	10.5	1470	560

### Accessories

- Accessory overview: Bathroom furniture

## Geberit mirror cabinet Option Plus, with lighting, two doors



### Characteristics

- LED lighting
- Indirect lighting
- Touch-sensor switch for the upper light
- Touch-sensor switch for the bottom light
- Power socket
- USB port
- Mirrored body
- Mirrored back side
- With two doors
- Doors mirrored on both sides
- Movable glass shelves
- Magnifying mirror

### Technical data

Protection class	II
Protection degree	IP44
Nominal voltage	230 V AC
Mains frequency	50 Hz
Material	Glass
Energy efficiency class	A++
Light colour	4200 K

### Scope of delivery

- 2 glass shelves
- Magnifying mirror
- Magnetic holder
- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	B3 [cm]	H [cm]	T [cm]	Power consumption, Luminous flux, above flux, below		
								[W]	[lm]	[lm]
500.593.00.1	Body: outside mirrored Doors: inside and outside mirrored	60	54.5	37	29.8	70	15	7.5	1050	350


### Accessories

- Accessory overview: Bathroom furniture

## VariForm Washbasins

New

## Geberit countertop washbasin VariForm, round



### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	D [cm]	H [cm]	Overflow
500.700.01.1	white	40	17.8	visible
500.701.01.1	Bottom side: glazed / white	40	17.8	visible
500.702.01.1	white	40	17.8	without
500.703.01.1	Bottom side: glazed / white	40	17.8	without

N: New, available: 500.700.01.1 as of February 2018; 500.701.01.1 as of July 2018; 500.702.01.1 as of April 2018; 500.703.01.1 as of July 2018;

**New**

### Geberit countertop washbasin VariForm, round, with tap hole bench



#### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	D [cm]	H [cm]	Overflow
500.704.01.1	white	48	17.8	visible
500.705.01.1	Bottom side: glazed / white	48	17.8	visible
500.706.01.1	white	48	17.8	without
500.707.01.1	Bottom side: glazed / white	48	17.8	without

N: New, available: 500.704.01.1 as of February 2018; 500.705.01.1 as of July 2018; 500.706.01.1 as of April 2018; 500.707.01.1 as of July 2018;

**New**

### Geberit countertop washbasin VariForm, oval



#### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	Overflow
500.708.01.1	white	50	46	17.8	40	visible
500.709.01.1	Bottom side: glazed / white	50	46	17.8	40	visible
500.710.01.1	white	50	46	17.8	40	without
500.711.01.1	Bottom side: glazed / white	50	46	17.8	40	without
500.716.01.1	white	55	53	17.8	40	visible
500.717.01.1	Bottom side: glazed / white	55	53	17.8	40	visible
500.718.01.1	white	55	53	17.8	40	without
500.719.01.1	Bottom side: glazed / white	55	53	17.8	40	without

N: New, available: 500.708.01.1 as of May 2018; 500.709.01.1 as of July 2018; 500.710.01.1 as of July 2018; 500.711.01.1 as of July 2018; 500.716.01.1 as of May 2018; 500.717.01.1 as of July 2018; 500.718.01.1 as of July 2018; 500.719.01.1 as of July 2018;

New

## Geberit countertop washbasin VariForm, oval, with tap hole bench



### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	T1 [cm]	Overflow
500.712.01.1	white	50	47.8	17.8	45	31.5	visible
500.713.01.1	Bottom side: glazed / white	50	47.8	17.8	45	31.5	visible
500.714.01.1	white	50	47.8	17.8	45	31.5	without
500.715.01.1	Bottom side: glazed / white	50	47.8	17.8	45	31.5	without
500.720.01.1	white	55	52.8	17.8	45	31.5	visible
500.721.01.1	Bottom side: glazed / white	55	52.8	17.8	45	31.5	visible
500.722.01.1	white	55	52.8	17.8	45	31.5	without
500.723.01.1	Bottom side: glazed / white	55	52.8	17.8	45	31.5	without
500.724.01.1	white	60	58	17.8	48	44	visible
500.725.01.1	Bottom side: glazed / white	60	58	17.8	48	44	visible
500.726.01.1	white	60	58	17.8	48	44	without
500.727.01.1	Bottom side: glazed / white	60	58	17.8	48	44	without

N: New, available: 500.712.01.1 as of May 2018; 500.713.01.1 as of July 2018; 500.714.01.1 as of July 2018; 500.715.01.1 as of July 2018; 500.720.01.1 as of February 2018; 500.721.01.1 as of July 2018; 500.722.01.1 as of April 2018; 500.723.01.1 as of July 2018; 500.724.01.1 as of April 2018; 500.725.01.1 as of July 2018; 500.726.01.1 as of June 2018; 500.727.01.1 as of July 2018;

New

## Geberit countertop washbasin VariForm, elliptic



### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.728.01.1	white	60	17.8	40	visible
500.729.01.1	Bottom side: glazed / white	60	17.8	40	visible
500.730.01.1	white	60	17.8	40	without
500.731.01.1	Bottom side: glazed / white	60	17.8	40	without

N: New, available: 500.728.01.1 as of February 2018; 500.729.01.1 as of July 2018; 500.730.01.1 as of April 2018; 500.731.01.1 as of July 2018;

**New**

## Geberit countertop washbasin VariForm, elliptic, with tap hole bench



### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.732.01.1	white	60	17.8	45	visible
500.733.01.1	Bottom side: glazed / white	60	17.8	45	visible
500.734.01.1	white	60	17.8	45	without
500.735.01.1	Bottom side: glazed / white	60	17.8	45	without

N: New, available: 500.732.01.1 as of February 2018; 500.733.01.1 as of July 2018; 500.734.01.1 as of April 2018; 500.735.01.1 as of July 2018;

**New**

## Geberit countertop washbasin VariForm, rectangular



### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.736.01.1	white	55	17.8	40	visible
500.737.01.1	Bottom side: glazed / white	55	17.8	40	visible
500.738.01.1	white	55	17.8	40	without
500.739.01.1	Bottom side: glazed / white	55	17.8	40	without

N: New, available: 500.736.01.1 as of February 2018; 500.737.01.1 as of July 2018; 500.738.01.1 as of April 2018; 500.739.01.1 as of July 2018;

New

## Geberit countertop washbasin VariForm, rectangular, with tap hole bench



### Application purposes


- For mounting in a worktop

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.740.01.1	white	55	17.8	45	visible
500.741.01.1	Bottom side: glazed / white	55	17.8	45	visible
500.742.01.1	white	55	17.8	45	without
500.743.01.1	Bottom side: glazed / white	55	17.8	45	without

N: New, available: 500.740.01.1 as of February 2018; 500.741.01.1 as of July 2018; 500.742.01.1 as of April 2018; 500.743.01.1 as of July 2018;

New

## Geberit under-countertop washbasin VariForm, round



### Application purposes

- For mounting in a worktop

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	D [cm]	D1 [cm]	H [cm]	Overflow
500.744.01.1	white	39	33	18.1	visible
500.745.01.1	Bottom side: glazed / white	39	33	18.1	visible
500.746.01.1	white	39	33	18.1	without
500.747.01.1	Bottom side: glazed / white	39	33	18.1	without

N: New, available: 500.744.01.1 as of August 2018; 500.745.01.1 as of October 2018; 500.746.01.1 as of October 2018; 500.747.01.1 as of October 2018;

**New**

## Geberit under-countertop washbasin VariForm, oval



### Application purposes

- For mounting in a worktop

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	T1 [cm]	T2 [cm]	Overflow
500.748.01.1	white	48	42	18.1	39	33	19.5	visible
500.749.01.1	Bottom side: glazed / white	48	42	18.1	39	33	19.5	visible
500.750.01.1	white	48	42	18.1	39	33	19.5	without
500.751.01.1	Bottom side: glazed / white	48	42	18.1	39	33	19.5	without
500.752.01.1	white	56	50	18.1	46	40	23	visible
500.753.01.1	Bottom side: glazed / white	56	50	18.1	46	40	23	visible
500.754.01.1	white	56	50	18.1	46	40	23	without
500.755.01.1	Bottom side: glazed / white	56	50	18.1	46	40	23	without

N: New, available: 500.748.01.1 as of August 2018; 500.749.01.1 as of October 2018; 500.750.01.1 as of October 2018; 500.751.01.1 as of October 2018; 500.752.01.1 as of February 2018; 500.753.01.1 as of July 2018; 500.754.01.1 as of April 2018; 500.755.01.1 as of July 2018;

**New**

## Geberit under-countertop washbasin VariForm, elliptic



### Application purposes

- For mounting in a worktop

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	T1 [cm]	Overflow
500.756.01.1	white	61	55	18.1	46	40	visible
500.757.01.1	Bottom side: glazed / white	61	55	18.1	46	40	visible
500.758.01.1	white	61	55	18.1	46	40	without
500.759.01.1	Bottom side: glazed / white	61	55	18.1	46	40	without

N: New, available: 500.756.01.1 as of July 2018; 500.757.01.1 as of September 2018; 500.758.01.1 as of September 2018; 500.759.01.1 as of September 2018;

New

## Geberit under-countertop washbasin VariForm, rectangular



### Application purposes

- For mounting in a worktop

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	H [cm]	T [cm]	T1 [cm]	T2 [cm]	Overflow
500.760.01.1	white	53	45	17.8	44	35	22	visible
500.761.01.1	Bottom side: glazed / white	53	45	17.8	44	35	22	visible
500.762.01.1	white	53	45	17.8	44	35	22	without
500.763.01.1	Bottom side: glazed / white	53	45	17.8	44	35	22	without
500.764.01.1	white	58	50	17.8	49	40	24.5	visible
500.765.01.1	Bottom side: glazed / white	58	50	17.8	49	40	24.5	visible
500.766.01.1	white	58	50	17.8	49	40	24.5	without
500.767.01.1	Bottom side: glazed / white	58	50	17.8	49	40	24.5	without

N: New, available: 500.760.01.1 as of February 2018; 500.761.01.1 as of July 2018; 500.762.01.1 as of April 2018; 500.763.01.1 as of July 2018; 500.764.01.1 as of February 2018; 500.765.01.1 as of July 2018; 500.766.01.1 as of April 2018; 500.767.01.1 as of July 2018;

New

## Geberit lay-on washbasin VariForm, round



### Application purposes

- For mounting on washbasin cabinets

### Scope of delivery

- Fastening material


Art. no.	Surface / colour	D [cm]	H [cm]	Overflow
500.768.01.1	white	40	15.8	without

Available as of February 2018



New

## Geberit lay-on washbasin VariForm, round, with tap hole bench



### Application purposes

- For mounting on washbasin cabinets

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	D [cm]	H [cm]	Overflow
500.769.01.1	white	45	15.8	visible
500.770.01.1	white	45	15.8	without

N: New, available: 500.769.01.1 as of February 2018; 500.770.01.1 as of April 2018;

New

## Geberit lay-on washbasin VariForm, oval



### Application purposes

- For mounting on washbasin cabinets

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.771.01.1	white	55	15.8	40	without

Available as of February 2018

New

## Geberit lay-on washbasin VariForm, oval, with tap hole bench



### Application purposes

- For mounting on washbasin cabinets

### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.772.01.1	white	60	15.8	45	visible
500.773.01.1	white	60	15.8	45	without

N: New, available: 500.772.01.1 as of February 2018; 500.773.01.1 as of April 2018;

New

### Geberit lay-on washbasin VariForm, elliptic



#### Application purposes

- For mounting on washbasin cabinets

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.774.01.1	white	55	15.8	40	without

Available as of February 2018

New

### Geberit lay-on washbasin VariForm, elliptic, with tap hole bench



#### Application purposes

- For mounting on washbasin cabinets

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	B1 [cm]	B2 [cm]	H [cm]	T [cm]	T1 [cm]	T2 [cm]	Overflow
500.775.01.1	white	50	48	34	15.8	40	26	13.9	visible
500.776.01.1	white	50	48	34	15.8	40	26	13.9	without
500.777.01.1	white	60	58	44	15.8	45	31	15.4	visible
500.778.01.1	white	60	58	44	15.8	45	31	15.4	without

N: New, available: 500.775.01.1 as of February 2018; 500.776.01.1 as of April 2018; 500.777.01.1 as of February 2018; 500.778.01.1 as of April 2018;

**New**

### Geberit lay-on washbasin VariForm, rectangular



#### Application purposes

- For mounting on washbasin cabinets

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.779.01.1	white	55	15.8	40	without

Available as of February 2018

**New**

### Geberit lay-on washbasin VariForm, rectangular, with tap hole bench



#### Application purposes

- For mounting on washbasin cabinets

#### Scope of delivery


- Fastening material

Art. no.	Surface / colour	B [cm]	H [cm]	T [cm]	Overflow
500.780.01.1	white	60	15.8	45	visible
500.781.01.1	white	60	15.8	45	without

N: New, available: 500.780.01.1 as of February 2018; 500.781.01.1 as of April 2018;

New

## Geberit semirecessed washbasin VariForm, round



### Application purposes

- For mounting in a worktop

### Technical data

Material	Vitreous china
----------	----------------

### Scope of delivery

- Fastening material

Art. no.	Surface / colour	D [cm]	H [cm]	Tap hole	Overflow
500.782.01.1	white	50	18.5	centred	visible
500.783.01.1	white	50	18.5	left and right	visible

N: New, available: 500.782.01.1 as of February 2018; 500.783.01.1 as of April 2018;



# Appendix

Bathroom furniture colour overview.....	208
KeraTect.....	209
International sales and delivery conditions ceramics.....	210
Index.....	213

## Bathroom furniture colour overview

### Citterio



Oak beige  
wooden-  
textured  
melamine

Taupe  
glass

Oak grey-  
brown  
wooden-  
textured  
melamine

Black  
glass

### Xeno<sup>2</sup>



White  
high-gloss  
coated

Scultura  
grey  
structured  
coated

### Acanto



White  
Body: high-gloss  
coated  
Drawers:  
shiny glass

Sand grey  
Body: matt  
coated  
Drawers:  
shiny glass

Lava  
Body: matt  
coated  
Drawers:  
shiny glass

Black  
Body: matt  
coated  
Drawers:  
shiny glass

Mystic oak  
melamine  
wooden  
structure

### iCon



White  
high-gloss  
coated

Lava matt  
coated

Oak nature  
textured  
foil

### Smyle



White  
high-gloss  
coated

Light grey  
high-gloss  
coated

### Abalona



White  
high-gloss  
coated

All ceramic products are available in white (alpine). The inherent nature of genuine wood veneers may result in colour deviations.

## KeraTect

KeraTect is an innovative ceramic glaze. It is durably fired and nearly without pores. Thus, not even the smallest dirt particles nor bacteria are able to stick.

The products are very hygienic due to the resistance and durability of KeraTect. Even abrasive cleanser, disinfectants or high pressure cleanser cannot harm the easy-care surface.

Furthermore, the smooth, pore-free surface helps to make cleaning considerably easier. The special KeraTect glaze is applied in addition to the standard glaze and fuses permanently with the ceramic at 1,250 degrees Celsius, creating a virtually non-porous and extremely smooth surface.

The special KeraTect glaze is used in the Geberit bathroom series Citterio and Xeno<sup>2</sup>.



# International sales and delivery conditions ceramics

(valid from 1<sup>st</sup> of April 2018)

## 1. General

- 1.1 All sales, deliveries and services of the Geberit International Sales AG (hereinafter referred to as "Geberit") are effected exclusively on the basis of the following International Sales and Delivery Conditions. General terms and conditions of the buyer are hereby contradicted. They are also not accepted in case Geberit does not expressly contradict them again after their receipt. These International Sales and Delivery Conditions are considered to have been accepted by the buyer at the latest with the acceptance of the delivered goods.
- 1.2 All contracts, orders and agreements - particularly those purporting to change the conditions set out herein - shall only become binding if expressly accepted by Geberit in writing.

## 2. Conclusion of contract - Written form

- 2.1 The offers of Geberit are non-binding, unless otherwise agreed in writing.
- 2.2 An order is only accepted by Geberit when it has been confirmed in writing and the order confirmation has been sent to the buyer.
- 2.3 All agreements, declarations and other information are required to be in writing if they are to be valid.

## 3. Conditions of delivery - Transfer of Risks

- 3.1 The delivery of goods shall be made "Free Carrier" Geberit's respective work or warehouse (FCA - INCOTERMS 2010) unless otherwise agreed and stated on the order confirmation.
- 3.2 Geberit's prices shall be understood as net prices without tax or customs duty. Any taxes, duties, charges, etc. imposed in connection with the sale, delivery, import or export of the goods must be borne by the buyer.
- 3.3 The buyer shall be liable to provide Geberit in due time with all information necessary for Geberit to fulfil its obligations with respect to tax and customs duty. In particular the buyer shall be liable for providing Geberit with a qualified export documentation (e.g. original certificate of export) and/or its correct VAT ID-Number. In case the buyer does not fulfil his obligation to supply all necessary information to Geberit the buyer shall be liable for all claims and damages arising for Geberit out of this default of contract, in particular taxes (VAT, GST, sales tax or similar turnover dependent taxes), customs duty, interest, any administrative cost (e.g. legal and consulting expenses) and penalties.
- 3.4 The risk of loss - including accidental loss - or accidental deterioration of the goods is transferred to the buyer when the goods are handed over to the commissioned freight-forwarder or carrier but no later than the time of leaving the respective work or warehouse of Geberit unless otherwise provided for in the corresponding order confirmation.
- 3.5 Delivery of goods notified as ready for dispatch must be requested immediately, otherwise at its own discretion Geberit shall be entitled to store them at the expense and risk of the buyer and invoice them as delivered ex works. If despatch is delayed for reasons for which Geberit is not responsible, then instead of the point in time according to Section 3.3 the particular date valid from 1st of January 2016 of indication of readiness for despatch applies.
- 3.6 Geberit may arrange, upon buyer's request, for insurance at buyer's cost against damage arising in connection with the storage, delivery or shipment of goods ordered by buyer.

## 4. Delivery period, delays in delivery, partial delivery

- 4.1 The stated delivery period is non-binding, unless it is specifically agreed in writing to be binding.
- 4.2 The delivery period begins with the sending of the order confirmation to the buyer. It has been met when, by its expiry, the object of the delivery has left Geberit's particular works or the buyer has been informed of the order's readiness for dispatch.
- 4.3 In the event of the occurrence of unforeseeable or inevitable events (force majeure) and in the case of operational stoppages of any kind, in particular damage to machinery, strikes and employment disputes, delayed supplies to us of important operating media and input materials or administrative measures, Geberit is entitled to withdraw from the contract of sale either wholly or in part or to extend the delivery period appropriately, taking into consideration a start-up period. Geberit shall inform the buyer about any such event in writing.
- 4.4 In cases of delay of delivery the buyer can, following the abortive expiry of an appropriate final deadline, withdraw from the contract; in cases where the performance is impossible, he has this right even without the setting of a final deadline. All claims of the buyer for compensation for damages resulting from a delay of delivery, including but not limited to any consequential damages, are - with reservation of the regulation in the following section 4.5 - excluded; the same applies to the buyer's claim for the reimbursement of expenses.
- 4.5 The exclusion of liability regulated in section 4.4 does not apply in the case of damages caused by wilful intent or gross negligence on Geberit's part. Subject to mandatory law in other cases Geberit's liability is limited to the contractually typical, foreseeable damages not exceeding the amount of the respective order.
- 4.6 Unless otherwise agreed in writing, Geberit is entitled to make partial deliveries.

## 5. Prices, payment, default

- 5.1 Geberit's prices are based on the respective price lists valid at the date of the order confirmation.
- 5.2 Unless other credit terms have been agreed between Geberit and the buyer, goods must be paid for immediately after the receipt of the order confirmation and before delivery.
- 5.3 If any payment is overdue, interest on the outstanding sum is payable at commercial bank rates but not less than 6 percent p.a.
- 5.4 Bills of exchange and cheques are accepted by Geberit only on account of performance and not as performance. Payments made by bills of exchange or cheques do not constitute fulfilment until the amount in question has been irrevocably credited to Geberit's bank account. Taxes and expenses for bills of exchange are borne exclusively by the buyer.
- 5.5 In the case of buyer's payment default, insolvency or the debts being jeopardised through deterioration of the buyer's creditworthiness Geberit shall be entitled to demand immediate settlement of all debts falling due at the time and in the future or the provision of securities. Geberit shall also be entitled to only make outstanding deliveries if they are paid for in advance or sufficient securities are provided. If this cannot be established by buyer within a reasonable period of time, Geberit may withdraw from the contract of sale.

## 6. Delay in calling goods

If the specified quantities of goods ordered by buyer are not called for delivery within the agreed timeframe, Geberit is entitled to withdraw from the sale with immediate effect, and/or to adjust the prices accordingly. Buyer is prohibited from claiming any damages.

## 7. Packaging

Unless otherwise agreed the goods shall be delivered in standard packaging. The buyer will be charged for any special packaging agreed.

## 8. Defective goods (Warranty)

- 8.1 Buyer must inspect the goods immediately upon receipt. Any defects recognisable in the course of a customary examination must be notified to Geberit in writing within eight (8) days after receipt. Otherwise, the goods purchased are deemed to have been accepted and any defect claims against Geberit are excluded.
- 8.2 To the extent there are defects involved which were not recognisable in the course of a customary examination, written notification of such defects must be given immediately upon their discovery. Otherwise, the goods purchased are deemed to have been accepted with respect to such defects and any defect claims against Geberit are excluded.
- 8.3 Buyer undertakes to make the defective goods or the defective part of the goods available to Geberit for a reasonable time immediately after discovery of the defect, in unaltered condition, so that the defect can be checked. This obligation does not however release the buyer from his burden of proof of the presence of a defect.
- 8.4 Provided the goods, that have been professionally and duly stored, maintained and used by the buyer, are proven defective and buyer has notified the defects as set out hereinabove, Geberit at its own choice shall be entitled to subsequently fulfil its obligations by repairing the defective goods or by supplying replacements free of cost. Should one or both of these types of subsequent fulfilment be impossible or not reasonable, Geberit is entitled to decline them. Geberit can also decline subsequent fulfilment for as long as the buyer does not fulfil his payment obligations.
- 8.5 Should the subsequent fulfilment according to section 8.4 be declined by Geberit or not have been successful, the buyer has the choice either of demanding a corresponding reduction of the purchase price (price reduction) or of withdrawing from the contract in accordance with the legal regulations (withdrawal).
- 8.6 Defect claims are subject to a period of limitation of one (1) year after delivery of the goods to the buyer and no more than fifteen months after notification of readiness for dispatch.
- 8.7 Defect claims are conditioned upon buyer's prior performance of any and all of buyer's own obligations.
- 8.8 Any claims based on defects of the goods are subject to the limitations of liability named in section 9.
- 8.9 The above provisions apply correspondingly if other goods or smaller quantities are delivered instead of those agreed.

## 9. Liability of Geberit

- 9.1 Unless otherwise specified, any claims of the buyer against Geberit for whatever legal reason, in particular claims arising from infringement of principal and subsidiary contractual obligations, the reimbursement of expenses or tort are excluded. The exclusion in particular includes claims for damages other than to the purchased goods, claims for loss of profit and claims which do not result from a defect of the delivered goods.
- 9.2 The exclusion of liability in section 9.1 does not apply for damages resulting from culpable injury of life, body or health, from wilful intent or gross negligence. It also does not apply in cases where mandatory liability exists in accordance with product-liability laws for products supplied for private use.
- 9.3 Subject to mandatory law in other cases as said in section 9.2 Geberit's liability is limited to the contractually typical, foreseeable damages not exceeding the amount of the respective order.
- 9.4 Insofar as liability is excluded or limited for Geberit, this also applies for its representatives, employees, subcontractors and commercial agents.

## 10. Retention of title, securities

- 10.1 Geberit shall retain ownership of the goods supplied until full payment of the corresponding purchase price and the fulfilment of all other outstanding debts owed by the buyer to Geberit has been effected (hereinafter "Retained Goods"). Buyer shall take all necessary measures for the protection of the ownership rights of Geberit.
- 10.2 The buyer processes the Retained Goods for Geberit as manufacturer but without any obligation on the latter's part. The processed Goods are still deemed to be Retained Goods.
- 10.3 Should the buyer process, combine and mix the Retained Goods with other goods Geberit shall become part owner of the new product in the proportion of the invoice value of the Retained Goods to the invoice value of the other goods used. Should Geberit's ownership cease as a result of combination or mixing the buyer hereby agrees to transfer its ownership of the new product in the amount of the invoice value of the Retained Goods to Geberit. Geberit's part ownership shall be deemed to be Retained Goods.
- 10.4 The buyer is only entitled to resell the Retained Goods in the normal course of business and subject to his normal terms and conditions.
- 10.5 At the time of the conclusion of the sales contract with Geberit, the buyer assigns to Geberit all claims which base / will base on the resale of the Retained Goods. The assigned claims shall be deemed to be security for the Retained Goods. The buyer shall not be entitled to otherwise assign the claims. Insofar as a continuous account relationship is agreed between the buyer and his customers, the assignment refers to the balance at the time. The buyer is still entitled to collect these resale claims from his customers or third parties after they have been assigned; Geberit's authority to collect the claims remains unaffected by this. Geberit is entitled to request that the buyer informs Geberit about the assigned claims and their debtors gives Geberit all information in writing which is necessary for collection, surrenders to Geberit the relevant documents and informs the debtors in writing about the assignment of the claims. However, Geberit does not undertake to collect the claims or requests the abovementioned information as long as the cases specified in section 5.5 do not occur.
- 10.6 In the cases specified in section 5.5 and if the buyer fails to meet the obligations of section 10.4. Geberit shall also be entitled to forbid the processing and the resale of the Retained Goods with immediate effect. A declaration of withdrawal from the contract by Geberit is also deemed to be a withdrawal of the authorisation to resell and to collect the resale claims. In these cases Geberit shall also be entitled to demand the immediate return of the Retained Goods at the expense of the buyer and with exclusion of a right of retention. In the abovementioned cases the buyer hereby authorises Geberit or its agent presenting written authorisation to enter its business premises on foot or in vehicles in order to repossess the Retained Goods.
- 10.7 To the extent that retention of title cannot be agreed with the buyer in accordance with the applicable law, a lien on the goods and on the processed goods and on the purchase price claims of the buyer resulting from the resale of the goods shall be deemed to be agreed. A lien means that the goods serve as a security for Geberit until the purchase price is paid completely and that the buyer is therefore entitled to process or resell the goods only with the agreement of Geberit.
- 10.8 If the value of the securities due to Geberit exceeds the claims to be secured by more than 20% Geberit is obliged, on request of the buyer, to release the securities of Geberit's choice which exceed the above-mentioned excess cover.

**11. Re-export**

- 11.1 Geberit explicitly draws attention to the fact that Geberit products are protected by various intellectual property rights in other countries. Buyer has therefore to seek advice from Geberit prior to planned exports.
- 11.2 The onward delivery of the goods and any product documentation, including but not limited to the product descriptions and the installation guidelines, to the USA or Canada is expressly prohibited and requires the prior written permission of Geberit.

**12. Prohibition of assignment and off-setting**

- 12.1 The buyer shall only be entitled to assign rights and debts arising from contracts of sale to third parties with the prior agreement of Geberit.
- 12.2 The buyer is not entitled to offset counterclaims against the purchase price claim, unless in the case of an undisputed or legally established claim.
- 12.3 The buyer is not entitled to retain the purchase price on the basis of any counterclaims which do not result from the delivery contract concerned.

**13. Place of performance, jurisdiction and applicable law**

- 13.1 Place of performance for all obligations resulting from the sales contract shall be the principal place of business of Geberit in Jona, Switzerland.
- 13.2 All disputes arising out of or in connection with any sales contract shall be resolved, to the exclusion of the ordinary courts, by an arbitral tribunal in accordance with the International Arbitration Rules of the Zurich Chamber of Commerce. The arbitration shall take place in Zurich; the language of the proceedings shall be English.
- 13.3 The sales contract is subject to the laws of Switzerland. The application of the UN Convention for the International Sale of Goods ("Vienna Sales Convention") is expressly excluded.

**14. Guarantee**

- 14.1 In addition to the warranty of section 8, Geberit guarantees for the products and periods listed below, that the delivered goods are free from any material or production failures.

Ceramic products	10 Years
Varicor products	2 Years
Bathroom furniture	2 Years
Stainless steel products	2 Years
WC seat and covers	2 Years
Cistern fittings	2 Years
Shower trays	2 Years
Bathtubs	2 Years
Taps and mixers	2 Years
Shower enclosures and bathtub screens	2 Years
Electronic components	2 Years
Accessories	2 Years

- 14.2 The guarantee periods shall start from date of delivery to the buyer.  
If any material or production failures occur during the guarantee period Geberit will fulfil its guarantee obligations by repairing the defective goods or by supplying replacements free of cost. Any further claims against Geberit on the basis of this additional guarantee are expressly excluded, if possible according to the applicable law.  
By expiration of the guarantee period all guarantee claims, in particular claims concerning goods that have been repaired or replaced during the guarantee period, are excluded. Any claims against Geberit for repair or replacement of bathroom furniture based on damages resulting from moisture are expressly excluded from this guarantee.
- 14.3 The guarantee is only valid under the following conditions:
- the installation follows the written rules of application technique as issued by Geberit; and
  - the goods have been correctly and professionally stored, installed, maintained and used, in particular according to the instructions issued by Geberit; and
  - the goods have not been modified, in particular no parts have been removed, changed or added; and
  - the systems are built only with original parts of Geberit.

**15. Severability**

The invalidity or unenforceability of any provisions of the conditions above shall not affect the validity or enforceability of any other provision of these conditions. In such an event both parties commit themselves to compose a legally valid replacement rule which approaches the invalid provision as closely as possible within the economic interpretation of the conditions. This shall apply accordingly to any omissions in the conditions.

## Index

Art. no.	Page	Art. no.	Page	Art. no.	Page	Art. no.	Page
119.702.00.1	107	500.190.01.1	160	500.247.01.1	124	500.311.01.1	149
131.081.11.1	23	500.191.01.1	188	500.247.42.1	124	500.315.01.1	146
150.525.21.1	74	500.192.01.1	188	500.248.01.1	115	500.316.01.1	143
150.711.21.1	74	500.193.21.1	160	500.249.01.1	116	500.318.01.1	144
150.755.21.1	75	500.195.01.1	100	500.250.01.1	116	500.319.01.1	144
151.034.21.1	12	500.199.21.1	160	500.251.01.1	116	500.320.01.1	145
151.035.21.1	12	500.200.01.1	126	500.252.01.1	116	500.322.01.1	144
151.116.11.1	12	500.210.01.1	126	500.253.01.1	116	500.324.01.1	146
152.018.00.1	11	500.211.01.1	125	500.254.01.1	134	500.326.01.1	148
152.050.21.1	11	500.212.01.1	128	500.255.01.1	134	500.327.01.1	148
152.080.21.1	11	500.213.01.1	128	500.260.01.1	163	500.328.01.1	153
152.441.46.1	22	500.214.01.1	137	500.261.01.1	165	500.329.01.1	153
152.610.11.1	22	500.215.01.1	127	500.262.01.1	164	500.330.01.1	172
152.950.11.1	108	500.216.01.1	132	500.263.01.1	162	500.331.01.1	174
152.951.11.1	183	500.217.01.1	133	500.264.01.1	178	500.332.01.1	175
261.483.11.1	108	500.218.01.1	132	500.265.01.1	162	500.333.01.1	174
500.055.00.1	11	500.219.01.1	138	500.266.01.1	186	500.334.01.1	175
500.087.00.1	24	500.220.01.1	138	500.267.01.1	185	500.335.01.1	174
500.089.00.1	107	500.221.01.1	137	500.268.01.1	186	500.336.01.1	173
500.091.00.1	108	500.222.01.1	115	500.269.01.1	187	500.337.01.1	174
500.102.00.1	184	500.223.01.1	116	500.270.01.1	165	500.338.01.1	175
500.105.00.1	22	500.224.01.1	116	500.271.01.1	177	500.339.01.1	173
500.121.00.1	12	500.225.01.1	116	500.272.01.1	178	500.340.01.1	176
500.122.00.1	13	500.226.01.1	116	500.275.01.1	161	500.341.01.1	118
500.123.00.1	108	500.227.01.1	115	500.281.01.1	167	500.342.01.1	119
500.127.01.1	117	500.228.01.1	115	500.282.01.1	167	500.343.01.1	181
500.128.01.1	117	500.229.01.1	116	500.283.01.1	166	500.344.01.1	181
500.131.00.1	136	500.230.01.1	115	500.284.01.1	172	500.345.01.1	182
500.133.00.1	175	500.231.01.1	130	500.285.01.1	170	500.400.01.1	96
500.134.01.1	176	500.232.01.1	130	500.286.01.1	171	500.401.01.1	98
500.151.01.1	169	500.233.01.1	129	500.287.01.1	171	500.402.01.1	98
500.152.01.1	168	500.234.01.1	129	500.288.01.1	179	500.403.01.1	104
500.153.01.1	169	500.235.01.1	129	500.289.01.1	179	500.404.01.1	105
500.155.01.1	159	500.236.01.1	129	500.290.01.1	148	500.405.01.1	104
500.156.01.1	159	500.237.01.1	130	500.291.01.1	148	500.406.01.1	105
500.157.01.1	159	500.238.01.1	130	500.292.01.1	151	500.407.01.1	110
500.158.01.1	156	500.239.01.1	130	500.294.01.1	146	500.408.01.1	109
500.176.01.1	156	500.240.01.1	130	500.295.01.1	146	500.409.01.1	109
500.177.01.1	157	500.241.01.1	125	500.297.01.1	146	500.410.01.1	95
500.178.01.1	157	500.241.42.1	125	500.299.01.1	148	500.411.01.1	110
500.179.01.1	157	500.242.01.1	123	500.300.01.1	148	500.413.01.1	94
500.180.01.1	157	500.242.42.1	123	500.301.01.1	144	500.413.JH.1	94
500.181.01.1	157	500.243.01.1	124	500.302.01.1	151	500.413.JK.1	94
500.182.01.1	158	500.243.42.1	124	500.304.01.1	146	500.414.01.1	94
500.183.01.1	156	500.244.01.1	124	500.305.01.1	146	500.414.JH.1	94
500.185.01.1	159	500.244.42.1	124	500.306.01.1	150	500.414.JK.1	94
500.186.01.1	159	500.245.01.1	124	500.307.01.1	150	500.415.01.1	97
500.187.01.1	151	500.245.42.1	124	500.308.01.1	151	500.416.01.1	94
500.188.01.1	151	500.246.01.1	122	500.309.01.1	150	500.416.JH.1	94
500.189.01.1	147	500.246.42.1	122	500.310.01.1	144	500.416.JK.1	94

Art. no.	Page	Art. no.	Page	Art. no.	Page	Art. no.	Page
500.417.01.1	91	500.442.01.1	89	500.507.01.1	39	500.552.01.1	30
500.417.JH.1	91	500.442.JH.1	89	500.507.43.1	39	500.553.01.1	8
500.417.JK.1	91	500.442.JK.1	89	500.508.01.1	35	500.554.JI.1	17
500.419.01.1	93	500.443.01.1	87	500.508.43.1	35	500.554.JJ.1	17
500.419.JH.1	93	500.443.JH.1	87	500.509.01.1	35	500.555.JI.1	13
500.419.JK.1	93	500.443.JK.1	87	500.509.43.1	35	500.555.JJ.1	13
500.420.01.1	96	500.444.01.1	88	500.510.01.1	20	500.556.JI.1	15
500.421.01.1	99	500.444.JH.1	88	500.511.01.1	21	500.556.JJ.1	15
500.422.01.1	101	500.444.JK.1	88	500.513.01.1	36	500.557.JI.1	15
500.423.01.1	93	500.445.01.1	89	500.513.43.1	36	500.557.JJ.1	15
500.423.JH.1	93	500.445.JH.1	89	500.514.01.1	36	500.558.JI.1	17
500.423.JK.1	93	500.445.JK.1	89	500.514.43.1	36	500.558.JJ.1	17
500.425.01.1	90	500.446.01.1	88	500.515.01.1	37	500.559.JI.1	15
500.425.JH.1	90	500.446.JH.1	88	500.515.43.1	37	500.559.JJ.1	15
500.425.JK.1	90	500.446.JK.1	88	500.516.01.1	37	500.560.JI.1	17
500.426.01.1	93	500.447.01.1	92	500.516.43.1	37	500.560.JJ.1	17
500.426.JH.1	93	500.447.JH.1	92	500.517.01.1	37	500.561.JI.1	17
500.426.JK.1	93	500.447.JK.1	92	500.517.43.1	37	500.561.JJ.1	17
500.427.01.1	90	500.448.00.1	94	500.518.01.1	38	500.562.JI.1	14
500.427.JH.1	90	500.449.00.1	94	500.518.43.1	38	500.562.JJ.1	14
500.427.JK.1	90	500.450.01.1	81	500.519.00.1	40	500.563.JI.1	14
500.428.01.1	85	500.451.01.1	81	500.520.00.1	40	500.563.JJ.1	14
500.428.JH.1	85	500.452.01.1	81	500.521.00.1	40	500.564.JI.1	16
500.428.JK.1	85	500.453.01.1	81	500.522.00.1	40	500.564.JJ.1	16
500.429.01.1	87	500.454.01.1	80	500.523.00.1	41	500.565.JI.1	16
500.429.JH.1	87	500.455.01.1	82	500.524.00.1	42	500.565.JJ.1	16
500.429.JK.1	87	500.456.01.1	82	500.525.00.1	41	500.566.JI.1	15
500.430.01.1	101	500.457.01.1	79	500.526.00.1	41	500.566.JJ.1	15
500.431.01.1	101	500.458.01.1	82	500.527.00.1	41	500.567.JI.1	14
500.432.01.1	102	500.459.01.1	79	500.528.01.1	29	500.567.JJ.1	14
500.433.01.1	102	500.460.01.1	79	500.529.01.1	29	500.568.JI.1	14
500.434.01.1	102	500.461.01.1	79	500.530.01.1	30	500.568.JJ.1	14
500.435.01.1	85	500.462.01.1	81	500.531.01.1	30	500.569.JI.1	18
500.435.JH.1	85	500.463.01.1	81	500.532.01.1	30	500.569.JJ.1	18
500.435.JK.1	85	500.464.01.1	81	500.533.01.1	31	500.570.JI.1	18
500.436.01.1	87	500.465.01.1	81	500.534.01.1	31	500.570.JJ.1	18
500.436.JH.1	87	500.466.01.1	80	500.535.01.1	31	500.571.JI.1	19
500.436.JK.1	87	500.467.01.1	80	500.536.01.1	31	500.571.JJ.1	19
500.437.01.1	85	500.468.00.1	94	500.537.01.1	43	500.572.JI.1	18
500.437.JH.1	85	500.469.00.1	94	500.538.01.1	24	500.572.JJ.1	18
500.437.JK.1	85	500.470.01.1	107	500.539.01.1	23	500.573.39.1	19
500.438.01.1	86	500.500.01.1	42	500.540.01.1	21	500.575.01.1	118
500.438.JH.1	86	500.501.01.1	44	500.541.01.1	7	500.576.01.1	119
500.438.JK.1	86	500.502.01.1	34	500.542.01.1	10	500.580.00.1	192
500.439.01.1	86	500.502.43.1	34	500.543.01.1	10	500.581.00.1	192
500.439.JH.1	86	500.503.01.1	39	500.544.01.1	8	500.582.00.1	193
500.439.JK.1	86	500.503.43.1	39	500.545.01.1	9	500.583.00.1	193
500.440.01.1	92	500.504.01.1	39	500.546.01.1	9	500.584.00.1	192
500.440.JH.1	92	500.504.43.1	39	500.547.01.1	8	500.585.00.1	192
500.440.JK.1	92	500.505.01.1	35	500.548.01.1	9	500.586.00.1	192
500.441.01.1	87	500.505.43.1	35	500.549.01.1	9	500.587.00.1	192
500.441.JH.1	87	500.506.01.1	35	500.550.01.1	30	500.588.00.1	192
500.441.JK.1	87	500.506.43.1	35	500.551.01.1	30	500.589.00.1	192

Art. no.	Page	Art. no.	Page	Art. no.	Page	Art. no.	Page
500.592.00.1	194	500.618.01.1	64	500.700.01.1	195	500.753.01.1	200
500.593.00.1	195	500.618.16.7	64	500.701.01.1	195	500.754.01.1	200
500.594.00.1	194	500.618.JK.1	64	500.702.01.1	195	500.755.01.1	200
500.600.01.1	69	500.618.JL.1	64	500.703.01.1	195	500.756.01.1	200
500.601.01.1	71	500.619.01.1	61	500.704.01.1	196	500.757.01.1	200
500.602.01.1	70	500.619.16.7	61	500.705.01.1	196	500.758.01.1	200
500.603.01.1	72	500.619.JK.1	61	500.706.01.1	196	500.759.01.1	200
500.604.01.1	70	500.619.JL.1	61	500.707.01.1	196	500.760.01.1	201
500.605.01.1	70	500.620.01.1	50	500.708.01.1	196	500.761.01.1	201
500.607.01.1	57	500.621.01.1	50	500.709.01.1	196	500.762.01.1	201
500.607.16.7	57	500.622.01.1	50	500.710.01.1	196	500.763.01.1	201
500.607.JK.1	57	500.623.01.1	51	500.711.01.1	196	500.764.01.1	201
500.607.JL.1	57	500.624.01.1	51	500.712.01.1	197	500.765.01.1	201
500.608.01.1	57	500.625.01.1	51	500.713.01.1	197	500.766.01.1	201
500.608.16.7	57	500.626.01.1	51	500.714.01.1	197	500.767.01.1	201
500.608.JK.1	57	500.627.01.1	54	500.715.01.1	197	500.768.01.1	201
500.608.JL.1	57	500.628.01.1	54	500.716.01.1	196	500.769.01.1	202
500.609.01.1	58	500.629.01.1	52	500.717.01.1	196	500.770.01.1	202
500.609.16.7	58	500.630.01.1	53	500.718.01.1	196	500.771.01.1	202
500.609.JK.1	58	500.631.01.1	52	500.719.01.1	196	500.772.01.1	202
500.609.JL.1	58	500.632.01.1	53	500.720.01.1	197	500.773.01.1	202
500.610.01.1	58	500.633.01.1	54	500.721.01.1	197	500.774.01.1	203
500.610.16.7	58	500.634.01.1	54	500.722.01.1	197	500.775.01.1	203
500.610.JK.1	58	500.635.01.1	49	500.723.01.1	197	500.776.01.1	203
500.610.JL.1	58	500.636.01.1	49	500.724.01.1	197	500.777.01.1	203
500.611.01.1	58	500.637.01.1	62	500.725.01.1	197	500.778.01.1	203
500.611.16.7	58	500.637.16.7	62	500.726.01.1	197	500.779.01.1	204
500.611.JK.1	58	500.637.JK.1	62	500.727.01.1	197	500.780.01.1	204
500.611.JL.1	58	500.637.JL.1	62	500.728.01.1	197	500.781.01.1	204
500.612.01.1	58	500.638.01.1	63	500.729.01.1	197	500.782.01.1	205
500.612.16.7	58	500.638.16.7	63	500.730.01.1	197	500.783.01.1	205
500.612.JK.1	58	500.638.JK.1	63	500.731.01.1	197	554.001.01.1	73
500.612.JL.1	58	500.638.JL.1	63	500.732.01.1	198	554.002.01.1	73
500.613.01.1	60	500.639.01.1	65	500.733.01.1	198	554.003.01.1	73
500.613.16.7	60	500.639.16.7	65	500.734.01.1	198	554.004.01.1	73
500.613.JK.1	60	500.639.JK.1	65	500.735.01.1	198	554.005.01.1	73
500.613.JL.1	60	500.639.JL.1	65	500.736.01.1	198	554.014.01.1	73
500.614.01.1	59	500.640.01.1	55	500.737.01.1	198	554.015.01.1	73
500.614.16.7	59	500.641.01.1	55	500.738.01.1	198		
500.614.JK.1	59	500.642.01.1	55	500.739.01.1	198		
500.614.JL.1	59	500.643.01.1	55	500.740.01.1	199		
500.615.01.1	59	500.644.00.1	66	500.741.01.1	199		
500.615.16.7	59	500.645.00.1	66	500.742.01.1	199		
500.615.JK.1	59	500.646.00.1	66	500.743.01.1	199		
500.615.JL.1	59	500.647.JK.1	68	500.744.01.1	199		
500.616.01.1	59	500.648.00.1	68	500.745.01.1	199		
500.616.16.7	59	500.649.01.1	67	500.746.01.1	199		
500.616.JK.1	59	500.649.16.7	67	500.747.01.1	199		
500.616.JL.1	59	500.649.JK.1	67	500.748.01.1	200		
500.617.01.1	67	500.649.JL.1	67	500.749.01.1	200		
500.617.16.7	67	500.657.00.1	68	500.750.01.1	200		
500.617.JK.1	67	500.658.00.1	68	500.751.01.1	200		
500.617.JL.1	67	500.660.01.1	70	500.752.01.1	200		

**Geberit International Sales AG**  
CH-8640 Rapperswil  
Switzerland

[sales@geberit.com](mailto:sales@geberit.com)

[www.international.geberit.com](http://www.international.geberit.com)  
[www.geberitcollection.com](http://www.geberitcollection.com)

[www.parsital.com](http://www.parsital.com)

---

Subject to change without notice. The information in this document contains general description of the technical options available, which do not always have to be present in the individual cases. The required features should therefore be specified in each individual case at the time of closing the contract.

int.en 00173-18/327 © by Geberit International Sales AG