

Pure Freude
an Wasser



PRICES VALID FROM 1st JANUARY 2020 | GROHE.CO.UK

SPECIFIERS'
KITCHEN CATALOGUE
2020



GROHE KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	25
	GROHE Blue Home	33
	GROHE Blue Pure	43
	GROHE Blue Accessories	47
	GROHE Red	53
	Waste separation systems	59
Premium Lines	K7	63
	Foot Control	65
	Minta / Minta SmartControl / Minta Touch	67
	Zedra / Zedra SmartControl / Zedra Touch	73
	Atrio	77
	Essence	79
	Eurocube	83
Competence Lines	Ambi	85
	Parkfield	87
	Eurodisc Cosmopolitan	89
	Eurodisc	91
	Concetto	93
	Eurostyle Cosmopolitan	97
	Eurosmart Cosmopolitan	101
	Eurosmart	105
	Euroeco / Euroeco Special	109
	Costa	111
	Bau Lines	115
Kitchen sinks	Soap dispensers and Accessories	119
	Stainless steel sinks	123
Discover the World of GROHE	Composite sinks	130
		138
LIXIL makes better homes a reality for everyone, everywhere		140

HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur

Increases the operating radius of your tap.



EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



GROHE QuickFix Plus
65% faster installation.



SpeedClean
Remove limescale
with a single wipe.



OpenWaterHeater
The perfect flow in combination
with open water heaters.



StopValve
Includes a dishwasher shut-off
valve on the tap body.



PreWindow
To open the window, just lift
up the tap and lay it flat on the
surface.



ComfortHeight
Height of the spout allows
easy filling of large pots.



SwivelStop
Limited turn angle
prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents
the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly
from the kitchen tap – saving
time, money and the environment.



ChildLock
Integrated safety mechanism
prevents unintentional opening
by young children.



Titanium Inside
All boilers in our GROHE Red
collection are made from
titanium.

GROHE BLUE HOME

WELCOME TO YOUR **PRIVATE** **WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

GROHE BLUE HOME

NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mouser and two separate waterways, delivering both filtered and unfiltered water effortlessly.



CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

THE GROHE BLUE HOME PRODUCT PORTFOLIO



31 454 001 / 31 454 DC1
GROHE Blue Home
L-spout



31 455 001 / 31 455 DC1
GROHE Blue Home
C-spout



31 456 001 / 31 456 DC1
GROHE Blue Home
U-spout



31 498 001 / 31 498 DC1
GROHE Blue Home
Mono



31 539 000 / 31 539 DC0
GROHE Blue Home
L-spout with pull-out



31 541 000 / 31 541 DC0
GROHE Blue Home
C-spout with pull-out



31 543 000 / 31 543 DC0
GROHE Blue Home
U-spout with pull-out

GROHE BLUE HOME CONTAINS:



CARBONATOR
GROHE BLUE HOME



CO₂ BOTTLE 425g



S-SIZE
FILTER

GROHE BLUE PROFESSIONAL

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time - still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



31 323 002 / 31 323 DC2
 GROHE Blue Professional
 C-spout



31 347 003 / 31 347 DC3
 GROHE Blue Professional
 L-spout



31 325 002 / 31 325 DC2
 GROHE Blue Professional
 C-spout, pull out mousseur



31 326 002 / 31 326 DC2
 GROHE Blue Professional
 L-spout, pull out mousseur



31 302 002 / 31 302 DC2
 GROHE Blue Professional
 Mono

GROHE RED

99° C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen faucet.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING

kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past

LESS WASTE

you only take the exact amount of hot water you need, so you save on water and energy consumption

CLEAN, FRESH TASTE

filtered water heated to 100 degrees for an exceptional taste experience

CLEAR YOUR WORKTOP

no need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single faucet



GROHE RED PRODUCT PORTFOLIO



● ●
30 340 001 / 30 340 DC1
GROHE RED Duo
L-spout, L Size



●
30 329 001
GROHE RED Mono
L-spout, M Size



● ●
30 058 001 / 30 058 DC1
GROHE RED Duo
C-spout, M Size



●
30 060 001
GROHE RED Mono
C-spout, M Size

30 327 001 / 30 327 DC1
GROHE RED Duo
L-spout, M Size

KITCHEN
FITTINGS

**EACH GROHE RED CONTAINS
BOILER (M OR L SIZE) & FILTERSET.**



BOILER L SIZE **BOILER M SIZE**



40 841 001
GROHE RED mixing valve

Colour options:

● 001 | StarLight Chrome | ● DC1 | SuperSteel

GROHE EASYTOUCH



Simple activation/deactivation
of the water flow by touch.



Manual control with the lever.



Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.

GROHE FOOTCONTROL



For kitchens where time is of the essence and convenience is a must, why not go hands-free? GROHE's new FootControl taps can be turned on and off with a gentle tap of your foot on the base unit, leaving your hands free and your tap spotless at all times. Three of our most popular taps now come with this innovative FootControl technology, or you can retro-fit the feature to any GROHE pull-out kitchen tap. To say goodbye to germs, mess and hassle, simply tap your feet!



GROHE PROFESSIONAL SPRAYS

THE COLORFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + color code

- | | | | | |
|----------------------|-------------------|----------------|----------------|--------------------|
| ● MW0 Sheer Marble | ● XC0 Dark Grey | ● YF0 Yellow | ● YR0 Orange | ● DG0 Red |
| ● DP0 Pink | ● DU0 Purple | ● GE0 Green | ● TY0 Blue | ● HG0 Dark Brown |

Exchange the hose via 4 simple steps:



Step 1

Loose the 2 screws with the screwdriver from the body and the spray.



Step 2

Take the original hose with the connection out of the tap body and the spray and put it to the side.



Step 3

Take the new hose and insert it with the connection into the tap body and the spray.



Step 4

Insert the 2 screws with the screw driver.










A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease - the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS






	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS			DRAINER	MATERIAL	FINISH				ADDITIONAL FEATURES				
K1000 			●		●			R10	●	●		●			●		●	
K800 			●		●		●	R10		●		●			●		●	
K700 U 			●	●			●	R10		●		●	●				●	***
K700 			●		●			R15		●		●					●	***
K500 	●				●	●	●	R65	●	●		●			●	●	●	●
K400+ 		●			●	●		R20	●		●	●			●	●	●	
K400 	●				●	●	●	R20	●	●		●			●	●	●	●
K300 	●				●	●		R95	●	●		●			●	●	●	●
K200 	●				●	●		R100/ R60	●	●			●	●	●	●	●	●

* R0 (bottom, front & back top) / R30 (right & left top)

** R0 (vertical) / R9 (bottom)

*** optional accessory 40 953 000

COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			●
K700 	●	○	●	●	●	R0		●	●	○	●
K500 	●	○	●	●		R0 / R9**	●	●	●	○	●
K400 	●		●	●		R15	●	●	●	●	●
K200 	●		●			R60		●	●		●





















○ selected products
● all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS
















	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO ₂ -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLORS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●

* Additional waste bin is needed












GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●				●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

GROHE FUNCTIONALITY AT A GLANCE

















	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

GROHE LOW PRESSURE FITTINGS

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN FITTINGS

ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO ₂ BOTTLES				CLEANING AND ACCESSORIES		
	 40 404 001 S-Size	 40 430 001 M-Size	 40 412 001 L-Size	 40 547 001 ACTIVATED CARBON	 40 691 001 MAGNESIUM	 40 422 000 CO ₂ STARTER KIT 425 G	 40 687 000 CO ₂ REFILL 425 G	 40 423 000 CO ₂ STARTER KIT 2 KG	 40 424 000 CO ₂ REFILL 2 KG	 40 962 000 CO ₂ ADAPTER TO 425 G	 40 434 001 CLEANING CARTRIDGE	 40 694 000 CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•					•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•		•	•	•
 GROHE RED	•	•	•		•							
 FILTER TAPS	•	•	•	•	•							

GROHE BLUE PROFESSIONAL



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 323 002	Chrome	4005176989933	2,067.83
31 323 DC2	supersteel	4005176989940	2,324.34

GROHE Blue Professional C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 347 003	Chrome	4005176443336	2,067.83
31 347 DC3	supersteel	4005176446559	2,324.34

GROHE Blue Professional L-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 325 002	Chrome	4005176507274	2,172.53
31 325 DC2	supersteel	4005176507250	3,261.43

GROHE Blue Professional C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:


- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 326 002	Chrome	4005176507236	2,172.53
31 326 DC2	supersteel	4005176507212	3,261.43

GROHE Blue Professional

L-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 302 002	Chrome	4005176443343	1,968.36
31 302 DC2	supersteel	4005176443350	2,197.66

GROHE Blue Professional

C-spout kit

Consisting of:

GROHE Blue Mono mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices


Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

40 554 002		4005176458521	2,444.00
------------	--	---------------	----------

**GROHE Blue Professional
Cooler and carbonizer**

delivers 12 liters of chilled water per hour
 colour display with push and turn control
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 push notifications at low filter resp. CO₂ capacity
 additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
 compatible only with GROHE Blue faucets with push button operation

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 001	Chrome	4005176454134	1,989.90
31 455 DC1	supersteel	4005176454141	2,281.68
31 455 DA1	warm sunset	4005176488955	2,249.00
31 455 DL1	brushed warm sunset	4005176488962	2,249.00
31 455 A01	hard graphite	4005176488931	2,249.00
31 455 AL1	Brushed Hard Graphite	4005176488948	2,249.00

GROHE Blue Home

C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.


This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 000	Chrome	4005176323027	1,989.90
31 455 DC0	supersteel	4005176323034	2,281.68



GROHE Blue Home

C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 541 000	Chrome	4005176437038	2,100.51
31 541 DC0	supersteel	4005176437045	2,646.32

GROHE Blue Home

C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 454 001	Chrome	4005176454110	1,989.90
31 454 DC1	supersteel	4005176454127	2,281.68
31 454 DA1	warm sunset	4005176488917	2,249.00
31 454 DL1	brushed warm sunset	4005176488924	2,249.00
31 454 A01	hard graphite	4005176488894	2,249.00
31 454 AL1	Brushed Hard Graphite	4005176488900	2,249.00

GROHE Blue Home

L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 539 000	Chrome	4005176437014	2,100.51
31 539 DC0	supersteel	4005176437021	2,646.32

GROHE Blue Home

L-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 456 001	Chrome	4005176454158	1,989.90
31 456 DC1	supersteel	4005176454165	2,281.68

GROHE Blue Home

U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 543 000	Chrome	4005176437052	2,100.51
31 543 DC0	supersteel	4005176437069	2,646.32

GROHE Blue Home U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 360°
separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua




Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

40 711 001		4005176454301	1,144.18
------------	--	---------------	----------

**GROHE Blue Home
Cooler**

180 Watt cooling unit, 230 V, 50 Hz
 delivers 3 liters of chilled sparkling water per hour
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter



System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.







** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
 to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PURE




GROHE BLUE PURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 382 000	Chrome	4005176565496	501.51
	30 382 DC0	supersteel	4005176565502	574.80
	<p>GROHE Blue Pure Minta Starter kit Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout pull out mousseur spout separate handle for filtered water headpart 1/2" GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge swivel tubular spout swivel area 90° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue activated carbon filter for premium taste Upto 3000 Liters filter exchange timer including 2 x AA batteries</p>			
	30 383 000	Chrome	4005176565519	344.46
		<p>GROHE Blue Pure Eurosmart Starter kit Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout separate handle for filtered water headpart 1/2" GROHE StarLight chrome finish 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue activated carbon filter for premium taste Upto 3000 Liters filter exchange timer including 2 x AA batteries</p>		
	30 385 000	Chrome	4005176565533	313.05
		<p>GROHE Blue Pure BauCurve Starter kit Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout separate handle for filtered water headpart 1/2" GROHE StarLight chrome finish 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue activated carbon filter for premium taste Upto 3000 Liters filter exchange timer including 2 x AA batteries</p>		

GROHE BLUE PURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

30 387 000	Chrome	4005176565557	260.70
------------	--------	---------------	--------



**GROHE Blue Pure Mono
Starter kit**

Consisting of:

GROHE Blue Mono mixer with filter function
monobloc installation

C-spout

handle for filtered table water

headpart 1/2"

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

Upto 3000 Liters

filter exchange timer including 2 x AA batteries











GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 848 000		4005176351082	7.41
GROHE Blue Drinking bottle Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml				
 	40 848 SD0	stainless steel	4005176386008	11.24
GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml				
 	40 405 000		4005176860812	25.83
GROHE Blue Glass carafe crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1l				
 	40 437 000		4005176885471	25.83
GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml				
	46 717 000		4005176890925	208.83
Pressure indicator for GROHE Blue including adapters for 425 g and 2 kg CO ₂ bottles				
	40 962 000		4005176529412	29.58
GROHE Blue CO₂ adapter adapter for GROHE Blue Professional CO ₂ pressure reducer for use with 425 g CO ₂ bottles for GROHE Blue Professional systems as of January 2019				

GROHE BLUE ACCESSORIES




	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 621 000	Chrome	4005176923333	19.94
	40 621 DC0	supersteel	4005176923340	19.94
<p>GROHE Blue Shorter mixed water lever for GROHE Blue and GROHE Red kitchen mixers to avoid the lever hitting the backwall of the kitchen in warm water position fits to: - 31 323 001 / DC1 - 31 324 001 / DC1 - all GROHE Red Duo faucets</p>				
 	40 404 001		4005176984068	51.66
	<p>GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue Capacity 600 L at 20° dKH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>			
	40 430 001		4005176984075	95.83
 	40 412 001		4005176984082	124.99
	<p>ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high</p>			
 	40 547 001		4005176984099	51.66
	<p>GROHE Blue Activated carbon filter BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH Upto 3000 Liters 3-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>			
 	40 691 001		4005176984129	66.24
	<p>GROHE Blue Magnesium+ Filter BWT replacement filter for GROHE Blue for recharge of the water with magnesium Capacity 400 L at 17° dGH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>			
 	40 575 001		4005176385766	221.00
	<p>GROHE Blue UltraSafe Filter exchange filter for GROHE Blue UltraSafe Up to 3000 Liters 2-phase-filter</p>			
	64 508 001		4005176984112	34.16
	<p>GROHE Blue Filter Head for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately</p>			

KITCHEN FITTINGS

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 434 001		4005176985294	29.58
<p>GROHE Blue Cleaning cartridge for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
	40 694 000		4005176985300	22.08
<p>GROHE Blue Cleaning cartridge adapter for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately</p>				
 	40 422 000		4005176890246	66.66
<p>GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces) carbondioxid from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
 	40 687 000		4005176981838	29.16
<p>GROHE Blue Refill 425 g CO₂ bottles (4 pieces) carbondioxid from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
 	40 920 000	Chrome	4005176470646	18.33
<p>GROHE Blue 425 g CO₂ bottle carbondioxid from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water sales unit 18 pieces This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 423 000		4005176890253	87.49
	GROHE Blue Starter kit 2 kg CO₂ bottle carbondioxid from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 2 kg, up to 350 l sparkling water integrated shut-off valve and safety carrier handle for refilling please order 40 424 000 not suitable for the GROHE Blue Home cooler			
	40 843 000		4005176337109	47.91
	GROHE Blue Extension set Consisting of: extension cable 5 m hose for drinking water, 5 m tube cutter adapters and clips suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)			

GROHE RED



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 058 001	Chrome	4005176989162	1,989.89
30 058 DC1	supersteel	4005176989179	2,100.48
30 058 DA1	warm sunset	4005176489273	2,249.00
30 058 DL1	brushed warm sunset	4005176489280	2,249.00
30 058 A01	hard graphite	4005176489259	2,249.00
30 058 AL1	Brushed Hard Graphite	4005176489266	2,249.00

GROHE Red Duo

Tap and M Size Boiler

Consisting of:

GROHE Red Duo single-lever sink mixer (30 033 000)

monobloc installation

C-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit



30 341 001	Chrome	4005176414916	1,989.89
30 341 DC1	supersteel	4005176414923	2,100.48
30 341 DA1	warm sunset	4005176489310	2,249.00
30 341 DL1	brushed warm sunset	4005176489327	2,249.00
30 341 A01	hard graphite	4005176489297	2,249.00
30 341 AL1	Brushed Hard Graphite	4005176489303	2,249.00

GROHE Red Duo

Tap and M Size Boiler

Consisting of:

GROHE Red Duo single-lever sink mixer (30 033 000)

monobloc installation

L-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set






for protection of the boiler from limescale

Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 060 001	Chrome	4005176989186	1,768.69
	<p>GROHE Red Mono Pillar tap and M size boiler Consisting of: GROHE Red Mono pillar tap monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE StarLight chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	30 329 001	Chrome	4005176414121	1,768.69
	<p>GROHE Red Mono Pillar tap and M size boiler Consisting of: GROHE Red Mono pillar tap monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE StarLight chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	40 841 001	Chrome	4005176335358	94.02
<p>GROHE Red Mixing valve for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C hot fill and cold fill installation possible including 70 cm connection hose, manifold and wall fixation</p>				











GROHE RED

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 842 001	Chrome	4005176335365	1,039.75
	GROHE Red Boiler Size M reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	40 834 001	Chrome	4005176335280	738.12
	GROHE Red Boiler Size L reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	40 438 001		4005176984105	141.66
	GROHE Red Filter with filter head for regions with water hardness higher 12° KH turn before GROHE Red boiler flexible connection hoses filter 600 l			
	40 919 SD0	stainless steel	4005176450136	13.33
	GROHE Red Thermo drinking bottle stainless steel bottle with GROHE Red decor double-walled lid with strap with tea strainer volume 450 ml			
	40 432 000		4005176883255	22.08
	GROHE Red Tea glasses (4 pieces) heat proof glass with GROHE Red decor dish washer safe volume 250 ml			

GROHE WASTE SEPARATION SYSTEMS




GROHE WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 855 000		4005176356452	57.00
<p>GROHE Blue Waste separation system 30 cm - 15 l / 15 l installation type: floor mounted, behind swinging door technique: full extension operation: manual telescopic separation: double, 2 x 15 l cabinet width: 30 cm and wider compatible with GROHE Blue Home and GROHE Red M and L size</p>				
 	40 980 000		4005176586446	292.00
<p>GROHE Blue Waste separation system 60 cm - 29 l installation type: side wall and front panel technique: full extension with pull-in damping separation: single, 1 x 29 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 981 000		4005176586453	292.00
<p>GROHE Blue Waste separation system 60 cm - 8 l / 8 l installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 2 x 8 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 982 000		4005176586460	311.00
<p>GROHE Blue Waste separation system 90 cm - 11 l / 29 l installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 1 x 11 l, 1 x 29 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 983 000		4005176586477	311.00
<p>GROHE Blue Waste separation system 90 cm - 8 l / 8 l / 11 l installation type: side wall and front panel technique: full extension with pull-in damping separation: triple, 2 x 8 l, 1 x 11 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				

GROHE WASTE SEPARATION SYSTEMS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



40 984 000		4005176586484	47.00
------------	--	---------------	-------

GROHE Blue
Retrofit kit for extricable metal cover
 contents: pull-out rails and anti-slip mat
 for use with GROHE Blue waste separation system
 40 980, 40 981, 40 982 or 40 983, sold separately


KITCHEN
FITTINGS

GROHE K7




GROHE K7

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



32 950 000	Chrome	4005176879838	622.25
32 950 DC0	supersteel	4005176879845	812.41
32 950 A00	hard graphite	4005176488870	849.00
32 950 AL0	Brushed Hard Graphite	4005176488887	849.00

K7
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system






31 379 000	Chrome	4005176938085	601.12
31 379 DC0	supersteel	4005176938092	780.72
31 379 A00	hard graphite	4005176488856	819.00
31 379 AL0	Brushed Hard Graphite	4005176488863	819.00

K7
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout, swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE FOOT CONTROL



GROHE FOOT CONTROL


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	30 309 000		4005176351235	352.86
	30 310 000	Chrome	4005176351242	313.00
	Foot Control Dual flush valve set Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 upgrade set for GROHE pull-out kitchen faucets not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001)			

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH




GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No. Colour EAN code Retail Guide Price (£)




31 613 000	Chrome	4005176521973	304.00
31 613 DC0	supersteel	4005176521980	394.00
31 613 DA0	warm sunset	4005176523595	425.00
31 613 A00	hard graphite	4005176523601	425.00

Minta SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free




31 360 001	Chrome	4005176343025	551.95
31 360 DC1	supersteel	4005176343032	717.86

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



31 358 002	Chrome	4005176465000	568.38
31 358 DC2	supersteel	4005176465017	710.76

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
monobloc installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




31 375 000	Chrome	4005176934155	210.23
31 375 DC0	supersteel	4005176934162	273.62
31 375 DA0	warm sunset	4005176488634	299.00
31 375 DL0	brushed warm sunset	4005176488641	299.00
31 375 A00	hard graphite	4005176488610	299.00
31 375 AL0	Brushed Hard Graphite	4005176488627	299.00

Minta
Single-lever sink mixer 1/2"
L-spout
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system


GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No. Colour EAN code Retail Guide Price (£)




32 168 000	Chrome	4005176824425	210.23
32 168 DC0	supersteel	4005176824432	273.62

Minta
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
 adjustable flow rate limiter
 swivel tubular spout
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system




30 274 000	Chrome	4005176314988	263.05
30 274 DC0	supersteel	4005176314995	329.91
30 274 DA0	warm sunset	4005176488672	356.00
30 274 DL0	brushed warm sunset	4005176488689	356.00
30 274 A00	hard graphite	4005176488658	356.00
30 274 AL0	Brushed Hard Graphite	4005176488665	356.00

Minta
Single-lever sink mixer 1/2"
 L-spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system



32 917 000	Chrome	4005176230950	167.97
32 917 DC0	supersteel	4005176804946	210.23
32 917 KS0	velvet black	4005176980640	227.14
32 917 DA0	warm sunset	4005176488719	239.00
32 917 DL0	brushed warm sunset	4005176488726	239.00
32 917 A00	hard graphite	4005176488696	239.00
32 917 AL0	Brushed Hard Graphite	4005176488702	239.00

Minta
Single-lever sink mixer 1/2"
 C-spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 selectable swivel area : 0° / 150° / 360°
 flexible connection hoses
 with compression nut
 rapid installation system
 optional temperature limiter (46 308 000)



32 918 000	Chrome	4005176230967	210.23
32 918 DC0	supersteel	4005176804953	273.62

Minta
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
 adjustable flow rate limiter
 swivel tubular spout
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 optional temperature limiter (46 308 000)


32 918 00E	Chrome	4005176866616	210.23
Ditto, with GROHE Ecojoy 5.7 l/min flow limiter			

KITCHEN FITTINGS

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH


Ref. No. Colour EAN code Retail Guide Price (£)

32 511 000 Chrome 4005176295621 252.49



Minta
Single-lever sink mixer 1/2"
for use with displacement water heater
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 321 002 Chrome 4005176465109 208.15
32 321 DC2 supersteel 4005176465116 270.91
32 321 GN2 brushed cool sunrise 4005176618529 298.12
32 321 DA2 warm sunset 4005176488757 298.00
32 321 DL2 brushed warm sunset 4005176488764 298.00
32 321 A02 hard graphite 4005176488733 298.00
32 321 AL2 Brushed Hard Graphite 4005176488740 298.00








Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

30 348 001 Chrome 4005176464973 203.00



Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 349 001	Chrome	4005176464980	203.00
	<p>Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			
	32 488 000	Chrome	4005176289552	167.97
	32 488 DC0	supersteel	4005176804939	221.36
	32 488 DA0	warm sunset	4005176488795	239.00
	32 488 DL0	brushed warm sunset	4005176488801	239.00
	32 488 A00	hard graphite	4005176488771	239.00
	32 488 AL0	Brushed Hard Graphite	4005176488788	239.00
	32 067 000	Chrome	4005176811142	210.23
	<p>Minta Single-lever sink mixer 1/2" U spout, monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area : 0° / 150° / 360° swivel tubular spout flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>			
	32 322 002	Chrome	4005176465123	208.15
	32 322 DC2	supersteel	4005176465130	270.91
	32 322 DA2	warm sunset	4005176488832	298.00
	32 322 DL2	brushed warm sunset	4005176488849	298.00
	32 322 A02	hard graphite	4005176488818	298.00
	32 322 AL2	Brushed Hard Graphite	4005176488825	298.00
	<p>Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			

KITCHEN FITTINGS

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No. Colour EAN code Retail Guide
Price (£)

40 684 000	Chrome	4005176940088	61.91
40 684 DC0	supersteel	4005176940095	65.06






**Minta
Lever**
for Minta single lever sink mixer



GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH




GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 593 002	Chrome	4005176521942	399.00
	31 593 DC2	supersteel	4005176521959	599.00
	<p>Zedra SmartControl Sink mixer with SmartControl monobloc installation GROHE StarLight chrome finish pull-out spray with laminar GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation - no tools needed GROHE Zero separated inner water ways - lead and nickel free</p>			
	30 219 002	Chrome	4005176466540	664.51
	30 219 DC2	supersteel	4005176466557	896.93
	<p>Zedra Touch Electronic single-lever sink mixer 1/2" Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses</p>			
	32 294 002	Chrome	4005176466496	344.46
	32 294 DC2	supersteel	4005176466502	447.08
	<p>Zedra Single-lever sink mixer 1/2" monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation - no tools needed GROHE Zero separated inner water ways - lead and nickel free</p>			

GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No. Colour EAN code Retail Guide Price (£)

32 553 002 **Chrome** 4005176466649 **322.48**
 32 553 DC2 **supersteel** 4005176466656 **506.04**



Zedra
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
 GROHE Zero separated inner water ways - lead and nickel free


KITCHEN
FITTINGS

GROHE ATRIO



GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 362 000	Chrome	4005176496479	449.17
30 362 DC0	supersteel	4005176496486	585.27
30 362 AL0	Brushed Hard Graphite	4005176497292	672.66




Atrio
Two handle sink mixer 1/2"
 C-spout
 monobloc installation
GROHE StarLight chrome finish
 ceramic headparts 1/2", 90°
 selectable swivel area : 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 mousseur

GROHE ESSENCE




GROHE ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 615 000	Chrome	4005176523649	362.00
31 615 DC0	supersteel	4005176523656	471.00
31 615 BE0	polished nickel	4005176523731	507.00
31 615 EN0	brushed nickel	4005176523748	543.00
31 615 GL0	cool sunrise	4005176523670	507.00
31 615 GN0	brushed cool sunrise	4005176523687	543.00
31 615 DA0	warm sunset	4005176523694	507.00
31 615 DL0	brushed warm sunset	4005176523700	543.00
31 615 A00	hard graphite	4005176523717	507.00
31 615 AL0	Brushed Hard Graphite	4005176523724	543.00

Essence SmartControl
Sink mixer with SmartControl monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free



30 294 000	Chrome	4005176341472	419.21
30 294 DC0	supersteel	4005176341489	540.89
30 294 BE0	polished nickel	4005176488511	546.00
30 294 EN0	brushed nickel	4005176488528	546.00
30 294 GL0	cool sunrise	4005176488078	546.00
30 294 GN0	brushed cool sunrise	4005176488085	546.00
30 294 DA0	warm sunset	4005176488498	546.00
30 294 DL0	brushed warm sunset	4005176488504	546.00
30 294 A00	hard graphite	4005176488054	546.00
30 294 AL0	Brushed Hard Graphite	4005176488061	546.00


Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 321 GE0	green	4005176438271	98.45
30 321 XC0	Dark Grey	4005176385735	60.85
30 321 MW0	Sheer Marble	4005176385728	60.85
30 321 HG0	Dark Brown	4005176385742	60.85
30 321 DG0	red	4005176438219	98.45
30 321 DP0	pink	4005176438264	98.45
30 321 DU0	purple	4005176438257	98.45
30 321 TY0	blue	4005176438240	98.45
30 321 YF0	yellow	4005176438233	60.85
30 321 YR0	orange	4005176438226	98.45


Essence GROHFlexx kitchen hose
Spout hose for Essence kitchen tap
for 30 294 000/ 30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts

GROHE ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 269 000	Chrome	4005176314902	264.36
30 269 DC0	supersteel	4005176314919	330.74
30 269 GL0	cool sunrise	4005176428616	341.79
30 269 GN0	brushed cool sunrise	4005176428623	341.80
30 269 DA0	warm sunset	4005176428630	341.79
30 269 DL0	brushed warm sunset	4005176428647	341.80
30 269 A00	hard graphite	4005176428661	341.79
30 269 AL0	Brushed Hard Graphite	4005176428654	341.80

Essence
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 mousseur
 swivel tubular spout
 adjustable swivel area 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 integrated temperature limiter



30 270 000	Chrome	4005176314926	330.71
30 270 DC0	supersteel	4005176314933	386.03
30 270 GL0	cool sunrise	4005176427428	441.33
30 270 GN0	brushed cool sunrise	4005176427435	441.30
30 270 DA0	warm sunset	4005176427442	441.33
30 270 DL0	brushed warm sunset	4005176427459	441.30
30 270 A00	hard graphite	4005176427473	441.33
30 270 AL0	Brushed Hard Graphite	4005176427466	441.30


Essence
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 integrated temperature limiter

GROHE EUROCUBE




GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



31 395 000	Chrome	4005176304774	574.06
31 395 DC0	supersteel	4005176304767	740.00

Eurocube
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 diverter: mousseur/shower jet
 swivel spout
 swivel area 140°
 360° maneuverable spring arm
 protected against backflow
 flexible connection hoses
 applicable for under cupboard installation
 rapid installation system







31 255 000	Chrome	4005176901416	198.00
31 255 DC0	supersteel	4005176994319	408.19

Eurocube
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 mousseur
 swivel cast spout
 swivel area 360°
 flexible connection hoses
 rapid installation system

GROHE AMBI



GROHE AMBI


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 189 000	Chrome	4005176914102	164.80
	<p>Ambi Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headparts 1/2", 90° mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles lever opens to the front, protecting the backsplash flexible connection hoses rapid installation system min. recommended pressure 0.4 bar</p>			
	30 190 000	Chrome	4005176914119	175.87
	<p>Ambi Cosmopolitan Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headpart mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles flexible connection hoses lever opens to the front, protecting the backsplash rapid installation system min. recommended pressure 0.4 bar</p>			

GROHE PARKFIELD



GROHE PARKFIELD

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 215 001	Chrome	4005176409066	351.75
30 215 DC1	supersteel	4005176409073	358.48













Parkfield
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE EURODISC COSMOPOLITAN



GROHE EURODISC COSMOPOLITAN


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		32 259 003	Chrome	4005176466908	217.93
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° mousseur flexible connection hoses GROHE QuickFix rapid installation system</p>					
		31 122 004	Chrome	4005176466892	261.75
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system min. recommended pressure 1 bar</p>					
		33 770 002	Chrome	4005176888137	220.11
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>					
		32 257 002	Chrome	4005176886591	264.34
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>					
		33 772 002	Chrome	4005176890796	231.18
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 211 mm S-unions</p>					

GROHE EURODISC




GROHE EURODISC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



33 770 001	Chrome	4005176828959	197.99
-------------------	---------------	----------------------	---------------

Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system



32 257 001	Chrome	4005176834165	209.06
-------------------	---------------	----------------------	---------------


Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray
 diverter: mousseur/shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system

GROHE CONCETTO




GROHE CONCETTO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 491 000	Chrome	4005176343308	337.01
31 491 DC0	supersteel	4005176343315	442.65



Concetto
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHFlexx kitchen santoprene hose
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system




32 661 003 Chrome
32 661 DC3 supersteel

4005176466823
4005176466830

187.23
229.07

Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 selectable swivel area : 0° / 150°
 flexible connection hoses
GROHE QuickFix rapid installation system




32 663 003 Chrome
32 663 DC3 supersteel

4005176466854
4005176466861

208.15
291.83

Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 GROHE Zero separated inner water ways - lead and nickel free
 pull-out laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
GROHE QuickFix rapid installation system
min. recommended pressure 1 bar



31 212 003 Chrome


4005176466762

236.00

Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
 high spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 pull-out laminar spray
 automatic return
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system


GROHE CONCETTO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 483 002	Chrome	4005176466809	239.53
31 483 DC2	supersteel	4005176466816	312.75




Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

32 666 001	Chrome	4005176887406	315.88
------------	--------	---------------	--------




Concetto
Single-lever sink mixer 1/2"
integrated stop valve
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses
rapid installation system

31 128 001	Chrome	4005176886737	189.10
31 128 DC1	supersteel	4005176891007	241.93









Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

31 129 001	Chrome	4005176886744	231.36
31 129 DC1	supersteel	4005176891021	294.75













Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 273 001	Chrome	4005176314964	263.05
	30 273 DC1	supersteel	4005176314971	337.01
	<p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow integrated non-return valve flexible connection hoses rapid installation system</p>			
	31 214 001	Chrome	4005176891090	232.00
		<p>Concetto Single-lever sink mixer 1/2" for use with displacement water heater medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>		
	32 659 001	Chrome	4005176886713	167.97
		<p>Concetto Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>		











GROHE EUROSTYLE COSMOPOLITAN



GROHE EUROSTYLE COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		33 975 004	Chrome	4005176467004	185.08
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>					
		31 127 002	Chrome	4005176886669	175.88
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 126 004	Chrome	4005176466977	206.97
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>					
		31 482 003	Chrome	4005176466984	239.83
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>					
		30 221 002	Chrome	4005176984235	131.63
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter</p>					









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 124 002	Chrome	4005176886614	164.82
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	31 159 002	Chrome	4005176888106	297.53
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for installation in front of window medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses</p>			
	33 977 002	Chrome	4005176886560	142.70
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	32 230 002	Chrome	4005176886577	119.48
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p>			
	33 982 002	Chrome	4005176890833	131.63
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 273 mm S-unions</p>			

GROHE EUROSMART COSMOPOLITAN



GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 843 002	Chrome	4005176466939	127.26
	32 843 DC2	supersteel	4005176466953	191.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>			
	32 843 20E	Chrome	4005176466946	130.00
ditto, with GROHE Ecojoy				
	32 845 002	Chrome	4005176466960	120.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE EcoJoy technology for less water and perfect flow mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>			
				
	31 180 000	Chrome	4005176889288	189.10
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
				
	31 481 001	Chrome	4005176466922	188.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>			
				

GROHE EUROSMART COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		30 193 000 30 193 DC0	Chrome supersteel	4005176919459 4005176938559	125.71 146.84
		<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
		30 199 000	Chrome	4005176922022	98.25
		<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p>			
		30 195 000	Chrome	4005176919473	172.21
		<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses</p>			
		32 842 000	Chrome	4005176874833	104.59
		<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
		31 179 000	Chrome	4005176889172	146.84
		<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater low spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			


GROHE EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



31 161 000	Chrome	4005176889158	199.67
------------	--------	---------------	--------

Eurosmart Cosmopolitan Single-lever sink mixer 1/2"
integrated stop valve
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system



















31 170 000	Chrome	4005176889165	220.80
------------	--------	---------------	--------

Eurosmart Cosmopolitan Single-lever sink mixer 1/2"
for installation in front of window
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

GROHE EUROSMART













	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	33 202 002	Chrome	4005176861956	125.71
<p>Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system</p>				
 	32 223 002	Chrome	4005176861970	125.71
<p>Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click mousseur swivel tubular spout adjustable flow rate limiter adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system Qualitel approval</p>				
 	30 305 000 30 305 DC0	Chrome supersteel	4005176343285 4005176359811	157.41 199.67
<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge flow strainer with integrated temperature limiter pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout 88° swivel radius separate inner water ways – lead and nickel free flexible connection hoses rapid installation system protected against backflow</p>				
 	33 281 002 33 281 DC2	Chrome supersteel	4005176861932 4005176359798	104.59 118.32
<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system</p>				
<p>33 281 20E Chrome 4005176868498 104.59 Ditto, with GROHE Ecojoy 5.7 l/min flow limiter</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 260 002	Chrome	4005176310386	104.59
	<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system</p>			
	32 221 002	Chrome	4005176861949	94.02
	<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system Qualitel E1C2A2U3 applied for</p>			
	32 224 002	Chrome	4005176862007	134.17
	<p>Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 277 mm integrated temperature limiter S-unions</p>			
	31 391 002	Chrome	4005176992476	110.09
	<p>Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 217 mm integrated temperature limiter S-unions</p>			

GROHE EUROECO / EUROECO SPECIAL













GROHE EUROECO / EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 752 000	Chrome	4005176868252	98.44
<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° metal lever flexible connection hoses rapid installation system</p>				
 	32 750 000	Chrome	4005176868238	87.38
<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>				
 	32 786 000	Chrome	4005176871863	131.63
<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses</p>				
 	33 912 000	Chrome	4005176111969	404.43
<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout metal lever lever length 120 mm temperature limiter Attention: old product</p>				
 	32 787 000	Chrome	4005176871870	129.87
<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses</p>				







GROHE COSTA



GROHE COSTA











		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 831 001	Chrome	4005176843280	76.32
<p>Costa L Sink mixer 1/2" metal handles heat-insulated GROHE StarLight finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>					
		31 930 001	Chrome	4005176843303	164.79
<p>Costa L Sink mixer 1/2" for use with displacement water heater metal handles heat-insulated GROHE StarLight finish Longlife-headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes</p>					
		31 829 001	Chrome	4005176845697	77.42
<p>Costa L Sink mixer 1/2" metal handles heat-insulated screwable Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>					
		31 187 001	Chrome	4005176843327	87.38
<p>Costa L Wall sink mixer 1/2" metal handles heat-insulated GROHE StarLight finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions</p>					
		30 098 001	Chrome	4005176843266	32.07
<p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE StarLight finish mousseur Longlife-headparts</p>					

GROHE COSTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 819 001	Chrome	4005176843471	98.42
	Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE StarLight finish Carborundum headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
	31 067 001	Chrome	4005176845710	94.00
	Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE StarLight finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses			
	30 064 001	Chrome	4005176843259	43.14
	Costa L Bibtap 1/2" metal handle wall mounted screwable marking: blue (cold) GROHE StarLight chrome finish Longlife-headpart Laminar flow straightener projection 150 mm			


GROHE BAU LINES



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 368 001	Chrome	4005176478529	81.00
	BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system GROHE QuickFix Plus ultra fast and simple installation - no tools needed min. recommended pressure 1 bar			
	31 367 001	Chrome	4005176478512	103.55
	BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system GROHE QuickFix Plus ultra fast and simple installation - no tools needed min. recommended pressure 1 bar			
	31 536 001	Chrome	4005176478567	75.00
	BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar			
	31 538 001	Chrome	4005176478574	77.00
	GROHE BauFlow Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation - no tools needed			
	31 535 001	Chrome	4005176478550	75.00
	BauClassic Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar			


GROHE BAU LINES

Ref. No. Colour EAN code Retail Guide Price (£)




31 706 000 Chrome 4005176530449 71.00

BauLoop
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar




31 693 000 Chrome 4005176530371 71.00

BauEdge
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar




31 688 000 Chrome 4005176530333 71.00

GROHE BauFlow
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 715 000 Chrome 4005176564123 71.00

BauCurve
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 680 000 Chrome 4005176530487 63.00







BauEco
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar

KITCHEN FITTINGS







GROHE SOAP DISPENSERS AND ACCESSORIES



GROHE SOAP DISPENSERS AND ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 535 000	Chrome	4005176905490	38.33
	40 535 DC0	supersteel	4005176905520	53.74
	40 535 BE0	polished nickel	4005176489457	86.00
	40 535 GL0	cool sunrise	4005176489419	86.00
	40 535 GN0	brushed cool sunrise	4005176489426	86.00
	40 535 DA0	warm sunset	4005176489433	86.00
	40 535 DL0	brushed warm sunset	4005176489440	86.00
	40 535 A00	hard graphite	4005176489396	86.00
	40 535 AL0	Brushed Hard Graphite	4005176489402	86.00
	Cosmopolitan Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish			
	40 536 000	Chrome	4005176905506	34.58
	40 536 DC0	supersteel	4005176905537	48.74
Contemporary Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	40 553 000	Chrome	4005176911422	48.33
	40 553 DC0	supersteel	4005176911439	67.49
Zedra Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	40 537 000	Chrome	4005176905513	42.49
	40 537 DC0	supersteel	4005176905544	74.51
Authentic Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	36 194 000	Chrome	4005176140921	136.41
	Soap dispenser pillar tap with push-button, for liquid soaps, projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. GROHE StarLight finish			
	45 704 000	Chrome	4005176081231	40.93
	Flexible connection hose 300 mm 3/8" x 3/8"			

GROHE SOAP DISPENSERS AND ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 071 000	Chrome	4005176023132	35.10
<p>Swivel tube spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish</p>				
 	13 028 000	Chrome	4005176022821	38.04
<p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish</p>				
 	13 034 000	Chrome	4005176022869	52.11
<p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE StarLight finish</p>				

KITCHEN FITTINGS


GROHE STAINLESS STEEL SINKS



GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 582 SD1 stainless steel 4005176607158 1,511.13




K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable right
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 581 SD1 stainless steel 4005176607141 1,511.13




K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable left
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 583 SD1 stainless steel 4005176607165 971.82



K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 503 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 584 SD1 stainless steel 4005176607172 1,066.99




K800
Stainless steel sink
model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 831 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 585 SD1 stainless steel 4005176607189 1,934.12




K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 586 SD1 stainless steel 4005176607196 1,267.91




K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 574 SD1 stainless steel 4005176607080 347.91
31 574 GN0 brushed cool sunrise 4005176563645 1,017.00
31 574 DL0 brushed warm sunset 4005176563621 1,017.00
31 574 AL0 Brushed Hard Graphite 4005176563638 1,017.00



K700 Undermount
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 540 x 440 mm
1 bowl: 500 x 400 x 195 mm
GROHE QuickFix installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set









31 575 SD1 stainless steel 4005176607097 548.83



K700 Undermount
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 200 mm
GROHE QuickFix installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

KITCHEN
FITTINGS


GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 576 SD1	stainless steel	4005176607103	517.10
	<p>K700 Undermount Stainless steel sink model: K700U 60-S 59.5/45 1.5 rh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable right cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 577 SD1	stainless steel	4005176607110	517.10
	<p>K700 Undermount Stainless steel sink model: K700U 60-S 59.5/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable left cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 578 SD1	stainless steel	4005176607127	538.26
	<p>K700 Stainless steel sink model: K700 45-S 46.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 464 x 464 mm 1 bowl: 400 x 400 x 200 mm GROHE QuickFix installation system cut-out (undermount): 402 x 402 mm (R11) cut-out (top mount): 449 x 449 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 580 SD1	stainless steel	4005176607134	644.00
	<p>K700 Stainless steel sink model: K700 90-S 86.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 864 x 464 mm 1 bowl: 800 x 400 x 200 mm GROHE QuickFix installation system cut-out (undermount): 802 x 402 mm (R11) cut-out (top mount): 849 x 449 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			

GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 571 SD1 stainless steel 4005176626029 221.00




K500
Stainless Steel Sink with Drainer
model: K500 45-S 86/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 420 x 170 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 563 SD1 stainless steel 4005176623738 195.29



K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 450 x 400 x 180 mm
GROHE QuickFix rapid installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set









31 572 SD1 stainless steel 4005176626036 316.19



K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.5 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm
0.5 bowl: 170 x 320 x 125 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

KITCHEN
FITTINGS


GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 588 SD1	stainless steel	4005176626043	326.76
	<p>K500 Stainless Steel Sink with Drainer model: K500 80-S 116/50 2.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 340 x 420 x 190 mm 2 bowl: 340 x 420 x 190 mm GROHE QuickFix installation system sink mountable left or right cut-out (top mount): 1140 x 480 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 573 SD1	stainless steel	4005176626050	411.36
	<p>Minta Kitchen sink and tap bundle Consisting of: K500 stainless steel sink with drainer (31 571 SD1) Minta single lever sink mixer (32 168 000) high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>			
	31 568 SD0	stainless steel	4005176473258	210.43
	<p>K400+ Stainless Steel Sink with Drainer model: K400+ 45-S 87.3/51.3 1.0 rev mounting type: flat edge material: stainless steel AISI 316 (V4A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 873 x 513 mm 1 bowl: 363 x 400 x 188 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 569 SD0	stainless steel	4005176473265	305.61
	<p>K400+ Stainless Steel Sink with Drainer model: K400+ 60-S 98.3/51.3 1.5 rev mounting type: flat edge material: stainless steel AISI 316 (V4A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 983 x 513 mm 1 bowl: 363 x 400 x 188 mm 0.5 bowl: 150 x 300 x 188 mm GROHE QuickFix installation system sink mountable left or right cut-out: 950 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			

GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 566 SD0 stainless steel 4005176473234 168.13




K400
Stainless Steel Sink with Drainer
model: K400 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 567 SD0 stainless steel 4005176473241 242.16




K400
Stainless Steel Sink with Drainer
model: K400 60-S 97/50 1.5 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 587 SD0 stainless steel 4005176473449 242.16



K400
Stainless Steel Sink with Drainer
model: K400 80-S 116/50 2.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set









31 570 SD0 stainless steel 4005176473272 347.91



Concetto
Kitchen sink and tap bundle
Consisting of:
K400 stainless steel sink with drainer (31 566 SD0)
Concetto single lever sink mixer (32 663 003)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

KITCHEN
FITTINGS







GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 564 SD1	stainless steel	4005176623745	156.20
	<p>K200 Stainless Steel Sink with Drainer model: K200 60-S 96.5/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.6 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 965 x 500 mm 1 bowl: 346 x 396 x 165 mm 0.5 bowl: 180 x 340 x 130 mm GROHE QuickFix installation system sink mountable left or right cut-out (top mount): 941 x 476 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 565 SD1	stainless steel	4005176623752	175.74
	<p>Eurosmart Kitchen sink and tap bundle Consisting of: K200 stainless steel sink with drainer (31 552 SD1) Eurosmart single-lever sink mixer (33 281 002) low spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge with integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° GROHE Zero separated inner water ways - lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses GROHE QuickFix rapid installation system</p>			
	31 562 SD1	stainless steel	4005176623721	189.29
	<p>Bau Kitchen sink and tap bundle Consisting of: K200 stainless steel sink with drainer (31 552 SD1) Bau Edge single lever sink mixer (31 367 001) high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur swivel tubular spout swivel area 360° flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation - no tools needed</p>			
	31 552 SD1	stainless steel	4005176623714	104.68
	<p>K200 Stainless Steel Sink with Drainer model: K200 45-S 86/50 1.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.6 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 350 x 400 x 160 mm GROHE QuickFix installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			









GROHE COMPOSITE SINKS



GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 650 AT0	granite gray	4005176521294	233.48
	31 650 AP0	granite black	4005176521287	233.48
	<p>K700 Composite sink model: K700 50-C 40/50 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 400 x 500 mm 1 bowl: 340 x 370 x 200 mm GROHE QuickFix installation system cut-out: 380 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 651 AT0	granite gray	4005176521317	275.35
	31 651 AP0	granite black	4005176521300	275.35
	<p>K700 Composite sink model: K700 60-C 56/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 560 x 510 mm 1 bowl: 500 x 360 x 200 mm GROHE QuickFix installation system cut-out: 545 x 495 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 652 AT0	granite gray	4005176521331	307.81
	31 652 AP0	granite black	4005176521324	307.81
	<p>K700 Composite sink model: K700 80-C 78/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 780 x 510 mm 1 bowl: 720 x 370 x 220 mm GROHE QuickFix installation system cut-out: 764 x 494 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 653 AT0	granite gray	4005176521355	204.17
	31 653 AP0	granite black	4005176521348	204.17
	<p>K700 Undermount Composite sink model: K700U 50-C 45.7/40.6 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 457 x 406 mm 1 bowl: 417 x 366 x 203 mm GROHE QuickFix installation system cut-out: 417 x 366 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 654 AT0	granite gray	4005176521379	234.53
	31 654 AP0	granite black	4005176521362	234.53
	<p>K700 Undermount Composite sink model: K700U 60-C 53.3/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 533 x 457 mm 1 bowl: 469 x 393 x 205 mm GROHE QuickFix installation system cut-out: 468 x 390 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 655 AT0	granite gray	4005176521393	277.46
	31 655 AP0	granite black	4005176521386	277.46
	<p>K700 Undermount Composite sink model: K700U 70-C 61/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 700 mm dimensions: 610 x 460 mm 1 bowl: 544 x 394 x 205 mm GROHE QuickFix installation system cut-out: 543 x 393 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 644 AT0	granite gray	4005176521171	309.91
	31 644 AP0	granite black	4005176521164	309.91
	<p>K500 Composite sink with drainer model: K500 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 347 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			


GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 645 AT0	granite gray	4005176521195	323.53
	31 645 AP0	granite black	4005176521188	323.53
	<p>K500 Composite sink with drainer model: K500 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 646 AT0	granite gray	4005176521218	344.46
	31 646 AP0	granite black	4005176521201	344.46
	<p>K500 Composite sink with drainer model: K500 60-C 100/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 345 x 440 x 200 mm 0.5 bowl: 155 x 295 x 146 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 647 AT0	granite gray	4005176521232	387.39
	31 647 AP0	granite black	4005176521225	387.39
	<p>K500 Composite sink with drainer model: K500 80-C 116/50 2.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 330 x 440 x 200 mm 2 bowl: 330 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 648 AT0	granite gray	4005176521256	296.31
	31 648 AP0	granite black	4005176521249	296.31
	<p>K500 Composite sink model: K500 60-C 55,5/46 1.5 rev mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 555 x 460 mm 1 bowl: 335 x 400 x 200 mm 0.5 bowl: 155 x 400 x 140 mm GROHE QuickFix installation system sink mountable left or right cut-out: 525 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			

GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

31 649 ATO	granite gray	4005176521270	361.21
31 649 AP0	granite black	4005176521263	361.21



K500

Composite sink

model: K500 90-C 86/50 2.0 rev
 mounting type: standard built-in
 material: quartz composite

GROHE Whisper

min. cabinet size: 900 mm
 dimensions: 860 x 500 mm
 1 bowl: 390 x 430 x 200 mm
 2 bowl: 380 x 365 x 200 mm





GROHE QuickFix installation system

sink mountable left or right
 cut-out: 840 x 480 mm
 drainer: automatic waste fitting
 accessories included: automatic waste fitting,
 waste kit, basket strainer waste, mounting set

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 639 AT0	granite gray	4005176520464	230.33
	31 639 AP0	granite black	4005176520457	230.33
	K400 Composite sink with drainer model: K400 50-C 78/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 780 x 500 mm 1 bowl: 347 x 440 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 765 x 485 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 640 AT0	granite gray	4005176520488	290.02
	31 640 AP0	granite black	4005176520471	290.02
	K400 Composite sink with drainer model: K400 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 337 x 420 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 641 AT0	granite gray	4005176521119	312.01
	31 641 AP0	granite black	4005176521102	312.01
	K400 Composite sink with drainer model: K400 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 420 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 642 AT0	granite gray	4005176521133	333.99
	31 642 AP0	granite black	4005176521126	333.99
	K400 Composite sink with drainer model: K400 60-C 100/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 335 x 420 x 205 mm 0.5 bowl: 155 x 295 x 146 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 643 AT0	granite gray	4005176521157	354.93
	31 643 AP0	granite black	4005176521140	354.93
	<p>K400 Composite sink with drainer model: K400 80-C 116/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 400 x 420 x 205 mm 2 bowl: 295 x 295 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 656 AT0	granite gray	4005176521416	191.61
	31 656 AP0	granite black	4005176521409	191.61
	<p>K200 Composite sink model: K200 50-C 51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: Ø 510 mm 1 bowl: Ø 380 x 200 mm GROHE QuickFix installation system cut-out: Ø 490 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

DISCOVER THE WORLD OF GROHE

If you're looking for ideas or solutions for your bathroom and kitchen, the **GROHE Media APP** is where you will find your inspiration. With a new name and a fresh new look, this app puts all the latest content from GROHE – magazines, videos, books and brochures – at your fingertips. This is just a small selection of what the world of GROHE has to offer: the perfect addition to your GROHE home.

GET IT HERE



VISIT US ONLINE AND FOLLOW US ON SOCIAL MEDIA

FACEBOOK [grohe.enjoywater](#) | INSTAGRAM [grohe_global](#)
TWITTER [grohe](#) | YOUTUBE [grohe](#) | PINTEREST [grohe](#)



System requirements

iPhone with iOS 11.0 or higher / smart phone with Android 6.0 or higher. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

LIXIL MAKES BETTER HOMES

A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**



Visit us:



QUALITY

*"No.1 most trusted brand
in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

*"Top 50 companies
to change the world" –
Fortune Magazine, 2017*



DESIGN

*Over 400 design awards
won since 2003*



SUSTAINABILITY

*CSR Award winner of the
German Government, 2017*

www.parsital.com

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_02/2020 – Copyright by GROHE



PART OF **LIXIL**