

Pure Freude  
an Wasser



# CATALOGUE 2019

# GROHE TABLE OF CONTENTS.

Our brand			8
GROHE Rapido SmartBox			12
GROHE Sense			24
Bath fittings	SmartControl	SmartControl mixers	33
	Fittings	Allure Brilliant	37
		Allure	47
		Atrio	57
		Grandera	73
		Lineare	83
		Eurocube Joy	89
		Eurocube	95
		Plus	103
		Europlus	115
		Essence	119
		Eurodisc Joy	129
		Eurodisc Cosmopolitan	133
		Concetto	139
		Eurostyle Cosmopolitan	145
		Eurostyle	151
		Eurosmart Cosmopolitan	161
		Eurosmart	167
		BauEdge	173
		BauLoop	177
		BauFlow	181
		GROHE SilkMove ES	185
	Two Handle fittings	Costa L	191
		Costa S	195
	Universal	Universal tap	199
	Bath sets	Talentofill	201
	Accessories	Selection Cube	205
		Essentials	209



# GROHE TABLE OF CONTENTS.

		Essentials Cube	217
		BauCosmopolitan	223
		Essentials Authentic	227
Thermostats	Grohtherm	Grohtherm SmartControl	235
		Grohtherm 2 handle trim sets	245
		Grohtherm 3000 Cosmopolitan	253
		Grohtherm 2000	257
		Grohtherm Cube	261
		Grohtherm 1000 Cosmopolitan M	265
		Grohtherm 1000	269
		Grohtherm 800	273
Concealed solutions		GROHE Rapido SmartBox	279
		GROHE Rapido C / stop valves	282
Showers	GROHE Digital	F-digital Deluxe	287
		F-digital Controllers	295
	Shower Systems	Rainshower SmartControl System	297
		Rainshower System	303
		Euphoria SmartControl System	307
		Euphoria System	311
		Tempesta System	323
		Retro-fit shower system	327
		Shower system accessories	329
	Headshowers	Head and side showers	333
	Showers	Sena	359
		Rainshower	361
		Power&Soul	367
		Movario	373
		Euphoria	375
		Tempesta	387
		Sena trigger sprays	401
		Tempesta-F trigger sprays	403

# GROHE TABLE OF CONTENTS.

		Shower hoses	407	
		Shower accessories	411	
Kitchen fittings	Water systems	GROHE Blue Professional	427	
		GROHE Blue Home	433	
		GROHE Blue Pure	443	
		GROHE Blue accessories	449	
		GROHE Red	453	
		Premium lines	K7	459
			FootControl	461
			Minta / Minta Touch	463
			Zedra / Zedra Touch	469
			Atrio	473
			Essence	475
			Eurocube	477
		Competence lines	Eurodisc Cosmopolitan	479
			Eurodisc	481
			Concetto	483
			Eurostyle Cosmopolitan	487
			Eurosmart Cosmopolitan	491
			Eurosmart	495
			Euroeco / Euroeco Special	499
			Costa	501
	Bau Lines		503	
	Soap dispensers		505	
	Kitchen sinks	Stainless steel sinks	507	
		Composite sinks	517	
Special fittings	Electronic fittings	Essence E	527	
		Eurocube E	531	
		Bluetooth monitoring	535	
		Europlus E	545	
		Eurosmart Cosmopolitan E	549	

# GROHE TABLE OF CONTENTS.

		Euroeco Cosmopolitan E	557
		Bau Cosmopolitan E	563
Special thermostats		Grohtherm Micro	567
		Grohtherm Special	569
		Grohtherm XL	575
Single-lever mixer		Euroeco Special	579
		Euroeco Single Sequential	585
Self-closing fittings		Eurodisc SE	589
		Eurosmart Cosmopolitan T	591
		Euroeco Cosmopolitan T	593
		Contromix	595
Shower toilet		Sensia IGS	601
		Sensia Arena	605
Ceramics		Essence	611
		Cube Ceramic	617
		Euro Ceramic	623
		Bau Ceramic	631
		Acrylic shower trays	639
Installation Systems	Rapid SL	Rapid SL for WC	645
		Rapid SL for urinal	659
		Rapid SL for wash basin and bidet	663
		Rapid SL for the disabled	669
		Rapid SL free-standing installation	673
		Rapid SL fitting supports	677
		Rapid SL accessories	679
	Uniset	Uniset frames and accessories	685
Flushing systems	WC	Flushing cisterns	693
		Accessories for flushing cisterns	697
		WC flush valves	707
		Electronic actuations for WC	713
	Urinal	Electronic actuations for urinal	719

# GROHE TABLE OF CONTENTS.

		Urinal flush valves	727
Actuations	WC	Wall plates for WC	735
		GROHE Fresh	743
		Wall plates for WC flush valves	745
	Urinal	Wall plates for urinal	747
Connections and Security		Angle valves	752
		WAS valves	755
		Safety systems	758
Spare parts		Cartridges	762
		Thermo elements and thermostatic compact cartridges	763
		Aquadimmer	764
		Head parts	765
		Extension sets	766
		Unions	767
		Outlets and spouts	769
		Flow straighteners	770
		Waste sets and traps	772
		Connections and non-return valves	773
		Spare parts for electronics	774
		Hoses	775
		Spare parts for kitchen faucets	776
		Spare parts for showers	777
		Special tools	778
		Cleaning and care	779
		Spare parts for sanitary systems	780
	Spare parts for shower toilet	781	
Survey of contents			782
Discover the World of GROHE			800
A globally connected Company			802

# PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.











## QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –  
Wirtschaftswoche, 2017*

## TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –  
Fortune Magazine, 2017*



## DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

*Over 350 design awards won since 2003*




## SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

*CSR Award winner of the German Government, 2017*

# THE UNIVERSAL SOLUTION FOR THE NEEDS OF TOMORROW






Exchangeable function units for single-lever mixers, thermostats and SmartControl, fully pre-configured and 100% factory tested



**new**

**TWO-HANDLE THERMOSTATS**

More space and more control with our new thermostats



All thermostats with retrofit service stops



**SMARTCONTROL**

Ultimate and intuitive control of every shower function, space-saving and slim design

Subsequently adjustable by up to six degrees: ensures that the wall plate is always in level and allows for perfect alignment with tile joints



**new**


**SINGLE-LEVER MIXERS**

Simple to operate, control up three functions with our new mixers

# INSTALLER-FRIENDLY INSTALLATION

1


Few things count more in the installation business than efficiency and convenience. That makes the GROHE Rapido SmartBox System an obvious choice. One box offers unlimited options. And the easy installation is a huge plus: job-side mounting, shallow installation depth and with three outlets, only one rough-in needs to be installed, instead of the usual two. This is simply well thought through.





2


**GROHE**




3



SLIMMED DOWN DESIGN  
**FOR MORE SPACE IN THE  
SHOWER**



## GROHE SMARTCONTROL



43 mm

## NEW TWO-HANDLE THERMOSTATS



43 mm



Creating a beautiful area for bathing and showering can often be a challenge, since the space available is frequently very limited. The GROHE Rapido SmartBox System offers the luxury of extra space thanks to our super slim trimsets. One great advantage is the extra flexibility that comes with our system, allowing you to install the box now and decide on the final design and look later on.

# GROHE SMARTCONTROL FEATURES AT A GLANCE

Slim design,  
overall outreach  
**only 43 mm,**  
all wall plates  
only 10 mm high

All trims  
subsequently  
**adjustable by  
up to 6°**

Perfect shower  
experience with  
GROHE SmartControl:  
**push, turn, shower**

**Retrofit back-flow  
protection combination**  
for bath fill and  
overflow unit



## VARIANTS

- Mixer with 1, 2, 3-function
- Thermostat with 1, 2, 3-function
- Triple volume control trim
- Round and square design + colour options



**GROHE  
TurboStrat**



**GROHE  
QuickFix**



**GROHE  
StarLight**



**SafeStop**



**SafeStop  
Plus**

GROHE Turbostat, SafeStop and SafeStop Plus only for thermostats

Original Size 1:1



reddot award 2018  
winner

#METROPOLISlikes



Small plates,  
all trims **only 158 mm**  
square or in diameter  
(Illustration in original size)

**QuickFix System** for  
force-fit fixation  
and hidden fixation  
and sealing

**Available as a mixer  
and thermostat**

**38°C SafeStop** Button  
(thermostat)

Thermostats come  
with optional  
**43°C temperature limiter**

All plates are **metal  
made**

Thermostat with **GROHE  
TurboStat** technology  
ensuring constant shower  
temperature for comfort  
and safety

**Retrofit service stops**



# NEW TWO-HANDLE THERMOSTATS

## FEATURES AT A GLANCE

**new**

Slim design, overall outreach **only 43 mm**, independent from installation depth  
+ all plates only 10 mm high

**new**

All trims subsequently **adjustable by up to 6°**

**Retrofit back-flow protection combination** for bath fill and overflow unit

### VARIANTS

- Volume control (shower)
- AquaDimmer (head/hand shower symbol)
- AquaDimmer (bath/shower symbol)
- Round, square, cube design
- Atrio design with wide range of colour options



**GROHE TurboStrat**



**GROHE QuickFix**



**GROHE StarLight**




**SafeStop**



**SafeStop Plus**

Original Size 1:1



**new**

Small plates,  
all trims **only 158 mm**  
square or in diameter  
(Illustration in original size)

**new**

**QuickFix System** for  
force-fit fixation  
and hidden fixation  
and sealing

**38°C SafeStop** Button

Optional  
**43°C temperature**  
limiter included

**new**

All plates are **metal made**

Thermostat with **GROHE TurboStat** technology  
ensuring constant shower  
temperature for comfort  
and safety

**new**

**Retrofit service stops**



# NEW SINGLE-LEVER MIXERS

## FEATURES AT A GLANCE

**new**

Slim design, **all plates**  
**10 mm high\***

**new**

All trims  
subsequently  
**adjustable by**  
**up to 6°**

**Retrofit back-flow**  
**protection combination**  
**for 2-way diverter trims**  
in combination with bath  
fill and overflow unit

### VARIANTS

- Volume control (shower)
- 2-way diverter trims
- 3-way diverter trims for selected designs



**GROHE**  
SilkMove




**GROHE**  
QuickFix



**GROHE**  
StarLight

Original Size 1:1



**new**

Small plates,  
all trims **only 158 mm**  
square or in diameter  
(Illustration in original size)

**new**

**QuickFix System** for  
force-fit fixation  
and hidden fixation  
and sealing

**new**

**3-way diverter variants**  
to operate:  
- 2-spray head shower +  
hand shower  
- head shower + hand  
shower + bath spout

2-way diverter –  
**only 43 mm** total outreach\*,  
3-way diverter –  
**only 30 mm** total outreach\*  
(independent of rough-in  
installation depth)

**new**

All plates are **metal made**

Design variants for all  
GROHE bath lines

\* with exception of Allure Brillant due to special design



BEFORE A DRIP  
**BECOMES A FLOOD.**  
DETECT TO TAKE CARE WITH GROHE SENSE.





GROHE











CONNECTION



WATER ON/OFF

# GROHE SENSE

	Article No.	Colour	Price
 	<b>22 505 LNO</b> <b>GROHE Sense</b> <b>Smart water sensor</b> for wireless LAN, battery powered automatic warnings in emergency situations - flooding alarm and frost risk alarm daily updates of humidity and temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected including 3 x AAA batteries CE approved Made in Germany	white	49.99
 	<b>22 594 LNO</b> <b>GROHE Sense</b> <b>Trio bundle</b> <b>3 x GROHE Sense smart water sensor</b> for wireless LAN, battery powered automatic flooding alarm and frost risk alarm senses room temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected including 9 x AAA batteries CE approved Made in Germany	white	*
 	<b>22 597 LNO</b> <b>GROHE Sense</b> <b>Extension bundle</b> Made in Germany  <b>1 x GROHE Sense smart water sensor</b> for wireless LAN, battery powered automatic flooding alarm and frost risk alarm senses room temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected  <b>1 x extension set</b> <b>for difficult to reach locations</b> for installing GROHE Sense smart water sensor on the wall including 3 x AAA batteries including dowels and screw set CE approved	white	*
 	<b>22 506 LNO</b> <b>GROHE Sense</b> <b>Extension set</b> <b>for difficult to reach locations</b> for installing GROHE Sense smart water sensor on the wall sensor extension cable 1.2 m length including dowels and screw set GROHE Sense smart water sensor not included CE approved	white	24.99

# GROHE SENSE

Article No. Colour Price

22 502 LNO white 540.83


**GROHE Sense kit**  
**1 x GROHE Sense Guard smart water controller + 3 x GROHE Sense smart water sensor**  
 Made in Germany

**1 x GROHE Sense Guard Dispozitivul inteligent de control al apei for wireless LAN, mains powered, 230 V**

for single-family houses  
 cold water only  
 detects pipe breaks, micro leaks, frost risk and unusual water flow  
 automatic, manual or remote shut off function to limit water damage  
 senses flow rate, water pressure and system temperature  
 tracks water consumption  
 receive notifications and customize settings via GROHE Ondus App  
 status indication via LED light, buzzer and push notifications  
 wireless LAN 2.4 GHz, WPA/WPA2 protected  
 for horizontal or vertical installation right downstream the water meter  
 use of wall mounting set 22 501 000 with G1" connection recommended, sold separately  
 including R3/4" mounting nuts, extendable power cable 0.7 m, plug type C  
 acoustic group I in accordance with DIN 4109  
 to be installed on cold water pipes only

**3 x GROHE Sense smart water sensor**


for wireless LAN, battery powered  
 automatic flooding alarm and frost risk alarm  
 senses room temperature  
 receive notifications and customize settings via GROHE Ondus App  
 status indication via LED light, buzzer and app  
 for placement on a flat non-conductive surface  
 wireless LAN 2.4 GHz, WPA/WPA2 protected  
 including 9 x AAA batteries  
 CE approved



22 500 LNO white 415.83

**GROHE Sense Guard Smart water controller**  
**for wireless LAN, mains powered, 230 V**

for single-family houses  
 detects pipe breaks, micro leaks, frost risk and unusual water flow  
 automatic, manual or remote shut off function to limit water damage  
 senses flow rate, water pressure and system temperature  
 tracks water consumption  
 receive notifications and customize settings via GROHE Ondus App  
 status indication via LED light, buzzer and push notifications  
 wireless LAN 2.4 GHz, WPA/WPA2 protected  
 for horizontal or vertical installation right downstream the water meter  
 use of wall mounting set 22 501 000 with G1" connection recommended, sold separately  
 including R3/4" mounting nuts, extendable power cable 0.7 m, plug type C  
 acoustic group I in accordance with DIN 4109  
 to be installed on cold water pipes only  
 CE approved  
 Made in Germany




22 521 LNO white 16.66

**GROHE Sense Guard Power extension cable**  
 cable length 3 m



22 501 000 chrome 66.66

**GROHE Sense Guard Wall mounting set**  
 for installation on the wall  
 easy and stable installation  
 mounting nuts with G1" connection  
 for use with 22 500 LNO, 22 502 LNO, 22 503 LNO, 22 513 LNO, 22 517 LNO







Pure Freude  
an Wasser



# CATALOGUE **2019**

GROHE  
BATH FITTINGS





## CONTENTS

SmartControl	SmartControl mixers	33
Fittings	Allure Brilliant	37
	Allure	47
	Atrio	57
	Grandera	73
	Lineare	83
	Eurocube Joy	89
	Eurocube	95
	Plus	103
	Europlus	115
	Essence	119
	Eurodisc Joy	129
	Eurodisc Cosmopolitan	133
	Concetto	139
	Eurostyle Cosmopolitan	145
	Eurostyle	151
	Eurosmart Cosmopolitan	161
	Eurosmart	167
	BauEdge	173
	BauLoop	177
	BauFlow	181
	GROHE SilkMove ES	185
Two Handle fittings	Costa L	191
	Costa S	195
Universal	Universal tap	199
Bath sets	Talentofill	201
Accessories	Selection Cube	205
	Essentials	209
	Essentials Cube	217
	BauCosmopolitan	223
	Essentials Authentic	227





# GROHE SMARTCONTROL MIXERS


---



# GROHE SMARTCONTROL MIXERS

Ref. No. Colour Price netto (€)


29 147 000 chrome 374.00



**SmartControl**  
**Concealed mixer with one valve**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
metal wall escutcheon with **GROHE QuickFix**  
(covered escutcheon and shaft sealing, covered  
fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
exchangeable symbols  
cartridge for temperature mixing  
without roughing-in-set  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation


29 148 000 chrome 414.00



**SmartControl**  
**Concealed mixer with 2 valves**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
metal wall escutcheon with **GROHE QuickFix**  
(covered escutcheon and shaft sealing, covered  
fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
exchangeable symbols  
cartridge for temperature mixing  
multiple outlets can be run simultaneously  
without roughing-in-set  
flow performance:  
outlet B = 23 l/min  
outlet C = 25 l/min  
outlet B + C = 27 l/min

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 149 000 chrome 452.00



**SmartControl**  
**Concealed mixer with 3 valves**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
metal wall escutcheon with **GROHE QuickFix**  
(covered escutcheon and shaft sealing, covered  
fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
exchangeable symbols  
cartridge for temperature mixing  
multiple outlets can be run simultaneously  
without roughing-in-set  
flow performance:  
outlet A = 22 l/min  
outlet B = 26 l/min  
outlet C = 22 l/min  
outlet A + B = 31 l/min  
outlet A + B + C = 34 l/min

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation

# GROHE SMARTCONTROL MIXERS

	Ref. No.	Colour	Price netto (€)
	29 144 000	chrome	360.00
	<p><b>SmartControl</b>  <b>Concealed mixer with one valve</b>                      set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with <b>GROHE QuickFix</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> chrome finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      exchangeable symbols                      cartridge for temperature mixing                      without roughing-in-set                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min</p>		
	35 600 000	chrome	68.00
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>		
	29 145 000	chrome	416.00
	<p><b>SmartControl</b>  <b>Concealed mixer with 2 valves</b>                      set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with <b>GROHE QuickFix</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> chrome finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      exchangeable symbols                      cartridge for temperature mixing                      multiple outlets can be run simultaneously                      without roughing-in-set                      flow performance:                      outlet B = 23 l/min                      outlet C = 25 l/min                      outlet B + C = 27 l/min</p>		
	35 600 000	chrome	68.00
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>		
	29 146 000	chrome	452.00
	<p><b>SmartControl</b>  <b>Concealed mixer with 3 valves</b>                      set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with <b>GROHE QuickFix</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> chrome finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      exchangeable symbols                      cartridge for temperature mixing                      multiple outlets can be run simultaneously                      without roughing-in-set                      flow performance:                      outlet A = 22 l/min                      outlet B = 26 l/min                      outlet C = 22 l/min                      outlet A + B = 31 l/min                      outlet A + B + C = 34 l/min</p>		
	35 600 000	chrome	68.00
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>		
	34 709 000	chrome	1,200.00
	<p><b>SmartControl</b>  <b>Perfect shower set</b>                      consisting of:                      concealed mixer with 3 valves                      SmartControl mixer set for final installation (29 146 000)                      GROHE Rapido SmartBox 35 600 000                      Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)                      Euphoria Cosmopolitan Stick handshower (27 367 000)                      Rainshower wall holder (27 074 000)                      Rainshower wall union 1/2" (27 057 000)                      Silverflex shower hose 1.500 mm (28 364)</p>		


\* price upon request

# GROHE SMARTCONTROL MIXERS

Ref. No.

Colour

Price netto (€)



34 712 000

chrome

1,160.00

**SmartControl  
Perfect shower set**

consisting of:

concealed mixer with 3 valves

SmartControl mixer set for final installation

(29 149 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 SmartActive Cube head shower set (26 479)

including head shower with 2 sprays, horizontal shower arm 400 mm

and head shower rough-in (26 483 000)

hand shower Euphoria Cube Stick (27 698 000)

Euphoria Cube wall union with integrated shower holder (26 370 000)

Silverflex shower hose 1.500 mm (28 364)


# GROHE ALLURE BRILLIANT





# GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)




23 029 000	chrome	585.00
23 029 DC0	supersteel	*
23 029 A00	hard graphite	751.00
23 029 AL0	brushed hard graphite	801.00

**Allure Brilliant**  
Single-lever basin mixer 1/2"  
M-Size

single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
temperature limiter, GROHE StarLight chrome finish  
GROHE EcoJoy 5.0 l/min. flow limiter  
GROHE QuickFix installation system  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar

23 033 000	chrome	585.00
23 033 DC0	supersteel	*
23 033 A00	hard graphite	*
23 033 AL0	brushed hard graphite	*

ditto, smooth body




23 109 000	chrome	729.00
23 109 DC0	supersteel	*
23 109 A00	hard graphite	825.00
23 109 AL0	brushed hard graphite	995.00

**Allure Brilliant**  
Single-lever basin mixer 1/2"  
L-Size

single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
temperature limiter, GROHE StarLight chrome finish  
GROHE EcoJoy 5.0 l/min. flow limiter  
GROHE QuickFix installation system  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar

23 112 000	chrome	722.00
23 112 DC0	supersteel	*
23 112 A00	hard graphite	*
23 112 AL0	brushed hard graphite	*


ditto, smooth body



23 114 000	chrome	904.00
23 114 DC0	supersteel	*
23 114 A00	hard graphite	*
23 114 AL0	brushed hard graphite	1,230.00

**Allure Brilliant**  
Single-lever basin mixer 1/2"  
XL-Size

single hole installation  
for free-standing basins  
GROHE SilkMove 28 mm ceramic cartridge  
temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.0 l/min. flow limiter  
GROHE QuickFix installation system  
spout with integrated mousseur  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar




20 344 000	chrome	817.00
20 344 DC0	supersteel	*
20 344 A00	hard graphite	1,020.00
20 344 AL0	brushed hard graphite	968.00

**Allure Brilliant**  
Three-hole basin mixer 1/2"  
M-Size

ceramic headparts 1/2", 90°  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.0 l/min. flow limiter  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
min. recommended pressure 1.0 bar



# GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)



20 342 000	chrome	612.00
20 342 DC0	supersteel	*
20 342 A00	hard graphite	*
20 342 AL0	brushed hard graphite	*

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
ceramic headparts 1/2", 90°  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.0 l/min. flow limiter  
low spout with integrated mousseur  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
min. recommended pressure 1.0 bar




20 346 000	chrome	636.00
20 346 DC0	supersteel	*
20 346 A00	hard graphite	*
20 346 AL0	brushed hard graphite	*

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
wall mounted  
without concealed body  
set for final installation for  
29 025 000  
valves hot/cold with ceramic headparts 1/2" - 90°  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.0 l/min. flow limiter  
projection 161 mm  
min. recommended pressure 1.0 bar


20 348 000	chrome	800.00
20 348 DC0	supersteel	*
20 348 A00	hard graphite	*
20 348 AL0	brushed hard graphite	*

ditto, projection 210 mm



29 025 000	chrome	238.00
------------	--------	--------

**Two-handle basin mixer**  
**concealed body, 1/2"**  
for 3-hole wash-basin mixer  
wall installation  
without finishing trim set  
Installation depth 43 - 85 mm  
DR-brass  
installation device



19 781 000	chrome	675.00
19 781 DC0	supersteel	*
19 781 A00	hard graphite	*
19 781 AL0	brushed hard graphite	*


**Allure Brilliant**  
**Two-hole basin mixer**  
**S-Size**  
wall mounted  
without concealed body  
set for final installation for  
23 200 000  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.0 l/min. flow limiter  
spout with integrated mousseur  
centre distance 110 mm  
projection 161 mm  
min. recommended pressure 1.0 bar

19 783 000	chrome	761.00
19 783 DC0	supersteel	*
19 783 A00	hard graphite	*
19 783 AL0	brushed hard graphite	*


ditto, projection 210 mm

# GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)



<b>23 200 000</b>	<b>chrome</b>	<b>236.00</b>
<b>Single-lever mixer 1/2", concealed body</b>		
for 2-hole basin mixers wall installation without finishing trim set <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device		




<b>23 117 000</b>	<b>chrome</b>	<b>664.00</b>
<b>23 117 DC0</b>	<b>supersteel</b>	*
<b>23 117 A00</b>	<b>hard graphite</b>	*
<b>23 117 AL0</b>	<b>brushed hard graphite</b>	*
<b>Allure Brilliant</b>		
<b>Single-lever bidet mixer 1/2"</b>		
<b>M-Size</b>		
single hole installation <b>GROHE SilkMove</b> 28 mm ceramic cartridge temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE QuickFix</b> installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses		



<b>24 071 000</b>	<b>chrome</b>	<b>312.00</b>
<b>24 071 DC0</b>	<b>supersteel</b>	<b>437.00</b>
<b>24 071 A00</b>	<b>hard graphite</b>	<b>468.00</b>
<b>24 071 AL0</b>	<b>brushed hard graphite</b>	<b>499.00</b>
<b>Allure Brilliant</b>		
<b>Single-lever shower mixer</b>		
set for final installation for GROHE Rapido SmartBox 35 600 000 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE QuickFix</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		

<b>35 600 000</b>	<b>chrome</b>	<b>68.00</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		




<b>24 072 000</b>	<b>chrome</b>	<b>343.00</b>
<b>24 072 DC0</b>	<b>supersteel</b>	<b>480.00</b>
<b>24 072 A00</b>	<b>hard graphite</b>	<b>515.00</b>
<b>24 072 AL0</b>	<b>brushed hard graphite</b>	<b>549.00</b>
<b>Allure Brilliant</b>		
<b>Single-lever mixer with 2-way diverter</b>		
set for final installation for GROHE Rapido SmartBox 35 600 000 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE QuickFix</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		

<b>35 600 000</b>	<b>chrome</b>	<b>68.00</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

# GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)

24 099 000	chrome	363.00
24 099 DC0	supersteel	509.00
24 099 A00	hard graphite	545.00
24 099 AL0	brushed hard graphite	582.00




**Allure Brilliant**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
 without roughing-in-set

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		



19 789 000	chrome	381.00
------------	--------	--------


**Allure Brilliant**  
**Single-lever shower mixer**  
 set for final installation for  
 35 501 000  
 without concealed body  
**GROHE StarLight** chrome finish  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered coupling



19 785 000	chrome	490.00
------------	--------	--------

**Allure Brilliant**  
**Single-lever bath mixer**  
 set for final installation for  
 35 501 000  
 without concealed body  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered coupling

19 787 001	chrome	1,340.00
19 787 DC1	supersteel	*
19 787 A01	hard graphite	*
19 787 AL1	brushed hard graphite	*




**Allure Brilliant**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 consisting of:  
 pre-assembled spout fixing  
 single lever mixer operating element  
 bath spout with integrated mousseur  
 diverter bath/shower  
 hand shower Euphoria Cube+ 6.6 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with (29 037 000)



# GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)



29 037 000 chrome 734.00


**4/5-hole bath combination (optional)  
baseframe for installation under tiled surround**  
consisting of:  
base frame  
drainage box with integrated outlet for splash water

45 388 000 chrome 133.00  
**Supporting legs for baseframe**





23 119 001 chrome 2,240.00

**Allure Brilliant  
Single-lever bath mixer 1/2", floor mounted**  
set for final installation for  
45 984  
without roughing-in-set  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
spout with integrated mousseur  
hand shower Euphoria Cube+ 6.6 l/min  
Silverflex shower hose 1250 mm  
projection 270 mm  
integrated non-return valve in the shower outlet 1/2"  
with shower holder  
protected against backflow



23 119 000 chrome 2,560.00  
23 119 DC0 supersteel \*  
23 119 A00 hard graphite 3,370.00  
23 119 AL0 brushed hard graphite 3,590.00

**Allure Brilliant  
Single-lever bath mixer 1/2", floor mounted**  
set for final installation for  
45 984  
without roughing-in-set  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
spout with integrated mousseur  
projection 270 mm  
integrated non-return valve in the shower outlet 1/2"  
with shower holder  
hand shower Euphoria Cube+  
metal shower hose 1250 mm  
protected against backflow




13 301 000 chrome 1,340.00  
13 301 DC0 supersteel \*  
13 301 A00 hard graphite \*  
13 301 AL0 brushed hard graphite \*


**Allure Brilliant  
Bath spout, floor mounted**  
set for final installation for  
45 984  
without roughing-in-set  
**GROHE StarLight** chrome finish  
spout with integrated mousseur  
Total height 1070 mm  
projection 270 mm

# GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)




**45 984 001** **chrome** **444.00**  
**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers without finishing trim set  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 gasket  
 fixing material




**13 299 000** **chrome** **313.00**  
**13 299 DC0** **supersteel** \*  
**13 299 A00** **hard graphite** \*  
**13 299 AL0** **brushed hard graphite** \*  
**Allure Brilliant**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 projection 161 mm  
 spout with integrated mousseur



**19 798 000** **chrome** **262.00**  
**19 798 DC0** **supersteel** \*  
**19 798 A00** **hard graphite** \*  
**19 798 AL0** **brushed hard graphite** **368.00**  
**Allure Brilliant**  
**5-way diverter**  
 set for final installation for 29 033  
 without concealed body  
**GROHE StarLight** chrome finish  
 installation depth infinitely adjustable  
 66 - 113 mm















**29 033 000** **chrome** **261.00**  
**5-way diverter**  
 concealed body  
 wall installation  
 with ceramic sealing discs  
 connection cold and hot 1/2"  
 2 outlets 1/2"  
 1 bath outlet 3/4"  
 installation depth infinitely adjustable  
 66 - 113 mm  
 DR-brass  
 min. recommended pressure 1.0 bar









**19 796 000** **chrome** **165.00**  
**19 796 DC0** **supersteel** \*  
**19 796 A00** **hard graphite** \*  
**19 796 AL0** **brushed hard graphite** \*  
**Allure Brilliant**  
**Concealed valve exposed part**  
 set for final installation for  
 29 032 000 (preassembled headpart 1/2")  
 29 068 000 (preassembled ceramic headpart 1/2" - not to be used for the main line shut-off)  
 35 028 000  
**GROHE StarLight** chrome finish  
 installation depth infinitely adjustable  
 43 - 91 mm

# GROHE ALLURE BRILLIANT

		Ref. No.	Colour	Price netto (€)
		40 494 000 40 494 DC0 40 494 A00 40 494 AL0	chrome supersteel hard graphite brushed hard graphite	340.83 * * *
		<b>Allure Brilliant</b> <b>Holder with soap dispenser</b> filling quantity 150 ml <b>GROHE StarLight</b> chrome finish		
		40 493 000 40 493 DC0 40 493 A00 40 493 AL0	chrome supersteel hard graphite brushed hard graphite	224.17 * * *
		<b>Allure Brilliant</b> <b>Holder with tumbler</b> <b>GROHE StarLight</b> chrome finish		
		40 503 000 40 503 DC0 40 503 A00 40 503 AL0	chrome supersteel hard graphite brushed hard graphite	265.83 * * *
		<b>Allure Brilliant</b> <b>Shelf with tumbler</b> <b>GROHE StarLight</b> chrome finish		
		40 504 000 40 504 DC0 40 504 A00 40 504 AL0	chrome supersteel hard graphite brushed hard graphite	265.83 * * *
		<b>Allure Brilliant</b> <b>Shelf with soap dish</b> <b>GROHE StarLight</b> chrome finish		
		40 496 000 40 496 DC0 40 496 A00 40 496 AL0	chrome supersteel hard graphite brushed hard graphite	182.50 * * *
		<b>Allure Brilliant</b> <b>Towel bar</b> 2 parts <b>GROHE StarLight</b> chrome finish length 431 mm non swivelling		
		40 497 000 40 497 DC0 40 497 A00 40 497 AL0	chrome supersteel hard graphite brushed hard graphite	207.50 * * *
		<b>Allure Brilliant</b> <b>Towel rail</b> 600 mm <b>GROHE StarLight</b> chrome finish		

# GROHE ALLURE BRILLIANT

	Ref. No.	Colour	Price netto (€)
 	40 498 000	chrome	87.49
	40 498 DC0	supersteel	*
	40 498 A00	hard graphite	*
	40 498 AL0	brushed hard graphite	*
	<b>Allure Brilliant</b> Robe hook GROHE StarLight chrome finish		
 	40 499 000	chrome	182.50
	40 499 DC0	supersteel	*
	40 499 A00	hard graphite	*
	40 499 AL0	brushed hard graphite	*
	<b>Allure Brilliant</b> Toilet paper holder GROHE StarLight chrome finish		
 	40 500 000	chrome	290.83
	40 500 DC0	supersteel	*
	40 500 A00	hard graphite	*
	40 500 AL0	brushed hard graphite	*
	<b>Allure Brilliant</b> Toilet brush set GROHE StarLight chrome finish		




# GROHE ALLURE



# GROHE ALLURE


Ref. No. Colour Price netto (€)



32 757 000 chrome 416.00

**Allure**  
Single-lever basin mixer 1/2"  
M-Size  
single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 6.0 l/min. flow limiter  
rapid installation system  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses


32 759 000 chrome 475.00  
ditto, smooth body



32 146 000 chrome 497.00


**Allure**  
Single-lever basin mixer 1/2"  
L-Size  
single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 6.0 l/min. flow limiter  
rapid installation system  
mousseur  
U - spout  
pop-up waste set 1 1/4"  
flexible connection hoses

23 076 000 chrome 497.00  
ditto, without pop-up waste set



32 760 000 chrome 669.00

**Allure**  
Single-lever basin mixer 1/2"  
XL-Size  
single hole installation  
for free-standing basins  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 6.0 l/min. flow limiter  
rapid installation system  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
projection 104 mm  
min. recommended pressure 1.0 bar




23 403 000 chrome 733.00

**Allure**  
Single-lever basin mixer 1/2"  
XL-Size  
single hole installation  
metal lever  
for free-standing basins  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 6.0 l/min. flow limiter  
GROHE QuickFix Plus installation system  
smooth body  
projection 180 mm  
flexible connection hoses  
temperature limiter  
min. recommended pressure 1.0 bar


# GROHE ALLURE

Ref. No. Colour Price netto (€)




32 249 000 chrome 890.00

**Allure**  
Single-lever basin mixer 1/2"  
XL-Size  
single hole installation  
for free-standing basins  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 6.0 l/min. flow limiter  
rapid installation system  
mousseur  
U - spout  
pop-up waste set 1 1/4"  
flexible connection hoses




20 143 000 chrome 744.00

**Allure**  
Three-hole basin mixer 1/2"  
M-Size  
with metal plate  
GROHE StarLight chrome finish  
Carbodor ceramic headpart 1/2", 180°  
flow limiter 8 l/min.  
spout with mousseur  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
min. recommended pressure 1.0 bar



20 188 000 chrome 742.00


**Allure**  
Three-hole basin mixer 1/2"  
M-Size  
with lever handles  
metal escutcheon  
ceramic headparts 1/2", 90°  
GROHE StarLight chrome finish  
flow limiter 8 l/min.  
spout with mousseur  
pressure-proof, flexible connection hoses  
between spout and side valves  
pop-up waste set 1 1/4"



20 190 000 chrome 557.00

**Allure**  
Three-hole basin mixer 1/2"  
S-Size  
wall mounted  
without concealed body  
set for final installation for  
32 706 000  
with metal plate  
valves hot/cold with Carbodor ceramic  
headparts 1/2" - 180°  
GROHE StarLight chrome finish  
flow limiter 8 l/min.  
spout with mousseur, centre distance 200 mm  
projection 172 mm,



20 192 000 chrome 596.00  
ditto, projection 220 mm



32 706 000 chrome 229.00

**Two-handle basin mixer**  
concealed body, 1/2"  
for 3-hole wash-basin mixer  
wall installation  
without finishing trim set  
installation depth 30 - 75 mm  
DR-brass  
installation device


Ref. No. Colour Price netto (€)



20 189 000 chrome 652.00


**Allure**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
wall mounted  
without concealed body  
set for final installation for  
29 025 000  
with lever handles, with metal plate  
valves hot/cold with ceramic headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
flow limiter 8 l/min.  
spout with mousseur, centre distance 200 mm  
projection 172 mm,

20 193 000 chrome 696.00  
**ditto, projection 220 mm**



29 025 000 chrome 238.00


**Two-handle basin mixer**  
**concealed body, 1/2"**  
for 3-hole wash-basin mixer  
wall installation  
without finishing trim set  
Installation depth 43 - 85 mm  
DR-brass  
installation device



19 309 000 chrome 651.00


**Allure**  
**Two-hole basin mixer**  
**S-Size**  
wall mounted  
without concealed body  
set for final installation for  
33 769 000  
with metal plate  
**GROHE StarLight** chrome finish  
flow limiter 8 l/min.  
spout with mousseur, centre distance 110 mm  
projection 172 mm

19 386 000 chrome 696.00  
**ditto, projection 220 mm**



33 769 000 chrome 252.00

**Single-lever mixer 1/2", concealed body**  
for 2-hole basin mixers  
wall installation  
without finishing trim set  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
installation depth 45 to 75 mm  
installation device














32 147 000 chrome 424.00

**Allure**  
**Single-lever bidet mixer 1/2"**  
**M-Size**  
single hole installation  
**GROHE SilkMove** 28 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
rapid installation system  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses



# GROHE ALLURE



	Ref. No.	Colour	Price netto (€)
 	<b>32 846 000</b>	<b>chrome</b>	<b>766.00</b>
<p><b>Allure</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      GROHE QuickFix system                      adjustable flow rate limiter                      shower front outlet 1/2"                      with integrated non return-valve                      flat wall installation with covered unions                      protected against backflow                      min. recommended pressure 1.0 bar</p>			
 	<b>32 826 000</b>	<b>chrome</b>	<b>971.00</b>
<p><b>Allure</b>  <b>Single-lever bath mixer 1/2"</b>                      wall mounted                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      GROHE QuickFix system                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      flat wall installation with covered unions                      protected against backflow</p>			
 	<b>24 069 000</b>	<b>chrome</b>	<b>288.00</b>
<p><b>Allure</b>  <b>Single-lever shower mixer</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600 000                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE QuickFix (covered                      escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min                      without roughing-in-set</p>			
	<b>35 600 000</b>	<b>chrome</b>	<b>68.00</b>
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			
 	<b>24 070 000</b>	<b>chrome</b>	<b>316.00</b>
<p><b>Allure</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600 000                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE QuickFix (covered                      escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min                      without roughing-in-set</p>			
	<b>35 600 000</b>	<b>chrome</b>	<b>68.00</b>
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			
 	<b>19 316 000</b>	<b>chrome</b>	<b>1,220.00</b>
<p><b>Allure</b>  <b>Three-hole single-lever bath combination</b>                      for installation under tiled surround                      GROHE StarLight chrome finish                      trim set for 33 339                      without baseframe                      consisting of:                      single lever mixer operating element                      bath inlet with automatic diverter                      bath/shower                      hand shower Sena (28 034 000)                      metal shower hose 2000 mm                      min. recommended pressure 1.0 bar</p>			



**33 339 000** **chrome** **791.00**


**Three-hole single-lever bath combination baseframe for installation under tiled surround**  
without finishing trim set  
consisting of:  
mounting plate and base frame  
**GROHE SilkMove** 46 mm cartridge  
and spout fixing pre-assembled  
flexible connection hoses  
connection for shower hose  
drainage box with integrated outlet for splash water  
protected against backflow

**45 388 000** **chrome** **133.00**  
**Supporting legs for baseframe**




**32 754 002** **chrome** **1,803.20**

**Allure**  
**Single-lever bath mixer 1/2", floor mounted**  
set for final installation for  
45 984  
without roughing-in-set  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
swivel spout with mousseur and stop limiter  
projection 300 mm  
integrated non-return valve in the shower outlet 1/2"  
with shower holder  
Sena hand shower 6.6 l/min  
shower hose 1500 mm  
protected against backflow  
min. recommended pressure 1.0 bar  
shower hose 49"




**13 218 000** **chrome** **1,220.00**

**Allure**  
**Bath spout, floor mounted**  
set for final installation for  
45 984  
without roughing-in-set  
**GROHE StarLight** chrome finish  
spout with mousseur  
projection 300 mm  
Total height 910 mm  
min. recommended pressure 1.0 bar



**45 984 001** **chrome** **444.00**















**Rough-in set 1/2"**  
for floor-mounted bath mixers/spouts and shower mixers  
without finishing trim set  
installation plate with 360° horizontal and  
3° vertical adjustment  
installation depth 53-157 mm for bath mixers/  
spouts, depth compensation 104 mm  
installation depth 65-157 mm for shower  
mixers, depth compensation 92 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug  
gasket  
fixing material




**13 317 000** **chrome** **717.00**

**Allure**  
**Cascade spout for bath and shower**  
wall mounted  
**GROHE StarLight** chrome finish  
projection 180 mm  
min. recommended pressure 1.0 bar

# GROHE ALLURE







	Ref. No.	Colour	Price netto (€)
 	<b>13 264 000</b>	<b>chrome</b>	<b>265.00</b>
<p><b>Allure</b>  <b>Bath spout 3/4"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish                      projection 172 mm                      mousseur                      min. recommended pressure 1.0 bar</p>			
 	<b>19 590 000</b>	<b>chrome</b>	<b>170.00</b>
<p><b>Allure</b>  <b>5-way diverter</b>                      set for final installation for 29 033                      without concealed body                      bayonet union escutcheon                      installation depth infinitely adjustable                      66 - 113 mm                      only for use with concealed body  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>29 033 000</b>	<b>chrome</b>	<b>261.00</b>
<p><b>5-way diverter</b>                      concealed body                      wall installation                      with ceramic sealing discs                      connection cold and hot 1/2"                      2 outlets 1/2"                      1 bath outlet 3/4"                      installation depth infinitely adjustable                      66 - 113 mm                      DR-brass                      min. recommended pressure 1.0 bar</p>			
 	<b>19 334 000</b>	<b>chrome</b>	<b>116.00</b>
<p><b>Allure</b>  <b>Concealed valve exposed part</b>                      set for final installation for 35 028 000                      for GROHE concealed valves, 1/2", 3/4", 1"                      installation depth infinitely adjustable                      20-80 mm                      escutcheon with screwable wall sealing                      without concealed body  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>19 384 000</b>	<b>chrome</b>	<b>132.00</b>
<p><b>Allure</b>  <b>Concealed valve exposed part</b>                      with lever handle                      set for final installation for 29 032, 35 028 000                      installation depth infinitely adjustable                      43 - 91 mm                      metal escutcheon                      without concealed body  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>35 028 000</b>	<b>chrome</b>	<b>135.00</b>
<p><b>GROHE Rapido C</b> rough-in box for single volume control</p>			
 	<b>29 032 000</b>	<b>chrome</b>	<b>32.00</b>
<p><b>Concealed valve</b>                      pre-assembled headpart 1/2"                      threaded union 1/2"                      installation depth infinitely adjustable                      43 - 91 mm                      DR-brass</p>			

# GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	40 363 000	chrome	190.83
<p><b>Allure Soap dispenser</b> wall model filling quantity 160 ml complete with holder and tank <b>GROHE StarLight</b> chrome finish</p>			
 	40 278 000	chrome	87.49
<p><b>Allure Holder</b> for glass or soap dish without glass <b>GROHE StarLight</b> chrome finish</p>			
	40 254 000	chrome	29.58
<p><b>Glass</b></p>			
 	40 278 000	chrome	87.49
<p><b>Allure Holder</b> for glass or soap dish without glass <b>GROHE StarLight</b> chrome finish</p>			
	40 256 000	chrome	41.66
<p><b>Soap dish</b></p>			
 	40 339 000	chrome	116.66
<p><b>Allure Towel ring</b> <b>GROHE StarLight</b> chrome finish</p>			
 	40 342 000	chrome	174.17
<p><b>Allure Towel bar</b> 2 parts swivelling <b>GROHE StarLight</b> chrome finish length 426 mm</p>			
 	40 341 000	chrome	174.17
<p><b>Allure Towel rail</b> 600 mm <b>GROHE StarLight</b> chrome finish</p>			



# GROHE ALLURE


	Ref. No.	Colour	Price netto (€)
 	<b>40 284 000</b> <b>Allure</b> <b>Robe hook</b> <b>GROHE StarLight chrome finish</b>	<b>chrome</b>	<b>47.91</b>
 	<b>40 279 000</b> <b>Allure</b> <b>Toilet paper holder</b> <b>without cover</b> <b>GROHE StarLight chrome finish</b>	<b>chrome</b>	<b>116.66</b>
 	<b>40 340 000</b> <b>Allure</b> <b>Toilet brush set</b> <b>wall model</b> <b>GROHE StarLight chrome finish</b> <b>40 207 000</b> <b>Spare brush head</b> <b>40 206 000</b> <b>Spare brush</b> <b>40 265 000</b> <b>Spare glass for brush</b>	<b>chrome</b>	<b>190.83</b>
		<b>chrome</b>	<b>14.00</b>
		<b>chrome</b>	<b>51.00</b>
		<b>chrome</b>	<b>94.00</b>

# GROHE ATRIO




# GROHE ATRIO

Ref. No. Colour Price netto (€)




32 043 003	chrome	260.00
32 043 DC3	supersteel	423.00
32 043 GL3	cool sunrise	*
32 043 DA3	warm sunset	*
32 043 AL3	brushed hard graphite	483.00

**Atrio**  
Single-lever basin mixer 1/2"  
M-Size  
single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.7 l/min laminar mousseur  
swivel tubular C-spout with mousseur  
stop limiter  
Push-open waste set 1 1/4"  
flexible connection hoses




32 042 003	chrome	300.00
32 042 DC3	supersteel	488.00
32 042 GL3	cool sunrise	*
32 042 DA3	warm sunset	*
32 042 AL3	brushed hard graphite	558.00

**Atrio**  
Single-lever basin mixer 1/2"  
L-Size  
single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.7 l/min laminar mousseur  
swivel tubular C-spout with mousseur  
stop limiter  
Push-open waste set 1 1/4"  
flexible connection hoses



32 647 003	chrome	455.40
32 647 DC3	supersteel	683.00
32 647 GL3	cool sunrise	*
32 647 DA3	warm sunset	*
32 647 AL3	brushed hard graphite	781.00

**Atrio**  
Single-lever basin mixer 1/2"  
XL-Size  
single hole installation  
for free-standing basins  
GROHE SilkMove 28 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.7 l/min laminar mousseur  
swivel tubular C-spout with mousseur  
stop limiter  
Push-open waste set 1 1/4"  
flexible connection hoses



19 287 003	chrome	349.00
19 287 DC3	supersteel	488.00
19 287 GL3	cool sunrise	*
19 287 DA3	warm sunset	523.00
19 287 AL3	brushed hard graphite	558.00

**Atrio**  
Two-hole basin mixer joystick  
wall mounted  
without concealed body  
set for final installation for  
23 429 000  
GROHE FeatherControl Joystick cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.7 l/min laminar mousseur  
centre distance 110 mm  
projection 185 mm


# GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
	19 918 003	chrome	395.00
	19 918 DC3	supersteel	553.00
	19 918 GL3	cool sunrise	*
	19 918 DA3	warm sunset	*
	19 918 AL3	brushed hard graphite	632.00
	<p><b>Atrio</b>  <b>Two-hole basin mixer joystick</b>                      wall mounted                      without concealed body                      set for final installation for 23 429 000                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur                      centre distance 110 mm                      projection 221 mm</p>		
	23 429 000	chrome	237.00
	<p><b>Joystick mixer 1/2", concealed body</b>                      for 2-hole basin mixers                      without finishing trim set                      GROHE FeatherControl Joystick cartridge                      wall installation                      installation device                      DR-brass</p>		
			
	32 108 003	chrome	340.00
	32 108 DC3	supersteel	553.00
	32 108 GL3	cool sunrise	*
	32 108 DA3	warm sunset	553.00
	32 108 AL3	brushed hard graphite	632.00
	<p><b>Atrio</b>  <b>Single-lever bidet mixer 1/2"</b>                      M-Size                      single hole installation                      GROHE SilkMove 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      rapid installation system                      tubular C-spout with ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>		
	32 650 003	chrome	418.00
	32 650 DC3	supersteel	544.00
	32 650 GL3	cool sunrise	*
	32 650 DA3	warm sunset	*
	32 650 AL3	brushed hard graphite	669.00
	<p><b>Atrio</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower bottom outlet 1/2"                      with integrated non return-valve  <b>covered S-unions</b>                      protected against backflow</p>		
	32 652 003	chrome	455.40
	32 652 DC3	supersteel	683.00
	32 652 GL3	cool sunrise	*
	32 652 DA3	warm sunset	*
	32 652 AL3	brushed hard graphite	781.00
	<p><b>Atrio</b>  <b>Single-lever bath mixer 1/2"</b>                      wall mounted  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      cast spout                      mousseur                      shower bottom outlet 1/2"                      with integrated non return-valve  <b>covered S-unions</b>                      protected against backflow</p>		



# GROHE ATRIO

Ref. No. Colour Price netto (€)




24 065 003	chrome	267.00
24 065 DC3	supersteel	373.00
24 065 GL3	cool sunrise	400.00
24 065 DA3	warm sunset	400.00
24 065 AL3	brushed hard graphite	427.00

## Atrio

### Single-lever shower mixer

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
GROHE SilkMove 46 mm ceramic cartridge  
GROHE StarLight chrome finish  
wall escutcheon with GROHE QuickFix (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
flow performance:  
outlet B or C = 30 l/min  
without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		




24 066 003	chrome	293.00
24 066 DC3	supersteel	411.00
24 066 GL3	cool sunrise	440.00
24 066 DA3	warm sunset	440.00
24 066 AL3	brushed hard graphite	469.00

## Atrio

### Single-lever mixer with 2-way diverter

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
GROHE SilkMove 46 mm ceramic cartridge  
GROHE StarLight chrome finish  
wall escutcheon with GROHE QuickFix (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
automatic 2-way diverter  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min  
without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 096 003	chrome	314.00
24 096 DC3	supersteel	439.00
24 096 GL3	cool sunrise	470.00
24 096 DA3	warm sunset	470.00
24 096 AL3	brushed hard graphite	439.00

## Atrio

### Single-lever mixer with 3-way diverter


set for final installation for  
GROHE Rapido SmartBox 35 600 000  
GROHE SilkMove 46 mm ceramic cartridge  
GROHE StarLight chrome finish  
wall escutcheon with GROHE QuickFix (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
3-way diverter  
flow performance:  
outlet A = 27 l/min,  
outlet B = 27 l/min,  
outlet C = 27 l/min  
without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

# GROHE ATRIO

Ref. No. Colour Price netto (€)


24 134 003	chrome	515.00
24 134 DC3	supersteel	670.00
24 134 DA3	warm sunset	773.00
24 134 AL3	brushed hard graphite	824.00



**Atrio**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 ceramic stop valve, 120°  
 metal handles  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		


24 135 003	chrome	551.00
24 135 DC3	supersteel	771.00
24 135 AL3	brushed hard graphite	881.00



**Atrio**  
**Thermostatic shower mixer for 2 outlets  
 with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 metal handles  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

24 138 003	chrome	551.00
24 138 DC3	supersteel	771.00
24 138 GL3	cool sunrise	826.00
24 138 DA3	warm sunset	826.00
24 138 AL3	brushed hard graphite	881.00




**Atrio**  
**Thermostatic bath tub mixer for 2 outlets  
 with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed shower and bath symbol  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 metal handles  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		


# GROHE ATRIO

Ref. No. Colour Price netto (€)



32 653 003	chrome	1,350.00
32 653 DC3	supersteel	1,750.00
32 653 GL3	cool sunrise	*
32 653 DA3	warm sunset	*
32 653 AL3	brushed hard graphite	1,890.00

**Atrio**  
**Single-lever bath mixer, floor mounted**  
 set for final installation for 45 984  
 without roughing-in-set  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 spout with mousseur  
 projection 301 mm  
 integrated non-return valve in the shower outlet 1/2"  
 with shower holder  
 hand shower Sena Stick (26 465)  
 Silverflex shower hose 1250 mm  
 protected against backflow




45 984 001	chrome	444.00
------------	--------	--------

**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
 without finishing trim set  
 installation plate with 360° horizontal and  
 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/  
 spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower  
 mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 gasket  
 fixing material


# GROHE ATRIO

Ref. No. Colour Price netto (€)




20 021 003	chrome	232.00
20 021 DC3	supersteel	325.00
20 021 AL3	brushed hard graphite	325.00

**Atrio**  
**Pillar tap 1/2"**  
**XS-Size**  
 Headpart 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 rapid installation system  
 mousseur  
 fixed spout  
 flexible connection hoses  
 with lever handle




21 022 003	chrome	372.00
21 022 DC3	supersteel	520.00
21 022 GL3	cool sunrise	*
21 022 DA3	warm sunset	*
21 022 AL3	brushed hard graphite	595.00

**Atrio**  
**One-hole basin mixer, 1/2"**  
**L-Size**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 rapid installation system  
 swivel tubular spout  
 with mousseur and stop limiter  
 Push-open waste set 1 1/4"  
 flexible connection hoses  
 with lever handles  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.



21 019 003	chrome	320.00
21 019 DC3	supersteel	520.00
21 019 GL3	cool sunrise	*
21 019 DA3	warm sunset	*
21 019 AL3	brushed hard graphite	595.00

**Atrio**  
**One-hole basin mixer, 1/2"**  
**L-Size**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 rapid installation system  
 swivel tubular spout  
 with mousseur and stop limiter  
 Push-open waste set 1 1/4"  
 flexible connection hoses  
 with cross handles  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.



21 044 003	chrome	477.40
21 044 DC3	supersteel	716.00
21 044 GL3	cool sunrise	*
21 044 DA3	warm sunset	*
21 044 AL3	brushed hard graphite	818.00









**Atrio**  
**One-hole basin mixer, 1/2"**  
**XL-Size**  
**for free-standing basins**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 rapid installation system  
 swivel tubular spout  
 with mousseur and stop limiter  
 Push-open waste set 1 1/4"  
 flexible connection hoses  
 with cross handles  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.

# GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
	20 009 003	chrome	465.00
	20 009 DC3	supersteel	651.00
	20 009 GL3	cool sunrise	*
	20 009 DA3	warm sunset	*
	20 009 AL3	brushed hard graphite	744.00
	<b>Atrio</b> <b>Three-hole basin mixer 1/2"</b> <b>M-Size</b> ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses between spout and side valves with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		
	20 008 003	chrome	429.66
	20 008 DC3	supersteel	651.00
	20 008 GL3	cool sunrise	*
	20 008 DA3	warm sunset	*
20 008 AL3	brushed hard graphite	744.00	
	<b>Atrio</b> <b>Three-hole basin mixer 1/2"</b> <b>M-Size</b> ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		
	20 008 003	chrome	429.66
	20 008 DC3	supersteel	651.00
	20 008 GL3	cool sunrise	*
	20 008 DA3	warm sunset	*
20 008 AL3	brushed hard graphite	744.00	
	20 169 003	chrome	395.00
	20 169 DC3	supersteel	553.00
	20 169 GL3	cool sunrise	*
	20 169 DA3	warm sunset	*
	20 169 AL3	brushed hard graphite	632.00
	<b>Atrio</b> <b>Three-hole basin mixer 1/2"</b> <b>S-Size</b> wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with ceramic headparts 1/2" - 90° <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		
	20 169 003	chrome	395.00
	20 169 DC3	supersteel	553.00
	20 169 GL3	cool sunrise	*
	20 169 DA3	warm sunset	*
20 169 AL3	brushed hard graphite	632.00	
	20 164 003	chrome	327.00
	20 164 DC3	supersteel	553.00
	20 164 GL3	cool sunrise	*
	20 164 DA3	warm sunset	*
	20 164 AL3	brushed hard graphite	519.20
	<b>Atrio</b> <b>Three-hole basin mixer</b> wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with ceramic headparts 1/2" - 90° <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		
	20 164 003	chrome	327.00
	20 164 DC3	supersteel	553.00
	20 164 GL3	cool sunrise	*
	20 164 DA3	warm sunset	*
20 164 AL3	brushed hard graphite	519.20	




# GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
	<b>29 025 000</b> <b>Two-handle basin mixer concealed body, 1/2"</b> for 3-hole wash-basin mixer wall installation without finishing trim set Installation depth 43 - 85 mm DR-brass installation device	chrome	238.00
			
	<b>24 027 003</b> <b>24 027 DC3</b> <b>24 027 GL3</b> <b>24 027 DA3</b> <b>24 027 AL3</b> <b>Atrio</b> <b>Single-hole bidet mixer 1/2"</b> <b>M-Size</b> ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.	chrome supersteel cool sunrise warm sunset brushed hard graphite	365.65 553.00 * * 632.00
			
	<b>26 003 003</b> <b>26 003 DC3</b> <b>26 003 GL3</b> <b>26 003 DA3</b> <b>26 003 AL3</b> <b>Atrio</b> <b>Shower mixer 1/2"</b> wall mounted ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" <b>covered S-unions</b> protected against backflow without shower set with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.	chrome supersteel cool sunrise warm sunset brushed hard graphite	418.00 586.00 * * 669.00
			
	<b>25 010 003</b> <b>25 010 DC3</b> <b>25 010 GL3</b> <b>25 010 DA3</b> <b>25 010 AL3</b> <b>Atrio</b> <b>Bath mixer 1/2"</b> wall mounted ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish automatic diverter: bath/shower tubular spout with stop restriction mousseur integrated non-return valves in the shower outlet 1/2" <b>covered S-unions</b> protected against backflow without shower set with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.	chrome supersteel cool sunrise warm sunset brushed hard graphite	515.57 781.00 * * 892.00
			


# GROHE ATRIO

Ref. No. Colour Price netto (€)




25 044 003	chrome	1,740.00
25 044 DC3	supersteel	2,440.00
25 044 GL3	cool sunrise	*
25 044 DA3	warm sunset	*
25 044 AL3	brushed hard graphite	2,790.00

**Atrio**  
**Bath mixer 1/2"**  
floor-mounted installation  
with high pillar unions (765 mm)  
set for final installation for  
45 984 001  
without roughing-in-set  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
swivel tubular spout  
with mousseur and stop limiter  
projection 301 mm  
integrated non-return valve in the shower outlet 1/2"  
hand shower Sena Stick (26 465)  
with shower holder  
Silverflex shower hose 1 250 mm (28 362)  
protected against backflow  
with cross handles  
Two different sets of caps included. One set with  
„H“ and „C“ marking, one set without marking.




45 984 001	chrome	444.00
------------	--------	--------

**Rough-in set 1/2"**  
for floor-mounted bath mixers/spouts and shower mixers  
without finishing trim set  
installation plate with 360° horizontal and  
3° vertical adjustment  
installation depth 53-157 mm for bath mixers/  
spouts, depth compensation 104 mm  
installation depth 65-157 mm for shower  
mixers, depth compensation 92 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug  
gasket  
fixing material



19 088 003	chrome	81.00
19 088 DC3	supersteel	*
19 088 GL3	cool sunrise	*
19 088 DA3	warm sunset	*
19 088 AL3	brushed hard graphite	*

**Atrio**  
**Concealed valve exposed part**  
for concealed valve 35 028 000 or 29 032 000  
**GROHE StarLight** chrome finish  
installation depth infinitely adjustable  
20-80 mm  
escutcheon with screwable wall sealing  
with lever handle





19 069 003	chrome	81.00
19 069 DC3	supersteel	*
19 069 GL3	cool sunrise	*
19 069 DA3	warm sunset	*
19 069 AL3	brushed hard graphite	*

**Atrio**  
**Concealed valve exposed part**  
for concealed valve 35 028 000 or 29 032 000  
**GROHE StarLight** chrome finish  
installation depth infinitely adjustable  
20-80 mm  
escutcheon with screwable wall sealing  
with cross handle


# GROHE ATRIO

Ref. No. Colour Price netto (€)




**35 028 000** **chrome** **135.00**

**Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 aramã DR  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 flow rate:  
 55 l/min. at 3 bar  
 installation depth 70 - 95 mm  
 min. recommended pressure 1.0 bar




**29 032 000** **chrome** **32.00**

**Concealed valve**  
 pre-assembled headpart 1/2"  
 threaded union 1/2"  
 installation depth infinitely adjustable  
 43 - 91 mm  
 DR-brass



**19 922 003** **chrome** **1,050.00**  
**19 922 DC3** **supersteel** **1,460.00**  
**19 922 GL3** **cool sunrise** \*  
**19 922 DA3** **warm sunset** \*  
**19 922 AL3** **brushed hard graphite** **1,460.00**

**Atrio**  
**5-hole bath combination**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
 consisting of:  
 pre-assembled spout fixing  
 with lever handles  
 bath spout with mousseur and diverter bath/shower  
 Sena hand shower 6.6 l/min  
 shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 001  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.




**19 923 003** **chrome** **1,050.00**  
**19 923 DC3** **supersteel** **1,360.00**  
**19 923 GL3** **cool sunrise** \*  
**19 923 DA3** **warm sunset** \*  
**19 923 AL3** **brushed hard graphite** **1,670.00**


**Atrio**  
**5-hole bath combination**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
 consisting of:  
 pre-assembled spout fixing  
 with cross handles  
 bath spout with mousseur and diverter bath/shower  
 Sena hand shower 6.6 l/min  
 shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 001  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.

# GROHE ATRIO

Ref. No. Colour Price netto (€)




**29 037 001** **chrome** **674.00**  
**4/5-hole bath combination (optional)**  
**baseframe for installation under tiled surround**  
 consisting of:  
 base frame  
 drainage box with integrated outlet for splash water



**13 139 003** **chrome** **209.00**  
**13 139 DC3** **supersteel** **293.00**  
**13 139 GL3** **cool sunrise** **\***  
**13 139 DA3** **warm sunset** **\***  
**13 139 AL3** **brushed hard graphite** **335.00**


**Atrio**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 projection 171 mm  
 min. recommended pressure 1.0 bar



**29 118 000** **chrome** **432.00**  
**29 118 DC0** **supersteel** **586.00**  
**29 118 AL0** **brushed hard graphite** **586.00**

**Grotherm SmartControl**  
**Thermostat for concealed installation with one valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 without roughing-in-set  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



**29 119 000** **chrome** **475.00**  
**29 119 DC0** **supersteel** **638.00**  
**29 119 AL0** **brushed hard graphite** **729.00**


**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE ATRIO

Ref. No. Colour Price netto (€)


29 120 000	chrome	565.00
29 120 DC0	supersteel	710.00
29 120 AL0	brushed hard graphite	874.00



**Grohtherm SmartControl**  
**Thermostat for concealed installation**  
**with 2 valves and integrated shower holder**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 integrated shower union with shower outlet 1/2"  
 without roughing-in-set  
 flow performance:  
 outlet B = 24 l/min  
 hand shower = 12 l/min

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		


29 121 000	chrome	513.00
29 121 DC0	supersteel	690.00
29 121 AL0	brushed hard graphite	788.00



**Grohtherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

29 122 000	chrome	301.00
29 122 DC0	supersteel	391.00
29 122 AL0	brushed hard graphite	481.00














**Grohtherm SmartControl**  
**Triple volume control trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000/35 601 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
 10 mm thin profile escutcheon  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet D = 28 l/min  
 outlet E = 28 l/min  
 outlet A = 28 l/min  
 outlet D+E+A = 65 l/min











35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		



# GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
 	40 304 003	chrome	53.74
	40 304 DC3	supersteel	75.41
	40 304 GL3	cool sunrise	*
	40 304 DA3	warm sunset	*
	40 304 AL3	brushed hard graphite	75.41
<b>Atrio Holder</b> for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 306 003	chrome	53.74
	40 306 DC3	supersteel	75.41
	40 306 GL3	cool sunrise	*
	40 306 DA3	warm sunset	*
	40 306 AL3	brushed hard graphite	87.49
<b>Atrio Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holder: Atrio (40 304) <b>GROHE StarLight</b> chrome finish			
 	40 254 003	chrome	*
	<b>Atrio Glass</b> material: glass fits in the following holder: Atrio (40 304)		
 	40 305 003	chrome	53.74
	40 305 DC3	supersteel	75.41
	40 305 GL3	cool sunrise	*
	40 305 DA3	warm sunset	*
	40 305 AL3	brushed hard graphite	87.49
<b>Atrio Holder</b> for Atrio soap dish (40 256 003) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 256 003	chrome	40.83
	<b>Atrio Soap dish</b> material: glass fits in the following holder: Atrio (40 305 xx3)		
 	40 307 003	chrome	72.49
	40 307 DC3	supersteel	99.99
	40 307 GL3	cool sunrise	*
	40 307 DA3	warm sunset	*
	40 307 AL3	brushed hard graphite	99.99
<b>Atrio Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE ATRIO


	Ref. No.	Colour	Price netto (€)	
 	40 308 003	chrome	120.83	
	40 308 DC3	supersteel	166.66	
	40 308 GL3	cool sunrise	*	
	40 308 DA3	warm sunset	*	
	40 308 AL3	brushed hard graphite	190.83	
<p><b>Atrio</b>  <b>Towel bar</b>                      material: metal                      concealed fastening                      2 arms, pivotable                      length 489 mm  <b>GROHE StarLight</b> chrome finish</p>				
 	40 309 003	chrome	116.66	
	40 309 DC3	supersteel	162.49	
	40 309 GL3	cool sunrise	*	
	40 309 DA3	warm sunset	*	
	40 309 AL3	brushed hard graphite	182.50	
<p><b>Atrio</b>  <b>Towel rail</b>                      material: metal                      concealed fastening                      600 mm  <b>GROHE StarLight</b> chrome finish</p>				
 	40 312 003	chrome	37.08	
	40 312 DC3	supersteel	48.33	
	40 312 GL3	cool sunrise	*	
	40 312 DA3	warm sunset	*	
	40 312 AL3	brushed hard graphite	59.16	
<p><b>Atrio</b>  <b>Robe hook</b>                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 313 003	chrome	81.66	
	40 313 DC3	supersteel	112.49	
	40 313 GL3	cool sunrise	*	
	40 313 DA3	warm sunset	*	
	40 313 AL3	brushed hard graphite	112.49	
<p><b>Atrio</b>  <b>Toilet paper holder</b>                      material: metal                      concealed fastening                      without cover  <b>GROHE StarLight</b> chrome finish</p>				
 	40 314 003	chrome	162.49	
	40 314 DC3	supersteel	224.17	
	40 314 GL3	cool sunrise	*	
	40 314 DA3	warm sunset	*	
	40 314 AL3	brushed hard graphite	257.50	
<p><b>Atrio</b>  <b>Toilet brush set</b>                      material: glass / metal                      wall mounted                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
		40 791 001	white	5.16
		40 791 KS1	velvet black	5.16
<p><b>Spare brush head</b></p>				

# GROHE GRANDERA




# GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 303 000	chrome	354.00
23 303 IGO	chrome/gold	458.00
23 303 GLO	cool sunrise	432.00
23 303 DA0	warm sunset	469.00
23 303 A00	hard graphite	437.00
23 303 AL0	brushed hard graphite	500.00

**Grandera**  
Single-lever basin mixer 1/2"  
M-Size  
single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy technology for less water and perfect flow  
GROHE QuickFix installation system  
GROHE AquaGuide adjustable mousseur 5.7 l/min  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar




23 310 000	chrome	354.00
23 310 IGO	chrome/gold	406.00
23 310 DA0	warm sunset	414.00

**Grandera**  
Single-lever basin mixer 1/2"  
M-Size  
single hole installation  
GROHE SilkMove 28 mm ceramic cartridge  
temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy technology for less water and perfect flow  
GROHE QuickFix installation system  
GROHE AquaGuide adjustable mousseur 5.7 l/min  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar



21 107 000	chrome	423.00
21 107 IGO	chrome/gold	487.00

**Grandera**  
Two-handle basin mixer, 1/2"  
L-Size  
single hole installation  
valves hot/cold with ceramic headparts 1/2" - 90°  
GROHE StarLight chrome finish  
GROHE EcoJoy technology for less water and perfect flow  
GROHE AquaGuide adjustable mousseur 5.7 l/min  
swivel spout  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar




23 313 000	chrome	471.00
23 313 IGO	chrome/gold	538.00

**Grandera**  
Single-lever basin mixer 1/2"  
XL-Size  
for free-standing basins  
GROHE SilkMove 28 mm ceramic cartridge  
temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy technology for less water and perfect flow  
GROHE QuickFix installation system  
GROHE AquaGuide adjustable mousseur 5.7 l/min  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar


# GROHE GRANDERA

Ref. No. Colour Price netto (€)




20 417 000 chrome 440.00  
20 417 IGO chrome/gold 645.00

**Grandera**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
valves hot/cold with ceramic headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE AquaGuide** adjustable mousseur 5.7 l/min  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
min. recommended pressure 1.0 bar



20 389 000 chrome 537.00  
20 389 IGO chrome/gold 724.00  
20 389 GLO cool sunrise 730.00  
20 389 DAO warm sunset 682.00  
20 389 ALO brushed hard graphite 682.00


**Grandera**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
valves hot/cold with ceramic headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE AquaGuide** adjustable mousseur 5.7 l/min  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
min. recommended pressure 1.0 bar



20 414 000 chrome 412.00  
20 414 IGO chrome/gold 474.00


**Grandera**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
wall mounted  
set for final installation for 29 025 000  
without concealed body  
valves hot/cold with ceramic headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE AquaGuide** adjustable mousseur 5.7 l/min  
centre distance 200 mm  
projection 177 mm

20 415 000 chrome 403.00  
20 415 IGO chrome/gold 525.00  
20 415 DAO warm sunset 535.00  
ditto, projection 234 mm



29 025 000 chrome 238.00

**Two-handle basin mixer**  
**concealed body, 1/2"**  
for 3-hole wash-basin mixer  
wall installation  
without finishing trim set  
Installation depth 43 - 85 mm  
DR-brass  
installation device



19 929 000 chrome 375.00  
19 929 IGO chrome/gold 487.00

**Grandera**  
**Two-hole basin mixer**  
**S-Size**  
wall mounted  
set for final installation for 23 319 000  
without concealed body  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE AquaGuide** adjustable mousseur 5.7 l/min  
centre distance 110 mm  
projection 177 mm











19 930 000 chrome 414.00  
19 930 IGO chrome/gold 538.00  
ditto, projection 234 mm

\* price upon request



# GROHE GRANDERA


Ref. No. Colour Price netto (€)

		<p><b>23 319 000</b> <b>Grandera</b> <b>Single-lever mixer 1/2", concealed body</b> for 2-hole basin mixers wall installation without finishing trim set <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device min. recommended pressure 1.0 bar</p>	<p>chrome</p>	<p>200.00</p>
		<p><b>23 315 000</b> <b>23 315 IGO</b> <b>Grandera</b> <b>Single-lever bidet mixer 1/2"</b> <b>M-Size</b> single hole installation <b>GROHE SilkMove</b> 28 mm ceramic cartridge temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE QuickFix</b> installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	<p>chrome chrome/gold</p>	<p>387.00 517.00</p>
		<p><b>23 316 000</b> <b>23 316 IGO</b> <b>Grandera</b> <b>Single-lever shower mixer 1/2"</b> wall mounted <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve <b>covered S-unions</b> protected against backflow min. recommended pressure 1.0 bar</p>	<p>chrome chrome/gold</p>	<p>414.00 474.00</p>
		<p><b>23 317 000</b> <b>23 317 IGO</b> <b>Grandera</b> <b>Single-lever bath mixer 1/2"</b> wall mounted <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter integrated hand shower holder automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" <b>covered S-unions</b> protected against backflow min. recommended pressure 1.0 bar</p>	<p>chrome chrome/gold</p>	<p>500.00 668.00</p>
		<p><b>24 067 000</b> <b>24 067 IGO</b> <b>Grandera</b> <b>Single-lever shower mixer</b> set for final installation for GROHE Rapido SmartBox 35 600 000 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE QuickFix</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>	<p>chrome chrome/gold</p>	<p>254.00 305.00</p>
		<p><b>35 600 000</b> <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>	<p>chrome</p>	<p>68.00</p>

# GROHE GRANDERA


Ref. No. Colour Price netto (€)

24 068 000	chrome	279.00
24 068 IGO	chrome/gold	335.00




**Grandera**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
 without roughing-in-set

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		




19 932 000	chrome	273.00
19 932 IGO	chrome/gold	355.00

**Grandera**  
**Single-lever shower mixer**  
 set for final installation for  
 35 501 000  
 without concealed body  
**GROHE StarLight** chrome finish  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered fixing  
 min. recommended pressure 1.0 bar



19 920 000	chrome	340.00
19 920 IGO	chrome/gold	389.00
19 920 DAO	warm sunset	449.00

**Grandera**  
**Single-lever bath mixer**  
 set for final installation for  
 35 501 000  
 without concealed body  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered fixing  
 min. recommended pressure 1.0 bar




19 936 000	chrome	1,060.00
19 936 IGO	chrome/gold	1,250.00
19 936 GL0	cool sunrise	1,440.00
19 936 DAO	warm sunset	1,440.00
19 936 A00	hard graphite	1,440.00
19 936 AL0	brushed hard graphite	1,350.00

**Grandera**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 consisting of:  
 pre-assembled spout fixing  
 single lever mixer operating element  
 bath spout with mousseur and diverter bath/shower  
 Grandera hand shower 7,6 l  
 metal shower hose 1500 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 000  
 min. recommended pressure 1.0 bar


# GROHE GRANDERA

Ref. No. Colour Price netto (€)



19 919 000	chrome	1,130.00
19 919 IG0	chrome/gold	1,470.00
19 919 DA0	warm sunset	1,360.00

**Grandera**  
**5-hole bath combination**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
 consisting of:  
 pre-assembled spout fixing  
 single lever mixer operating element  
 bath spout with mousseur and diverter bath/shower  
 Grandera hand shower 7,6 l  
 metal shower hose 1500 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 000  
 min. recommended pressure 1.0 bar




29 037 000	chrome	734.00
------------	--------	--------

**4/5-hole bath combination (optional)**  
**baseframe for installation under tiled surround**  
 consisting of:  
 base frame  
 drainage box with integrated outlet for splash water


45 388 000	chrome	133.00
------------	--------	--------

**Supporting legs for baseframe**




23 318 000	chrome	1,610.00
23 318 IG0	chrome/gold	1,900.00
23 318 GL0	cool sunrise	2,190.00
23 318 DA0	warm sunset	2,190.00
23 318 A00	hard graphite	2,040.00
23 318 AL0	brushed hard graphite	2,040.00

**Grandera**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for 45 984  
**without roughing-in set**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 spout with mousseur  
 projection 320 mm  
 with shower holder  
 Grandera hand shower 7,6 l  
 Silverflex shower hose 1250 mm  
 protected against backflow



45 984 001	chrome	444.00
------------	--------	--------







**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
 without finishing trim set  
 installation plate with 360° horizontal and  
 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/  
 spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower  
 mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 gasket  
 fixing material



13 341 000	chrome	208.00
13 341 IG0	chrome/gold	271.00
13 341 DA0	warm sunset	276.00

**Grandera**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 projection 177 mm  
 min. recommended pressure 1.0 bar

# GROHE GRANDERA







	Ref. No.	Colour	Price netto (€)
	19 942 000	chrome	130.00
	19 942 IGO	chrome/gold	169.00
	<b>Grandera</b> <b>5-way diverter</b> set for final installation for 29 708 000 without concealed body <b>GROHE StarLight</b> chrome finish min. recommended pressure 1.0 bar		
	19 944 000	chrome	94.00
	19 944 IGO	chrome/gold	122.00
	<b>Grandera</b> <b>Volume Control Trim</b> set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used for the main line shut-off) <b>GROHE StarLight</b> chrome finish installation depth infinitely adjustable 43 - 91 mm for use with rough-in valve (35 029)		
	26 037 000	chrome	107.00
	26 037 IGO	chrome/gold	127.00
	26 037 DA0	warm sunset	129.00
	<b>Grandera Stick</b> <b>Hand shower 1 spray</b> spray pattern: Rain metal <b>GROHE EcoJoy</b> 7.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>Inner WaterGuide</b> for a longer life <b>GROHE CoolTouch</b> no risk of scalding <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar max. flow rate 2.0 gpm (7.6 l/min)		

# GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)
	40 627 000	chrome	174.17
	40 627 IG0	chrome/gold	224.17
	<b>Grandera</b> Holder with ceramic soap dispenser filling quantity 110 ml <b>GROHE StarLight</b> chrome finish		
	40 626 000	chrome	133.33
	40 626 IG0	chrome/gold	174.17
	<b>Grandera</b> Holder with ceramic tumbler <b>GROHE StarLight</b> chrome finish		
	40 628 000	chrome	162.49
	40 628 IG0	chrome/gold	207.50
	<b>Grandera</b> Holder with ceramic soap dish <b>GROHE StarLight</b> chrome finish		
	40 630 000	chrome	112.49
	40 630 IG0	chrome/gold	145.83
	40 630 DA0	warm sunset	166.66
	<b>Grandera</b> Towel ring Ø 205 mm <b>GROHE StarLight</b> chrome finish		
	40 629 000	chrome	182.50
	40 629 IG0	chrome/gold	232.50
	40 629 DA0	warm sunset	257.50
	<b>Grandera</b> Towel rail 600 mm <b>GROHE StarLight</b> chrome finish		
	40 631 000	chrome	52.49
	40 631 IG0	chrome/gold	68.33
	40 631 GL0	cool sunrise	73.74
	40 631 DA0	warm sunset	79.16
	40 631 A00	hard graphite	79.16
		<b>Grandera</b> Robe hook <b>GROHE StarLight</b> chrome finish	



# GROHE GRANDERA


	Ref. No.	Colour	Price netto (€)
	40 633 000	chrome	124.99
	40 633 IG0	chrome/gold	158.33
	<b>Grandera</b> <b>Bath grip</b> length 385 mm <b>GROHE StarLight</b> chrome finish		
	40 625 000	chrome	137.49
	40 625 IG0	chrome/gold	174.17
	40 625 DA0	warm sunset	190.83
	<b>Grandera</b> <b>Toilet paper holder</b> <b>GROHE StarLight</b> chrome finish		
	40 632 000	chrome	190.83
	40 632 IG0	chrome/gold	249.17
	<b>Grandera</b> <b>Toilet brush set</b> material: ceramic <b>GROHE StarLight</b> chrome finish		

# GROHE LINEARE




# GROHE LINEARE

Ref. No. Colour Price netto (€)




**32 109 001** **chrome** **182.00**  
**32 109 DC1** **supersteel** **250.00**

**Lineare**  
**Single-lever basin mixer 1/2"**  
**XS-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses




**23 791 001** **chrome** **181.00**  
**23 791 DC1** **supersteel** **250.00**

**Lineare**  
**Single-lever basin mixer 1/2"**  
**XS-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses




**32 114 001** **chrome** **193.00**  
**32 114 DC1** **supersteel** **248.00**

**Lineare**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses



**23 106 001** **chrome** **193.00**  
**23 106 DC1** **supersteel** **267.00**

**Lineare**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses




**23 296 001** **chrome** **253.00**  
**23 296 DC1** **supersteel** **350.00**

**Lineare**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 swivel spout with mousseur and stop limiter  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 min. recommended pressure 1.0 bar


# GROHE LINEARE

Ref. No. Colour Price netto (€)




23 405 001 **chrome** 272.00  
 23 405 DC1 **supersteel** 373.00

**Lineare**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
 metal lever  
**for free-standing basins**  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** rapid installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar





20 304 001 **chrome** 284.00

**Lineare**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix** installation system  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 min. recommended pressure 1.0 bar  
 union nut 1/2" x 10.5 mm




19 409 001 **chrome** 221.00  
 19 409 DC1 **supersteel** 304.00

**Lineare**  
**Two-hole basin mixer**  
**M-Size**  
 wall mounted  
 set for final installation for  
 23 571 000  
 without concealed body  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 149 mm  
 min. recommended pressure 1.0 bar



23 444 001 **chrome** 239.00  
 23 444 DC1 **supersteel** 329.00

**Lineare**  
**Two-hole basin mixer**  
**L-Size**  
 wall mounted  
 set for final installation for  
 23 571 000  
 without concealed body  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 207 mm  
 min. recommended pressure 1.0 bar




23 571 000 **chrome** 236.00

**Single-lever mixer 1/2", universal concealed body**  
 for 2-hole basin mixers  
 wall installation  
 without finishing trim set  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 spout can be positioned on the right or left  
 DR-brass  
 installation device


# GROHE LINEARE

Ref. No. Colour Price netto (€)





**33 848 001** chrome 213.00  
**33 848 DC1** supersteel 271.00

**Lineare**  
**Single-lever bidet mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** installation system  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar




**33 865 001** chrome 217.00  
**33 865 DC1** supersteel 300.00

**Lineare**  
**Single-lever shower mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
shower outlet 1/2"  
integrated non-return valve  
**covered S-unions**  
protected against backflow  
min. recommended pressure 1.0 bar



**33 849 001** chrome 278.00  
**33 849 DC1** supersteel 383.00

**Lineare**  
**Single-lever bath mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
mousseur  
shower outlet 1/2"  
integrated non-return valve  
**covered S-unions**  
protected against backflow  
min. recommended pressure 1.0 bar  
pillar installation optional with pillar unions 12 030 000



**33 850 001** chrome 324.00


**Lineare**  
**Single-lever bath mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
mousseur  
shower outlet 1/2"  
integrated non-return valve  
**covered S-unions**  
protected against backflow  
with shower set  
consisting of:  
hand shower Sena Stick (26 465)  
wall shower holder Tempesta Cosmopolitan 100  
(27 594 000)  
Silverflex shower hose 1.500 mm (28 364)  
min. recommended pressure 1.0 bar



# GROHE LINEARE

Ref. No. Colour Price netto (€)


24 063 001 chrome 161.00  
 24 063 DC1 supersteel 225.00



**Lineare**  
**Single-lever shower mixer**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


24 064 001 chrome 177.00  
 24 064 DC1 supersteel 248.00



**Lineare**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


24 095 001 chrome 197.00  
 24 095 DC1 supersteel 276.00



**Lineare**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


19 577 001 chrome 754.00  
 19 577 DC1 supersteel 1,040.00



**Lineare**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 consisting of:  
 pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 hand shower Sena Stick (26 465)  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with (29 037 000)  
 min. recommended pressure 1.0 bar


Ref. No. Colour Price netto (€)

19 965 001 chrome 595.00



**Lineare**  
**Three-hole single-lever bath combination**  
Three hole installation  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE StarLight** chrome finish consisting of:  
single lever mixer operating element  
diverter bath/shower without spout  
hand shower Sena Stick (26 465)  
metal shower hose 2000 mm  
flexible connection hoses  
connection for shower hose protected against backflow for use with (29 037 000) for combination with (28 990 / 28 991)


29 037 000 chrome 734.00



**4/5-hole bath combination (optional) baseframe for installation under tiled surround** consisting of:  
base frame  
drainage box with integrated outlet for splash water


45 388 000 chrome 133.00  
**Supporting legs for baseframe**

23 792 001 chrome 1,380.00  
23 792 DC1 supersteel 1,930.00




**Lineare**  
**Single-lever bath mixer 1/2", floor mounted**  
set for final installation for 45 984  
without roughing-in-set  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
spout with mousseur projection 271 mm  
integrated non-return valve in the shower outlet 1/2"  
with shower holder  
hand shower Sena Stick (26 465)  
Silverflex shower hose 1 250 mm (28 362)  
protected against backflow

45 984 001 chrome 444.00



**Rough-in set 1/2"**  
for floor-mounted bath mixers/spouts and shower mixers  
without finishing trim set  
installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm  
installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug  
gasket  
fixing material

13 383 001 chrome 202.00  
13 383 DC1 supersteel 263.00




**Lineare**  
**Bath spout**  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm

# GROHE EUROCUBE JOY




# GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)




23 654 000 chrome 233.00

**Eurocube Joy**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE FeatherControl Joystick cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy SpeedClean mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




23 656 000 chrome 221.00

**Eurocube Joy**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE FeatherControl Joystick cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy SpeedClean mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
smooth body  
flexible connection hoses




23 657 000 chrome 244.00

**Eurocube Joy**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
GROHE FeatherControl Joystick cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy SpeedClean mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



23 658 000 chrome 239.00











**Eurocube Joy**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
GROHE FeatherControl Joystick cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy SpeedClean mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
smooth body  
flexible connection hoses



23 661 000 chrome 322.00

**Eurocube Joy**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
metal lever  
**for free-standing basins**  
GROHE FeatherControl Joystick cartridge  
GROHE StarLight chrome finish  
GROHE EcoJoy SpeedClean mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
smooth body  
flexible connection hoses


# GROHE EUROCUBE JOY

	Ref. No.	Colour	Price netto (€)
	<b>19 997 000</b> <b>Eurocube Joy</b> <b>Two-hole basin mixer</b> <b>M-Size</b> wall mounted set for final installation for 23 429 000 without concealed body <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm	chrome	263.00
	<b>19 998 000</b> <b>ditto, projection 231 mm</b>	chrome	270.00
	<b>23 429 000</b> <b>Joystick mixer 1/2", concealed body</b> for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass	chrome	237.00
	<b>46 901 000</b> <b>Extension-set, 25 mm</b> for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly-key	chrome	69.00
			
	<b>23 664 000</b> <b>Eurocube Joy</b> <b>Single-lever bidet mixer 1/2"</b> <b>single hole installation</b> metal lever GROHE FeatherControl Joystick cartridge <b>GROHE StarLight</b> chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min <b>GROHE QuickFix Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses	chrome	250.00
	<b>23 665 000</b> <b>Eurocube Joy</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever GROHE FeatherControl Joystick cartridge <b>GROHE StarLight</b> chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow	chrome	286.00
			




# GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)



23 666 000 chrome 353.00


**Eurocube Joy**  
**Single-lever bath mixer 1/2"**  
wall mounted  
metal lever  
GROHE FeatherControl Joystick cartridge  
**GROHE StarLight** chrome finish  
GROHE XL Waterfall  
integrated non-return valve in the shower outlet 1/2"  
S-unions  
protected against backflow



24 061 000 chrome 155.00

**Eurocube**  
**Single-lever shower mixer**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
flow performance:  
outlet B or C = 30 l/min  
without roughing-in-set


35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 062 000 chrome 170.00

**Eurocube**  
**Single-lever mixer with 2-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
automatic 2-way diverter  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 094 000 chrome 191.00


**Eurocube**  
**Single-lever mixer with 3-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
**3-way diverter**  
flow performance:  
outlet A = 27 l/min,  
outlet B = 27 l/min,  
outlet C = 27 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation

# GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)


24 153 000 chrome 406.00



**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermosteement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


24 154 000 chrome 453.00



**Grotherm Cube**  
**Thermostatic shower mixer for 2 outlets**  
**with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermosteement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 155 000 chrome 453.00



**Grotherm Cube**  
**Thermostatic bath tub mixer for 2 outlets**  
**with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermosteement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed shower and bath symbol  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE EUROCUBE JOY

Ref. No.


Colour

Price netto (€)

34 741 000

chrome

1,070.00



**Grohtherm Cube**  
**Perfect shower set with Rainshower Allure 230**


consisting of:

- Grohtherm Cube set for final installation with Aquadimmer (24 154)
- GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
- Rainshower Allure 230 metal head shower (27 479)
- Rainshower shower arm (27 709)
- hand shower Euphoria Cube (27 699 000) 9,5 l/min.
- shower outlet elbow (26 370)
- Silverflex shower hose 1 250 mm (28 362)

23 667 001

chrome

\*



**Eurocube Joy**  
**Single-lever bath mixer 1/2", floor mounted**


set for final installation for  
45 984 001

- without roughing-in-set
- GROHE FeatherControl Joystick cartridge
- GROHE StarLight** finish
- automatic diverter: bath/shower
- spout with mousseur
- hand shower Euphoria Cube+ 6.6 l/min
- Silverflex shower hose 1 250 mm (28 362)
- projection 298 mm
- integrated non-return valve in the shower outlet 1/2"
- with shower holder
- protected against backflow

45 984 001

chrome

444.00



**Rough-in set 1/2"**


- for floor-mounted bath mixers/spouts and shower mixers
- without finishing trim set
- installation plate with 360° horizontal and 3° vertical adjustment
- installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
- installation depth 65-157 mm for shower mixers, depth compensation 92 mm
- two 1/2" female connections (hot/cold supplies)
- flushing plug
- gasket
- fixing material

# GROHE EUROCUBE




# GROHE EUROCUBE

Ref. No. Colour Price netto (€)




**23 137 000** **chrome** **166.00**  
**Eurocube**  
**Pillar tap**  
**XS-Size**  
**single hole installation**  
 metal lever  
 ceramic headpart 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
 union nut 1/2" x 10.5 mm




**23 127 00E** **chrome** **215.00**  
**Eurocube**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses

**23 127 000** **chrome** **214.00**  
**ditto, with non-restricted flow**




**23 132 00E** **chrome** **209.00**  
**Eurocube**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 smooth body  
 flexible connection hoses

**23 132 000** **chrome** **204.00**  
**ditto, with non-restricted flow**



**23 445 000** **chrome** **228.00**  
**Eurocube**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 min. recommended pressure 1.0 bar




**23 446 000** **chrome** **216.00**  
**Eurocube**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar



# GROHE EUROCUBE


Ref. No. Colour Price netto (€)



23 135 00E chrome 239.00


**Eurocube**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 swivel tubular spout with stop limiter  
 pop-up waste set 1 1/4"  
 flexible connection hoses

23 135 000 chrome 245.00  
**ditto, with non-restricted flow**




23 406 000 chrome 293.00

**Eurocube**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
 metal lever  
**for free-standing basins**  
**GROHE SilkMove** 28 mm ceramic cartridge  
 temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar



20 351 000 chrome 308.00


**Eurocube**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** installation system  
 spout with mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut 1/2" x 10.5 mm



19 895 000 chrome 267.00

**Eurocube**  
**Two-hole basin mixer**  
**S-Size**  
 wall mounted  
 set for final installation for  
 concealed body 23 200 000  
 without concealed body  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 171 mm  
 min. recommended pressure 1.0 bar

23 447 000 chrome 279.00  
**ditto, projection 231 mm**



23 200 000 chrome 236.00


**Single-lever mixer 1/2", concealed body**  
 for 2-hole basin mixers  
 wall installation  
 without finishing trim set  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 installation depth 45 to 75 mm  
 DR-brass  
 installation device

# GROHE EUROCUBE

Ref. No.

Colour

Price netto (€)




23 138 000

chrome

214.00

**Eurocube**  
**Single-lever bidet mixer 1/2"**  
**S-Size**  
single hole installation  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** installation system  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses



23 145 000

chrome

244.00

**Eurocube**  
**Single-lever shower mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
shower bottom outlet 1/2"  
with integrated non return-valve  
**covered S-unions**  
protected against backflow  
optional temperature limiter ref. no. 46 375 000




18 541 000

chrome

30.00

**Eurocube**  
**Shelf**  
for shower mixer 23 145 000




23 140 000

chrome

283.00

**Eurocube**  
**Single-lever bath mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
mousseur  
integrated non-return valve in the shower outlet 1/2"  
**covered S-unions**  
protected against backflow  
optional temperature limiter ref. no. 46 375 000




23 141 000

chrome

333.00

**Eurocube**  
**Single-lever bath mixer 1/2"**  
metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
mousseur, integrated non-return valve in the shower outlet 1/2"  
**covered S-unions**  
optional temperature limiter ref. no. 46 375 000  
consisting of:  
hand shower (27 698 000)  
wall shower holder (27 693 000)  
shower hose 1500 mm (28 151 000)  
min. recommended pressure 1.0 bar


Ref. No. Colour Price netto (€)



**24 061 000** **chrome** **155.00**

**Eurocube**  
**Single-lever shower mixer**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
flow performance:  
outlet B or C = 30 l/min  
without roughing-in-set


**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



**24 062 000** **chrome** **170.00**

**Eurocube**  
**Single-lever mixer with 2-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
automatic 2-way diverter  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min  
without roughing-in-set


**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



**24 094 000** **chrome** **191.00**

**Eurocube**  
**Single-lever mixer with 3-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
**3-way diverter**  
flow performance:  
outlet A = 27 l/min,  
outlet B = 27 l/min,  
outlet C = 27 l/min  
without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**




**24 153 000** **chrome** **406.00**

**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
built-in non return valves and dirt strainers  
ceramic stop valve, 120°  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 154 000 chrome 453.00




**Grotherm Cube**  
Thermostatic shower mixer for 2 outlets  
with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed head and hand shower symbol  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
GROHE AquaDimmer, integrated shut off/diverter valve  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 155 000 chrome 453.00




**Grotherm Cube**  
Thermostatic bath tub mixer for 2 outlets  
with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed shower and bath symbol  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
GROHE AquaDimmer, integrated shut off/diverter valve  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation


34 741 000 chrome 1,070.00



**Grotherm Cube**  
Perfect shower set with Rainshower Allure 230

consisting of:  
Grotherm Cube set for final installation with Aquadimmer (24 154)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
Rainshower Allure 230 metal head shower (27 479)  
Rainshower shower arm (27 709)  
hand shower Euphoria Cube (27 699 000) 9,5 l/min.  
shower outlet elbow (26 370)  
Silverflex shower hose 1 250 mm (28 362)

23 409 000 chrome 655.00








**Eurocube**  
Perfect shower set with Euphoria Cube 152

consisting of:  
Eurocube set for final installation (19 896 000)  
Euphoria Cube 152 head shower (27 705 000)  
Rainshower shower arm 275 mm (27 488 000)  
Euphoria Cube Stick hand shower set (27 702 000)  
Euphoria Cube shower outlet elbow (27 704 000)  
min. recommended pressure 1.0 bar









# GROHE EUROCUBE

Ref. No. Colour Price netto (€)

	<p><b>19 897 001</b> <b>chrome</b> <b>893.00</b></p> <p><b>Eurocube</b>  <b>4-hole single-lever bath combination</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      consisting of:                      pre-assembled spout fixing                      single lever mixer operating element                      metal lever                      bath inlet with mousseur                      diverter bath/shower                      hand shower Euphoria Cube+ 6.6 l/min                      metal shower hose 2000 mm                      flexible connection hoses                      connection for shower hose                      protected against backflow                      for use with (29 037 000)                      min. recommended pressure 1.0 bar</p>
	<p><b>19 966 000</b> <b>chrome</b> <b>632.00</b></p> <p><b>Eurocube</b>  <b>3-hole bath combination</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      consisting of:                      single lever mixer operating element                      diverter bath/shower                      without spout                      Euphoria Cube hand shower (27 699 000) 9.4 l/min                      metal shower hose 2000 mm                      flexible connection hoses                      connection for shower hose                      protected against backflow                      for use with (29 037 000)                      for combination with (28 990 / 28 991)</p>
	<p><b>29 037 000</b> <b>chrome</b> <b>734.00</b></p> <p><b>4/5-hole bath combination (optional)</b>  <b>baseframe for installation under tiled surround</b>                      consisting of:                      base frame                      drainage box with integrated outlet for splash water</p> <p><b>45 388 000</b> <b>chrome</b> <b>133.00</b></p> <p><b>Supporting legs for baseframe</b></p>
	<p><b>23 672 001</b> <b>chrome</b> <b>1,370.00</b></p> <p><b>Eurocube</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>                      set for final installation for                      45 984 001                      without roughing-in-set  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      spout with mousseur                      hand shower Euphoria Cube+ 6.6 l/min                      Silverflex shower hose 1 250 mm (28 362)                      projection 298 mm                      integrated non-return valve in the shower outlet 1/2"                      protected against backflow                      with shower holder</p>
	<p><b>45 984 001</b> <b>chrome</b> <b>444.00</b></p> <p><b>Rough-in set 1/2"</b>                      for floor-mounted bath mixers/spouts and shower mixers                      without finishing trim set                      installation plate with 360° horizontal and                      3° vertical adjustment                      installation depth 53-157 mm for bath mixers/                      spouts, depth compensation 104 mm                      installation depth 65-157 mm for shower                      mixers, depth compensation 92 mm                      two 1/2" female connections (hot/cold supplies)                      flushing plug                      gasket                      fixing material</p>




# GROHE EUROCUBE

	Ref. No.	Colour	Price netto (€)
 	<b>13 303 000</b>	<b>chrome</b>	<b>121.00</b>
<p><b>Eurocube</b>  <b>Bath spout</b>            wall mounted  <b>GROHE StarLight</b> chrome finish            mousseur            male thread 1/2"            projection 170 mm            min. recommended pressure 1.0 bar</p>			
 	<b>13 304 000</b>	<b>chrome</b>	<b>135.00</b>
<p><b>Bath spout</b>            wall mounted  <b>GROHE StarLight</b> chrome finish            mousseur            automatic diverter: bath/shower            with concealed connection piece            male thread 1/2"            projection 170 mm            min. recommended pressure 1.0 bar</p>			
 	<b>19 910 000</b>	<b>chrome</b>	<b>51.00</b>
<p><b>Eurocube</b>  <b>Volume Control Trim</b>            for GROHE concealed valves, 1/2", 3/4", 1"            without concealed body            installation depth infinitely adjustable            16 - 38 mm            metal handle            sliding escutcheon with wall sealing  <b>GROHE StarLight</b> chrome finish            for use with rough-in valve 29 273 &amp; 29 274</p>			
 	<b>22 012 000</b>	<b>chrome</b>	<b>47.00</b>
<p><b>Eurocube</b>  <b>Angle valve 1/2"</b>            wall connection 1/2"            outlet thread 3/8"            Cartridge headpart            metal handle            marking: neutral            metal push-on escutcheon</p>			

# GROHE PLUS






23 848 003

chrome

\*

**Plus**  
**Single-lever basin mixer 1/2" with temperature display**  
**M-Size**

LED water temperature display  
**single hole installation**  
metal lever  
6 V alkaline mono battery, 4 x mono cell  
external battery  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
rapid installation system  
swivel spout with easy docking  
swivel area 90°  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses




23 850 003

chrome

\*

**Plus**  
**Single-lever basin mixer 1/2" with temperature display**  
**L-Size**

LED water temperature display  
**single hole installation**  
metal lever  
6 V alkaline mono battery, 4 x mono cell  
external battery  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
rapid installation system  
swivel spout with easy docking  
swivel area 90°  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses




32 612 003

chrome

180.00

**Plus**  
**Single-lever basin mixer 1/2"**  
**S-Size**

**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE QuickFix Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



32 612 30L


chrome

\*

**Plus**  
**Single-lever basin mixer 1/2"**  
**S-Size**


**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** installation system  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
for low pressure  
min. recommended pressure 0.2 bar

Ref. No. Colour Price netto (€)




**33 163 003** **chrome** **180.00**

**Plus**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE QuickFix Plus** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses




**23 870 003** **chrome** **180.00**

**Plus**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove ES** 28 mm ceramic cartridge  
 with energy saving function via cold start  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE QuickFix Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses




**23 871 003** **chrome** **226.00**

**Plus**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 pop-up waste set 1 1/4"  
 flexible connection hoses




**23 872 003** **chrome** **226.00**

**Plus**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses



**23 851 003** **chrome** **253.00**

**Plus**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 pop-up waste set 1 1/4"  
 flexible connection hoses




23 873 003

chrome

253.00

**Plus**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses




23 843 003

chrome

293.00

**Plus**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 pull out spout  
**GROHE EasyDock** guarantees easy retraction and  
 smooth docking back to the starting position  
 pop-up waste set 1 1/4"  
 flexible connection hoses




23 844 003

chrome

293.00

**Plus**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 pull out spout  
**GROHE EasyDock** guarantees easy retraction and  
 smooth docking back to the starting position  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses



32 618 003


chrome

280.00

**Plus**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
 metal lever  
**for free-standing basins**  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 smooth body  
 flexible connection hoses




Ref. No. Colour Price netto (€)




**20 301 003** **chrome** **280.00**

**Plus**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 pop-up waste set 1 1/4"  
**GROHE QuickFix** installation system  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut 1/2" x 10.5 mm




**29 303 003** **chrome** **220.00**

**Plus**  
**Two-hole basin mixer**  
**M-Size**  
 wall mounted  
 set for final installation for  
 23 200 000  
 without concealed body  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 147 mm  
 min. recommended pressure 1.0 bar




**29 306 003** **chrome** **235.00**

**Plus**  
**Two-hole basin mixer**  
**L-Size**  
 wall mounted  
 set for final installation for  
 23 200 000  
 without concealed body  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 203 mm  
 min. recommended pressure 1.0 bar













**23 200 000** **chrome** **236.00**

**Single-lever mixer 1/2", concealed body**  
 for 2-hole basin mixers  
 wall installation  
 without finishing trim set  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 installation depth 45 to 75 mm  
 DR-brass  
 installation device



**33 241 003** **chrome** \*


**Plus**  
**Single-lever bidet mixer 1/2"**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 rapid installation system  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 min. recommended pressure 1.0 bar

		<p><b>33 577 003</b> <b>chrome</b> <b>217.00</b></p> <p><b>Plus</b>  <b>Single-lever shower mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            shower outlet 1/2"            integrated non-return valve  <b>covered S-unions</b>            protected against backflow            min. recommended pressure 1.0 bar</p>
		<p><b>33 553 003</b> <b>chrome</b> <b>271.00</b></p> <p><b>Plus</b>  <b>Single-lever bath mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            laminar mousseur            shower outlet 1/2"            integrated non-return valve  <b>covered S-unions</b>            protected against backflow            min. recommended pressure 1.0 bar</p>
		<p><b>33 547 003</b> <b>chrome</b> <b>305.00</b></p> <p><b>Plus</b>  <b>Single-lever bath mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            laminar mousseur            shower outlet 1/2"            integrated non-return valve  <b>covered S-unions</b>            protected against backflow            with shower set            consisting of:            hand shower Euphoria Cube Stick (27 698 000)            wall shower holder (27 693 000)            Silverflex shower hose 1.500 mm (28 364)            min. recommended pressure 1.0 bar</p>
		<p><b>40 954 000</b> <b>chrome</b> <b>97.00</b></p> <p><b>Plus</b>  <b>Tray</b>            suitable for            33 553 003            33 547 003            33 577 003</p>
		<p><b>24 059 003</b> <b>chrome</b> <b>171.00</b></p> <p><b>Plus</b>  <b>Single-lever shower mixer</b>            set for final installation for            GROHE Rapido SmartBox 35 600 000  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE QuickFix</b> (covered            escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min            without roughing-in-set</p> <p><b>35 600 000</b> <b>chrome</b> <b>68.00</b>  <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>

# GROHE PLUS

Ref. No. Colour Price netto (€)


24 060 003 chrome 180.00



**Plus**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


24 093 003 chrome 203.00



**Plus**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
 without roughing-in-set


35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 307 003 chrome 744.00











**Plus**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 consisting of:  
 pre-assembled spout laminar mousseur  
 single lever mixer operating element  
 metal lever  
 diverter bath/shower  
 hand shower Euphoria Cube 6.6 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 001  
 min. recommended pressure 1.0 bar


23 845 003 chrome 614.00



**Plus**  
**Three-hole single-lever bath combination**  
 Three hole installation  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 consisting of:  
 single lever mixer operating element  
 diverter bath/shower  
 without spout  
 Euphoria Cube hand shower 7.6 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 001  
 for combination with (28 990 / 28 991)  
 min. recommended pressure 1.0 bar

	Ref. No.	Colour	Price netto (€)	
	29 037 001 <b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b> consisting of: base frame drainage box with integrated outlet for splash water	chrome	674.00	
	45 388 000 <b>Supporting legs for baseframe</b>	chrome	133.00	
	23 846 003 <b>Plus Single-lever bath mixer 1/2", floor mounted</b> set for final installation for 45 984 001 without roughing-in-set <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish automatic diverter: bath/shower spout with laminar mousseur projection 282 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube 6.6 l/min Silverflex shower hose 1 250 mm (28 362) protected against backflow min. recommended pressure 1.0 bar	chrome	1,370.00	
	45 984 001 <b>Rough-in set 1/2"</b> for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material	chrome	444.00	
		13 404 003 <b>Plus Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish laminar mousseur male thread 1/2" projection 168 mm	chrome	126.00
				


Ref. No. Colour Price netto (€)



26 507 000 chrome 913.00  
26 507 LS0 moon white 1,002.40

**Euphoria SmartControl System 310 Duo**  
**Shower system with thermostat for wall mounting**

consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 310 SmartActive, spray plate chrome  
GROHE PureRain and Centered Jet spray  
hand shower Euphoria 110 Massage, spray plate white (27 221 001)  
3 spray patterns:  
Rain, SmartRain, Massage  
adjustable in height with gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** no risk of scalding  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
- GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar



26 508 000 chrome 913.00  
26 508 LS0 moon white 1,050.00

**Euphoria SmartControl System 310 Cube Duo**  
**Shower system with thermostat for wall mounting**


consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 310 SmartActive Cube, spray plate chrome  
GROHE PureRain and Centered Jet spray  
hand shower Euphoria Cube Stick (27 698 000)  
adjustable in height with gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE CoolTouch** no risk of scalding  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE StarLight** chrome finish  
- GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar



26 509 000

chrome

792.00



**Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting**

consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermosteement

**GROHE EcoJoy** technology for less water and perfect flow

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 510 000

chrome

922.00



**Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting**

consisting of:

horizontal swivable 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermosteement

**GROHE EcoJoy** technology for less water and perfect flow

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

# GROHE PLUS

	Ref. No.	Colour	Price netto (€)
 	19 952 000	chrome	173.00
<p><b>Talentofill</b>  <b>Inlet-, pop-up and waste-system</b>                      set for final installation                      consisting of:                      escutcheon, supply part, waste plug, fixing set  <b>in combination with</b>  <b>Talentofill 28 990/28 991</b>  <b>GROHE StarLight</b> chrome finish</p>			
 	19 025 000	chrome	57.00
<p><b>Talento</b>  <b>Waste and overflow set for bath tubes</b>                      set for final installation                      escutcheon, waste plug, fixing set  <b>in combination with</b>  <b>Talentofill 28 939/28 943</b>  <b>GROHE StarLight</b> chrome finish</p>			
 	40 564 000	chrome	262.00
<p><b>Bottle trap</b>  <b>for wash basin</b>  <b>GROHE StarLight</b> chrome finish                      brass body</p>			
 	28 912 000	chrome	228.00
<p><b>Trap 1 1/4"</b>  <b>for basins</b>                      brass                      (screw-top for cleaning)                      large sliding escutcheon  <b>GROHE StarLight</b> chrome finish</p>			
 	37 535 000	chrome	67.00
<p><b>Skate Cosmopolitan S</b>  <b>Wall plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic discharge valve AV1                      GD 2 cistern                      vertical installation                      130 x 172 mm                      made of ABS  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      flush plate with magnetic holder                      and fixing brackets included  <b>small shaft 40 911 000 sold separately</b></p>			
 	37 624 000	chrome	82.00
<p><b>Arena Cosmopolitan S</b>  <b>Wall plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic discharge valve AV1                      GD 2 cistern                      vertical installation                      130 x 172 mm                      made of ABS  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      flush plate with magnetic holder                      and fixing brackets included  <b>small shaft 40 911 000 sold separately</b></p>			


# GROHE EUROPLUS



Ref. No.

Colour

Price netto (€)




33 156 002

chrome

188.00

**Europlus**  
**Single-lever basin mixer 1/2"**  
**XS-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 rapid installation system  
 adjustable mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses



32 612 00E

chrome

194.00


**Europlus**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 adjustable minimum flow rate  
 approx. 2.5 l/min  
 temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFixPlus** installation  
 system with centering support  
 pop-up waste set 1 1/4"  
 flexible connection hoses

32 612 002

chrome

188.00

**ditto, with non-restricted flow**




33 163 002

chrome

188.00

**Europlus**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 adjustable minimum flow rate  
 approx. 2.5 l/min  
 temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFixPlus** installation  
 system with centering support  
**SpeedClean** mousseur  
 smooth body  
 flexible connection hoses  
 certificate applied for



33 155 002

chrome

263.00

**Europlus**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 adjustable minimum flow rate  
 approx. 2.5 l/min  
 temperature limiter  
**GROHE StarLight** chrome finish  
 rapid installation system  
 pull out spout with **SpeedClean** mousseur  
 integrated non-return valve  
 pop-up waste set 1 1/4"  
 flexible connection hoses


# GROHE EUROPLUS

Ref. No. Colour Price netto (€)

		<p><b>32 618 002</b> <b>chrome</b> <b>258.00</b></p> <p><b>Europlus</b>  <b>Single-lever basin mixer 1/2"</b>  <b>XL-Size</b>  <b>single hole installation</b>                      metal lever  <b>for free-standing basins</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate                      approx. 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE QuickFixPlus</b> installation system with centering support  <b>SpeedClean</b> mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>
		<p><b>33 241 002</b> <b>chrome</b> <b>188.00</b></p> <p><b>Europlus</b>  <b>Single-lever bidet mixer 1/2"</b>  <b>S-Size</b>  <b>single hole installation</b>                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate                      approx. 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE QuickFixPlus</b> installation system with centering support                      ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      certificate applied for</p>
		<p><b>20 301 000</b> <b>chrome</b> <b>311.00</b></p> <p><b>Europlus</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE QuickFix</b> installation system with centering support                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut with 10.5 mm drilling</p>
		<p><b>33 577 002</b> <b>chrome</b> <b>193.00</b></p> <p><b>Europlus</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate                      approx. 2.5 l/min                      shower bottom outlet 1/2"                      with integrated non return-valve                      S-unions                      protected against backflow                      certificate applied for                      min. recommended pressure 1.0 bar</p>




Ref. No. Colour Price netto (€)




**33 553 002** **chrome** **229.00**

**Europlus**  
**Single-lever bath mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
 temperature limiter  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate  
 approx. 2.5 l/min  
 automatic diverter: bath/shower  
**SpeedClean** mousseur  
 integrated non-return valve in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 certificate applied for  
 min. recommended pressure 1.0 bar



**33 547 002** **chrome** **288.00**


**Europlus**  
**Single-lever bath mixer 1/2"**  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
 temperature limiter  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate  
 approx. 2.5 l/min  
 automatic diverter: bath/shower  
**SpeedClean** mousseur  
 integrated non-return valve in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 with shower set  
 hand shower Euphoria 110 Champagne (27 222)  
 wall shower holder (28 622 000)  
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)  
 certificate applied for



**24 059 002** **chrome** **137.00**

**Europlus**  
**Single-lever shower mixer**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
 without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



**24 060 002** **chrome** **150.00**

**Europlus**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
 without roughing-in-set


**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE ESSENCE



# GROHE ESSENCE

Ref. No. Colour Price netto (€)




\*\*\* SPA colours:

● BE ● GL ● DA ● A0  
● EN ● GN ● DL ● AL

23 589 001 chrome 151.00  
23 589 DC1 supersteel 206.00  
23 589 \*\*\* SPA colours 194.00

**Essence**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE SilkMove 28 mm ceramic cartridge  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




\*\*\* SPA colours:

● BE ● GL ● DA ● A0  
● EN ● GN ● DL ● AL


23 590 001 chrome 142.00  
23 590 DC1 supersteel 180.00  
23 590 \*\*\* SPA colours 186.00

**Essence**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE SilkMove 28 mm ceramic cartridge  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
smooth body  
flexible connection hoses




23 591 001 chrome 150.00

**Essence**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE SilkMove ES 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



23 797 001 chrome 135.00

**Essence**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE SilkMove ES 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
smooth body  
waste-set with push-open plug  
flexible connection hoses




32 898 001 chrome 147.00


**Essence**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE SilkMove 28 mm ceramic cartridge  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar

# GROHE ESSENCE


Ref. No. Colour Price netto (€)



**32 899 001** **chrome** **142.00**  
**Essence**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 retractable chain  
 flexible connection hoses




**34 294 001** **chrome** **142.00**  
**Essence**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
 smooth body  
 flexible connection hoses




**23 462 001** **chrome** **185.00**  
**23 462 DC1** **supersteel** **225.00**  
**23 462 \*\*\*** **SPA colours** **225.00**  
**Essence**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE QuickFix Plus** installation system  
 swivel spout with mousseur and stop limiter  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 min. recommended pressure 1.0 bar

\*\*\* SPA colours:


- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL



**23 480 001** **chrome** **168.00**  
**Essence**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE QuickFix Plus** installation system  
 swivel spout with mousseur and stop limiter  
 retractable chain  
 flexible connection hoses




**23 798 001** **chrome** **162.00**  
**Essence**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE QuickFix Plus** installation system  
 swivel spout with mousseur and stop limiter  
 smooth body  
 waste-set with push-open plug  
 flexible connection hoses  
 min. recommended pressure 1.0 bar



23 463 001 chrome 168.00


**Essence**  
Single-lever basin mixer 1/2"  
M-Size  
single hole installation  
metal lever  
GROHE SilkMove 28 mm ceramic cartridge  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
swivel spout with mousseur and stop limiter  
smooth body  
flexible connection hoses



32 628 001 chrome 199.00  
32 628 DC1 supersteel 247.00  
32 628 \*\*\* SPA colours 264.00


**Essence**  
Single-lever basin mixer 1/2"  
L-Size  
single hole installation  
metal lever  
GROHE SilkMove 28 mm ceramic cartridge  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
swivel spout with mousseur and stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar

\*\*\* SPA colours:  
● BE ● GL ● DA ● A0  
● EN ● GN ● DL ● AL



23 799 001 chrome 176.00

**Essence**  
Single-lever basin mixer 1/2"  
L-Size  
single hole installation  
metal lever  
GROHE SilkMove 28 mm ceramic cartridge  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
swivel spout with mousseur and stop limiter  
smooth body  
waste-set with push-open plug  
flexible connection hoses  
min. recommended pressure 1.0 bar




23 541 001 chrome 195.00

**Essence**  
Single-lever basin mixer 1/2"  
L-Size  
single hole installation  
metal lever  
GROHE SilkMove 28 mm ceramic cartridge  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
swivel spout with mousseur and stop limiter  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar



# GROHE ESSENCE


Ref. No. Colour Price netto (€)



32 901 001	chrome	276.00
32 901 DC1	supersteel	334.00
32 901 ***	SPA colours	358.00


**Essence**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
 metal lever  
**for free-standing basins**  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE QuickFix Plus** rapid installation system  
 swivel spout with mousseur and stop limiter  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL




20 296 001	chrome	253.00
------------	--------	--------

**Essence**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 spout with mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut 1/2" x 10.5 mm



20 299 001	chrome	246.00
------------	--------	--------

**Essence**  
**3-hole basin mixer**  
**L-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** installation system  
**GROHE AquaGuide** adjustable mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut 1/2" x 10.5 mm



19 408 001	chrome	204.00
19 408 DC1	supersteel	247.00
19 408 ***	SPA colours	247.00

**Essence**  
**Two-hole basin mixer**  
**M-Size**  
 wall mounted  
 set for final installation for  
 23 571 000  
 without concealed body  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 183 mm


\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL

19 967 001	chrome	218.00
19 967 DC1	supersteel	278.00
19 967 BE1	SPA colours	298.00


ditto, projection 230 mm

# GROHE ESSENCE

Ref. No. Colour Price netto (€)




**23 571 000** **chrome** **236.00**  
**Single-lever mixer 1/2"**, universal concealed body  
 for 2-hole basin mixers  
 wall installation  
 without finishing trim set  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 spout can be positioned on the right or left  
 DR-brass  
 installation device



**32 935 001** **chrome** **151.00**  
**32 935 DC1** **supersteel** **221.00**  
**32 935 \*\*\*** **SPA colours** **194.00**  
**Essence**  
**Single-lever bidet mixer 1/2"**  
**S-Size**  
 single hole installation  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** installation system  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 min. recommended pressure 1.0 bar

\*\*\* SPA colours:


- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL



**33 636 001** **chrome** **171.00**  
**33 636 DC1** **supersteel** **214.00**  
**33 636 \*\*\*** **SPA colours** **227.00**  
**Essence**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 min. recommended pressure 1.0 bar

\*\*\* SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL




**33 624 001** **chrome** **210.00**  
**33 624 DC1** **supersteel** **261.00**  
**33 624 \*\*\*** **SPA colours** **261.00**  
**Essence**  
**Single-lever bath mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 min. recommended pressure 1.0 bar

\*\*\* SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL


# GROHE ESSENCE

Ref. No. Colour Price netto (€)



**33 628 001** **chrome** **252.00**

**Essence**  
**Single-lever bath mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 with shower set  
 consisting of:  
 hand shower Euphoria Cosmopolitan  
 Stick (27 400 000) 6.6 l/min  
 wall shower holder Tempesta Cosmopolitan 100  
 (27 594 000)  
 Silverflex shower hose 1.500 mm (28 364)  
 min. recommended pressure 1.0 bar




**24 057 001** **chrome** **141.00**  
**24 057 DC1** **supersteel** **197.00**  
**24 057 \*\*\*** **SPA colours** **211.00**

**Essence**  
**Single-lever shower mixer**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
 without roughing-in-set

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



**24 058 001** **chrome** **155.00**  
**24 058 DC1** **supersteel** **217.00**  
**24 058 \*\*\*** **SPA colours** **217.00**


**Essence**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
 without roughing-in-set

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE ESSENCE

Ref. No. Colour Price netto (€)




24 092 001	chrome	175.00
24 092 DC1	supersteel	245.00
24 092 ***	SPA colours	263.00

**Essence**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
 without roughing-in-set

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		




19 286 001	chrome	145.00
19 286 DC1	supersteel	184.00
19 286 ***	SPA colours	197.00

**Essence**  
**Single-lever shower mixer**  
 set for final installation for  
 35 501 000  
 without concealed body  
 metal lever  
**GROHE StarLight** chrome finish  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered fixing

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL


19 285 001	chrome	165.00
19 285 DC1	supersteel	200.00
19 285 ***	SPA colours	214.00



**Essence**  
**Single-lever bath mixer**  
 set for final installation for  
 35 501 000  
 without concealed body  
 metal lever  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered fixing

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL

19 578 001	chrome	714.00
19 578 DC1	supersteel	864.00
19 578 ***	SPA colours	953.00




**Essence**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 for chrome: hand shower 27 806, for other colours: hand shower 26 465  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with (29 037 000)

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL


# GROHE ESSENCE

Ref. No. Colour Price netto (€)



19 976 001 chrome 515.00

**Essence**  
**Three-hole single-lever bath combination**  
 Three hole installation  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 single lever mixer operating element  
 diverter bath/shower  
 hand shower 27 400 000  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with (29 037 000)  
 for combination with (28 990 / 28 991)




29 037 000 chrome 734.00

**4/5-hole bath combination (optional) baseframe for installation under tiled surround**  
 consisting of:  
 base frame  
 drainage box with integrated outlet for splash water


45 388 000 chrome 133.00

**Supporting legs for baseframe**



23 741 001 chrome 2,070.00  
 23 741 DC1 supersteel 2,630.00


**Essence**  
**Single-lever free-standing shower mixer 1/2"**  
 floor-mounted  
 set for final installation for 45 984 001  
 without roughing-in-set  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter:  
 head shower/hand shower  
 360° horizontal swivable shower arm  
 integrated non-return valve in the shower outlet 1/2"  
 with shower holder  
 Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)  
 with ball joint  
 rotation angle ± 15°  
**GROHE DreamSpray** perfect spray pattern  
**SpeedClean** anti-lime system  
 for chrome: hand shower 27 806, for other colours: hand shower 26 465  
 Silverflex shower hose 1750 mm (28 388 000)  
 protected against backflow  
 min. recommended pressure 1.0 bar



23 491 001 chrome 1,260.00  
 23 491 DC1 supersteel 1,400.00  
 23 491 \*\*\* SPA colours 1,400.00

**Essence**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for 45 984  
 without roughing-in-set  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 swivel spout with mousseur and stop limiter  
 projection 277 mm  
 integrated non-return valve in the shower outlet 1/2"  
 with shower holder  
 for chrome: hand shower 27 806, for other colours: hand shower 26 465  
 Silverflex shower hose 1 250 mm (28 362)  
 protected against backflow

- \*\*\* SPA colours:
- BE
  - GL
  - DA
  - A0
  - EN
  - GN
  - DL
  - AL



45 984 001

chrome

444.00

**Rough-in set 1/2"**

for floor-mounted bath mixers/spouts and shower mixers without finishing trim set  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 gasket  
 fixing material




# GROHE EURODISC JOY




# GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




23 425 000 chrome 188.00  
23 425 LS0 moon white/chrome 244.00

**Eurodisc Joy**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE FeatherControl Joystick cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




23 427 000 chrome 200.00  
23 427 LS0 moon white/chrome 268.00

**Eurodisc Joy**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
GROHE FeatherControl Joystick cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




23 428 000 chrome 278.00  
23 428 LS0 moon white/chrome 375.00

**Eurodisc Joy**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
metal lever  
**for free-standing basins**  
GROHE FeatherControl Joystick cartridge  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** installation system  
smooth body  
flexible connection hoses



19 968 000 chrome 218.00  
19 968 LS0 moon white/chrome 262.00

**Eurodisc Joy**  
**Two-hole basin mixer**  
**M-Size**  
wall mounted  
set for final installation for 23 429 000  
without concealed body  
metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
centre distance 110 mm  
projection 171 mm  
min. recommended pressure 1.0 bar




19 969 000 chrome 231.00  
19 969 LS0 moon white/chrome 299.00

**Eurodisc Joy**  
**Two-hole basin mixer**  
**L-Size**  
wall mounted  
set for final installation for 23 429 000  
without concealed body  
metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
centre distance 110 mm  
projection 226 mm  
min. recommended pressure 1.0 bar



# GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




**23 429 000** **chrome** **237.00**

**Joystick mixer 1/2", concealed body**  
for 2-hole basin mixers  
without finishing trim set  
GROHE FeatherControl Joystick cartridge  
wall installation  
installation device  
DR-brass




**46 901 000** **chrome** **69.00**

**Extension-set, 25 mm**  
for 23 429 000 Joystick mixer 1/2", concealed body  
for 2-hole basin mixers  
wall installation  
including disassembly-key




**24 036 000** **chrome** **200.00**  
**24 036 LS0** **moon white/chrome** **260.00**

**Eurodisc Joy**  
**Single-lever bidet mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
GROHE FeatherControl Joystick cartridge  
**GROHE StarLight** chrome finish  
GROHE EcoJoy ball-joint mousseur 5.7 l/min  
**GROHE QuickFix Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



**23 430 000** **chrome** **211.00**  
**23 430 LS0** **moon white/chrome** **275.00**

**Eurodisc Joy**  
**Single-lever shower mixer 1/2"**  
wall mounted  
metal lever  
GROHE FeatherControl Joystick cartridge  
**GROHE StarLight** chrome finish  
shower bottom outlet 1/2"  
with integrated non return-valve  
S-unions  
protected against backflow  
min. recommended pressure 1.0 bar



**23 431 000** **chrome** **285.00**  
**23 431 LS0** **moon white/chrome** **384.00**


**Eurodisc Joy**  
**Single-lever bath mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** Joystick cartridge  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
mousseur  
integrated non-return valve in the shower outlet 1/2"  
S-unions  
protected against backflow  
min. recommended pressure 1.0 bar

# GROHE EURODISC JOY

Ref. No.

Colour

Price netto (€)



24 055 002

chrome

132.00

**Eurodisc Cosmopolitan  
Single-lever shower mixer**

set for final installation for  
GROHE Rapido SmartBox 35 600 000

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

flow performance:

outlet B or C = 30 l/min


without roughing-in-set

35 600 000

chrome

68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**



24 056 002

chrome

145.00

**Eurodisc Cosmopolitan  
Single-lever mixer with 2-way diverter**

set for final installation for  
GROHE Rapido SmartBox 35 600 000

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000

chrome

68.00


**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE EURODISC COSMOPOLITAN




# GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 051 002 **chrome** 94.00

**Eurodisc Cosmopolitan**  
**Pillar tap**  
**XS-Size**  
**single hole installation**  
metal lever  
ceramic headpart 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
union nut 1/2" x 10.5 mm  
min. recommended pressure 1.0 bar  
acoustic group I in accordance with DIN 4109



23 049 002 **chrome** 164.00

**Eurodisc Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE QuickFixPlus** installation  
system with centering support  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses




33 190 20E **chrome** 160.00

**Eurodisc Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFixPlus** installation  
system with centering support  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
acoustic group I in accordance with DIN 4109

33 190 002 **chrome** 164.00

**ditto, with non-restricted flow**




32 469 20E **chrome** 157.00

**Eurodisc Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
metal lever  
**single hole installation**  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFixPlus** installation  
system with centering support  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar  
acoustic group I in accordance with DIN 4109




# GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 448 002 chrome 174.00

**Eurodisc Cosmopolitan**  
Single-lever basin mixer 1/2"  
M-Size  
single hole installation  
metal lever  
GROHE SilkMove 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar




23 449 002 chrome 176.00

**Eurodisc Cosmopolitan**  
Single-lever basin mixer 1/2"  
M-Size  
single hole installation  
metal lever  
GROHE SilkMove 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE QuickFix installation system  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar



23 054 003 chrome 185.00

**Eurodisc Cosmopolitan**  
Single-lever basin mixer 1/2"  
L-Size  
single hole installation  
metal lever  
covered lever fixing  
GROHE SilkMove 35 mm ceramic cartridge  
adjustable flow rate limiter  
GROHE StarLight chrome finish  
GROHE Zero separated inner water ways - lead and nickel free  
GROHE QuickFix Plus installation system  
mousseur  
swivel tubular spout  
with stop restriction  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
optional temperature limiter ref. no. 46 375 000





23 432 000 chrome 275.00

**Eurodisc Cosmopolitan**  
Single-lever basin mixer 1/2"  
XL-Size  
single hole installation  
metal lever  
for free-standing basins  
GROHE SilkMove 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
GROHE StarLight chrome finish  
GROHE EcoJoy SpeedClean mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar  
optional temperature limiter ref. no. 46 375 000


# GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)



23 055 002 chrome 225.00


**Eurodisc Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
single hole installation  
metal lever  
for free-standing basins  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
**GROHE StarLight** chrome finish  
**GROHE QuickFixPlus** installation system with centering support  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
optional temperature limiter ref. no. 46 375 000  
acoustic group I in accordance with DIN 4109



19 573 002 chrome 201.00


**Eurodisc Cosmopolitan**  
**Two-hole basin mixer**  
**M-Size**  
wall mounted  
set for final installation for 23 571 000  
without concealed body  
metal escutcheon  
metal lever  
**GROHE StarLight** chrome finish  
**GROHE AquaGuide** mousseur  
centre distance 110 mm  
projection 170 mm  
min. recommended pressure 1.0 bar

19 974 002 chrome 217.00  
ditto, projection 225 mm



23 571 000 chrome 236.00









**Single-lever mixer 1/2", universal concealed body**  
for 2-hole basin mixers  
wall installation  
without finishing trim set  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
spout can be positioned on the right or left  
DR-brass  
installation device



33 244 002 chrome 160.00


**Eurodisc Cosmopolitan**  
**Single-lever bidet mixer 1/2"**  
**S-Size**  
metal lever  
single hole installation  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
**GROHE StarLight** chrome finish  
**GROHE QuickFixPlus** installation system with centering support  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
optional temperature limiter ref. no. 46 375 000  
acoustic group I in accordance with DIN 4109

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	<b>33 569 002</b>	<b>chrome</b>	<b>160.00</b>
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate                      approx. 2.5 l/min                      shower bottom outlet 1/2"                      integrated non-return valve                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 46 308 000                      acoustic group I in accordance with DIN 4109</p>		
 	<b>33 390 002</b>	<b>chrome</b>	<b>201.00</b>
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate                      approx. 2.5 l/min                      automatic diverter: bath/shower                      mousseur, integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 46 308 000                      acoustic group I in accordance with DIN 4109</p>		
 	<b>33 395 002</b>	<b>chrome</b>	<b>239.00</b>
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate                      approx. 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 46 308 000                      acoustic group I in accordance with DIN 4109                      with shower set                      consisting of:                      hand shower Euphoria 110 Champagne (27 222)                      wall shower holder (27 056)                      Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>		
 	<b>24 055 002</b>	<b>chrome</b>	<b>132.00</b>
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever shower mixer</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600 000  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE QuickFix</b> (covered                      escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min                      without roughing-in-set</p>		
	<b>35 600 000</b>	<b>chrome</b>	<b>68.00</b>
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

# GROHE EURODISC COSMOPOLITAN


Ref. No. Colour Price netto (€)



**24 056 002** **chrome** **145.00**


**Eurodisc Cosmopolitan**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
 without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**




**13 278 002** **chrome** **90.00**

**Eurodisc Cosmopolitan**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 male thread 1/2"  
 projection 170 mm  
 min. recommended pressure 1.0 bar



**13 279 002** **chrome** **114.00**

**Eurodisc Cosmopolitan**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 automatic diverter: bath/shower  
 with concealed connection piece  
 male thread 1/2"  
 projection 170 mm



**37 624 000** **chrome** **82.00**


**Arena Cosmopolitan S**  
**Wall plate**  
 for dual flush or start & stop actuation  
 for pneumatic discharge valve AV1  
 GD 2 cistern  
 vertical installation  
 130 x 172 mm  
 made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
 flush plate with magnetic holder  
 and fixing brackets included  
**small shaft 40 911 000 sold separately**

# GROHE CONCETTO




# GROHE CONCETTO

Ref. No. Colour Price netto (€)




**32 207 001** **chrome** **110.00**  
**Concetto**  
**Pillar tap**  
**XS-Size**  
**single hole installation**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
 union nut 1/2" x 10.5 mm  
 acoustic group I in accordance with DIN 4109




**32 204 10E** **chrome** **142.00**  
**Concetto**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix** installation system  
 with centering support  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 acoustic group I in accordance with DIN 4109


**32 204 001** **chrome** **141.00**  
**ditto, with non-restricted flow**



**23 060 001** **chrome** **148.00**  
**Concetto**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** installation system  
 with centering support  
 flow straightener  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**for open water heater**  
 optional temperature limiter ref. no. 46 375 000  
 acoustic group I in accordance with DIN 4109



**32 240 10E** **chrome** **137.00**  
**Concetto**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix** installation system  
 with centering support  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar  
 acoustic group I in accordance with DIN 4109








**23 450 001** **chrome** **159.00**  
**Concetto**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 min. recommended pressure 1.0 bar






# GROHE CONCETTO

	Ref. No.	Colour	Price netto (€)
	<b>19 575 001</b> <b>Concetto</b> <b>Two-hole basin mixer</b> <b>S-Size</b> wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever <b>GROHE StarLight</b> chrome finish <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 147 mm	chrome	199.00
	<b>23 571 000</b> <b>Single-lever mixer 1/2", universal concealed body</b> for 2-hole basin mixers wall installation without finishing trim set <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device	chrome	236.00
	<b>32 208 001</b> <b>Concetto</b> <b>Single-lever bidet mixer 1/2"</b> <b>S-Size</b> single hole installation metal lever <b>GROHE SilkMove</b> 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE QuickFix</b> installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses acoustic group I in accordance with DIN 4109	chrome	141.00
	<b>32 210 001</b> <b>Concetto</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109	chrome	141.00
	<b>18 391 001</b> <b>Concetto</b> <b>Plastic tray</b> for 32 210 001	chrome	36.00


# GROHE CONCETTO

Ref. No. Colour Price netto (€)




**32 211 001** **chrome** **170.00**

**Concetto**  
**Single-lever bath mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter ref. no. 46 308 000  
 min. recommended pressure 1.0 bar  
 acoustic group I in accordance with DIN 4109



**32 212 001** **chrome** **203.00**


**Concetto**  
**Single-lever bath mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter ref. no. 46 308 000  
 acoustic group I in accordance with DIN 4109  
 with shower set  
 consisting of:  
 Euphoria Cosmopolitan hand shower (27 400)  
 wall shower holder (27 056)  
 Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)



**24 053 001** **chrome** **129.00**

**Concetto**  
**Single-lever shower mixer**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
 without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



**24 054 001** **chrome** **141.00**

**Concetto**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
 without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE CONCETTO

Ref. No.


Colour

Price netto (€)

13 280 001

chrome

99.00




**Concetto**  
**Bath spout**  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
male thread 1/2"  
min. recommended pressure 1.0 bar

13 281 001

chrome

132.00



**Concetto**  
**Bath spout with diverter**  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
automatic diverter: bath/shower  
male thread 1/2"

# GROHE EUROSTYLE COSMOPOLITAN




# GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



23 039 002

chrome

98.00

**Eurostyle Cosmopolitan  
Pillar tap**  
**XS-Size**

**single hole installation**

metal lever

ceramic headpart 1/2", 90°


**GROHE StarLight** chrome finish

mousseur

min. recommended pressure 1.0 bar

acoustic group I in accordance with DIN 4109

union nut 1/2" x 10.5 mm



23 037 002

chrome

128.00

**Eurostyle Cosmopolitan**

**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

metal lever

**GROHE SilkMove** 28 mm ceramic cartridge

**GROHE StarLight** chrome finish


**GROHE QuickFix** installation system

with centering support

mousseur

pop-up waste set 1 1/4"

flexible connection hoses



33 552 20E

chrome

128.00

**Eurostyle Cosmopolitan**

**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

metal lever

**GROHE SilkMove** 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

**GROHE StarLight** chrome finish

**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min

**GROHE QuickFix** installation system

with centering support

pop-up waste set 1 1/4"

flexible connection hoses

min. recommended pressure 1.0 bar


acoustic group I in accordance with DIN 4109

33 552 002

chrome

131.00

**ditto, with non-restricted flow**



33 561 002

chrome

155.00

**Eurostyle Cosmopolitan**

**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

metal lever

**GROHE SilkMove** 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

**GROHE StarLight** chrome finish

**GROHE QuickFix** installation system

with centering support

flow straightener

pop-up waste set 1 1/4"

flexible connection hoses









**for open water heater**

optional temperature limiter ref. no. 46 375 000











acoustic group I in accordance with DIN 4109











# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	23 549 000	chrome	148.96
<p><b>Eurostyle Cosmopolitan</b> Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE StarLight finish GROHE EcoJoy mousseur 4.0 l/min GROHE QuickFix installation system retractable chain flexible connection hoses with shower set consisting of: hand shower with integrated diverter wall shower holder shower hose recommended pressure 1.0 - 5.0 bar</p>			
 	32 468 20E	chrome	120.00
<p><b>Eurostyle Cosmopolitan</b> Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>			
 	23 043 003	chrome	156.00
<p><b>Eurostyle Cosmopolitan</b> Single-lever basin mixer 1/2" L-Size single hole installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>			
 	20 208 002	chrome	223.00
<p><b>Eurostyle Cosmopolitan</b> Three-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between middle-body and side valves union nut with 10.5 mm drilling</p>			

# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	19 571 002	chrome	231.00
<p><b>Eurostyle Cosmopolitan Two-hole basin mixer S-Size</b>            wall mounted            set for final installation for 23 571 000            without concealed body            metal escutcheon            metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide</b> adjustable mousseur            centre distance 110 mm            projection 171 mm</p>			
 	23 571 000	chrome	236.00
<p><b>Single-lever mixer 1/2", universal concealed body</b>            for 2-hole basin mixers            wall installation            without finishing trim set  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable flow rate limiter            with temperature limiter            spout can be positioned on the right or left            DR-brass            installation device</p>			
 	33 565 002	chrome	131.00
<p><b>Eurostyle Cosmopolitan Single-lever bidet mixer 1/2" S-Size</b>            single hole installation            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable flow rate limiter            adjustable minimum flow rate approx. 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE QuickFix</b> installation system            with centering support            ball-joint mousseur            pop-up waste set 1 1/4"            flexible connection hoses            min. recommended pressure 1.0 bar            optional temperature limiter ref. no. 46 375 000</p>			
	33 566 002	chrome	107.00
<p><b>ditto, with retractable chain</b></p>			
 	33 590 002	chrome	131.00
<p><b>Eurostyle Cosmopolitan Single-lever shower mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            shower bottom outlet 1/2"            integrated non-return valve            S-unions            protected against backflow            optional temperature limiter ref. no. 46 308 000            acoustic group I in accordance with DIN 4109            min. recommended pressure 1.0 bar</p>			
 	33 591 002	chrome	172.00
<p><b>Eurostyle Cosmopolitan Single-lever bath mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur            integrated non-return valve in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter ref. no. 46 308 000            acoustic group I in accordance with DIN 4109            min. recommended pressure 1.0 bar</p>			

# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	<b>33 592 20A</b>	<b>chrome</b>	<b>161.59</b>
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      acoustic group I in accordance with DIN 4109                      with shower set                      hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)                      wall shower holder (27 056)                      Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
 	<b>24 051 002</b>	<b>chrome</b>	<b>127.00</b>
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600 000  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE QuickFix</b> (covered                      escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min                      without roughing-in-set</p>			
			<b>35 600 000</b> <b>chrome</b> <b>68.00</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	<b>24 052 002</b>	<b>chrome</b>	<b>139.00</b>
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600 000  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE QuickFix</b> (covered                      escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min                      without roughing-in-set</p>			
			<b>35 600 000</b> <b>chrome</b> <b>68.00</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	<b>19 507 002</b>	<b>chrome</b>	<b>165.00</b>
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer</b>                      set for final installation for                      35 501 000                      without concealed body                      metal lever  <b>GROHE StarLight</b> chrome finish                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>			

# GROHE EUROSTYLE COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

33 635 002

chrome

143.00



**Eurostyle Cosmopolitan**  
**Single-lever shower mixer 1/2"**  
wall installation


**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish

consisting of:  
set for final installation  
concealed body  
33 964 000  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
metal lever  
escutcheon- and shaft-sealing  
metal escutcheon  
screwed  
optional temperature limiter

19 506 002

chrome

176.00



**Eurostyle Cosmopolitan**  
**Single-lever bath mixer**


set for final installation for  
35 501 000

without concealed body  
metal lever  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
escutcheon- and shaft-sealing  
wall escutcheon  
covered fixing

33 637 002

chrome

155.00



**Eurostyle Cosmopolitan**  
**Single-lever bath mixer 1/2"**  
wall installation


**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish

consisting of:  
set for final installation  
concealed body  
33 963 000  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
metal lever  
escutcheon- and shaft-sealing  
metal escutcheon  
screwed  
optional temperature limiter

13 276 002

chrome

102.00




**Eurostyle Cosmopolitan**  
**Bath spout**

wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm  
min. recommended pressure 1.0 bar

13 277 002

chrome

126.00



**Eurostyle Cosmopolitan**  
**Bath spout**

wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
automatic diverter: bath/shower  
with concealed connection piece  
male thread 1/2"  
projection 170 mm

# GROHE EUROSTYLE






# GROHE EUROSTYLE

Ref. No.

Colour

Price netto (€)



33 558 003  
33 558 LS3

chrome  
moon white/chrome

118.00  
153.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

loop metal lever

**GROHE SilkMove** 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


**GROHE StarLight** chrome finish

GROHE EcoJoy mousseur 5.7 l/min

**GROHE QuickFix** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 707 003  
23 707 LS3

chrome  
moon white/chrome

113.00  
147.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

solid metal lever

**GROHE SilkMove** 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


**GROHE StarLight** chrome finish

GROHE EcoJoy mousseur 5.7 l/min

**GROHE QuickFix** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 564 003

chrome

123.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

loop metal lever

**GROHE SilkMove** 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


**GROHE StarLight** chrome finish

GROHE EcoJoy mousseur 5.7 l/min

**GROHE QuickFix** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 708 003

chrome

107.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

solid metal lever

**GROHE SilkMove** 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


**GROHE StarLight** chrome finish

GROHE EcoJoy mousseur 5.7 l/min

**GROHE QuickFix** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 374 003  
23 374 LS3

chrome  
moon white/chrome

118.00  
149.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

loop metal lever

**GROHE SilkMove ES** 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

with temperature limiter

**GROHE StarLight** chrome finish

GROHE EcoJoy mousseur 5.7 l/min


**GROHE QuickFix** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses




Ref. No. Colour Price netto (€)




23 709 003 **chrome** 110.00  
23 709 LS3 **moon white/chrome** 143.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
solid metal lever  
**GROHE SilkMove ES** 35 mm ceramic cartridge  
with energy saving function via cold start  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




33 561 003 **chrome** 151.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** rapid installation system  
flow straightener  
pop-up waste set 1 1/4"  
flexible connection hoses  
**for open water heater**




32 468 003 **chrome** 113.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses



23 715 003 **chrome** 108.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
solid metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses




23 567 003 **chrome** 115.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses


# GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




23 716 003 chrome 102.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
solid metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE Zero separated inner water ways - lead and nickel free  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses




23 569 003 chrome 184.00  
23 569 LS3 moon white/chrome 240.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
loop metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
swivel cast spout  
swivel area 360°  
pop-up waste set 1 1/4"  
flexible connection hoses




23 718 003 chrome 175.00  
23 718 LS3 moon white/chrome 229.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
solid metal lever  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
swivel cast spout  
swivel area 360°  
pop-up waste set 1 1/4"



23 570 003 chrome 231.00  
23 570 LS3 moon white/chrome 298.00











**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
loop metal lever  
**for free-standing basins**  
**GROHE SilkMove** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses











23 719 003 chrome 218.00  
23 719 LS3 moon white/chrome 282.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
**single hole installation**  
solid metal lever  
**for free-standing basins**  
**GROHE SilkMove** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses

# GROHE EUROSTYLE


	Ref. No.	Colour	Price netto (€)
	<b>19 571 003</b> <b>19 571 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>202.00</b> <b>289.00</b>
	 <p> <b>Eurostyle</b>  <b>Two-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      without concealed body                      set for final installation for                      23 571 000                      metal escutcheon                      loop metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 203 mm                 </p>		
	<b>29 097 003</b> <b>29 097 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>205.00</b> <b>249.00</b>
	 <p> <b>Eurostyle</b>  <b>Two-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      without concealed body                      set for final installation for                      23 571 000                      metal escutcheon                      solid metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 203 mm                 </p>		
	<b>23 571 000</b>	<b>chrome</b>	<b>236.00</b>
	 <p> <b>Single-lever mixer 1/2", universal concealed body</b>                      for 2-hole basin mixers                      wall installation                      without finishing trim set  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      spout can be positioned on the right or left                      DR-brass                      installation device                 </p>		
	<b>33 565 003</b> <b>33 565 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>115.00</b> <b>149.00</b>
	 <p> <b>Eurostyle</b>  <b>Single-lever bidet mixer 1/2"</b>  <b>S-Size</b>                      single hole installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy mousseur 5.7 l/min  <b>GROHE QuickFix</b> rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses                 </p>		
	<b>23 720 003</b> <b>23 720 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>113.00</b> <b>147.00</b>
	 <p> <b>Eurostyle</b>  <b>Single-lever bidet mixer 1/2"</b>  <b>S-Size</b>                      single hole installation                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy mousseur 5.7 l/min  <b>GROHE QuickFix</b> rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses                 </p>		

# GROHE EUROSTYLE

	Ref. No.	Colour	Price netto (€)
	<b>33 590 003</b> <b>33 590 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>129.00</b> <b>165.00</b>
		<b>Eurostyle</b> <b>Single-lever shower mixer 1/2"</b> wall mounted loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve <b>covered S-unions</b> metal wall escutcheons protected against backflow	
	<b>23 722 003</b> <b>23 722 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>124.00</b> <b>156.00</b>
		<b>Eurostyle</b> <b>Single-lever shower mixer 1/2"</b> wall mounted solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve <b>covered S-unions</b> metal wall escutcheons protected against backflow	
	<b>33 591 003</b> <b>33 591 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>160.00</b> <b>208.00</b>
		<b>Eurostyle</b> <b>Single-lever bath mixer 1/2"</b> wall mounted loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve <b>covered S-unions</b> metal wall escutcheons protected against backflow	
	<b>23 726 003</b> <b>23 726 LS3</b>	<b>chrome</b> <b>moon white/chrome</b>	<b>153.00</b> <b>198.00</b>
		<b>Eurostyle</b> <b>Single-lever bath mixer 1/2"</b> wall mounted solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve <b>covered S-unions</b> protected against backflow	


# GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




**33 592 30A** **chrome** **154.56**

**Eurostyle**  
**Single-lever bath mixer 1/2"**  
 wall mounted  
 loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2" with integrated non-return valve  
**covered S-unions**  
 metal wall escutcheons  
 protected against backflow  
 with shower set Tempesta  
 consisting of:  
 hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)  
 wall shower holder (28 605)  
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)



**23 729 30A** **chrome** **129.00**


**Eurostyle**  
**Single-lever bath mixer 1/2"**  
 wall mounted  
 solid metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2" with integrated non-return valve  
**covered S-unions**  
 metal wall escutcheons  
 with shower set Tempesta  
 consisting of:  
 hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)  
 wall shower holder (28 605)  
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)



**24 048 003** **chrome** **116.00**  
**24 048 LS3** **moon white** **151.00**

**Eurostyle**  
**Single-lever shower mixer**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
 without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**




**24 046 003** **chrome** **111.00**  
**24 046 LS3** **moon white** **144.00**

**Eurostyle**  
**Single-lever shower mixer**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
 without roughing-in-set

**35 600 000** **chrome** **68.00**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

Ref. No. Colour Price netto (€)


24 049 003 chrome 128.00  
24 049 LS3 moon white 166.00



**Eurostyle**  
**Single-lever mixer with 2-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
automatic 2-way diverter  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


24 047 003 chrome 122.00  
24 047 LS3 moon white 159.00



**Eurostyle**  
**Single-lever mixer with 2-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
automatic 2-way diverter  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min  
without roughing-in-set


35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

19 507 003 chrome 128.00  
19 507 LS3 moon white/chrome 172.00




**Eurostyle**  
**Single-lever shower mixer**  
set for final installation for  
35 501 000  
without concealed body  
loop metal lever  
**GROHE StarLight** chrome finish  
GROHE QuickFix covered fixation  
escutcheon- and shaft-sealing  
metal wall escutcheon

29 098 003 chrome 123.00  
29 098 LS3 moon white/chrome 150.00



**Eurostyle**  
**Single-lever shower mixer**  
set for final installation for  
35 501 000  
without concealed body  
solid metal lever  
**GROHE StarLight** chrome finish  
GROHE QuickFix covered fixation  
escutcheon- and shaft-sealing  
metal wall escutcheon







23 725 003 chrome 146.00



**Eurostyle**  
**Single-lever shower mixer 1/2"**  
wall installation  
consisting of:  
**set for final installation**  
(19 507 003)  
with concealed body  
solid metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
metal wall escutcheon  
escutcheon- and shaft-sealing  
GROHE QuickFix covered fixation  
optional temperature limiter ref. no. 46 308 000



# GROHE EUROSTYLE

	Ref. No.	Colour	Price netto (€)
	19 506 003	chrome	146.00
	19 506 LS3	moon white/chrome	188.00
	<p><b>Eurostyle</b>  <b>Single-lever bath mixer</b>                      set for final installation for 35 501 000                      without concealed body                      loop metal lever  <b>GROHE StarLight</b> chrome finish                      GROHE QuickFix covered fixation                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      metal wall escutcheon</p>		
	29 099 LS3	moon white/chrome	180.00
		<p><b>Eurostyle</b>  <b>Single-lever bath mixer</b>                      set for final installation for 35 501 000                      without concealed body                      solid metal lever  <b>GROHE StarLight</b> chrome finish                      GROHE QuickFix covered fixation                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing</p>	
	33 637 003	chrome	149.00
		<p><b>Eurostyle</b>  <b>Single-lever bath mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE QuickFix covered fixation                      consisting of:  <b>set for final installation</b>                      (19 506 003)                      with concealed body                      adjustable flow rate limiter                      automatic diverter: bath/shower                      loop metal lever                      escutcheon- and shaft-sealing                      metal wall escutcheon                      optional temperature limiter ref. no. 46 308 000</p>	

# GROHE EUROSMART COSMOPOLITAN




# GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



32 825 00E

chrome


111.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**

**single hole installation**  
metal lever

**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min

temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE QuickFix** installation system  
with centering support  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
acoustic group I in accordance with DIN 4109



32 825 000

chrome


111.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**

**single hole installation**  
metal lever

**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** installation system  
with centering support

mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
optional temperature limiter ref. no. 46 375 000  
acoustic group I in accordance with DIN 4109



23 125 000

chrome

179.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**

**single hole installation**  
metal lever

**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
optional temperature limiter ref. no. 46 375 000  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 4.0 l/min


**GROHE QuickFix** installation system  
retractable chain  
flexible connection hoses  
optional temperature limiter  
with shower set consisting of:  
hand shower with integrated diverter  
wall shower holder  
shower hose  
recommended pressure 1.0 - 5.0 bar

23 433 000

chrome

287.00

**with integrated stop valve**



32 824 000

chrome

105.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**


**single hole installation**  
metal lever

**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min

**GROHE StarLight** chrome finish  
**GROHE QuickFix** installation system  
with centering support  
mousseur  
smooth body  
flexible connection hoses  
optional temperature limiter ref. no. 46 375 000  
acoustic group I in accordance with DIN 4109


# GROHE EUROSMART COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 325 000 chrome 127.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
optional temperature limiter ref. no. 46 375 000




23 327 000 chrome 121.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar  
optional temperature limiter ref. no. 46 375 000




23 398 00E chrome 118.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove ES** 35 mm ceramic cartridge  
with energy saving function via cold start  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** installation system  
with centering support  
smooth body  
flexible connection hoses



32 830 001 chrome 128.00











**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
metal lever  
covered lever fixing  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** separated inner water ways - lead and nickel free  
**GROHE QuickFix** installation system  
mousseur  
swivel tubular spout with stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses  
optional temperature limiter ref. no. 46 375 000











20 187 000 chrome 177.00

**Eurosmart Cosmopolitan**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
metal lever  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** installation system  
with centering support  
spout with mousseur  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
union nut with 10.5 mm drilling

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)	
		<b>19 381 000</b>	<b>chrome</b>	<b>206.00</b>
	<p><b>Eurosmart Cosmopolitan</b> <b>Two-hole basin mixer</b> <b>S-Size</b> wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever <b>GROHE StarLight</b> chrome finish <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 170 mm</p>			
		<b>23 571 000</b>	<b>chrome</b>	<b>236.00</b>
	<p><b>Single-lever mixer 1/2", universal concealed body</b> for 2-hole basin mixers wall installation without finishing trim set <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
		<b>32 839 000</b>	<b>chrome</b>	<b>108.00</b>
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever bidet mixer 1/2"</b> <b>S-Size</b> <b>single hole installation</b> metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish <b>GROHE QuickFix</b> installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>	<b>32 840 000</b>	<b>chrome</b>	<b>102.00</b>
	<p><b>ditto, with retractable chain</b></p>			
		<b>32 837 000</b>	<b>chrome</b>	<b>111.00</b>
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter ref. no. 46 308 000 protected against backflow acoustic group I in accordance with DIN 4109</p>			
		<b>18 349 000</b>	<b>chrome</b>	<b>31.00</b>
	<p><b>Eurosmart Cosmopolitan</b> <b>Plastic tray</b> for 32 837 000</p>			

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	<b>32 831 000</b>	<b>chrome</b>	<b>132.00</b>
<p><b>Eurosmart Cosmopolitan Single-lever bath mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate approx. 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 46 308 000                      acoustic group I in accordance with DIN 4109</p>			
 	<b>32 832 000</b>	<b>chrome</b>	<b>165.00</b>
<p><b>Eurosmart Cosmopolitan Single-lever bath mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate approx. 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 46 308 000                      with shower set                      consisting of:                      Euphoria Cosmopolitan hand shower (27 367)                      wall shower holder (27 056)                      Relaxflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
 	<b>32 847 000</b>	<b>chrome</b>	<b>240.00</b>
<p><b>Eurosmart Cosmopolitan Solid basin mixer, 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate approx. 2.5 l/min                      automatic diverter: bath/shower                      swivel tubular spout                      projection 400 mm                      S-unions</p>			
 	<b>24 044 000</b>	<b>chrome</b>	<b>115.00</b>
<p><b>Eurosmart Cosmopolitan Single-lever shower mixer</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600 000  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE QuickFix</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min                      without roughing-in-set</p>			
	<b>35 600 000</b>	<b>chrome</b>	<b>68.00</b>
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			



# GROHE EUROSMART COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

24 045 000

chrome

127.00



**Eurosmart Cosmopolitan**  
**Single-lever mixer with 2-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
automatic 2-way diverter  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min  
without roughing-in-set

35 600 000

chrome


68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

25 219 001

chrome

377.00



**Eurosmart Cosmopolitan**

**Perfect shower set with Tempesta 210**


consisting of:

Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
head shower Tempesta 210 (26 410)  
Shower arm Rainshower 286 mm (28 576 000)  
hand shower Tempesta 100 II 9.5 l/min (27 597)  
shower outlet elbow (28 628 000)  
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

32 880 000

chrome

132.00



**Eurosmart Cosmopolitan**  
**Single-lever shower mixer 1/2"**  
wall installation

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE StarLight** chrome finish


consisting of:

set for final installation  
concealed body 33 962 000  
adjustable flow rate limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
metal lever  
escutcheon- and shaft-sealing  
metal escutcheon  
screwed  
optional temperature limiter

13 261 000

chrome

96.00



**Eurosmart Cosmopolitan**

**Bath spout**

wall mounted

**GROHE StarLight** chrome finish

mousseur

male thread 1/2"



projection 170 mm

min. recommended pressure 1.0 bar

13 262 000

chrome

111.00



**Eurosmart Cosmopolitan**

**Bath spout**

wall mounted

**GROHE StarLight** chrome finish

mousseur


automatic diverter: bath/shower

male thread 1/2"

projection 170 mm

# GROHE EUROSMART






23 788 002 chrome 78.00


**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 3.8 l/min  
**GROHE QuickFix** rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses

33 265 002 chrome 95.00  
ditto, with GROHE EcoJoy mousseur 5.7 l/min




23 588 000 chrome 91.00

**Eurosmart**  
**Single-lever basin mixer with angle valves, 1/2"**  
consisting of:  
Eurosmart single-lever basin mixer, 1/2" (33 265 002)  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
angle valve, 1/2" (2 x 22 037 000)



23 124 002 chrome 136.00


**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 4.0 l/min  
**GROHE QuickFix** rapid installation system  
retractable chain  
flexible connection hoses  
with shower set consisting of:  
hand shower with integrated diverter  
wall shower holder  
shower hose



32 467 002 chrome 90.00


**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses

Ref. No. Colour Price netto (€)




**23 322 001** **chrome** **111.00**

**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




**23 324 001** **chrome** **101.00**

**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
smooth body  
flexible connection hoses




**23 537 002** **chrome** **154.00**

**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
swivel tubular spout  
swivel area 360°  
pop-up waste set 1 1/4"  
flexible connection hoses



**23 743 002** **chrome** **115.00**









**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
retractable chain  
**GROHE QuickFix** rapid installation system













**23 789 002** **chrome** **78.00**

**Eurosmart**  
**Single-lever bidet mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 3.8 l/min  
**GROHE QuickFix** rapid installation system  
with ball joint  
pop-up waste set 1 1/4"  
flexible connection hoses


**32 929 002** **chrome** **95.00**  
ditto, with **GROHE EcoJoy** mousseur 5.7 l/min

	Ref. No.	Colour	Price netto (€)
 	<b>33 555 002</b>	<b>chrome</b>	<b>99.00</b>
<p><b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	<b>33 412 002</b>	<b>chrome</b>	<b>125.00</b>
<p><b>Eurosmart</b> <b>Single-lever bath mixer 1/2"</b> <b>single hole installation</b> metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with Eco-Override-Stop with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE QuickFix</b> rapid installation system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow</p>			
 	<b>33 300 002</b>	<b>chrome</b>	<b>120.00</b>
<p><b>Eurosmart</b> <b>Single-lever bath mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow</p>			
 	<b>33 302 20A</b>	<b>chrome</b>	<b>112.00</b>
<p><b>Eurosmart</b> <b>Single-lever bath mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow with shower set consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			

	Ref. No.	Colour	Price netto (€)
	<b>24 042 002</b> <b>Eurosmart</b> <b>Single-lever shower mixer</b> set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set	chrome	106.00
		chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
	<b>24 043 002</b> <b>Eurosmart</b> <b>Single-lever mixer with 2-way diverter</b> set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set	chrome	116.00
		chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
	<b>19 451 002</b> <b>Eurosmart</b> <b>Single-lever shower mixer</b> set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation escutcheon- and shaft-sealing metal wall escutcheon	chrome	116.00
			
	<b>19 450 002</b> <b>Eurosmart</b> <b>Single-lever bath mixer</b> set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon	chrome	129.00
			
	<b>19 970 002</b> <b>Eurosmart</b> <b>3-way diverter</b> for use with diverter rough-in valve 29 706 000 without concealed body GROHE StarLight chrome finish	chrome	51.00
			




Ref. No. Colour Price netto (€)




29 706 000 **chrome** 277.00

**3-way diverter  
concealed body, 1/2"**  
without finishing trim set  
wall installation  
DR-brass  
ceramic discs  
connection mixed water 1/2"  
2 outlets 1/2"  
protection sleeve  
installation depth infinitely adjustable  
24-60 mm



19 972 002 **chrome** 44.00

**Eurosmart  
5-way diverter**  
for use with diverter rough-in valve  
29 708 000  
without concealed body  
**GROHE StarLight** chrome finish




29 708 000 **chrome** 284.00

**5-way diverter  
concealed body, 1/2"**  
without finishing trim set  
wall installation  
with ceramic sealing discs  
connection cold and hot 1/2"  
2 outlets 1/2"  
bath outlet 3/4"  
protection sleeve  
installation depth infinitely adjustable  
24-60 mm  
DR-brass


# GROHE BAUEDGE




Ref. No. Colour Price netto (€)




**20 421 000** **chrome** **63.00**  
**BauEdge**  
**Pillar tap 1/2"**  
**XS-Size**  
**single hole installation**  
 metal lever  
 ceramic headpart 1/2", 90°  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 fixation nut G 1/2"  
 min. recommended pressure 1.0 bar




**23 328 000** **chrome** **80.00**  
**BauEdge**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
**23 802 000** **chrome** **59.92**  
**ditto, with temperature limiter**



**23 330 000** **chrome** **75.00**  
**BauEdge**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 rapid installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar




**23 757 000** **chrome** **91.00**  
**BauEdge**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 35 mm** ceramic cartridge  
 adjustable flow rate limiter  
 optional temperature limiter ref. no. 46 375 000  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 4.0 l/min  
 rapid installation system  
 retractable chain  
 flexible connection hoses  
 with shower set consisting of:  
 hand shower with integrated diverter  
 wall shower holder  
 shower hose  
 recommended pressure 1.0 - 5.0 bar




**23 758 000** **chrome** **80.00**  
**BauEdge**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses

Ref. No. Colour Price netto (€)




23 759 000 chrome 82.00

**BauEdge**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
single hole installation  
metal lever  
**GROHE Longlife ES** 28 mm ceramic cartridge  
with energy saving function via cold start  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses



23 760 000 chrome 93.00

**BauEdge**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
single hole installation  
metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
swivel tubular spout  
plastic pop-up waste set 1 1/4"  
flexible connection hoses




23 761 000 chrome 108.00

**BauEdge**  
**Single-lever basin mixer 1/2"**  
**XL-Size**  
single hole installation  
for free-standing basins  
metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body  
flexible connection hoses








20 474 000 chrome 297.00

**BauEdge**  
**Two-hole basin mixer**  
wall mounted  
consisting of:  
set for final installation and concealed body  
metal lever  
**GROHE Longlife 35 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
mousseur  
centre distance 110 mm  
projection 166 mm



23 331 000 chrome 78.00


**BauEdge**  
**Single-lever bidet mixer 1/2"**  
single hole installation  
metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
with ball joint  
pop-up waste set 1 1/4"  
flexible connection hoses

	<p><b>23 333 000</b> <b>chrome</b> <b>78.00</b></p> <p><b>BauEdge</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 375 000</p>
	<p><b>23 334 000</b> <b>chrome</b> <b>98.00</b></p> <p><b>BauEdge</b> <b>Single-lever bath mixer 1/2"</b> wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 375 000</p>
	<p><b>29 078 000</b> <b>chrome</b> <b>124.00</b></p> <p><b>BauEdge</b> <b>Single-lever shower mixer 1/2"</b> concealed installation consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308 000</p>
	<p><b>29 079 000</b> <b>chrome</b> <b>132.00</b></p> <p><b>BauEdge</b> <b>Single-lever bath mixer 1/2"</b> concealed installation consisting of: set for final installation concealed body (32 963000) metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308 000</p>
	<p><b>13 257 000</b> <b>chrome</b> *</p> <p><b>BauCosmopolitan</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur automatic diverter: bath/shower projection 140 mm female thread 1/2" flexible connection hoses</p>

# GROHE BAULOOP









**20 422 000** **chrome** **61.00**

**BauLoop**  
**Pillar tap 1/2"**  
**XS-Size**  
**single hole installation**  
 metal lever  
 ceramic headpart 1/2", 90°  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 fixation nut G 1/2"  
 min. recommended pressure 1.0 bar




**23 335 000** **chrome** **80.00**

**BauLoop**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses




**23 336 000** **chrome** **75.00**

**BauLoop**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 rapid installation system  
 retractable chain  
 flexible connection hoses



**23 337 000** **chrome** **73.00**

**BauLoop**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
 GROHE EcoJoy mousseur 5.7 l/min  
 rapid installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar



**23 762 000** **chrome** **82.00**


**BauLoop**  
**Single-lever basin mixer 1/2"**  
**M-Size**  
**single hole installation**  
 metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses



Ref. No.

Colour

Price netto (€)



23 341 000


chrome

98.00

**BauLoop**

**Single-lever bath mixer 1/2"**

wall mounted  
metal lever  
GROHE Longlife 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
spout with mousseur  
shower bottom outlet 1/2"  
with integrated non return-valve  
S-unions  
metal wall escutcheon  
protected against backflow  
optional temperature limiter ref. no. 46 308 000



29 080 000


chrome

121.00

**BauLoop**

**Single-lever shower mixer 1/2"**

concealed installation  
consisting of:  
set for final installation  
concealed body (33 964)  
metal lever  
GROHE Longlife 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
escutcheon- and shaft-sealing  
optional temperature limiter ref. no. 46 308 000



29 081 000



chrome

132.00

**BauLoop**

**Single-lever bath mixer 1/2"**

concealed installation  
consisting of:  
set for final installation  
concealed body (32 963000)  
metal lever  
GROHE Longlife 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
escutcheon- and shaft-sealing  
optional temperature limiter ref. no. 46 308 000



13 257 000

chrome

\*

**BauCosmopolitan**


**Bath spout**

wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
automatic diverter: bath/shower  
projection 140 mm  
female thread 1/2"  
flexible connection hoses

# GROHE BAUFLOW


---






20 575 000 **chrome** 47.00

**BauFlow**  
**Pillar tap 1/2"**  
**XS-Size**  
**single hole installation**  
metal lever  
ceramic headpart 1/2", 90°  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
fixation nut G 1/2"




23 751 000 **chrome** 76.00

**BauFlow**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses




23 752 000 **chrome** 63.00

**BauFlow**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
rapid installation system  
smooth body  
flexible connection hoses



23 753 000 **chrome** 93.00











**BauFlow**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
**single hole installation**  
metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
rapid installation system  
swivel tubular spout  
plastic pop-up waste set 1 1/4"  
flexible connection hoses



23 754 000 **chrome** 76.00

**BauFlow**  
**Single-lever bidet mixer 1/2"**  
**single hole installation**  
metal lever  
**GROHE Longlife 28 mm** ceramic cartridge  
**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
rapid installation system  
with ball joint  
pop-up waste set 1 1/4"  
flexible connection hoses

# GROHE BAUFLOW

	Ref. No.	Colour	Price netto (€)
 	23 755 000	chrome	67.00
<p><b>BauFlow</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	23 756 000	chrome	81.00
<p><b>BauFlow</b> <b>Single-lever bath mixer 1/2"</b> wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	29 112 000	chrome	112.00
<p><b>BauFlow</b> <b>Single-lever shower mixer</b> concealed installation consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing metal wall escutcheon</p>			
 	29 113 000	chrome	124.00
<p><b>BauFlow</b> <b>Single-lever bath mixer</b> concealed installation consisting of: set for final installation concealed body (33 963) metal lever GROHE Longlife 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>			
 	13 257 000	chrome	*
<p><b>BauCosmopolitan</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur automatic diverter: bath/shower projection 140 mm female thread 1/2" flexible connection hoses</p>			



# GROHE SILKMOVE ES




# GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)




23 790 001

chrome

181.00

**Lineare**  
Single-lever basin mixer 1/2"  
XS-Size  
single hole installation  
metal lever  
GROHE SilkMove ES 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy SpeedClean mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



23 390 00E

chrome

183.00


**Eurocube**  
Single-lever basin mixer 1/2"  
S-Size  
single hole installation  
metal lever  
GROHE SilkMove ES 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE QuickFix Plus rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses

23 392 00E

chrome

178.00

ditto, smooth body




23 591 001

chrome

150.00

**Essence**  
Single-lever basin mixer 1/2"  
S-Size  
single hole installation  
metal lever  
GROHE SilkMove ES 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE AquaGuide adjustable mousseur  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



23 379 001


chrome

151.00

**Essence**  
Single-lever basin mixer 1/2"  
S-Size  
single hole installation  
metal lever  
GROHE SilkMove ES 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
GROHE StarLight chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
GROHE QuickFix Plus installation system  
pop-up waste set 1 1/4"  
flexible connection hoses


# GROHE SILKMOVE ES

Ref. No. Colour Price netto (€)




23 382 20E chrome 143.00

**Eurodisc Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove ES** 35 mm ceramic cartridge  
 with energy saving function via cold start  
 adjustable flow rate limiter  
 adjustable minimum flow rate  
 approx. 2.5 l/min  
 temperature limiter  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFixPlus** installation  
 system with centering support  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar




23 385 10E chrome 113.00

**Concetto**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
 metal lever  
**single hole installation**  
**GROHE SilkMove ES** 28 mm ceramic cartridge  
 with energy saving function via cold start  
 adjustable flow rate limiter  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
 smooth body  
 flexible connection hoses



23 373 20E chrome 107.00

**Eurostyle Cosmopolitan**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 metal lever  
**GROHE SilkMove ES** 35 mm ceramic cartridge  
 with energy saving function via cold start  
 adjustable flow rate limiter  
 adjustable minimum flow rate  
 approx. 2.5 l/min  
 temperature limiter  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFix** installation system  
 with centering support  
 smooth body  
 flexible connection hoses



23 374 003 chrome 118.00  
 23 374 LS3 moon white/chrome 149.00


**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**S-Size**  
**single hole installation**  
 loop metal lever  
**GROHE SilkMove ES** 35 mm ceramic cartridge  
 with energy saving function via cold start  
 adjustable flow rate limiter  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
**GROHE QuickFix** rapid installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses

# GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 709 003  
23 709 LS3

chrome  
moon white/chrome

110.00  
143.00

**Eurostyle**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

solid metal lever

**GROHE SilkMove ES** 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

with temperature limiter


**GROHE StarLight** chrome finish

**GROHE EcoJoy** mousseur 5.7 l/min

**GROHE QuickFix** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 376 00E

chrome

83.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

metal lever

**GROHE SilkMove ES** 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

**GROHE StarLight** chrome finish


**GROHE EcoJoy** mousseur 5.7 l/min

**GROHE QuickFix** installation system

with centering support

smooth body

flexible connection hoses



23 398 00E

chrome

118.00

**Eurosmart Cosmopolitan**  
**Single-lever basin mixer 1/2"**

**M-Size**

**single hole installation**

metal lever

**GROHE SilkMove ES** 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

**GROHE StarLight** chrome finish


**GROHE EcoJoy** mousseur 5.7 l/min

**GROHE QuickFix** installation system

with centering support

smooth body

flexible connection hoses



32 154 002

chrome

72.00

**Eurosmart**  
**Single-lever basin mixer 1/2"**

**S-Size**

**single hole installation**

metal lever

**GROHE SilkMove ES** 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

with temperature limiter

**GROHE StarLight** chrome finish

**GROHE EcoJoy** mousseur 5.7 l/min

**GROHE QuickFix** rapid installation system

smooth body


flexible connection hoses

# GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 395 10E

chrome

101.00

**Eurosmart**  
**Single-lever basin mixer 1/2"**  
**M-Size**

**single hole installation**

metal lever

**GROHE SilkMove ES** 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter

**GROHE StarLight** chrome finish

GROHE EcoJoy mousseur 5.7 l/min

**GROHE QuickFix** rapid installation system

smooth body

flexible connection hoses

# GROHE COSTA L






# GROHE COSTA L

Ref. No.

Colour

Price netto (€)




20 393 001

chrome

66.00

**Costa L**  
**Pillar tap 1/2"**  
metal handle  
heat-insulated  
screwable  
marking: blue  
Longlife-headpart  
swivel tubular spout with mousseur  
union nut 1/2" with 10.5 mm drilling  
**GROHE StarLight** chrome finish




21 390 001

chrome

156.00

**Costa L**  
**One-hole basin mixer, 1/2"**  
metal handles  
heat-insulated  
screwable  
Longlife-headpart  
cast spout with mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE StarLight** chrome finish




21 375 001

chrome

111.00

**Costa L**  
**One-hole basin mixer, 1/2"**  
metal handles  
heat-insulated  
screwable  
Longlife-headpart  
swivel tubular spout with mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE StarLight** chrome finish




21 374 001

chrome

88.00

**Costa L**  
**One-hole basin mixer, 1/2"**  
metal handles  
heat-insulated  
screwable  
Longlife-headpart  
swivel tubular spout with mousseur  
retractable chain  
flexible connection hoses  
**GROHE StarLight** chrome finish













21 337 001

chrome

86.00

**Costa L**  
**One-hole basin mixer, 1/2"**  
metal handles  
heat-insulated  
screwable  
Longlife-headpart  
swivel tubular spout with mousseur  
retractable chain  
flexible connection hoses  
**GROHE StarLight** chrome finish


# GROHE COSTA L

	Ref. No.	Colour	Price netto (€)
 	<b>26 330 001</b> <b>Costa L</b> <b>Shower mixer 1/2"</b> wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" S-unions <b>GROHE StarLight</b> chrome finish	chrome	88.00
 	<b>25 450 001</b> <b>Costa L</b> <b>Bath mixer 1/2"</b> wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions <b>GROHE StarLight</b> chrome finish	chrome	125.00
 	<b>13 540 000</b> <b>Bath spout 3/4"</b> wall mounted flow straightener sliding escutcheon female thread 3/4" projection 140 mm <b>GROHE StarLight</b> chrome finish	chrome	153.00
 	<b>30 484 001</b> <b>Costa L</b> <b>Bibtap 1/2"</b> wall mounted metal handle heat-insulated marking: blue <b>GROHE StarLight</b> finish mousseur Longlife-headparts swivel tubular spout swivel area 360° projection 200 mm	chrome	53.00
 	<b>19 808 001</b> <b>Costa L</b> <b>Concealed valve exposed part</b> set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue <b>GROHE StarLight</b> chrome finish	chrome	28.00
	<b>19 809 001</b> <b>ditto, marking red</b>	chrome	28.00

# GROHE COSTA L



Ref. No. Colour Price netto (€)

19 806 001 chrome 38.00



**Costa L**  
**Concealed valve exposed part**  
 set for final installation for  
 35 028 000  
 for GROHE concealed valves, 1/2", 3/4", 1"  
 installation depth infinitely adjustable  
 20 - 200 mm  
 escutcheon with wall sealing  
 screwable  
 metal handle  
 heat-insulated  
 marking: blue  
**GROHE StarLight** chrome finish

35 028 000 chrome 135.00



**Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 aramã DR  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 flow rate:  
 55 l/min. at 3 bar  
 installation depth 70 - 95 mm  
 min. recommended pressure 1.0 bar


# GROHE COSTA S

---



# GROHE COSTA S

Ref. No. Colour Price netto (€)




20 405 001 chrome 50.00

**Costa S**  
**Pillar tap 1/2"**  
metal handle  
heat-insulated  
screwable  
marking: blue  
Carbodur headpart  
cast spout with mousseur  
union nut 1/2" x 10.5 mm  
**GROHE StarLight** chrome finish




20 179 001 chrome 100.00

**Costa S**  
**Pillar tap**  
metal handle  
heat-insulated  
screwable  
**GROHE StarLight** finish  
ceramic headpart 1/2", 90°  
flow straightener  
swivel tubular spout  
swivel area 360°  
union nut 1/2" with 10.5 mm drilling




21 255 001 chrome 154.00

**Costa S**  
**One-hole basin mixer, 1/2"**  
metal handles  
heat-insulated  
screwable  
Carbodur headpart  
cast spout with mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE StarLight** chrome finish




21 257 001 chrome 139.00

**Costa S**  
**One-hole basin mixer, 1/2"**  
heat-insulated  
metal handles  
screwable  
Carbodur headpart  
swivel tubular spout with mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE StarLight** chrome finish



21 338 001 chrome 98.00





**Costa S**  
**One-hole basin mixer, 1/2"**  
metal handles  
heat-insulated  
screwable  
Carbodur headpart  
swivel tubular spout with mousseur  
retractable chain  
flexible connection hoses  
**GROHE StarLight** chrome finish



26 317 001 chrome 92.00

**Costa S**  
**Shower mixer 1/2"**  
wall mounted  
metal handles  
heat-insulated  
screwable  
Carbodur headpart  
shower connection 1/2"  
S-unions  
**GROHE StarLight** chrome finish

# GROHE COSTA S

	Ref. No.	Colour	Price netto (€)	
		<b>25 483 001</b>	<b>chrome</b>	<b>136.00</b>
		<p><b>Costa S</b>  <b>Bath mixer 1/2"</b>                      wall mounted                      metal handles                      heat-insulated                      screwable                      Carbodur headpart                      automatic diverter: bath/shower                      mousseur                      S-unions  <b>GROHE StarLight</b> chrome finish</p>		
		<b>26 788 001</b>	<b>chrome</b>	<b>106.00</b>
		<p><b>Costa S</b>  <b>50 mm extension</b>                      wall mounted                      metal handles                      heat-insulated                      screwable                      Carbodur headpart                      diverter  <b>without connection unions</b>                      swivel tubular spout                      centre distance 120 mm  <b>GROHE StarLight</b> chrome finish</p>		




# GROHE UNIVERSAL TAP




# GROHE UNIVERSAL TAP


Ref. No. Colour Price netto (€)




**20 201 000** **chrome** **102.00**  
**Universal pillar tap DN15**  
 C-spout  
 Flow rate: 6l/min at 3 bar flow pressure  
 Flow-Stop mousseur  
 ceramic headpart  
 union nut 1/2"  
 with 10.5 mm drilling  
**GROHE StarLight** chrome finish  
 projection 113 mm



**20 202 000** **chrome** **114.00**  
**Universal pillar tap DN15**  
 7°-spout  
 Flow rate: 6l/min at 3 bar flow pressure  
 Flow-Stop mousseur  
 ceramic headpart  
 union nut 1/2"  
 with 10.5 mm drilling  
**GROHE StarLight** chrome finish  
 projection 114 mm



**20 205 000** **chrome** **91.00**  
**Universal wall-mounted tap DN15**  
 Flow rate: 6l/min at 3 bar flow pressure  
 Flow-Stop mousseur  
 ceramic headpart  
 connection thread 1/2"  
**GROHE StarLight** chrome finish  
 projection 106 mm



**20 203 000** **chrome** **92.00**  
**Universal wall-mounted tap DN15**  
 Flow rate: 6l/min at 3 bar flow pressure  
 Flow-Stop mousseur  
 ceramic headpart  
 connection thread 1/2"  
**GROHE StarLight** chrome finish  
 projection 185 mm

# GROHE TALENTOFILL

---



# GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
 	<b>19 952 000</b> <b>19 952 GL0</b> <b>19 952 DA0</b> <b>19 952 A00</b>	<b>chrome</b> <b>cool sunrise</b> <b>warm sunset</b> <b>hard graphite</b>	<b>173.00</b> * * *
<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> set for final installation consisting of: escutcheon, supply part, waste plug, fixing set <b>in combination with</b> <b>Talentofill 28 990/28 991</b> <b>GROHE StarLight</b> chrome finish			
 	<b>28 990 000</b>	<b>chrome</b>	<b>172.00</b>
<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> for normal bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)			
 	<b>28 991 000</b>	<b>chrome</b>	<b>154.00</b>
<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> for body formed bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)			
 	<b>28 993 000</b>	<b>chrome</b>	<b>56.00</b>
<b>Talentofill</b> <b>Connection set 3/4"</b> with 1.5 m-flexible connection pipe without finishing trim set			
 	<b>28 995 000</b>	<b>chrome</b>	<b>382.00</b>
<b>Talentofill</b> <b>Connection set 3/4"</b> with concealed anti-vacuum device consisting of: -concealed-pipe-interrupter (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)			
 	<b>19 954 000</b>	<b>chrome</b>	<b>18.00</b>
<b>Talentofill</b> <b>Escutcheon</b> for connection set 28 995 <b>GROHE StarLight</b> chrome finish			

# GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
	<b>29 007 000</b> <b>Safety Combination (EN 1717)</b> for Rapido T 35 500 000 re-fitting-set for backflow protection, for use with inlet- pop-up and waste-sets e.g.: Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, therefore no additional escutcheon necessary	chrome	172.00
	<b>28 963 000</b> <b>Inlet part with mousseur</b> suitable for Talentofill 28 990/28 991 production before 03/2007	chrome	49.00
	<b>29 009 000</b> <b>Inlet part with mousseur</b> suitable for Talentofill 28 990/28 991 production after 03/2007	chrome	50.00
 	<b>14 055 000</b> <b>Backflow protection combination (DIN-EN1717)</b> retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers	chrome	139.00
 	<b>19 025 000</b> <b>Talento</b> <b>Waste and overflow set for bath tubes</b> set for final installation escutcheon, waste plug, fixing set <b>in combination with</b> <b>Talentofill 28 939/28 943</b> <b>GROHE StarLight</b> chrome finish	chrome	57.00
 	<b>28 939 000</b> <b>Talento</b> <b>Pop-up bath waste and overflow</b> set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow	chrome	80.00


\* price upon request

# GROHE TALENTOFILL

Ref. No.

Colour

Price netto (€)



28 943 000

chrome

119.00

**Talento**  
**Pop-up bath waste and overflow**  
 set for special baths  
 with bowden cable  
 without finishing trim set  
 bottle trap  
 45° waste elbow














# GROHE SELECTION CUBE



# GROHE SELECTION CUBE


	Ref. No.	Colour	Price netto (€)
 	40 865 000	chrome	36.66
<p><b>Selection Cube Holder</b> for Selection Cube glass (40 789 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish</p>			
 	40 805 000	chrome	45.83
<p><b>Selection Cube Soap dispenser</b> material: glass / metal filling quantity 300 ml <b>GROHE StarLight</b> finish fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 806 000	chrome	30.41
<p><b>Selection Cube Soap dish</b> material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 783 000	chrome	24.58
<p><b>Selection Cube Glass</b> material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 766 000	chrome	52.08
<p><b>Selection Cube Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> finish</p>			
 	40 768 000	chrome	145.83
<p><b>Selection Cube Double towel bar</b> material: metal concealed fastening 2 arms, pivotable 400 mm <b>GROHE StarLight</b> finish</p>			

# GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	<b>40 767 000</b> <b>Selection Cube</b> <b>Towel rail</b> material: metal 500 mm (functional length 459 mm) concealed fastening <b>GROHE StarLight</b> finish	chrome	95.83
 	<b>40 804 000</b> <b>Selection Cube</b> <b>Multi bath towel rack</b> material: metal 600 mm (functional length 575 mm) concealed fastening <b>GROHE StarLight</b> finish	chrome	274.17
 	<b>40 782 000</b> <b>Selection Cube</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> finish	chrome	27.49
 	<b>40 807 000</b> <b>Selection Cube</b> <b>Grip bar/towel bar</b> material: metal 600 mm (functional length 548 mm) concealed fastening <b>GROHE StarLight</b> finish	chrome	154.16
 	<b>40 781 000</b> <b>Selection Cube</b> <b>Toilet paper holder</b> material: metal concealed fastening with cover <b>GROHE StarLight</b> finish	chrome	79.58
 	<b>40 784 000</b> <b>Selection Cube</b> <b>Reserve toilet paper holder</b> material: metal wall mounted concealed fastening <b>GROHE StarLight</b> finish	chrome	36.66

# GROHE SELECTION CUBE

Ref. No. Colour Price netto (€)



40 857 000 chrome 108.33

**Selection Cube**  
**Toilet brush set**  
material: glass / metal  
wall mounted  
concealed fastening  
**GROHE StarLight** finish

40 870 000 chrome 9.58


**Spare brush head**

40 868 000 chrome 32.91

**Spare brush**


40 867 000 chrome 41.66

**Spare glass**



40 809 000 chrome 108.33

**Selection Cube**  
**Large corner basket**  
material: metal  
for corner installation  
**GROHE StarLight** finish



40 808 000 chrome 133.33


**Selection Cube**  
**Cosmetic mirror**  
material: glass / metal  
wall mounted  
concealed fastening  
magnification: x 3  
**GROHE StarLight** finish

# GROHE ESSENTIALS



# GROHE ESSENTIALS


Ref. No. Colour Price netto (€)



40 369 001 chrome 20.83  
 40 369 DC1 supersteel 27.08  
 40 369 \*\*\* SPA colours 29.16

**Essentials Holder**  
 material: metal  
 for crystal glass (40 372 001)  
 soap dish (40 368 001) or soap dispenser (40 394 001)  
 concealed fastening  
**GROHE StarLight** chrome finish


\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL



40 394 001 chrome 17.08  
 40 394 DC1 supersteel 22.08  
 40 394 \*\*\* SPA colours 23.74


**Essentials Soap dispenser**  
 material: glass / metal  
 filling quantity 160 ml  
 fits in the following holders:  
 Essentials (40 369)  
 Essentials Cube (40 508)  
 Bau Cosmopolitan (40 585)  
 Essentials Authentic (40 652)  
**GROHE StarLight** chrome finish

\*\*\* SPA colours:  
 ● BE ● GL ● DA ● A0  
 ● EN ● GN ● DL ● AL




40 368 001 chrome 5.74

**Essentials Soap dish**  
 material: glass  
 fits in the following holders:  
 Essentials (40 369)  
 Essentials Cube (40 508)  
 Bau Cosmopolitan (40 585)  
 Essentials Authentic (40 652)



40 372 001 chrome 6.91

**Essentials Crystal glass**  
 material: glass  
 fits in the following holders:  
 Essentials (40 369)  
 Essentials Cube (40 508)  
 Bau Cosmopolitan (40 585)  
 Essentials Authentic (40 652)















40 448 001 chrome 38.74  
 40 448 DC1 supersteel 49.16  
 40 448 EN1 brushed nickel 43.74













**Essentials Soap dispenser with holder**  
 material: glass / metal  
 filling quantity 160 ml  
 consisting of:  
 holder (40 369 001)  
 soap dispenser (40 394 001)  
 concealed fastening  
**GROHE StarLight** chrome finish













# GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
 	40 444 001	chrome	26.66
	40 444 DC1	supersteel	37.08
	40 444 EN1	brushed nickel	42.49
	<b>Essentials</b> <b>Soap dish with holder</b> material: glass / metal consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening <b>GROHE StarLight</b> chrome finish		
 	40 447 001	chrome	25.83
	40 447 DC1	supersteel	34.58
	<b>Essentials</b> <b>Crystal glass with holder</b> material: glass / metal consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening <b>GROHE StarLight</b> chrome finish		
 	40 365 001	chrome	20.83
	40 365 DC1	supersteel	29.16
	40 365 ***	SPA colours	31.24
	<b>Essentials</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE</li> <li style="margin-right: 10px;">● GL</li> <li style="margin-right: 10px;">● DA</li> <li style="margin-right: 10px;">● A0</li> <li style="margin-right: 10px;">● EN</li> <li style="margin-right: 10px;">● GN</li> <li style="margin-right: 10px;">● DL</li> <li style="margin-right: 10px;">● AL</li> </ul>			
 	40 371 001	chrome	37.08
	40 371 DC1	supersteel	51.66
	40 371 ***	SPA colours	55.41
	<b>Essentials</b> <b>Towel bar</b> material: metal 2 arms, pivotable 439 mm concealed fastening <b>GROHE StarLight</b> chrome finish		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE</li> <li style="margin-right: 10px;">● GL</li> <li style="margin-right: 10px;">● DA</li> <li style="margin-right: 10px;">● A0</li> <li style="margin-right: 10px;">● EN</li> <li style="margin-right: 10px;">● GN</li> <li style="margin-right: 10px;">● DL</li> <li style="margin-right: 10px;">● AL</li> </ul>			
 	40 688 001	chrome	30.41
	40 688 DC1	supersteel	39.16
	40 688 ***	SPA colours	45.41
	<b>Essentials</b> <b>Towel rail</b> material: metal 504 mm (functional length 450 mm) concealed fastening <b>GROHE StarLight</b> chrome finish		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE</li> <li style="margin-right: 10px;">● GL</li> <li style="margin-right: 10px;">● DA</li> <li style="margin-right: 10px;">● A0</li> <li style="margin-right: 10px;">● EN</li> <li style="margin-right: 10px;">● GN</li> <li style="margin-right: 10px;">● DL</li> <li style="margin-right: 10px;">● AL</li> </ul>			
 	40 366 001	chrome	32.91
	40 366 DC1	supersteel	42.91
	40 366 ***	SPA colours	49.58
	<b>Essentials</b> <b>Towel rail</b> material: metal 654 mm (functional length 600 mm) concealed fastening <b>GROHE StarLight</b> chrome finish		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE</li> <li style="margin-right: 10px;">● GL</li> <li style="margin-right: 10px;">● DA</li> <li style="margin-right: 10px;">● A0</li> <li style="margin-right: 10px;">● EN</li> <li style="margin-right: 10px;">● GN</li> <li style="margin-right: 10px;">● DL</li> <li style="margin-right: 10px;">● AL</li> </ul>			

# GROHE ESSENTIALS


	Ref. No.	Colour	Price netto (€)
	40 386 001	chrome	41.66
	40 386 DC1	supersteel	58.33
	40 386 ***	SPA colours	62.49
	<b>Essentials</b> <b>Towel rail</b> material: metal 854 mm (functional length 800 mm) concealed fastening <b>GROHE StarLight</b> chrome finish		
<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 802 001	chrome	56.66
	40 802 DC1	supersteel	79.58
	40 802 ***	SPA colours	83.33
	<b>Essentials</b> <b>Double towel rail</b> material: metal 654 mm (functional length 600 mm) concealed fastening <b>GROHE StarLight</b> chrome finish		
<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 800 001	chrome	112.49
	40 800 DC1	supersteel	154.16
	40 800 ***	SPA colours	166.66
	<b>Essentials</b> <b>Multi bath towel rack</b> material: metal 604 mm (functional length 550 mm) concealed fastening <b>GROHE StarLight</b> chrome finish		
<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 364 001	chrome	11.24
	40 364 DC1	supersteel	15.83
	40 364 ***	SPA colours	17.08
	<b>Essentials</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish		
<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 421 001	chrome	32.91
	40 421 DC1	supersteel	46.24
	40 421 ***	SPA colours	49.58
	<b>Essentials</b> <b>Grip bar</b> material: metal 349 mm (functional length 295 mm) concealed fastening <b>GROHE StarLight</b> chrome finish		
<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 793 001	chrome	47.08
	40 793 DC1	supersteel	61.66
	<b>Essentials</b> <b>Grip bar</b> material: metal 507 mm (functional length 450 mm) concealed fastening <b>GROHE StarLight</b> chrome finish		

# GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
	40 794 001	chrome	56.66
	40 794 DC1	supersteel	79.58
	<p><b>Essentials Grip bar</b>                      material: metal                      657 mm (functional length 600 mm)                      concealed fastening                      GROHE StarLight chrome finish</p>		
	40 797 001	chrome	145.83
	<p><b>Essentials Grip bar</b>                      material: metal                      737 x 997 mm (functional length 680 x 940 mm)                      concealed fastening                      GROHE StarLight chrome finish</p>		
	40 799 001	chrome	37.91
	40 799 DC1	supersteel	52.91
	<p><b>Essentials Glass shelf</b>                      material: glass / metal                      530 mm (functional length 380 mm)                      concealed fastening                      GROHE StarLight chrome finish</p>		
	40 689 001	chrome	24.58
	40 689 DC1	supersteel	34.58
	40 689 ***	SPA colours	37.08
	<p><b>Essentials Toilet paper holder</b>                      material: metal                      without cover                      concealed fastening                      GROHE StarLight chrome finish</p>		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE</li> <li style="margin-right: 10px;">● GL</li> <li style="margin-right: 10px;">● DA</li> <li style="margin-right: 10px;">● A0</li> <li style="margin-right: 10px;">● EN</li> <li style="margin-right: 10px;">● GN</li> <li style="margin-right: 10px;">● DL</li> <li style="margin-right: 10px;">● AL</li> </ul>			
	40 367 001	chrome	27.49
	40 367 DC1	supersteel	35.83
	40 367 ***	SPA colours	38.33
	<p><b>Essentials Toilet paper holder</b>                      material: metal                      with cover                      concealed fastening                      GROHE StarLight chrome finish</p>		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE</li> <li style="margin-right: 10px;">● GL</li> <li style="margin-right: 10px;">● DA</li> <li style="margin-right: 10px;">● A0</li> <li style="margin-right: 10px;">● EN</li> <li style="margin-right: 10px;">● GN</li> <li style="margin-right: 10px;">● DL</li> <li style="margin-right: 10px;">● AL</li> </ul>			

# GROHE ESSENTIALS



Ref. No. Colour Price netto (€)



40 385 001	chrome	20.83
40 385 DC1	supersteel	29.16
40 385 ***	SPA colours	29.16

**Essentials**  
Spare toilet paper holder  
material: metal  
wall mounted  
concealed fastening  
**GROHE StarLight** chrome finish

\*\*\* SPA colours:




40 374 001	chrome	34.16
40 374 DC1	supersteel	47.49
40 374 ***	SPA colours	51.24

**Essentials**  
Toilet brush set  
material: glass / metal  
wall mounted  
concealed fastening  
**GROHE StarLight** chrome finish

40 791 001	white	5.16
40 791 KS1	velvet black	5.16


40 392 000	chrome	25.00
40 393 000	daVinci satin white	20.00

\*\*\* SPA colours:




40 407 001	chrome	65.41
40 407 DC1	supersteel	83.33

**Essentials**  
City restroom accessories set 3-in-1  
material: glass / metal  
consisting of:  
toilet brush set (40 374 001)  
robe hook (40 364 001)  
toilet paper holder (40 367 001)  
concealed fastening  
**GROHE StarLight** chrome finish



40 775 001	chrome	64.58
40 775 DC1	supersteel	91.66

**Essentials**  
Guest bathroom accessories set 3-in-1  
material: metal  
consisting of:  
towel rail, 600 mm (40 366 001)  
robe hook (40 364 001)  
toilet paper holder (40 367 001)  
concealed fastening  
**GROHE StarLight** chrome finish







40 776 001	chrome	83.33
40 776 DC1	supersteel	116.66

**Essentials**  
Master bathroom accessories set 4-in-1  
material: metal  
consisting of:  
towel ring (40 365 001)  
robe hook (40 364 001)  
toilet paper holder (40 367 001)  
towel rail, 600 mm (40 366 001)  
concealed fastening  
**GROHE StarLight** chrome finish

# GROHE ESSENTIALS

Ref. No. Colour Price netto (€)

		<p><b>40 846 001</b></p> <p><b>Essentials</b>  <b>Master bathroom accessories set 4-in-1</b>                      material: metal                      consisting of:                      soap dispenser with holder (40 448 001)                      crystal glass with holder (40 447 001)                      double towel bar (40 371 001)                      robe hook (40 364 001)                      concealed fastening  <b>GROHE StarLight</b> finish</p>	<p><b>chrome</b></p> <p><b>99.99</b></p>
		<p><b>40 344 001</b>  <b>40 344 DC1</b></p> <p><b>Essentials</b>  <b>Master bathroom accessories set 5-in-1</b>                      material: glass / metal                      consisting of:                      towel ring (40 365 001)                      towel rail, 600 mm (40 366 001)                      robe hook (40 364 001)                      paper holder with cover (40 367 001)                      soap dish with holder (40 444 001)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>	<p><b>chrome</b>  <b>supersteel</b></p> <p><b>104.16</b>  <b>145.83</b></p>



# GROHE ESSENTIALS CUBE






# GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)




**40 508 001** **chrome** **27.49**

**Essentials Cube Holder**  
material: metal  
for crystal glass (40 372 001)  
soap dish (40 368 001) or soap dispenser (40 394 001)  
concealed fastening  
**GROHE StarLight** chrome finish




**40 394 001** **chrome** **17.08**

**Essentials Soap dispenser**  
material: glass / metal  
filling quantity 160 ml  
fits in the following holders:  
Essentials (40 369)  
Essentials Cube (40 508)  
Bau Cosmopolitan (40 585)  
Essentials Authentic (40 652)  
**GROHE StarLight** chrome finish




**40 368 001** **chrome** **5.74**

**Essentials Soap dish**  
material: glass  
fits in the following holders:  
Essentials (40 369)  
Essentials Cube (40 508)  
Bau Cosmopolitan (40 585)  
Essentials Authentic (40 652)




**40 372 001** **chrome** **6.91**

**Essentials Crystal glass**  
material: glass  
fits in the following holders:  
Essentials (40 369)  
Essentials Cube (40 508)  
Bau Cosmopolitan (40 585)  
Essentials Authentic (40 652)



**40 756 001** **chrome** **44.58**













**Essentials Cube Soap dispenser with holder**  
material: glass / metal  
filling quantity 160 ml  
consisting of:  
holder (40 508 001)  
soap dispenser (40 394 001)  
concealed fastening  
**GROHE StarLight** chrome finish













**40 755 001** **chrome** **32.91**

**Essentials Cube Crystal glass with holder**  
material: glass / metal  
consisting of:  
holder (40 508 001)  
crystal glass (40 372 001)  
concealed fastening  
**GROHE StarLight** chrome finish

# GROHE ESSENTIALS CUBE



	Ref. No.	Colour	Price netto (€)
 	<b>40 754 001</b>	<b>chrome</b>	<b>33.33</b>
<p><b>Essentials Cube Soap dish with holder</b>                      material: glass / metal                      consisting of:                      holder (40 508 001)                      soap dish (40 368 001)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>40 510 001</b>	<b>chrome</b>	<b>37.91</b>
<p><b>Essentials Cube Towel ring</b>                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>40 624 001</b>	<b>chrome</b>	<b>52.91</b>
<p><b>Essentials Cube Towel bar</b>                      material: metal                      2 arms, pivotable                      439 mm                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>40 509 001</b>	<b>chrome</b>	<b>42.08</b>
<p><b>Essentials Cube Towel rail</b>                      material: metal                      600 mm (functional length 558 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>40 512 001</b>	<b>chrome</b>	<b>137.49</b>
<p><b>Essentials Cube Multi-towel rack</b>                      material: metal                      600 mm (functional length 558 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>40 511 001</b>	<b>chrome</b>	<b>15.83</b>
<p><b>Essentials Cube Robe hook</b>                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			

# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	Price netto (€)
 	<b>40 514 001</b> <b>Essentials Cube</b> <b>Grip bar</b> material: metal 392 mm (functional length 340 mm) concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	56.66
 	<b>40 507 001</b> <b>Essentials Cube</b> <b>Toilet paper holder</b> material: metal without cover concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	31.66
 	<b>40 623 001</b> <b>Essentials Cube</b> <b>Spare toilet paper holder</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	26.66
 	<b>40 513 001</b> <b>Essentials Cube</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish  <b>40 791 001</b> <b>40 791 KS1</b> <b>Spare brush head</b>  <b>40 392 000</b> <b>Spare brush</b>  <b>40 393 000</b> <b>Spare glass</b>	chrome  white velvet black	54.99  5.16 5.16  25.00  20.00
 	<b>40 757 001</b> <b>Essentials Cube</b> <b>City restroom accessories set 3-in-1</b> material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	91.66



# GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)




**40 777 001** **chrome** **80.83**

**Essentials Cube**  
**Guest bathroom accessories set 3-in-1**  
 material: metal  
 consisting of:  
 robe hook (40 511 001)  
 toilet paper holder (40 507 001)  
 towel rail, 558 mm (40 509 001)  
 concealed fastening  
**GROHE StarLight** chrome finish





**40 778 001** **chrome** **116.66**

**Essentials Cube**  
**Master bathroom accessories set 4-in-1**  
 material: metal  
 consisting of:  
 robe hook (40 511 001)  
 towel ring (40 510 001)  
 toilet paper holder (40 507 001)  
 towel rail, 558 mm (40 509 001)  
 concealed fastening  
**GROHE StarLight** chrome finish



**40 847 001** **chrome** **133.33**

**Essentials Cube**  
**Bathroom accessories set 4-in-1**  
 material: glass / metal  
 consisting of:  
 soap dispenser with holder (40 756 001)  
 crystal glass with holder (40 755 001)  
 double towel bar (40 624 001)  
 robe hook (40 511 001)  
 concealed fastening  
**GROHE StarLight** finish



**40 758 001** **chrome** **141.66**

**Essentials Cube**  
**Master bathroom accessories set 5-in-1**  
 material: glass / metal  
 consisting of:  
 soap dish with holder (40 754 001)  
 towel rail, 558 mm (40 509 001)  
 toilet paper holder (40 507 001)  
 robe hook (40 511 001)  
 towel ring (40 510 001)  
 concealed fastening  
**GROHE StarLight** chrome finish

# GROHE BAUCOSMOPOLITAN













# GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	<b>40 585 001</b> <b>BauCosmopolitan Holder</b> material: metal for crystal glass (40 372 001), soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	16.24
 	<b>40 394 001</b> <b>Essentials Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish	chrome	17.08
 	<b>40 368 001</b> <b>Essentials Soap dish</b> material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)	chrome	5.74
 	<b>40 372 001</b> <b>Essentials Crystal glass</b> material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)	chrome	6.91
 	<b>40 460 001</b> <b>BauCosmopolitan Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	16.24
 	<b>40 459 001</b> <b>BauCosmopolitan Towel rail</b> material: metal 522 mm (functional length 430 mm) concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	23.74



# GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	<b>40 462 001</b> <b>BauCosmopolitan</b> <b>Multi-towel rack</b> material: metal 564 mm (functional length 510 mm) concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	87.49
 	<b>40 461 001</b> <b>BauCosmopolitan</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	9.99
 	<b>40 457 001</b> <b>BauCosmopolitan</b> <b>Paper holder</b> material: metal without cover concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	20.41
 	<b>40 463 001</b> <b>BauCosmopolitan</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish	chrome	26.66
	<b>40 791 001</b> <b>40 791 KS1</b> <b>Spare brush head</b>	white velvet black	5.16 5.16
	<b>40 392 000</b> <b>Spare brush</b>	chrome	25.00
	<b>40 393 000</b> <b>Spare glass</b>	daVinci satin white	20.00
 	<b>40 663 001</b> <b>BauCosmopolitan</b> <b>Large corner basket</b>	chrome	46.24

# GROHE BAUCOSMOPOLITAN

Ref. No.

Colour


Price netto (€)

40 664 001

chrome

37.08

**BauCosmopolitan**  
Filling basket, small







# GROHE ESSENTIALS AUTHENTIC



# GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	Price netto (€)
 	<b>40 652 001</b> <b>40 652 EN1</b>	<b>chrome</b> <b>brushed nickel</b>	<b>20.83</b> <b>29.16</b>
<b>Essentials Authentic Holder</b> material: metal for crystal glass (40 372 001), soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
 	<b>40 394 001</b>	<b>chrome</b>	<b>17.08</b>
<b>Essentials Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish			
 	<b>40 368 001</b>	<b>chrome</b>	<b>5.74</b>
<b>Essentials Soap dish</b> material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	<b>40 372 001</b>	<b>chrome</b>	<b>6.91</b>
<b>Essentials Crystal glass</b> material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	<b>40 655 001</b> <b>40 655 EN1</b>	<b>chrome</b> <b>brushed nickel</b>	<b>20.83</b> <b>29.16</b>
<b>Essentials Authentic Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	<b>40 653 001</b> <b>40 653 EN1</b>	<b>chrome</b> <b>brushed nickel</b>	<b>32.91</b> <b>52.91</b>
<b>Essentials Authentic Towel rail</b> material: metal 626 mm (functional length 582 mm) concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE ESSENTIALS AUTHENTIC



	Ref. No.	Colour	Price netto (€)	
		40 654 001	chrome	56.66
		40 654 EN1	brushed nickel	79.58
<p><b>Essentials Authentic Double towel rail</b> material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish</p>				
		40 660 001	chrome	112.49
		40 660 EN1	brushed nickel	154.16
<p><b>Essentials Authentic Multi-towel rack</b> material: metal 586 mm (functional length 542 mm) concealed fastening GROHE StarLight chrome finish</p>				
		40 656 001	chrome	11.24
		40 656 EN1	brushed nickel	18.33
<p><b>Essentials Authentic Robe hook</b> material: metal concealed fastening GROHE StarLight chrome finish</p>				
		40 657 001	chrome	24.58
		40 657 EN1	brushed nickel	39.16
<p><b>Essentials Authentic Toilet paper holder</b> material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
		40 658 001	chrome	34.16
		40 658 EN1	brushed nickel	47.49
<p><b>Essentials Authentic Toilet brush set</b> material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
		40 791 001	white	5.16
		40 791 KS1	velvet black	5.16
<p><b>Spare brush head</b></p>				
		40 392 000	chrome	25.00
<p><b>Spare brush</b></p>				
		40 393 000	daVinci satin white	20.00
<p><b>Spare glass</b></p>				

# GROHE ESSENTIALS AUTHENTIC

Ref. No.

Colour

Price netto (€)



40 659 001  
40 659 EN1

chrome  
brushed nickel

37.08  
48.33

**Essentials Authentic**  
**Filling basket, small**  
material: metal  
concealed fastening  
**GROHE StarLight** chrome finish





# GROHTHERM THERMOSTATS





## CONTENTS

Grotherm SmartControl	235
Grotherm 2 handle trim sets	245
Grotherm 3000 Cosmopolitan	253
Grotherm 2000	257
Grotherm Cube	261
Grotherm 1000 Cosmopolitan M	265
Grotherm 1000	269
Grotherm 800	273

## SAFETY NOTE

### Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.






# GROHE GROHTHERM SMARTCONTROL



# GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 123 000 chrome 435.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with one valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 without roughing-in-set  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


29 124 000 chrome 475.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 125 000 chrome 565.00



**Grotherm SmartControl**  
**Thermostat for concealed installation**  
**with 2 valves and integrated shower holder**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 integrated shower union with shower outlet 1/2"  
 without roughing-in-set  
 flow performance:  
 outlet B = 24 l/min  
 hand shower = 12 l/min


35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



# GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 126 000 chrome 513.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


29 127 000 chrome 313.00



**Grotherm SmartControl**  
**Triple volume control trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000/35 601 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
 10 mm thin profile escutcheon  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet D = 28 l/min  
 outlet E = 28 l/min  
 outlet A = 28 l/min  
 outlet D+E+A = 65 l/min  
 optional flow reducer for CALGreen compliance included

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 153 LS0 moon white 561.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with one valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 cover plate in moon white acrylic glass  
 without roughing-in-set  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE GROHTHERM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

29 156 LS0

moon white

600.00



### Grotherm SmartControl

#### Thermostat for concealed installation with 2 valves

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
metal wall escutcheon with **GROHE QuickFix**  
(covered escutcheon and shaft sealing, covered  
fixing), retroactively 6° adjustable

**GROHE StarLight** finish

**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min

35 600 000

chrome


68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 157 LS0

moon white

638.00



### Grotherm SmartControl

#### Thermostat for concealed installation with 3 valves

set for final installation for  
GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**  
(covered escutcheon and shaft sealing, covered  
fixing), retroactively 6° adjustable

**GROHE StarLight** finish

**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min

35 600 000

chrome


68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 158 LS0

moon white

396.00



### Grotherm SmartControl

#### Triple volume control trim

set for final installation for  
GROHE Rapido SmartBox 35 600 000/35 601 000

metal wall escutcheon with **GROHE QuickFix**  
(covered escutcheon and shaft sealing, covered  
fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

**GROHE StarLight** finish

**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
exchangeable symbols

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included

35 600 000

chrome


68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 118 000	chrome	432.00
29 118 DC0	supersteel	586.00
29 118 AL0	brushed hard graphite	586.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with one valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 without roughing-in-set  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		


29 119 000	chrome	475.00
29 119 DC0	supersteel	638.00
29 119 AL0	brushed hard graphite	729.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

29 120 000	chrome	565.00
29 120 DC0	supersteel	710.00
29 120 AL0	brushed hard graphite	874.00



**Grotherm SmartControl**  
**Thermostat for concealed installation**  
**with 2 valves and integrated shower holder**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 integrated shower union with shower outlet 1/2"  
 without roughing-in-set  
 flow performance:  
 outlet B = 24 l/min  
 hand shower = 12 l/min

35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

# GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)

29 121 000	chrome	513.00
29 121 DC0	supersteel	690.00
29 121 AL0	brushed hard graphite	788.00

## Grohtherm SmartControl

### Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow, exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:


outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min



35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

29 122 000	chrome	301.00
29 122 DC0	supersteel	391.00
29 122 EN0	brushed nickel	421.00
29 122 AL0	brushed hard graphite	481.00

## Grohtherm SmartControl

### Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600 000/35 601 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow, exchangeable symbols

multiple outlets can be run simultaneously

without roughing-in-set


flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min



35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

29 150 LS0	moon white	562.00
------------	------------	--------

## Grohtherm SmartControl

### Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

**GROHE StarLight** finish

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers


cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min




35 600 000	chrome	68.00
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

# GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 151 LS0 moon white 601.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
 without roughing-in-set  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


29 904 LS0 moon white 639.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
 without roughing-in-set  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 152 LS0 moon white 396.00



**Grotherm SmartControl**  
**Triple volume control trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000/35 601 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered  
 fixing), retroactively 6° adjustable  
 10 mm thin profile escutcheon  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for  
 volume adjustment from EcoJoy to full flow, exchangeable symbols  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
 without roughing-in-set  
 flow performance:  
 outlet D = 28 l/min  
 outlet E = 28 l/min  
 outlet A = 28 l/min  
 outlet D+E+A = 65 l/min  
 optional flow reducer for CALGreen compliance included

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



# GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)


		<p><b>34 742 000</b></p>	<p><b>chrome</b></p>	<p><b>1,070.00</b></p>
<p><b>Grotherm SmartControl Perfect shower set</b>            consisting of:            concealed thermostat with 2 valves and integrated hand shower holder            Grotherm SmartControl set for final installation (29 125 000)            GROHE Rapido SmartBox 35 600 000            Rainshower F-Series 10" head shower set (26 070 000)            including horizontal shower arm 286 mm            Hand shower Power&amp;Soul Cosmopolitan 115 (27 661 000)            Silverflex shower hose 1 250 mm (28 362)</p>				
		<p><b>34 706 000</b></p>	<p><b>chrome</b></p>	<p><b>1,250.00</b></p>
<p><b>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive Cube</b>            consisting of:            concealed thermostat with 3 valves            Grotherm SmartControl set for final installation (29 126 000)            GROHE Rapido SmartBox 35 600 000            Rainshower 310 SmartActive Cube head shower set (26 479)            including head shower with 2 sprays, horizontal shower arm 400 mm            and head shower rough-in (26 483 000)            hand shower Euphoria Cube Stick (27 698 000)            Euphoria Cube wall union with integrated shower holder (26 370 000)            Silverflex shower hose 1.500 mm (28 364)</p>				
		<p><b>34 743 000</b></p>	<p><b>chrome</b></p>	<p><b>1,000.00</b></p>
<p><b>Grotherm SmartControl Perfect shower set</b>            consisting of:            concealed thermostat with 2 valves and integrated hand shower holder            Grotherm SmartControl set for final installation (29 120 000)            GROHE Rapido SmartBox 35 600 000            Rainshower Cosmopolitan 210 head shower set (26 062 000)            including horizontal shower arm 286 mm            Hand shower Power&amp;Soul Cosmopolitan 115 (27 661 000)            Silverflex shower hose 1 250 mm (28 362)</p>				
		<p><b>34 744 000</b></p>	<p><b>chrome</b></p>	<p><b>843.00</b></p>
<p><b>Grotherm SmartControl Perfect shower set</b>            consisting of:            concealed thermostat with 2 valves and integrated hand shower holder            Grotherm SmartControl set for final installation (29 120 000)            GROHE Rapido SmartBox 35 600 000            Euphoria 260 head shower set 3 sprays (26 458 000)            including horizontal shower arm 380 mm            hand shower Euphoria Cosmopolitan Stick (27 400 000)            Silverflex shower hose 1 250 mm (28 362)</p>				
		<p><b>34 705 000</b></p>	<p><b>chrome</b></p>	<p><b>1,260.00</b></p>
<p><b>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive</b>            consisting of:            concealed thermostat with 3 valves            Grotherm SmartControl set for final installation (29 121 000)            GROHE Rapido SmartBox 35 600 000            Rainshower 310 head shower set (26 475) including head shower            with 2 sprays, horizontal shower arm 400 mm and head shower            rough-in (26 483 000)            Euphoria Cosmopolitan Stick handshower (27 367 000)            Rainshower wall holder (27 074 000)            Rainshower wall union 1/2" (27 057 000)            Silverflex shower hose 1.500 mm (28 364)</p>				



# GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


34 713 000 chrome 729.00



**Grotherm SmartControl**  
**Combi thermostatic shower mixer with 3 valves, exposed/concealed**  
wall mounted  
**GROHE CoolTouch** no risk of scalding  
**GROHE StarLight** chrome finish  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols  
**GROHE EasyReach** shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow

requires concealed body 26 449 000 – to be ordered separately


34 714 000 chrome 694.00



**Grotherm SmartControl**  
**Combi thermostatic shower mixer with 2 valves, exposed/concealed**  
wall mounted  
**GROHE CoolTouch** no risk of scalding  
**GROHE StarLight** chrome finish  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE EasyReach** shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow


requires concealed body 26 449 000 – to be ordered separately

26 449 000 chrome 121.00



**Concealed body for exposed/concealed variants**  
wall mounted  
2 outlets 1/2"  
installation depth 75-105 mm  
flushing plug  
wall sealing  
installation device

34 719 000 chrome 261.00




**Grotherm SmartControl**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
**GROHE CoolTouch** no risk of scalding  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray shower bottom outlet 1/2" built-in non return valves and dirt strainers protected against backflow

# GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



34 718 000

chrome


321.44

**Grotherm SmartControl**  
**Thermostatic bath mixer 1/2"**  
wall mounted

**GROHE CoolTouch** no risk of scalding  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermostatic element

**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
integrated **GROHE EasyReach** shower tray  
shower bottom outlet 1/2"  
bath spout with mousseur  
built-in non return valves and dirt strainers  
protected against backflow




34 721 000

chrome

339.00

**Grotherm SmartControl**  
**Thermostatic shower mixer 1/2" with shower set**  
consisting of:

Grotherm SmartControl thermostatic shower mixer (34 719 000)  
Euphoria 110 Massage shower set, 900 mm (27 226 001)



34 720 000

chrome

395.00

**Grotherm SmartControl**  
**Thermostatic shower mixer 1/2" with shower set**  
consisting of:

Grotherm SmartControl thermostatic shower mixer (34 719 000)  
Euphoria 110 Massage shower set,  
600 mm (27 231)

# GROHE GROHTHERM 2 HANDLE TRIM SETS


THERMOSTATS



# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour Price netto (€)

24 078 000 chrome 313.00



**Grotherm**  
**Thermostatic mixer for 1 outlet with shut off valve**

set for final installation for  
GROHE Rapido SmartBox 35 600 000

**GROHE TurboStat** compact cartridge  
with wax thermostatic element

**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

ceramic stop valve, 120°

flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

without roughing-in-set

35 600 000 chrome 68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 079 000 chrome 349.00



**Grotherm**  
**Thermostatic shower mixer for 2 outlets**  
**with integrated shut off/diverter valve**

set for final installation for  
GROHE Rapido SmartBox 35 600 000

**GROHE TurboStat** compact cartridge  
with wax thermostatic element

**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed head and hand shower symbol

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

without roughing-in-set

35 600 000 chrome 68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 080 000 chrome 349.00



**Grotherm**  
**Thermostatic bath tub mixer for 2 outlets**  
**with integrated shut off/diverter valve**

set for final installation for  
GROHE Rapido SmartBox 35 600 000

**GROHE TurboStat** compact cartridge  
with wax thermostatic element

**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed shower and bath symbol

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000 chrome 68.00

**GROHE Rapido SmartBox universal rough-in box for concealed installation**




# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)

THERMOSTATS



34 728 000

chrome


533.00

**Grotherm**

**Perfect shower set with Tempesta 210**

consisting of:

Grotherm set for final installation with Aquadimmer (24 079)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
head shower Tempesta 210 (26 410)  
Shower arm Rainshower 286 mm (28 576 000)  
hand shower, wall holder, wall elbow connection  
and shower hose to be ordered separately



34 729 000

chrome


588.00

**Grotherm**

**Perfect shower set with Tempesta 210**

consisting of:

Grotherm set for final installation with Aquadimmer (24 079)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
head shower Tempesta 210 (26 410)  
Shower arm Rainshower 286 mm (28 576 000)  
hand shower Tempesta 100 II 9.5 l/min (27 597)  
shower outlet elbow (28 628 000)  
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)



34 730 000

chrome


1,080.00

**Grotherm**

**Perfect shower set with Rainshower Cosmopolitan 310**

consisting of:

Grotherm set for final installation with Aquadimmer (24 079)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
metal head shower Rainshower Cosmopolitan 310 (27 477 000)  
Rainshower shower arm 422 mm (26 145 000)  
hand shower Sena (28 034 000)  
Rainshower wall holder (27 075 000)  
Rainshower wall elbow connection (27 076 000)  
Silverflex shower hose 1 250 mm (28 362)



34 734 000

chrome

812.00

**Grotherm**

**Perfect shower set with Rainshower Cosmopolitan 210**


consisting of:

Grotherm set for final installation with Aquadimmer (24 079)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
shower arm Rainshower 422 mm (26 146 000)  
Euphoria hand shower (27 265)  
shower outlet elbow (28 628 000)  
Silverflex shower hose 1 250 mm (28 362)

# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour Price netto (€)

24 075 000 chrome 313.00




**Grotherm**  
**Thermostatic mixer for 1 outlet with shut off valve**

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
with wax thermostatic element  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
built-in non return valves and dirt strainers  
ceramic stop valve, 120°  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 076 000 chrome 349.00




**Grotherm**  
**Thermostatic shower mixer for 2 outlets**  
**with integrated shut off/diverter valve**

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
with wax thermostatic element  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed head and hand shower symbol  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
GROHE AquaDimmer, integrated shut off/diverter valve  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 077 000 chrome 349.00



**Grotherm**  
**Thermostatic bath tub mixer for 2 outlets**  
**with integrated shut off/diverter valve**

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
with wax thermostatic element  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed shower and bath symbol  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
GROHE AquaDimmer, integrated shut off/diverter valve  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation













# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)

THERMOSTATS

		<p><b>34 726 000</b> <span style="float: right;"><b>chrome</b> <b>533.00</b></span></p> <p><b>Grotherm Perfect shower set with Tempesta 210</b>          consisting of:          Grotherm set for final installation with Aquadimmer (24 076)          GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)          head shower Tempesta 210 (26 410)          Shower arm Rainshower 286 mm (28 576 000)          hand shower, wall holder, wall elbow connection          and shower hose to be ordered separately</p>
		<p><b>34 727 000</b> <span style="float: right;"><b>chrome</b> <b>588.00</b></span></p> <p><b>Grotherm Perfect shower set with Tempesta 210</b>          consisting of:          Grotherm set for final installation with Aquadimmer (24 076)          GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)          head shower Tempesta 210 (26 410)          Shower arm Rainshower 286 mm (28 576 000)          hand shower Tempesta 100 II 9.5 l/min (27 597)          shower outlet elbow (28 628 000)          Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>
		<p><b>34 731 000</b> <span style="float: right;"><b>chrome</b> <b>1,080.00</b></span></p> <p><b>Grotherm Perfect shower set with Rainshower Cosmopolitan 310</b>          consisting of:          Grotherm set for final installation with Aquadimmer (24 076)          GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)          metal head shower Rainshower Cosmopolitan 310 (27 477 000)          shower arm Rainshower 422 mm (26 146 000)          hand shower Sena (28 034 000)          Rainshower wall holder (27 074 000)          Rainshower wall elbow connection (27 057 000)          Silverflex shower hose 1 250 mm (28 362)</p>
		<p><b>34 732 000</b> <span style="float: right;"><b>chrome</b> <b>946.00</b></span></p> <p><b>Grotherm Perfect shower set with Rainshower Cosmopolitan 210</b>          consisting of:          Grotherm set for final installation with Aquadimmer (24 076)          GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)          Rainshower Cosmopolitan 210 metal head shower (28 373)          Rainshower shower arm 286 mm (28 576)          hand shower Sena (28 034 000)          Rainshower wall holder (27 074 000)          Rainshower wall elbow connection (27 057 000)          Silverflex shower hose 1 250 mm (28 362)</p>
		<p><b>34 735 000</b> <span style="float: right;"><b>chrome</b> <b>628.00</b></span></p> <p><b>Grotherm Perfect shower set with Rainshower Cosmopolitan 160</b>          consisting of:          Grotherm set for final installation with Aquadimmer (24 076)          GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)          Rainshower Cosmopolitan head shower 160mm (27 134)          Rainshower shower arm 286 mm (28 576)          Euphoria hand shower (27 265)          shower outlet elbow (28 628 000)          Silverflex shower hose 1 250 mm (28 362)</p>


\* price upon request

249

# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour Price netto (€)


24 153 000 chrome 406.00



**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


24 154 000 chrome 453.00



**Grotherm Cube**  
**Thermostatic shower mixer for 2 outlets**  
**with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 155 000 chrome 453.00



**Grotherm Cube**  
**Thermostatic bath tub mixer for 2 outlets**  
**with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE QuickFix** (covered  
 escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed shower and bath symbol  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
 without roughing-in-set

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)

THERMOSTATS



34 741 000

chrome

1,070.00

## Grotherm Cube

### Perfect shower set with Rainshower Allure 230

consisting of:

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

Rainshower Allure 230 metal head shower (27 479)

Rainshower shower arm (27 709)

hand shower Euphoria Cube (27 699 000) 9,5 l/min.

shower outlet elbow (26 370)

Silverflex shower hose 1 250 mm (28 362)

# GROHE GROHTHERM 3000 COSMOPOLITAN



# GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

34 274 000

chrome

459.00




**Grotherm 3000 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
wall mounted

**100% GROHE CoolTouch** consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
integrated mixed water shut off  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
Carborundum ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
protected against backflow  
covered S-unions, CoolTouch escutcheons with wall sealing  
**GROHE EcoJoy** technology for less water and perfect flow

34 276 000

chrome

514.00




**Grotherm 3000 Cosmopolitan**  
**Thermostatic bath mixer 1/2"**  
wall mounted

**100% GROHE CoolTouch** consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
integrated mixed water shut off  
Aquadimmer with multiple function  
- flow control  
- diverter: bath/shower  
shower bottom outlet 1/2"  
mousseur  
built-in non return valves  
dirt strainers  
protected against backflow  
covered S-unions, CoolTouch escutcheons with wall sealing  
**GROHE EcoJoy** technology for less water and perfect flow

34 277 000

chrome

430.00




**Grotherm 3000 Cosmopolitan**  
**Thermostatic bath mixer 1/2"**  
wall mounted

**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
integrated mixed water shut off  
Aquadimmer with multiple function  
- flow control  
- diverter: bath/shower  
shower bottom outlet 1/2"  
mousseur  
built-in non return valves  
dirt strainers  
protected against backflow  
**without connection unions**  
**GROHE EcoJoy** technology for less water and perfect flow  
min. recommended pressure 1.0 bar

19 470 000

chrome

67.00





**Grotherm 3000 Cosmopolitan**  
**Concealed valve exposed part**  
set for final installation for 35 028 000

**GROHE StarLight** chrome finish  
for GROHE concealed valves, 1/2", 3/4", 1"  
installation depth infinitely adjustable 20-80 mm  
metal escutcheon with wall sealing  
shut-off handle


# GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No. Colour Price netto (€)




**35 028 000** **chrome** **135.00**

**Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 aramã DR  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 flow rate:  
 55 l/min. at 3 bar  
 installation depth 70 - 95 mm  
 min. recommended pressure 1.0 bar




**29 811 000** **chrome** **27.00**

**Concealed valve 1/2"**  
 preassembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass



**29 813 000** **chrome** **35.00**

**Concealed valve 3/4"**  
 pre-assembled ceramic headpart 3/4"  
 90°  
 threaded union 3/4"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass  
 min. recommended pressure 1.0 bar



**29 800 000** **chrome** **26.00**


**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle, protection sleeve  
 threaded union 1/2", DR-brass

**29 802 000** **chrome** **46.00**

**ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"**

**29 805 000** **chrome** **65.00**

**ditto, 1", pre-assembled headpart 1", thread union 1"**



**29 801 000** **chrome** **25.00**

**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle, protection sleeve  
 soldered connection Ø15 mm  
 DR-brass

**29 803 000** **chrome** **39.00**

**ditto, soldered connection Ø 18 mm**

**29 804 000** **chrome** **38.00**

**ditto, soldered connection Ø 22 mm**



**47 175 000** **chrome** **101.00**

**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after being installed in exposed fittings



# GROHE GROHTHERM 2000



# GROHE GROHTHERM 2000

Ref. No.

Colour

Price netto (€)

34 469 001

chrome

333.00

## Grotherm 2000

### Thermostatic shower mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

temperature scale handle with

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off

GROHE TurboStat compact cartridge

with wax thermoelement

volume handle with GROHE EcoButton (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing


GROHE EasyReach shower tray

removable for easy cleaning

chrome

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow



34 169 001

chrome

296.00

## Grotherm 2000

### Thermostatic shower mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with GROHE EcoButton (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves


dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing

optional upgrade: GROHE EasyReach shower tray (18 608 001)

GROHE EcoJoy technology for less water and perfect flow



34 464 001

chrome

398.00

## Grotherm 2000

### Thermostatic bath mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated Economy button

(with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

GROHE XL Waterfall

flow straightener

built-in non return valves

dirt strainers

protected against backflow


covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EasyReach shower tray

removable for easy cleaning

chrome


GROHE EcoJoy technology for less water and perfect flow



# GROHE GROHTHERM 2000


Ref. No. Colour Price netto (€)

34 174 001 chrome 360.00




**Grohtherm 2000**  
**Thermostatic bath mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated Economy button (with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 GROHE XL Waterfall flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
 optional upgrade: GROHE EasyReach shower tray (18 608 001)  
**GROHE EcoJoy** technology for less water and perfect flow

34 176 001 chrome 527.00



**Grohtherm 2000**  
**Thermostatic bath mixer 1/2"**  
 pillar installation  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - flow control  
 - diverter: bath/shower  
 - integrated Economy button (with economy stop for shower)  
 shower bottom outlet 1/2"  
 GROHE XL Waterfall flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 pillar unions with covered fixing  
**GROHE EcoJoy** technology for less water and perfect flow


34 482 001 chrome 507.00



**Grohtherm 2000**  
**Thermostatic shower mixer 1/2" with shower set**  
 consisting of:  
 Grohtherm 2000 thermostat shower mixer (34 169)  
 Power&Soul Cosmopolitan 130 shower set (27 734)


# GROHE GROHTHERM 2000

Ref. No. Colour Price netto (€)




34 281 001 chrome 481.00

**Grohtherm 2000**  
**Thermostatic shower mixer 1/2" with shower set**  
 consisting of:  
 Grohtherm 2000 thermostatic shower mixer (34 169)  
 Power&Soul Cosmopolitan shower set 130/  
 600 mm rail (27 731)  
 min. recommended pressure 1.0 bar



34 195 001 chrome 360.00

**Grohtherm 2000**  
**Thermostatic shower mixer 1/2" with shower set**  
 consisting of:  
 Grohtherm 2000 thermostatic shower mixer (34 169)  
 Euphoria 110 Massage shower set,  
 600 mm (27 231)  
 min. recommended pressure 1.0 bar



18 608 001 chrome 44.00

**Grohtherm 2000**  
**GROHE EasyReach shower tray**  
 metal tray  
 removable for easy cleaning  
**GROHE StarLight** chrome finish  
 suitable for Grohtherm 2000  
 - exposed thermostatic shower mixer  
 with centre distance 150 mm  
 - exposed thermostatic bath mixer  
 with centre distance 150 mm



47 175 000 chrome 101.00

**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm  
 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after  
 being installed in exposed fittings

# GROHE GROHTHERM CUBE

THERMOSTATS





# GROHE GROHTHERM CUBE

Ref. No.


Colour

Price netto (€)

34 491 000

chrome

394.00



## Grotherm Cube

### Thermostatic shower mixer 1/2"

wall mounted

**GROHE StarLight** chrome finish

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE TurboStat** compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

**covered S-unions**

**GROHE EasyReach** shower tray (18 700 000)

removable for easy cleaning

da Vinci satin white finish


min. recommended pressure 1.0 bar

**GROHE EcoJoy** technology for less water and perfect flow

34 488 000

chrome

356.00



## Grotherm Cube

### Thermostatic shower mixer 1/2"

wall mounted

**GROHE StarLight** chrome finish

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE TurboStat** compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

**covered S-unions**


min. recommended pressure 1.0 bar

**GROHE EcoJoy** technology for less water and perfect flow

34 502 000

chrome

489.00



## Grotherm Cube

### Thermostatic bath mixer 1/2"

wall mounted

**GROHE StarLight** chrome finish

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE TurboStat** compact cartridge

with wax thermoelement

integrated mixed water shut off

**GROHE AquaDimmer Eco** with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

flow straightener

built-in non return valves

dirt strainers

protected against backflow

**covered S-unions**

**GROHE EasyReach** shower tray (18 700 000)

removable for easy cleaning

da Vinci satin white finish

**GROHE EcoJoy** technology for less water and perfect flow






# GROHE GROHTHERM CUBE

Ref. No. Colour Price netto (€)

24 155 000 chrome 453.00




**Grotherm Cube**  
**Thermostatic bath tub mixer for 2 outlets**  
**with integrated shut off/diverter valve**

set for final installation for  
GROHE Rapido SmartBox 35 600 000  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE QuickFix** (covered  
escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed shower and bath symbol  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
GROHE AquaDimmer, integrated shut off/diverter valve  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
without roughing-in-set

35 600 000 chrome 68.00  
GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000 chrome 1,070.00



**Grotherm Cube**  
**Perfect shower set with Rainshower Allure 230**

consisting of:  
Grotherm Cube set for final installation with Aquadimmer (24 154)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
Rainshower Allure 230 metal head shower (27 479)  
Rainshower shower arm (27 709)  
hand shower Euphoria Cube (27 699 000) 9,5 l/min.  
shower outlet elbow (26 370)  
Silverflex shower hose 1 250 mm (28 362)

47 175 000 chrome 101.00



**GROHE TurboStat cartridge 1/2"**

for reversed inlets (hot water right)  
fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm  
2000, Grotherm Cube and Grotherm 3000 exposed thermostats  
service solution, does not comply with EN1111  
Note: CoolTouch-function is omitted after  
being installed in exposed fittings

# GROHE GROHTHERM 1000 COSMOPOLITAN M




# GROHE GROHTHERM 1000 COSMOPOLITAN M

Ref. No.

Colour

Price netto (€)

34 065 002	chrome	262.00
34 065 DC2	supersteel	312.00
34 065 ***	SPA colours	335.00




**Grohtherm 1000 Cosmopolitan M**  
Thermostatic shower mixer 1/2"  
wall mounted

**GROHE StarLight** chrome finish  
GROHE MetalGrip ergonomically shaped metal handles  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
protected against backflow  
S-unions  
metal escutcheon  
min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

\*\*\* SPA colours:

● BE	● GL	● DA	● A0
● EN	● GN	● DL	● AL


34 215 002	chrome	307.00
------------	--------	--------



**Grohtherm 1000 Cosmopolitan M**  
Thermostatic bath mixer 1/2"  
wall mounted

**GROHE StarLight** chrome finish  
GROHE MetalGrip ergonomically shaped metal handles  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
automatic diverter: bath/shower  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
mousseur  
built-in non return valves  
dirt strainers  
protected against backflow  
S-unions  
metal escutcheon  
min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

34 286 002	chrome	338.00
------------	--------	--------



**Grohtherm 1000 Cosmopolitan M**  
Thermostatic shower mixer 1/2" with shower set



consisting of:  
Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 1/2"  
(34 065 002)  
Euphoria 110 Massage shower set,  
600 mm (27 231)  
min. recommended pressure 1.0 bar

# GROHE GROHTHERM 1000 COSMOPOLITAN M

Ref. No.

Colour

Price netto (€)



34 321 002

chrome

341.00

**Grotherm 1000 Cosmopolitan M  
Thermostatic shower mixer 1/2" with shower set**

consisting of:  
Grotherm 1000 Cosmopolitan M thermostatic shower mixer 1/2"  
(34 065 002)  
Euphoria 110 Massage shower set, 900 mm (27 226 001)  
min. recommended pressure 1.0 bar

47 175 000

chrome

101.00



**GROHE TurboStat cartridge 1/2"**

for reversed inlets (hot water right)  
fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm 2000, Grotherm Cube and Grotherm 3000 exposed thermostats  
service solution, does not comply with EN1111  
Note: CoolTouch-function is omitted after  
being installed in exposed fittings

THERMOSTATS

# GROHE GROHTHERM 1000

THERMOSTATS





# GROHE GROHTHERM 1000

Ref. No.


Colour

Price netto (€)

34 143 003

chrome

232.00



## Grotherm 1000

### Thermostatic shower mixer 1/2"

wall mounted

**GROHE CoolTouch** safety housing

**GROHE StarLight** chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE TurboStat** compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

**GROHE EcoJoy** technology for less water and perfect flow

34 155 003

chrome

294.00



## Grotherm 1000

### Thermostatic bath mixer 1/2"

wall mounted

**GROHE CoolTouch** safety housing

**GROHE StarLight** chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE TurboStat** compact cartridge

with wax thermoelement

integrated mixed water shut off

**GROHE AquaDimmer Eco** with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

**GROHE EcoJoy** technology for less water and perfect flow

34 256 004

chrome

\*



## Grotherm 1000

### Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 1000 NEW thermostatic shower mixer 1/2"

(34 143 003)

Tempesta shower set II, 900 mm (27 646)

min. recommended pressure 1.0 bar


# GROHE GROHTHERM 1000

Ref. No.

Colour

Price netto (€)

THERMOSTATS



**34 151 004**

**chrome**

**243.00**

**Grotherm 1000**

**Thermostatic shower mixer 1/2" with shower set**

consisting of:

Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003)

Tempesta shower rail set II, 600 mm (27 598)

min. recommended pressure 1.0 bar

**47 175 000**

**chrome**

**101.00**



**GROHE TurboStat cartridge 1/2"**

for reversed inlets (hot water right)

fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm 2000, Grotherm Cube and Grotherm 3000 exposed thermostats service solution, does not comply with EN1111

Note: CoolTouch-function is omitted after being installed in exposed fittings

# GROHE GROHTHERM 800

THERMOSTATS



# GROHE GROHTHERM 800

Ref. No.


Colour

Price netto (€)

34 558 000

chrome

188.00




**Grotherm 800**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
dirt strainers  
built-in non return valves  
protected against backflow  
S-unions  
metal escutcheon  
min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

34 567 000

chrome

244.00




**Grotherm 800**  
**Thermostatic bath mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
automatic diverter: bath/shower  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
mousseur  
built-in non return valves  
dirt strainers  
protected against backflow  
S-unions  
metal escutcheon  
min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

34 564 000

chrome

248.00




**Grotherm 800**  
**Thermostatic bath mixer 1/2"**  
**Attention: reversed thermoelement for changed water ways**  
wall mounted  
**GROHE StarLight** chrome finish  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
automatic diverter: bath/shower  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
mousseur  
built-in non return valves  
dirt strainers  
protected against backflow  
S-unions  
metal escutcheon  
min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM 800


Ref. No. Colour Price netto (€)

34 576 000 chrome 236.00




**Grohtherm 800**  
**Thermostatic bath mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE TurboStat** compact cartridge  
 with wax thermostatic element  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton** (economy  
 button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 adjustable mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
 min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

34 566 001 chrome 207.00



**Grohtherm 800**  
**Thermostatic shower mixer 1/2" with shower set**  
 consisting of:  
 Grohtherm 800 thermostatic shower mixer 1/2"  
 (34 558 000)  
 Tempesta shower set II, 900 mm (27 646)  
 min. recommended pressure 1.0 bar

34 565 001 chrome 197.00



**Grohtherm 800**  
**Thermostatic shower mixer 1/2" with shower set**  
 consisting of:  
 Grohtherm 800 thermostatic shower mixer 1/2"  
 (34 558 000)  
 Tempesta shower rail set II, 600 mm (27 598)  
 min. recommended pressure 1.0 bar

47 175 000 chrome 101.00



**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm  
 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after  
 being installed in exposed fittings



GROHE  
**CONCEALED SOLUTIONS**







## CONTENTS

GROHE Rapido SmartBox

279

GROHE Rapido C / Concealed Valves

282



# GROHE RAPIDO SMARTBOX




# GROHE RAPIDO SMARTBOX

Ref. No.

Colour

Price netto (€)




35 600 000

chrome

68.00

**Rapido SmartBox  
Universal rough-in box, 1/2"**

3 outlets 1/2"  
2 inlets below, 1/2"  
installation depth 75-105 mm  
connection unit in DR brass  
pre-mounted flushing plug  
stable build-in box and protective cover  
fixation options for solid walls and dry cladding  
gasket  
without set for final installation




14 055 000

chrome

139.00

**Backflow protection combination (DIN-EN1717)**

retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems  
replaces separate pipe interrupter for residential use  
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:  
Grotherm SmartControl, SmartControl Mixer, Grotherm 2-handle thermostats, single-lever mixers




14 053 00M

chrome

42.00

**Service stops**

fits Grotherm SmartControl, SmartControl mixer and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox  
packaging unit: 2 pieces




14 048 000

chrome

129.00

**Rapido SmartBox  
Universal extension set single-lever mixers, 25 mm**

25 mm  
fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox




14 056 000

chrome

\*

**Universal extension set single-lever mixers, 25 mm**

fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox



14 057 000

chrome

\*

**Universal extension set single-lever mixers, 50 mm**

fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox

# GROHE RAPIDO SMARTBOX

Ref. No.

Colour

Price netto (€)

14 058 000

chrome

\*

**Universal extension set 2-handle thermostats, 25 mm**  
fits for concealed 2-handle thermostats in  
combination with **GROHE Rapido SmartBox**



49 003 000

chrome

181.00

**GROHE TurboStat cartridge 3/4"**  
for reversed inlets (hot water right)  
fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic  
trim sets in combination with GROHE Rapido SmartBox  
service solution, does not comply with EN1111




38 652 000

chrome

108.00



**Rapid SL  
Mounting plate**  
for fixing concealed fittings and room ventilation  
for **studded walls**  
for empty frames  
for GROHE Rapido  
500 x 240 x 77 mm  
variable depth adjustment 75-115 mm  
with waterproof plywood board for fixation  
fixing material






# GROHE RAPIDO C / STOP VALVES

Ref. No. Colour Price netto (€)



35 028 000 chrome 135.00

**Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 aramä DR  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 flow rate:  
 55 l/min. at 3 bar  
 installation depth 70 - 95 mm  
 min. recommended pressure 1.0 bar



29 800 000 chrome 26.00


**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle, protection sleeve  
 threaded union 1/2", DR-brass

29 802 000 chrome 46.00

**ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"**

29 805 000 chrome 65.00

**ditto, 1", pre-assembled headpart 1", thread union 1"**



29 801 000 chrome 25.00


**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle, protection sleeve  
 soldered connection Ø15 mm  
 DR-brass

29 803 000 chrome 39.00

**ditto, soldered connection Ø 18 mm**

29 804 000 chrome 38.00

**ditto, soldered connection Ø 22 mm**



29 811 000 chrome 27.00

**Concealed valve 1/2"**  
 preassembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass

29 813 000 chrome 35.00

**ditto, 3/4"**



45 202 000 chrome 6.90

**Extension-set, 80 mm**  
 for GROHE concealed valves, 1/2", 3/4", 1"

45 203 000 chrome 14.00

**ditto, 200 mm**





GROHE  
**SHOWERS**







## CONTENTS

GROHE Digital	F-digital Deluxe	287
	F-digital Controllers	295
Shower Systems	Rainshower SmartControl System	297
	Rainshower System	303
	Euphoria SmartControl System	307
	Euphoria System	311
	Tempesta System	323
	Retro-fit shower system	327
	Shower system accessories	329
Headshowers	Head and side showers	333
Showers	Sena	359
	Rainshower	361
	Power&Soul	367
	Movario	373
	Euphoria	375
	Tempesta	387
	Sena trigger sprays	401
	Tempesta-F trigger sprays	403
	Shower hoses	407
	Shower accessories	411



# GROHE F-DIGITAL DELUXE



# GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

26 373 001 chrome 19,700.00


**Rainshower F-Series 40" AquaSymphony**  
**Ceiling shower 6+ sprays with light**  
 1016 mm x 762 mm x 145 mm  
 metal  
 minimum flow rate 25 l/min  
 min. recommended pressure 3.0 bar  
 1 x AquaCurtain  
 1 x Pure XL spray  
 1 x 2 cold mist spray  
 2 x GROHE PureRain spray 400 x 190 mm  
 2 x XL Waterfall (separately controlled)  
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations  
 full spectrum LED: soft light with changing rainbow colours  
 individually adjustable: permanent lighting with colour selection  
 power supply for light 12 V DC  
 CE approved  
**SpeedClean** anti-lime system  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl


this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001 chrome 1,860.00

**Rainshower F-Series 40"**  
**Roughing-in set**  
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower  
 1000 mm x 745 mm x 152 mm  
 min. installation depth: 167 mm  
 waterways: brass  
 1/2" connections


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.



29 126 000 chrome 513.00

**Grohtherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE QuickFix**  
 (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valves and dirt strainers  
 multiple outlets can be run simultaneously  
 without roughing-in-set  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

35 600 000 chrome 68.00  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**






# GROHE F-DIGITAL DELUXE


Ref. No. Colour Price netto (€)

27 865 000 chrome 4,620.00




**Rainshower F-Series 20"**  
**Ceiling shower with light, 1 spray**  
Rain  
508 x 508 x 59 mm  
full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
power supply for light 12 V DC  
CE approved  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
suitable for instantaneous heater  
**requires** rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.  
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+  
For detailed planning and product information please contact your local GROHE Customer Service.

29 069 000 chrome 136.00




**Rainshower F-Series**  
**Cable connection**  
for ceiling shower with light (27 865 000)  
consisting of:  
2 cable extensions (5 m each)

36 359 000 chrome 1,290.00



**Rainshower F-Series**  
**Light set**  
127 x 127 mm per module  
full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
consisting of:  
- 1 light module with two plug connections  
- 1 light module with one plug connection  
waterproof & corrosion protected  
supply voltage: 12 V DC  
CE approved  
**GROHE StarLight** chrome finish  
**requires** rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation  
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+  
For detailed planning and product information please contact your local GROHE Customer Service.

29 072 000 chrome 241.00




**Rainshower F-Series**  
**Rough-in set light set**  
for use with double light modules (36 359 000)  
consisting of:  
- 2 rough-in sets (115 x 115 x 62-87 mm)  
- 2 cable extensions (5 m each)

# GROHE F-DIGITAL DELUXE


Ref. No. Colour Price netto (€)

36 360 000 chrome 1,100.00




**Rainshower F-Series  
Sound set**  
127 x 127 mm per module  
full range stereo speaker  
consisting of:  
2 speakers with plug connections  
waterproof & corrosion protected  
**GROHE StarLight** chrome finish  
**requires** rough-in set (29 073 000), F-digital Deluxe base unit  
box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)  
and various cable connections – all to be ordered separately  
due to installation situation  
For detailed planning and product information please  
contact your local GROHE Customer Service.

29 073 000 chrome 246.00



**Rainshower F-Series  
Rough-in set sound set**  
for use with double sound modules (36 360 000)  
consisting of:  
- 2 rough-in sets (115 x 115 x 62-87 mm)  
- 2 cable extensions (5 m each)  
- 1 Y-piece

27 934 000 chrome 3,210.00



**GROHE F-digital Deluxe  
Steam generator 6.6 kW  
with steam outlet and temperature sensor**  
consisting of:  
steam generator  
415 x 445 x 130 mm  
suitable for steam rooms up to 17 m<sup>3</sup>  
supply voltage 400 V 3L+N+PE AC, 50 Hz  
power 6.6 kW  
water inlet 3/4"   
operating pressure 1 – 5 bar (above pressure reducer)  
automatic emptying  
water outlet 1/2"   
steam temperature: max. 55° C  
steam outlet 1/2"   
type of protection IP 23  
CE approved  
with connecting plug  
**steam outlet module** with indentation for fragranced oil  
127 x 127 mm  
connection thread 1/2"   
**temperature sensor module**  
60 x 60 x 12 mm  
**SpeedClean** anti-lime system  
**GROHE StarLight** chrome finish  
**requires** rough-in set (29 074 000), F-digital Deluxe base unit  
box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)  
and various cable connections – all to be ordered separately  
due to installation situation  
For detailed planning and product information please  
contact your local GROHE Customer Service.

# GROHE F-DIGITAL DELUXE

Ref. No.

Colour

Price netto (€)

36 362 000

chrome

3,270.00

**GROHE F-digital Deluxe  
Steam generator 2.2 kW  
with steam outlet and temperature sensor**

consisting of:  
steam generator  
415 x 445 x 130 mm  
suitable for steam rooms up to 2.5 m<sup>3</sup>  
supply voltage 230 V AC, 50 Hz  
power 2.2 kW  
water inlet 3/4"  
operating pressure 1 – 5 bar (above pressure reducer)  
automatic emptying  
water outlet 1/2"  
steam temperature: max. 55° C  
steam outlet 1/2"  
type of protection IP 23  
CE approved

**steam outlet module** with indentation for fragranced oil  
127 x 127 mm  
connection thread 1/2"


**temperature sensor module**  
60 x 60 x 12 mm

**SpeedClean** anti-lime system


**GROHE StarLight** chrome finish

**requires** rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.



SHOWERS



29 074 000

chrome

381.00

**GROHE F-digital Deluxe  
Rough-in set steam generator**

for use with steam module (36 362 000 or 27 934 000)

consisting of:

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m

26 374 000

chrome

1,050.00

**GROHE F-digital Deluxe**

**Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)**

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower

additional light, sound and steam modules can be connected and controlled

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)


CE approved

must be accessible for service

optional: the base unit box can be placed into

extra equipment 36 367 000


component has to be ordered separately



# GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

36 397 000 chrome 1,480.00



## GROHE F-digital Deluxe

### Base Unit Box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or
- 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)


CE approved

must be accessible for service

optional: the base unit box can be placed into

extra equipment 36 367 000

42 429 000 chrome 112.00



## GROHE F-digital Deluxe

### Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

total 2 power supplies max (8 devices max.) can be

connected to the base unit box

with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices

- per light module: 1 device

- per sound module: 1 device

input voltage: 90-240 V AC, 50-60 Hz

output voltage: 12 V DC

CE approved

36 371 000 chrome 635.00

## GROHE F-digital Deluxe

### Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication

combinable with existing 36 365 000 docking station

wall mounted

86 x 73 x 42 mm

Features:

reset switch

status indicator (LED)

stand alone/maximum configuration

one-to-one connection

with safety cut-off mechanism (1 user)

safety shutdown in case of connection loss

connection cable set for data communication and power supply (5 m each)

CE approved

bluetooth transmitter power supply: 12 V


bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately

bluetooth-enabled device (bluetooth V2.1 or higher) necessary



### System requirements

#### Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

### System requirements

#### Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini\*\*

Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.


# GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)



**36 367 000** **chrome** **294.00**

**GROHE F-digital Deluxe**  
**Rough-in set base unit box**  
for use with base unit box (26 374 000 or 36 397 000)  
550 x 700 x 110 mm  
with removable front panel for installation  
with adjustable front frame for installation in wall niches  
galvanized and powder coated (RAL 9010, pure white) steel plate  
1 mm thick steel plate  
with two mounting rails and elbow for power outlets  
and mounting materials




**47 837 000** **chrome** **66.00**

**GROHE F-digital Deluxe**  
**Cable extension steam generator AquaSymphony, 5 m**  
extension between base unit box (26 374 000 or 36 397 000) and  
steam generator (36 362 000 or 27 934 000)  
cable extension up to 10 m



**47 838 000** **chrome** **66.00**

**GROHE F-digital Deluxe**  
**Cable extension sound set, 5 m**  
connection between base unit box (26 374 000 or 36 397 000) and  
sound modules (36 360 000)  
each music module needs a separate extension cable  
cable extension up to 10 m




**47 867 000** **chrome** **66.00**

**GROHE F-digital Deluxe**  
**Cable extension light set, 5 m**  
connection between base unit box (26 374 000 or 36 397 000)  
and light modules (27 865 000)  
each light module needs a separate extension cable  
cable extension up to 10 m


**47 910 000** **chrome** **53.00**

**Cable extension light set, 1.65 m**



**47 868 000** **chrome** **66.00**

**GROHE F-digital Deluxe**  
**Cable extension for power supply, 5 m**  
connection between power supply (42 429 000) and  
base unit box (26 374 000 or 36 397 000)  
each power supply needs a separate extension cable  
cable extension up to 5 m



**47 877 000** **chrome** **66.00**

**GROHE F-digital Deluxe**  
**Cable extension temperature sensor, 5 m**  
extension between base unit box (26 374 000 or 36 397 000) and  
temperature sensor  
cable extension up to 5 m

# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	Price netto (€)
48 348 000	chrome	30.00












**Spray face**  
for SmartControl and head showers with multiple Bokoma sprays  
including spray face with / without GROHE Logo  
including disassembly-key



# GROHE F-DIGITAL CONTROLLERS



# GROHE F-DIGITAL CONTROLLERS

	Ref. No.	Colour	Price netto (€)
 	<b>36 309 000</b>	<b>chrome</b>	<b>275.00</b>
	<b>F-digital Digital controller Remote controller for bath or shower</b> additional (optional) multifunctional operating unit - Wireless technology - Temperature and flow control - Pause function - Memory function - LED-ring <b>GROHE StarLight</b> chrome finish energy efficiency class illumination of control unit: not applicable		
 	<b>36 078 000</b>	<b>chrome</b>	<b>119.00</b>
	<b>Plug power supply 110-240 V</b> operating voltage 6 V cable length 400 mm		
	<b>65 790 000</b>	<b>chrome</b>	<b>61.00</b>
	<b>Plug power supply 230 V</b> operating voltage 6 V cable length 400 mm		
 	<b>47 727 000</b>	<b>chrome</b>	<b>29.00</b>
	<b>Connection wire</b> 2-pole cable length 3 m		
 	<b>36 356 000</b>	<b>chrome</b>	<b>143.00</b>
	<b>GROHE F-digital Transceiver</b> optional accessory for digital mixing unit		

# GROHE RAINSHOWER SMARTCONTROL SYSTEM




# GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 250 000

chrome

1,310.00

## Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 360 DUO, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
minimum flow rate 10 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

**GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**suitable for instantaneous heaters**


**from 18 kW/h**

**Twistfree** to prevent hose from twisting

\* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357



26 250 LS0

moon white

1,310.00

## Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 360 DUO, spray plate white  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
minimum flow rate 10 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

**GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**suitable for instantaneous heaters**

**from 18 kW/h**

**Twistfree** to prevent hose from twisting

\* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357




# GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 361 000

chrome

1,190.00

## Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 360 MONO, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
minimum flow rate 10 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

**GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**suitable for instantaneous heaters**


**from 18 kW/h**

**Twistfree** to prevent hose from twisting

\* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357



26 361 LS0

moon white

1,190.00

## Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 360 MONO, spray plate white  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
minimum flow rate 10 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

**GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**suitable for instantaneous heaters**

**from 18 kW/h**

**Twistfree** to prevent hose from twisting

\* to be decided at first installation; factory default


setting: GROHE PureRain

# GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 443 000

chrome

1,310.00

**Rainshower System SmartControl 360 DUO**  
**Combi shower system with thermostat, exposed/concealed**

consisting of:

exposed/concealed SmartControl thermostat  
allows change between:

head shower Rainshower 360 DUO with horizontal  
450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage

hand shower Power&Soul 115, spray plate white (27 671 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

**GROHE EasyReach** shower tray

**SpeedClean** anti-lime system


**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

\* to be decided at first installation; factory default  
setting: GROHE PureRain



26 443 LS0

moon white

1,310.00

**Rainshower System SmartControl 360 DUO**  
**Combi shower system with thermostat, exposed/concealed**

consisting of:

exposed/concealed SmartControl thermostat  
allows change between:

head shower Rainshower 360 DUO with horizontal  
450 mm shower arm, spray plate white

GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage

hand shower Power&Soul 115, spray plate white (27 671 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

**GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

\* to be decided at first installation; factory default  
setting: GROHE PureRain




# GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 446 000


chrome

1,190.00

**Rainshower System SmartControl 360 MONO**  
**Combi shower system with thermostat, exposed/concealed**  
consisting of:

exposed/concealed SmartControl thermostat  
allows change between:  
head shower Rainshower 360 MONO with horizontal  
450 mm shower arm, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1.500 mm (28 364)  
minimum flow rate 10 l/min.  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** no risk of scalding  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
requires rough-in set 26 264 001 and concealed unit  
26 449 000 – all to be ordered separately

\* to be decided at first installation; factory default  
setting: GROHE PureRain



26 446 LS0


moon white

1,190.00

**Rainshower System SmartControl 360 MONO**  
**Combi shower system with thermostat, exposed/concealed**  
consisting of:

exposed/concealed SmartControl thermostat  
allows change between:  
head shower Rainshower 360 MONO with horizontal  
450 mm shower arm, spray plate white  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1.500 mm (28 364)  
minimum flow rate 10 l/min.  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** no risk of scalding  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for  
volume adjustment from EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
requires rough-in set 26 264 001 and concealed unit  
26 449 000 – all to be ordered separately

\* to be decided at first installation; factory default  
setting: GROHE PureRain



26 264 001

chrome

97.00


**Rainshower 360**  
**Rough-in box for head shower set 26 254 / 26 450**  
inlets and outlets 1/2"  
fixing points for back wall  
leakproof housing  
removable protection cover with installation information

# GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)




26 449 000

chrome

121.00

**Concealed body for exposed/concealed variants**

wall mounted  
2 outlets 1/2"  
installation depth 75-105 mm  
flushing plug  
wall sealing  
installation device




48 349 000

chrome

87.00

**Rainshower SmartControl  
Shower system pipe for retrofitting**

metal  
shower pipe for retrofitting - 15 cm shorter than  
original shower system pipe  
suitable for all Rainshower SmartControl shower systems  
**GROHE StarLight** chrome finish



48 350 000

chrome

109.00

**Rainshower SmartControl  
Shower system pipe for retrofitting**

metal  
shower pipe for retrofitting  
15 cm longer than  
original shower system pipe  
suitable for all Rainshower SmartControl shower systems  
**GROHE StarLight** chrome finish

Note: longer pipe cannot be installed afterwards or rather  
a mounted system cannot be modified to a longer pipe  
useable with systems as of production date 04/2017, see TPI




48 348 000

chrome

30.00

**Spray face**

for SmartControl and head showers with multiple Bokoma sprays  
including spray face with / without GROHE Logo  
including disassembly-key



26 385 000

chrome

14.00

**Rainshower SmartControl  
Compensation disc**

for Rainshower SmartControl systems  
26 250, 26 361, 26 379  
stackable

# GROHE RAINSHOWER SYSTEM




# GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 174 001

chrome

1,290.00

## Rainshower System 400

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm  
exposed thermostat with  
Aquadimmer function

allows change between:

Rainshower Cosmopolitan 400 head shower (28 778 000)

with ball joint, rotation angle  $\pm 20^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

shower hose, 1.750 mm

1/2" x 1/2" (28 025 000)

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE CoolTouch**

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system


**Inner WaterGuide** for a longer life

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 966 000

chrome

1,150.00

## Rainshower System 310

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE CoolTouch** no risk of scalding

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish


**SpeedClean** anti-lime system

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 968 000

chrome

1,150.00

## Rainshower System 310

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

with ball joint

rotation angle  $\pm 15^\circ$

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE CoolTouch** no risk of scalding

**GROHE DreamSpray** perfect spray pattern

**GROHE One-Click Showering** spray selection

with one click

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

# GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)




27 469 000

chrome

1,120.00

**Rainshower F-Series System 254**  
**Shower system with thermostat for wall mounting**  
consisting of:

horizontal swivable 450 mm shower arm  
exposed thermostat with  
Aquadimmer function  
allows change between:  
head shower Rainshower F-Series 254 (27 285 000)  
with ball joint, rotation angle  $\pm 20^\circ$   
hand shower Sena (28 341 000)  
adjustable in height with gliding element (12 140 000)  
metal shower hose 1750 mm  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE TurboStat**  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect flow  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.




27 032 001

chrome

974.00

**Rainshower System 210**  
**Shower system with thermostat for wall mounting**  
consisting of:

horizontal swivable 450 mm shower arm  
exposed thermostat with  
Aquadimmer function  
allows change between:  
metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
with ball joint, rotation angle  $\pm 15^\circ$   
hand shower Sena (28 034 000)  
adjustable in height with gliding element (12 140 000)  
metal shower hose 1750 mm (27 178)  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** no risk of scalding  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar



27 967 000

chrome

997.00

**Rainshower System 210**  
**Shower system with thermostat for wall mounting**  
consisting of:

horizontal swivable 450 mm shower arm  
exposed thermostat with  
Aquadimmer function  
allows change between:  
Rainshower Cosmopolitan 210 head shower (28 368 000)  
with ball joint  
rotation angle  $\pm 15^\circ$   
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)  
adjustable in height with gliding element (12 140 000)  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
with wax thermostem  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
with one click  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar




# GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)




27 641 000

chrome

1,150.00

**Rainshower System 210**  
**Shower system with bath thermostat for wall mounting**

consisting of:  
horizontal swivable 450 mm shower arm  
exposed thermostat with  
Aquadimmer function  
allows change between:  
Head shower Rainshower Cosmopolitan 210 (28 373 000)  
with ball joint, rotation angle  $\pm 15^\circ$   
bath inlet  
separate diverter for hand shower Sena (28 341 000)  
adjustable in height with gliding element (12 140 000)  
metal shower hose 1750 mm (27 178)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE SafeStop** at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar



27 058 000

chrome

850.00

**Rainshower System 210**  
**Shower system with diverter**  
**for wall mounting**

consisting of:  
horizontal swivable 450 mm shower arm  
change between hand and head shower  
by diverter  
metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Sena (28 034 000)  
adjustable in height with gliding element (12 140 000)  
metal shower hose 1750 mm  
connection to water supply with 1/2"-thread of  
the 800 mm shower hose to faucet / wall union  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar



# GROHE EUPHORIA SMARTCONTROL SYSTEM



# GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.


Colour

Price netto (€)

26 507 000  
26 507 LS0

chrome  
moon white

913.00  
1,002.40



## Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting

consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 310 SmartActive, spray plate chrome  
GROHE PureRain and Centered Jet spray  
hand shower Euphoria 110 Massage, spray plate white (27 221 001)  
3 spray patterns:

Rain, SmartRain, Massage  
adjustable in height with gliding element  
Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge  
with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow  
- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 508 000  
26 508 LS0

chrome  
moon white

913.00  
1,050.00



## Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower 310 SmartActive Cube, spray plate chrome  
GROHE PureRain and Centered Jet spray  
hand shower Euphoria Cube Stick (27 698 000)  
adjustable in height with gliding element  
Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge  
with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE StarLight** chrome finish

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

# GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.


Colour

Price netto (€)

26 509 000

chrome

792.00



## Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 510 000

chrome

922.00



## Euphoria SmartControl System 260 Mono

### Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** no risk of scalding

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE EcoJoy** technology for less water and perfect flow

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar


# GROHE EUPHORIA SYSTEM





# GROHE EUPHORIA SYSTEM

Ref. No. Colour Price netto (€)



26 075 000	chrome	848.00
26 075 DC0	supersteel	1,110.00
26 075 ***	SPA colours	1,190.00

## Euphoria System 310

### Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostatic mixer with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**Inner WaterGuide** for a longer life

**SpeedClean** anti-lime system

**Twistfree** to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

**suitable for instantaneous heaters**

**from 18 kW/h**


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

### \*\*\* SPA colours:

● BE	● GL	● DA	● A0
● EN	● GN	● DL	● AL



27 296 002	chrome	496.00
------------	--------	--------

## Euphoria System 260

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE SprayDimmer** (Stepless flow

rate reduction)

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 615 001

chrome

496.00



## Euphoria System 260

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE SprayDimmer** (Stepless flow

rate reduction)

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 087 000

chrome

1,290.00



## Euphoria Cube System 230

### Shower system with thermostatic mixer for wall mounting

consisting of:

shower arm

projection 400 mm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Allure head shower (27 479 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria Cube (27 699)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 187 000

chrome

781.00



## Euphoria System 230

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Allure 230 (27 479 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermostatic element

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

**suitable for instantaneous heaters**

**from 18 kW/h**


minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

26 363 000

chrome

699.00



## Euphoria System 210

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE EasyReach** tray (26 362 LN0)

minimum flow rate 7 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE TurboStat** compact cartridge

with wax thermostatic element

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

min. recommended pressure 1.0 bar

# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 964 000

chrome

709.00



## Euphoria System 210

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 186 000

chrome

665.00



## Euphoria Power&Soul System 190

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

Grohtherm 1000 Cosmopolitan exposed

thermostat with Aquadimmer function

allows change between:

head shower Power&Soul 190

4+ spray patterns:

GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet

with ball joint

rotation angle  $\pm 15^\circ$

Hand shower Power&Soul 115 (27 671 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE One-click showering**

spray selection via push of a button

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 249 000

chrome

570.00



## Euphoria System 190

### Shower system with thermostat for wall mounting

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 190 1 spray (27 370)

Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower 100 3 sprays: GROHE Rain O<sup>2</sup>, Rain, Massage (27 574)

adjustable in height with gliding element

**GROHE EasyReach** shower tray

Silverflex shower hose 1750 mm (28 388 000)

9.5 l/min. flow limiter

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**



**from 18 kW/h**

min. recommended pressure 1.0 bar

26 418 000

chrome

484.00



## Euphoria System 180 E

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

with ergonomic handles

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 932 000

chrome

649.00



## Euphoria System 150

### Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cube 150 (27 705 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 12^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 241 000

chrome

369.00



## Euphoria System

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE StarLight** chrome finish

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SYSTEM

Ref. No.



Colour

Price netto (€)

27 475 001

chrome

620.00



## Euphoria System 260

### Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE SprayDimmer** (Stepless flow

rate reduction)

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 114 001

chrome

612.00



## Euphoria System 260

### Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between thermostat and upper bracket: 1016 mm

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE SprayDimmer** (Stepless flow

rate reduction)

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 243 000

chrome

496.00



## Euphoria System

### Shower system with bath thermostat for wall mounting


consisting of:

- horizontal swivable 450 mm shower arm
- exposed thermostat with Aquadimmer function
- separate diverter for hand shower
- gliding element
- Silverflex shower hose 1750 mm (28 388 000)
- distance between thermostat and upper bracket: 1016 mm
- GROHE TurboStat** compact cartridge with wax thermoelement
- GROHE SafeStop at 38°C
- GROHE SafeStop Plus** optional temperature limiter at 43°C included
- GROHE StarLight** chrome finish
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting
- suitable for instantaneous heaters from 18 kW/h**
- minimum flow rate 7 l/min.
- min. recommended pressure 1.0 bar

27 473 001

chrome

447.00



## Euphoria System 260

### Shower system with single lever mixer for wall mounting


consisting of:

- horizontal swivable 450 mm shower arm
- exposed single-lever shower mixer with diverter
- allows change between:
  - head shower Euphoria 260 (26 457)
  - 3 spray patterns: Rain, SmartRain, Jet
  - with ball joint
  - rotation angle  $\pm 15^\circ$
- hand shower Euphoria 110 Massage (27 239 000)
- 3 spray patterns: Rain, SmartRain, Massage
- adjustable in height with gliding element
- Silverflex shower hose 1750 mm (28 388 000)
- GROHE EcoJoy** 9,5 l/min flow limiter
- GROHE SilkMove** 46 mm ceramic cartridge
- GROHE DreamSpray** perfect spray pattern
- GROHE StarLight** chrome finish
- GROHE SprayDimmer** (Stepless flow rate reduction)
- SpeedClean** anti-lime system
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting
- suitable for instantaneous heaters from 18 kW/h**
- minimum flow rate 7 l/min.
- min. recommended pressure 1.0 bar

23 061 002

chrome

471.00



## Euphoria Concetto System 260

### Shower system with single lever mixer for wall mounting

consisting of:

- horizontal swivable 450 mm shower arm
- exposed single-lever shower mixer with diverter
- allows change between:
  - head shower Euphoria 260 (26 457)
  - 3 spray patterns: Rain, SmartRain, Jet
  - with ball joint
  - rotation angle  $\pm 15^\circ$
- hand shower Euphoria Cosmopolitan Stick (27 400 000)
- spray pattern: Rain
- adjustable in height with gliding element
- Silverflex shower hose 1750 mm (28 388 000)
- GROHE EcoJoy** 9,5 l/min flow limiter
- GROHE SilkMove** 46 mm ceramic cartridge
- GROHE DreamSpray** perfect spray pattern
- GROHE StarLight** chrome finish
- SpeedClean** anti-lime system
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting
- suitable for instantaneous heaters from 18 kW/h**
- minimum flow rate 7 l/min.
- min. recommended pressure 1.0 bar




# GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



23 058 003

chrome

689.00

## Euphoria Eurodisc Cosmopolitan System 210 Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria Cosmopolitan Stick (27 400 000)

spray pattern: Rain

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life


**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



23 147 001

chrome

1,090.00

## Euphoria Cube System 230 Shower system with single lever mixer for wall mounting

consisting of:

shower arm

projection 400 mm

exposed single-lever shower mixer with diverter

allows change between:

spray pattern: Rain

Rainshower Allure 230 metal head shower (27 479)

with ball joint

rotation angle  $\pm 15^\circ$

spray pattern: Rain

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE SilkMove** 35 mm ceramic cartridge

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life


**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



26 240 000

chrome

338.00

## Euphoria System Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE StarLight** chrome finish

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

minimum flow rate 7 l/min.

**suitable for instantaneous heaters**

**from 18 kW/h**

min. recommended pressure 1.0 bar

# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 421 002

chrome

397.00




**Euphoria System 260**  
**Shower system with diverter**  
**for wall mounting**

consisting of:  
horizontal swivable 450 mm shower arm  
change between hand and head shower  
by diverter  
head shower Euphoria 260 (26 457)  
3 spray patterns:  
Rain, SmartRain, Jet  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage (27 239 000)  
3 spray patterns:  
Rain, SmartRain, Massage  
adjustable in height with gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
Silverflex shower hose 800 mm  
connection to water supply with 1/2"-thread of  
the 800 mm shower hose to faucet / wall union  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless flow  
rate reduction)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar

27 911 000

chrome

557.00



**Euphoria Power&Soul System 190**  
**Shower system with diverter**  
**for wall mounting**

consisting of:  
horizontal swivable 450 mm shower arm  
change between hand and head shower  
by diverter  
Power&Soul head shower (27 766 000)  
with ball joint  
rotation angle  $\pm 15^\circ$   
Hand shower Power&Soul 115 (27 671 000)  
adjustable in height with gliding element (12 140 000)  
Silverflex shower hose 1750 mm (28 388 000)  
Silverflex shower hose 800 mm  
connection to water supply with 1/2"-thread of  
the 800 mm shower hose to faucet / wall union  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-click showering**  
spray selection via push of a button  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
**suitable for instantaneous heaters**  
**from 18 kW/h**  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar

SHOWERS

# GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 696 000

chrome

670.00



## Euphoria Cube System 150 Shower system with diverter for wall mounting

consisting of:

shower arm

projection 400 mm

change between hand and head shower  
by diverter

head shower Euphoria Cube 152 mm x 152 mm

spray pattern: Rain

with ball joint

rotation angle  $\pm 20^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

# GROHE TEMPESTA SYSTEM



# GROHE TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

27 922 001

chrome

447.00



## Tempesta Cosmopolitan System 210

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

27 922 000

chrome

539.00



## Tempesta Cosmopolitan 160

### Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 1 spray (28 232 000)

Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.



optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE TEMPESTA SYSTEM

Ref. No.

Colour

Price netto (€)



26 223 001

chrome

571.00

## Tempesta Cosmopolitan System 210 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm  
exposed thermostat Grohtherm 1000 Cosmopolitan  
with Aquadimmer function

allows change between:

head shower: Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life


**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

SHOWERS



26 224 001

chrome

397.00

## Tempesta Cosmopolitan System 210 Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 390 mm shower arm  
exposed single-lever shower mixer with diverter

allows change between:

head shower: Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower: Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**Twistfree** to prevent hose from twisting

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



# GROHE TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

26 381 001

chrome

211.00



## Tempesta System 210

### Flex shower system with diverter for wall mounting

consisting of:

horizontal 390 mm shower arm, adjustable before installation  
change by diverter between hand shower, head shower  
or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

Rain, SmartRain

chrome plated spray face

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

spray pattern: Rain

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water

supply with 1/2" thread of the 1250 mm shower hose

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

**ShockProof** silicone ring prevents damages

caused by shower falling

**suitable for instantaneous heaters**

**from 18 kW/h**

minimum flow rate 7 l/min.

# GROHE RETRO-FIT SHOWER SYSTEM

---



# GROHE RETRO-FIT SHOWER SYSTEM

Ref. No.


Colour

Price netto (€)

26 190 001

chrome

511.00




**Retrofit System 210  
Shower system with diverter  
for wall mounting**

consisting of:  
horizontal swivable 450 mm shower arm  
built-in diverter allows change between:  
head shower Tempesta 210 (26 410)  
spray pattern: Rain  
**GROHE EcoJoy** 9,5 l/min flow limiter  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Tempesta Cosmopolitan 100 (27 571 001)  
2 spray patterns:  
Rain, Jet  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
adjustable in height with gliding element  
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)  
angle adapter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow  
rate reduction)  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
**suitable for instantaneous heaters  
from 18 kW/h**  
min. recommended pressure 1.0 bar

26 191 000

chrome

47.00




**Retro-fit**











**Compensation disc**  
for GROHE retrofit shower system 26 190 000  
**GROHE StarLight** chrome finish

# GROHE SHOWER SYSTEM ACCESSORIES












---



# GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	<b>48 349 000</b>	<b>chrome</b>	<b>87.00</b>
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p>			
 	<b>48 350 000</b>	<b>chrome</b>	<b>109.00</b>
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>			
 	<b>48 053 000</b>	<b>chrome</b>	<b>95.00</b>
<p><b>Shower system pipe for retrofitting</b> metal shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems <b>GROHE StarLight</b> chrome finish not suitable for shower systems with side sprays</p>			
 	<b>48 054 000</b>	<b>chrome</b>	<b>73.00</b>
<p><b>Shower system pipe for retrofitting</b> metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems <b>GROHE StarLight</b> chrome finish not suitable for shower systems with side sprays</p>			
 	<b>14 014 000</b>	<b>chrome</b>	<b>45.00</b>
<p><b>Rainshower Shower arm for shower systems</b> metal projection 340 mm distance from wall 390 mm connection thread 1/2" <b>GROHE StarLight</b> chrome finish suitable for all GROHE shower systems</p>			

# GROHE SHOWER SYSTEM ACCESSORIES






	Ref. No.	Colour	Price netto (€)
 	<b>14 047 000</b> <b>Rainshower</b> <b>Shower arm for shower systems</b> metal projection 340 mm distance from wall 390 mm connection thread 1/2" <b>GROHE StarLight</b> chrome finish suitable for GROHE shower systems with short nipple, see TPI	chrome	45.00
 	<b>27 180 000</b> <b>Rainshower</b> <b>Compensation disc</b> for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 <b>GROHE StarLight</b> chrome finish	chrome	40.00
 	<b>26 385 000</b> <b>Rainshower SmartControl</b> <b>Compensation disc</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable	chrome	14.00
 	<b>27 933 000</b> <b>Euphoria Cube</b> <b>Compensation disc</b> for Euphoria Cube shower systems (Cube brackets) <b>GROHE StarLight</b> chrome finish	chrome	197.00
 	<b>26 191 000</b> <b>Retro-fit</b> <b>Compensation disc</b> for GROHE retrofit shower system 26 190 000 <b>GROHE StarLight</b> chrome finish	chrome	47.00
 	<b>26 362 LN0</b> <b>GROHE EasyReach tray</b> for Euphoria and NTempesta shower systems with thermostat centre distance 150 mm	white	28.00








# GROHE HEAD AND SIDE SHOWERS













# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	<b>26 254 000</b> <b>Rainshower 360 Duo</b> <b>Head shower set 450 mm, 2 sprays</b> consisting of: head shower Rainshower 360 DUO, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately  * to be decided at first installation; factory default setting: GROHE PureRain	chrome	595.00
	<b>26 254 LS0</b> <b>Rainshower 360 Duo</b> <b>Head shower set 450 mm, 2 sprays</b> consisting of: head shower Rainshower 360 DUO, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately  * to be decided at first installation; factory default setting: GROHE PureRain	moon white	543.00
	<b>26 450 000</b> <b>Rainshower 360 Mono</b> <b>Head shower set 450 mm, 1 spray</b> consisting of: head shower Rainshower 360 MONO, spray plate chrome 1 spray: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately  * to be decided at first installation; factory default setting: GROHE PureRain	chrome	468.00
	<b>26 450 LS0</b> <b>Rainshower 360 Mono</b> <b>Head shower set 450 mm, 1 spray</b> consisting of: head shower Rainshower 360 MONO, spray plate white 1 spray: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	moon white	471.00
	<b>26 264 001</b> <b>Rainshower 360</b> <b>Rough-in box for head shower set 26 254 / 26 450</b> inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information	chrome	97.00




# GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

 	<p><b>26 475 000</b> <b>chrome</b> <b>451.00</b></p> <p><b>Rainshower 310 SmartActive</b> <b>Head shower set 430 mm, 2 sprays</b> consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p><b>26 475 L50</b> <b>moon white</b> <b>574.00</b></p> <p><b>Rainshower 310 SmartActive</b> <b>Head shower set 430 mm, 2 sprays</b> consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p><b>26 477 000</b> <b>chrome</b> <b>437.00</b></p> <p><b>Rainshower 310 SmartActive</b> <b>Head shower set ceiling 142 mm, 2 sprays</b> consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p><b>26 477 L50</b> <b>moon white</b> <b>574.00</b></p> <p><b>Rainshower 310 SmartActive</b> <b>Head shower set ceiling 142 mm, 2 sprays</b> consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p><b>26 479 000</b> <b>chrome</b> <b>475.00</b></p> <p><b>Rainshower 310 SmartActive Cube</b> <b>Head shower set 430 mm, 2 sprays</b> consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately head shower Rainshower 310 SmartActive Cube, spray plate chrome</p>

# GROHE HEAD AND SIDE SHOWERS


Ref. No. Colour Price netto (€)



26 479 LSO moon white 616.00

**Rainshower 310 SmartActive Cube**  
**Head shower set 430 mm, 2 sprays**


consisting of:  
head shower Rainshower 310 SmartActive Cube, spray plate moon white  
2 spray patterns:  
GROHE PureRain, ActiveRain  
horizontal 430 mm shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 481 000 chrome 475.00

**Rainshower 310 SmartActive Cube**  
**Head shower set ceiling 142 mm, 2 sprays**


consisting of:  
head shower Rainshower 310 SmartActive Cube, spray plate chrome  
2 spray patterns:  
GROHE PureRain, ActiveRain  
142 mm ceiling shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 481 LSO moon white 616.00

**Rainshower 310 SmartActive Cube**  
**Head shower set ceiling 142 mm, 2 sprays**


consisting of:  
head shower Rainshower 310 SmartActive Cube, spray plate moon white  
2 spray patterns:  
GROHE PureRain, ActiveRain  
142 mm ceiling shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 483 000 chrome 93.00

**Rainshower**  
**Universal rough-in box, 1/2"**

for head shower set  
26 475 / 26 477 / 26 479 / 26 481  
2 inlets, 1/2"  
installation depth 75-105 mm  
connection unit in DR brass  
stable build-in box and protective cover  
leakproof housing  
gasket  
integrated flushing plug  
without set for final installation



26 484 000 chrome 93.00











**Rainshower**  
**Universal rough-in box, 1/2"**

for head shower set  
26 475 / 26 477 / 26 479 / 26 481  
2 inlets, 1/2"  
installation depth 75-105 mm  
connection unit in DR brass  
stable build-in box and protective cover  
leakproof housing  
gasket  
integrated flushing plug  
**GROHE EcoJoy** 9.5 l/min flow limiter per each water way  
without set for final installation











# GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

		<p><b>26 558 000</b> <b>chrome</b> <b>314.00</b></p> <p><b>Rainshower 310 Mono</b>  <b>Head shower set 422 mm, 1 spray</b>                      consisting of:                      head shower Rainshower 310, spray plate chrome (26 562)                      1 spray:                      GROHE PureRain                      shower arm Rainshower 422 mm (26 146 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.0 bar</p>
		<p><b>26 560 000</b> <b>chrome</b> <b>314.00</b></p> <p><b>Rainshower 310 Mono</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>                      consisting of:                      head shower Rainshower 310, spray plate chrome (26 562)                      1 spray:                      GROHE PureRain                      Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.0 bar</p>
		<p><b>26 564 000</b> <b>chrome</b> <b>336.00</b></p> <p><b>Rainshower 310 Mono Cube</b>  <b>Head shower set 422 mm, 1 spray</b>                      consisting of:                      head shower Rainshower 310, spray plate chrome (26 568)                      1 spray:                      GROHE PureRain                      Rainshower shower arm 422 mm (26 145 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.0 bar</p>
		<p><b>26 566 000</b> <b>chrome</b> <b>336.00</b></p> <p><b>Rainshower 310 Mono Cube</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>                      consisting of:                      head shower Rainshower 310, spray plate chrome (26 568)                      1 spray:                      GROHE PureRain                      Rainshower shower arm ceiling 142 mm (27 485 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.0 bar</p>
		<p><b>26 255 000</b> <b>chrome</b> <b>593.00</b></p> <p><b>Rainshower Cosmopolitan 400</b>  <b>Head shower set 422 mm, 1 spray</b>                      consisting of:                      metal head shower Rainshower Cosmopolitan 400 (28 778 000)                      1 spray:                      Rain                      shower arm Rainshower 422 mm (26 146 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system                      suitable for instantaneous heater                      min. recommended pressure 1.0 bar</p>











# GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)











 	<p><b>26 256 000</b> <b>chrome</b> <b>1,810.00</b></p> <p><b>Rainshower Cosmopolitan 400</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>            consisting of:            head shower Rainshower Cosmopolitan 400 (28 778 000)            1 spray:            Rain            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
 	<p><b>26 257 000</b> <b>chrome</b> <b>489.00</b></p> <p><b>Rainshower 310</b>  <b>Head shower set 422 mm, 1 spray</b>            consisting of:            Rainshower Cosmopolitan 310 head shower (27 477 000)            1 spray:            Rain            shower arm Rainshower 422 mm (26 146 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>DropStop</b> no afterdripping from the horizontal shower head after closing the valve            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
  <p><b>*** SPA colours:</b>            ● BE ● GL ● DA ● A0            ● EN ● GN ● DL ● AL</p>	<p><b>26 066 000</b> <b>chrome</b> <b>511.00</b>  <b>26 066 DC0</b> <b>supersteel</b> <b>743.00</b>  <b>26 066 ***</b> <b>SPA colours</b> <b>734.00</b></p> <p><b>Rainshower Cosmopolitan 310</b>  <b>Head shower set 380 mm, 1 spray</b>            consisting of:            Head shower Rainshower Cosmopolitan 310 (27 478 000)            1 spray:            Rain            Shower arm Rainshower 380 mm (28 361 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>DropStop</b> no afterdripping from the horizontal shower head after closing the valve            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
  <p><b>*** SPA colours:</b>            ● BE ● GL ● DA ● A0            ● EN ● GN ● DL ● AL</p>	<p><b>26 056 000</b> <b>chrome</b> <b>515.00</b>  <b>ditto, with non-restricted flow</b></p> <p><b>26 067 000</b> <b>chrome</b> <b>511.00</b>  <b>26 067 DC0</b> <b>supersteel</b> <b>663.00</b>  <b>26 067 ***</b> <b>SPA colours</b> <b>734.00</b></p> <p><b>Rainshower Cosmopolitan 310</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>            consisting of:            Head shower Rainshower Cosmopolitan 310 (27 478 000)            1 spray:            Rain            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>DropStop</b> no afterdripping from the horizontal shower head after closing the valve            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>



# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	<b>26 170 000</b>	<b>chrome</b>	<b>514.00</b>
	<p><b>Rainshower Veris 300 x 150</b>  <b>Head shower set 422 mm, 1 spray</b>                      consisting of:                      metal head shower Rainshower Veris,                      spray plate chrome (27 470 000)                      1 spray:                      Rain                      Rainshower shower arm 422 mm, escutcheon                      chrome (26 146)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system                      suitable for instantaneous heater                      starting at <b>0.5</b> bar flow pressure</p>		
 	<b>26 170 LS0</b>	<b>moon white/chrome</b>	<b>611.00</b>
	<p><b>Rainshower Veris 300 x 150</b>  <b>Head shower set 422 mm, 1 spray</b>                      consisting of:                      metal head shower Rainshower Veris,                      spray plate white (27 470 LS0)                      1 spray:                      Rain                      Rainshower shower arm 422 mm, escutcheon                      white (26 146 LS0)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system                      suitable for instantaneous heater                      starting at <b>0.5</b> bar flow pressure</p>		
 	<b>26 068 000</b>	<b>chrome</b>	<b>461.00</b>
	<p><b>Rainshower Veris 300</b>  <b>Head shower set 286 mm, 1 spray</b>                      consisting of:                      Head shower Rainshower Veris (27 471 000)                      1 spray:                      Rain                      Shower arm Rainshower 286 mm (28 576 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system                      suitable for instantaneous heater                      min. recommended pressure 1.0 bar</p>		
 	<b>26 069 000</b>	<b>chrome</b>	<b>408.00</b>
	<p><b>Rainshower Veris 300</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>                      consisting of:                      Head shower Rainshower Veris (27 471 000)                      1 spray:                      Rain                      Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system                      suitable for instantaneous heater                      min. recommended pressure 1.0 bar</p>		
 	<b>26 259 000</b>	<b>chrome</b>	<b>456.00</b>
	<p><b>Rainshower F-Series 10" 254 x 254</b>  <b>Head shower set 422 mm, 1 spray</b>                      consisting of:                      head shower Rainshower F-Series 10" (27 271 000)                      1 spray:                      Rain                      shower arm Rainshower square 422 mm (26 145 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>DropStop</b> no afterdripping from the horizontal                      shower head after closing the valve                      suitable for instantaneous heater</p>		


# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	<b>26 070 000</b> <b>Rainshower F-Series 10" 254 x 254</b> <b>Head shower set 275 mm, 1 spray</b> consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray: Rain Shower arm Rainshower 275 mm (27 488 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	461.00
	<b>26 060 000</b> <b>ditto, with non-restricted flow</b>	chrome	408.00
 	<b>26 071 000</b> <b>Rainshower F-Series 10"</b> <b>Head shower set ceiling 142 mm, 1 spray</b> consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	465.00
 	<b>26 064 000</b> <b>Rainshower Allure 230</b> <b>Head shower set 286 mm, 1 spray</b> consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	525.00
	<b>26 054 000</b> <b>ditto, with non-restricted flow</b>	chrome	523.00
 	<b>26 065 000</b> <b>Rainshower Allure 230</b> <b>Head shower set ceiling 154 mm, 1 spray</b> consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	468.00
 	<b>26 171 000</b> <b>Rainshower Cosmopolitan 210</b> <b>Head shower set 422 mm, 1 spray</b> consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting at 0.5 bar flow pressure	chrome	398.00

# GROHE HEAD AND SIDE SHOWERS


Ref. No. Colour Price netto (€)

26 171 LS0 moon white/chrome 525.00



**Rainshower Cosmopolitan 210**  
**Head shower set 422 mm, 1 spray**  
 consisting of:  
 Rainshower Cosmopolitan 210 metal head shower,  
 spray plate white (28 368 LS0)  
 1 spray:  
 Rain  
 Rainshower shower arm 422 mm, escutcheon  
 white (26 146 LS0)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**DropStop** no afterdripping from the horizontal  
 shower head after closing the valve  
 suitable for instantaneous heater  
 starting at 0.5 bar flow pressure


26 062 000 chrome 361.00



**Rainshower Cosmopolitan 210**  
**Head shower set 286 mm, 1 spray**  
 consisting of:  
 Head shower Rainshower Cosmopolitan 210 (28 373 000)  
 1 spray:  
 Rain  
 Shower arm Rainshower 286 mm (28 576 000)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**DropStop** no afterdripping from the horizontal  
 shower head after closing the valve  
 starting at 0.5 bar flow pressure  
 min. recommended pressure 1.0 bar


26 052 000 chrome 361.00  
 ditto, with non-restricted flow

26 063 000 chrome 331.00



**Rainshower Cosmopolitan 210**  
**Head shower set ceiling 142 mm, 1 spray**  
 consisting of:  
 Head shower Rainshower Cosmopolitan 210 (28 373 000)  
 1 spray:  
 Rain  
 Rainshower shower arm ceiling 142 mm (28 724 000)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**DropStop** no afterdripping from the horizontal  
 shower head after closing the valve  
 starting at 0.5 bar flow pressure

26 459 000 chrome 191.00









**Euphoria 260**  
**Head shower set 380 mm, 3 sprays**  
 consisting of:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 Shower arm Rainshower 380 mm (28 361 000)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar

26 458 000 chrome 192.00  
 ditto, with non-restricted flow

SHOWERS

# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	<b>26 461 000</b>	<b>chrome</b>	<b>152.00</b>
	<b>Euphoria 260</b> <b>Head shower set ceiling 142 mm, 3 sprays</b> consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>26 460 000</b>	<b>chrome</b>	<b>147.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>26 073 000</b>	<b>chrome</b>	<b>238.00</b>
	<b>Euphoria Cube 150</b> <b>Head shower set 286 mm, 1 spray</b> consisting of: head shower Euphoria Cube 150 (27 705 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	<b>26 412 000</b>	<b>chrome</b>	<b>139.00</b>
	<b>Tempesta 210</b> <b>Head shower set 286 mm, 1 spray</b> consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>26 411 000</b>	<b>chrome</b>	<b>139.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>26 414 000</b>	<b>chrome</b>	<b>117.00</b>
	<b>Tempesta 210</b> <b>Head shower set ceiling 142 mm, 1 spray</b> consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>26 413 000</b>	<b>chrome</b>	<b>114.00</b>
	<b>ditto, with non-restricted flow</b>		

# GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

		<p><b>27 870 001</b> <b>chrome</b> <b>56.00</b></p> <p><b>Tempesta 100</b>  <b>Head shower set 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            ball joint ± 15° rotatable            Shower arm with connection thread 1/2"            escutcheon  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
		<p><b>26 088 001</b> <b>chrome</b> <b>51.52</b></p> <p><b>Tempesta 100</b>  <b>Head shower set 3 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage            ball joint ± 15° rotatable            Shower arm with connection thread 1/2"            escutcheon  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
		<p><b>27 869 001</b> <b>chrome</b> <b>63.00</b></p> <p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            ball joint ± 15° rotatable            Shower arm with connection thread 1/2"            escutcheon  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
		<p><b>26 090 001</b> <b>chrome</b> <b>49.00</b></p> <p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower set 3 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage            ball joint ± 15° rotatable            Shower arm with connection thread 1/2"            escutcheon  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
		<p><b>26 089 001</b> <b>chrome</b> <b>56.00</b></p> <p><b>Tempesta Rustic 100</b>  <b>Head shower set 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            ball joint ± 15° rotatable            Shower arm with connection thread 1/2"            escutcheon  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>

# GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

26 373 001 chrome 19,700.00


**Rainshower F-Series 40" AquaSymphony**  
**Ceiling shower 6+ sprays with light**  
 1016 mm x 762 mm x 145 mm  
 metal  
 minimum flow rate 25 l/min  
 min. recommended pressure 3.0 bar  
 1 x AquaCurtain  
 1 x Pure XL spray  
 1 x 2 cold mist spray  
 2 x GROHE PureRain spray 400 x 190 mm  
 2 x XL Waterfall (separately controlled)  
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations  
 full spectrum LED: soft light with changing rainbow colours  
 individually adjustable: permanent lighting with colour selection  
 power supply for light 12 V DC  
 CE approved  
**SpeedClean** anti-lime system  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl


this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001 chrome 1,860.00


**Rainshower F-Series 40"**  
**Roughing-in set**  
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower  
 1000 mm x 745 mm x 152 mm  
 min. installation depth: 167 mm  
 waterways: brass  
 1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.



27 865 000 chrome 4,620.00











**Rainshower F-Series 20"**  
**Ceiling shower with light, 1 spray**  
 Rain  
 508 x 508 x 59 mm  
 full spectrum LED: soft light with changing rainbow colours  
 individually adjustable: permanent lighting with colour selection  
 power supply for light 12 V DC  
 CE approved  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
 suitable for instantaneous heater  
**requires** rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.  
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+  
 For detailed planning and product information please contact your local GROHE Customer Service.













# GROHE HEAD AND SIDE SHOWERS











Ref. No. Colour Price netto (€)

		<p><b>27 286 000</b> <b>chrome</b> <b>1,930.00</b></p> <p><b>Rainshower F-Series 20"</b>  <b>Ceiling shower 1 spray</b>            Rain            508 x 508 mm            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
		<p><b>27 939 001</b> <b>chrome</b> <b>3,120.00</b></p> <p><b>Rainshower F-Series 15"</b>  <b>Ceiling shower 3 sprays</b>            Rain, Bokoma Spray, Waterfall and combinations            381 mm (width) x 17 mm (height) x 456 mm (depth)            metal  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE XL Waterfall</b> extra wide waterfall spray  <b>SpeedClean</b> anti-lime system            flow of single spray at 3 bar:            1 x Rain spray 300 mm: approx. 20 l/min            2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min            4 x Bokoma Spray with adjustment angle 20°: 20 l/min            head shower has to be controlled by 4 outlets</p>
		<p><b>27 938 001</b> <b>chrome</b> <b>3,140.00</b></p> <p><b>Rainshower F-Series 15"</b>  <b>Head shower 3 sprays</b>            Rain, Bokoma Spray, Waterfall and combinations            381 mm (width) x 60 mm (height) x 677 mm (depth)            metal  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE XL Waterfall</b> extra wide waterfall spray  <b>SpeedClean</b> anti-lime system            flow of single spray at 3 bar:            1 x Rain spray 300 mm: approx. 20 l/min            2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min            4 x Bokoma Spray with adjustment angle 20°: 20 l/min            requires rough-in (26 042 000) – to be ordered separately            head shower has to be controlled by 4 outlets</p>
		<p><b>26 042 000</b> <b>chrome</b> <b>219.00</b></p> <p><b>Rainshower F-Series 15"</b>  <b>Roughing-in set</b>            for use with Rainshower F-Series 15" Multi Spray head shower            295 mm (width) x 121 mm (height) x 181 mm (depth)            max. installation depth: 91 mm            min. wall thickness: not less than 200 mm            minimum screw-in depth of stud bolts: 14 mm            full metal construction            waterways: brass            1/2" connections</p>
		<p><b>27 467 000</b> <b>chrome</b> <b>603.00</b></p> <p><b>Rainshower F-Series 10" 254 x 254</b>  <b>Ceiling shower 1 spray</b>            Rain            254 x 254 mm            metal            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>







# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 285 000	chrome	459.00
	<b>Rainshower F-Series 10"</b> <b>Head shower 1 spray</b> Rain 254 x 254 mm metal ball joint $\pm 20^\circ$ rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 271 000	chrome	445.00
	<b>ditto, with non-restricted flow</b>		
 	27 251 000	chrome	114.00
	<b>Rainshower F-Series 5"</b> <b>Side shower 1 spray</b> Normal spray including concealed body 127 x 127 mm Flow straightener with ball joint ( $\pm 12.5^\circ$ rotatable) connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FlowBalance</b> flow regulating screw <b>SpeedClean</b> anti-lime system suitable for instantaneous heater		
 	27 253 000	chrome	172.00
	<b>Rainshower F-Series 5"</b> <b>Head shower 1 spray</b> Normal spray wall mounted 127 x 127 mm Flow straightener with ball joint ( $\pm 12.5^\circ$ rotatable) connection thread 1/2" with pre-assembled Teflon sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FlowBalance</b> flow regulating screw <b>SpeedClean</b> anti-lime system		
 	26 562 000 26 562 LS0	chrome moon white	257.00 334.00
	<b>Rainshower 310 Mono</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 568 000 26 568 LS0	chrome moon white	280.00 364.00
	<b>Rainshower 310 Mono Cube</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		











# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)	
	<b>27 471 000</b> <b>Rainshower Veris 300</b> <b>Head shower 1 spray</b> Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	458.00	
	<b>27 470 000</b> <b>ditto, with non-restricted flow</b>	chrome	456.00	
	<b>27 470 LSO</b> <b>Rainshower Veris 300</b> <b>Head shower 1 spray</b> Rain spray plate white 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	moon white/chrome	608.00	
	<b>27 863 000</b> <b>Rainshower Allure 230</b> <b>Ceiling shower 1 spray</b> Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	672.00	
		<b>27 480 000</b> <b>Rainshower Allure 230</b> <b>Head shower 1 spray</b> Rain 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	493.00
		<b>27 479 000</b> <b>ditto, with non-restricted flow</b>	chrome	493.00
	<b>28 778 000</b> <b>Rainshower Cosmopolitan 400</b> <b>Head shower 1 spray</b> normal (wide) spray <b>starting at 0.5 bar</b> flow pressure Ø 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497	chrome	620.00	
				

# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	<b>27 478 000</b>	<b>chrome</b>	<b>497.00</b>
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower 1 spray</b> Rain Ø 310 mm metal ball joint with turning angle 20° ± 20° connection thread 1/2"		
	<b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>27 477 000</b>	<b>chrome</b>	<b>509.00</b>
	<b>27 477 GL0</b>	<b>cool sunrise</b>	<b>608.00</b>
	<b>27 477 DA0</b>	<b>warm sunset</b>	<b>608.00</b>
<b>27 477 A00</b>	<b>hard graphite</b>	<b>608.00</b>	
<b>27 477 AL0</b>	<b>brushed hard graphite</b>	<b>608.00</b>	
<b>ditto, with non-restricted flow</b>			
 	<b>28 368 00E</b>	<b>chrome</b>	<b>377.00</b>
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower 1 spray</b> Rain starting at 0.5 bar flow pressure Ø 210 mm metal with ball joint rotation angle ± 15° connection thread 1/2"		
	<b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!		
	<b>28 368 000</b>	<b>chrome</b>	<b>369.00</b>
	<b>28 373 000</b>	<b>chrome</b>	<b>296.00</b>
<b>ditto, with 9.5 l/min flow limiter</b>			
 	<b>28 368 LS0</b>	<b>moon white/chrome</b>	<b>403.00</b>
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower 1 spray</b> Rain starting at 0.5 bar flow pressure spray plate white Ø 210 mm metal with ball joint rotation angle ± 15° connection thread 1/2"		
<b>GROHE DreamSpray</b> perfect flow <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497, 28 576 or 28 724!			

# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 134 000	chrome	123.00
<p><b>Rainshower Cosmopolitan 160</b>  <b>Head shower 4 sprays</b>            Rain, Jet, Pure, Champagne spray            Ø 160 mm            ball joint with turning angle <math>\pm 15^\circ</math>            connection thread 1/2"</p> <p><b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system            suitable for instantaneous heater            min. recommended pressure 0.5 bar            the head shower is suitable for minimum flow rate of 7,5 l/min and a maximum of 25 l/min (DIN EN 1112). Minimum pressure &gt; 1 bar, maximum 5 bar (DIN EN 1112). Recommended for use with Rainshower shower arms.</p>			
 	28 369 000	chrome	359.00
<p><b>Rainshower Rustic 210</b>  <b>Head shower 1 spray</b>            normal (wide) spray <b>starting at 0.5 bar</b> flow pressure            Ø 212 mm            metal            ball joint with turning angle <math>20^\circ \pm 20^\circ</math>            connection thread 1/2"</p> <p><b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system            suitable for instantaneous heater            This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!</p>			
 	27 974 000 27 974 IGO	chrome chrome/gold	417.00 500.00
<p><b>Grandera 210</b>  <b>Head shower 1 spray</b>            Rain            221 x 221 mm            metal            with ball joint            rotation angle <math>\pm 15^\circ</math>            connection thread 1/2"</p> <p><b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>			
 	27 765 000	chrome	150.00
<p><b>Power&amp;Soul Cosmopolitan 190</b>  <b>Head shower 4+ sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet            Ø 190 mm  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE One-click showering</b>            spray selection via push of a button  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>			
 	27 764 LSO	moon white/chrome	164.00
<p><b>Power&amp;Soul Cosmopolitan 190</b>  <b>Head shower 4+ sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet            Ø 190 mm            ball joint with turning angle <math>\pm 15^\circ</math>            connection thread 1/2"</p> <p><b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE One-click showering</b>            spray selection via push of a button  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>			

# GROHE HEAD AND SIDE SHOWERS

Ref. No.


Colour

Price netto (€)

27 767 000

chrome

134.00



**Power&Soul 190**

**Head shower 4+ sprays**

GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet

Ø 190 mm

ball joint with turning angle ± 15°

connection thread 1/2"

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE DreamSpray** perfect spray pattern

**GROHE One-click showering**

spray selection via push of a button

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

suitable for instantaneous heater

min. recommended pressure 1.0 bar



# GROHE HEAD AND SIDE SHOWERS


	Ref. No.	Colour	Price netto (€)
 	<b>28 308 000</b> <b>Sena 75</b> <b>Head shower 1 spray</b> Normal spray metal <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system min. recommended pressure 1.0 bar	chrome	134.00
 	<b>27 530 000</b> <b>Relaxa Deluxe 130</b> <b>Head shower 4 sprays</b> Normal, Rain, Champagne spray, Champagne spray Deluxe ball joint ± 15° rotatable <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>Inner WaterGuide</b> for a longer life min. recommended pressure 1.0 bar	chrome	412.00
 	<b>27 062 000</b> <b>Relaxa 100 Five</b> <b>Head shower 5 sprays</b> Normal, Jet, Rain, Massage, Champagne spray ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life minimum flow rate 7,5 l/min. min. recommended pressure 1.0 bar	chrome	208.00
 	<b>27 065 000</b> <b>Relaxa 100 Trio</b> <b>Head shower 3 sprays</b> Normal, Jet, Rain ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life minimum flow rate 5 l/min. min. recommended pressure 1.0 bar	chrome	166.00
	<b>26 456 000</b> <b>26 456 ENO</b> <b>Euphoria 260</b> <b>Head shower 3 sprays</b> Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome brushed nickel	113.00 156.00
	<b>26 457 000</b> <b>26 457 ENO</b> ditto, with 9.5 l/min flow limiter	chrome brushed nickel	116.00 190.00
	<b>26 455 000</b> ditto, with non-restricted flow	chrome	116.00

# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 492 000	chrome	134.00
	<b>Euphoria Cosmopolitan 180</b> <b>Head shower 1 spray</b> Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	28 233 000	chrome	83.00
	<b>Euphoria Cosmopolitan 160</b> <b>Head shower 1 spray</b> Rain ball joint ± 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 705 000	chrome	151.00
	<b>Euphoria Cube 150</b> <b>Head shower 1 spray</b> Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 409 000	chrome	77.00
	<b>Tempesta 210</b> <b>Head shower 1 spray</b> Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 410 000	chrome	79.00
	26 410 EN0	brushed nickel	106.00
	ditto, with 9.5 l/min flow limiter		
	26 408 000	chrome	79.00
	ditto, with non-restricted flow		
 	27 606 001	chrome	43.00
	<b>Tempesta 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		


# GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)



26 050 001 **chrome** 40.00

**Tempesta 100**  
**Head shower 1 spray**  
 Rain  
 ball joint ± 15° rotatable  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar




27 591 001 **chrome** 54.00

**Tempesta Cosmopolitan 100**  
**Head shower 4 sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
 ball joint ± 15° rotatable  
 connection thread 1/2"  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



26 051 001 **chrome** 43.00

**Tempesta Cosmopolitan 100**  
**Head shower 1 spray**  
 Rain  
 ball joint ± 15° rotatable  
 connection thread 1/2"  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



27 610 001 **chrome** 49.00





**Tempesta Rustic 100**  
**Head shower 4 sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
 ball joint ± 15° rotatable  
 connection thread 1/2"  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar

# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	<b>28 404 000</b> <b>Relexa Basic 85</b> <b>Head shower 1 spray</b> Rain brass tin plate 50 mm high connection thread 1/2"	chrome	16.00
 	<b>28 545 000</b> <b>Relexa Low Aerosol 45</b> <b>Head shower 1 spray</b> only disassemble with tool flow limiter 9.5 l/min. maximum flow rate at 1 - 6 bar connection thread 1/2" <b>GROHE StarLight</b> chrome finish	chrome	252.00
 	<b>28 190 000</b> <b>Relexa Plus 80 Dual</b> <b>Head shower 2 sprays</b> Turbo Jet (normal spray hard)/Normal (full shower spray) ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing for shower or rather bath <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system	chrome	128.00
 	<b>28 002 000</b> <b>Relexa 70</b> <b>Sports head shower 1 spray</b> low aerosol emission heavy, casted model theft proof connection thread 1/2" projection 58 mm flow limiter 9 l/min. and 12 l/min. <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suicide-resisting design pipe union plug-in for wall connection min. recommended pressure 1.0 bar	chrome	190.00
 	<b>28 948 000</b> <b>Relexa Plus 60</b> <b>Sports head shower 1 spray</b> heavy, casted model theft proof connection thread 1/2" projection 148 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system	chrome	271.00
 	<b>28 089 000</b> <b>Relexa Plus 30</b> <b>Sports head shower 1 spray</b> heavy, casted model theft proof connection thread 1/2" projection 148 mm <b>GROHE StarLight</b> chrome finish adjustable flow rate from 5 till 35 l/min.	chrome	215.00











# GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

		<p><b>26 146 000</b></p> <p><b>Rainshower</b> <b>Shower arm 422 mm</b> metal connection thread 1/2" with round escutcheon, chrome suitable for all Rainshower head showers <b>GROHE StarLight</b> chrome finish</p>	chrome	85.00
		<p><b>26 146 LS0</b></p> <p><b>Rainshower</b> <b>Shower arm 422 mm</b> metal connection thread 1/2" with round escutcheon, white suitable for all Rainshower head showers <b>GROHE StarLight</b> chrome finish</p>	moon white/chrome	107.00
		<p><b>28 982 000</b></p> <p><b>Rainshower</b> <b>Shower arm 378 mm</b> metal connection thread 1/2" <b>GROHE StarLight</b> chrome finish suitable for all Rainshower head showers</p>	chrome	135.00
		<p><b>28 361 000</b></p> <p><b>Rainshower</b> <b>Shower arm, 380 mm</b> metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo <b>GROHE StarLight</b> chrome finish with circle escutcheon</p>	chrome	100.00
		<p><b>28 576 000</b> <b>28 576 GL0</b> <b>28 576 DA0</b> <b>28 576 A00</b> <b>28 576 AL0</b> ditto, projection 286 mm</p>	<p>chrome cool sunrise warm sunset hard graphite brushed hard graphite</p>	<p>80.00 108.00 108.00 108.00 94.00</p>
		<p><b>28 384 000</b></p> <p><b>Rainshower Rustic</b> <b>Shower arm 272 mm</b> metal connection thread 1/2" <b>GROHE StarLight</b> chrome finish</p>	chrome	177.00

SHOWERS

# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 145 000	chrome	85.00
	<b>Rainshower</b> <b>Shower arm 422 mm</b> metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers <b>GROHE StarLight</b> chrome finish		
 	27 488 000	chrome	80.00
	<b>Rainshower</b> <b>Shower arm 275 mm</b> metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower Jumbo <b>GROHE StarLight</b> chrome finish		
 	27 709 000	chrome	110.00
	<b>Rainshower</b> <b>Shower arm 286 mm</b> metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower <b>GROHE StarLight</b> chrome finish		
 	28 497 000	chrome	66.00
	<b>Rainshower</b> <b>Shower arm ceiling 292 mm</b> metal connection thread 1/2" suitable for all Rainshower head showers <b>GROHE StarLight</b> chrome finish		
	28 724 000	chrome	64.00
	28 724 LS0	moon white/chrome	66.00
	28 724 GL0	cool sunrise	62.00
	28 724 DA0	warm sunset	62.00
	28 724 A00	hard graphite	62.00
	28 724 AL0	brushed hard graphite	62.00
	ditto, length 142 mm		
 	27 484 000	chrome	63.00
	<b>Rainshower</b> <b>Shower arm ceiling 292 mm</b> metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers <b>GROHE StarLight</b> chrome finish		
	27 485 000	chrome	55.00
	ditto, length 142 mm		



# GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 711 000	chrome	93.00
<b>Rainshower</b> <b>Shower arm ceiling 154 mm</b> metal connection thread 1/2" <b>GROHE StarLight</b> chrome finish			
 	27 986 000 27 986 IGO	chrome chrome/gold	95.00 126.00
<b>Rainshower Grandera</b> <b>Shower arm 285 mm</b> projection 286 mm metal connection thread 1/2" Grandera escutcheon <b>GROHE StarLight</b> chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar			
 	27 982 000 27 982 IGO	chrome chrome/gold	84.00 100.00
<b>Rainshower Grandera</b> <b>Shower arm ceiling 292 mm</b> metal connection thread 1/2" Grandera escutcheon <b>GROHE StarLight</b> chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar			
	27 978 000 27 978 IGO	chrome chrome/gold	75.00 83.00
<b>ditto, length 142 mm</b>			
 	27 406 000	chrome	50.00
<b>Relaxa</b> <b>Shower arm 218 mm</b> connection thread 1/2" projection 218 mm sliding escutcheon <b>GROHE StarLight</b> chrome finish			
 	28 541 000	chrome	84.00
<b>Relaxa</b> <b>Shower arm 147 mm</b> connection thread 1/2" escutcheon <b>GROHE StarLight</b> chrome finish			
 	28 429 000	chrome	58.00
<b>Relaxa</b> <b>Shower arm 55 mm</b> connection thread 1/2" <b>GROHE StarLight</b> chrome finish			

# GROHE HEAD AND SIDE SHOWERS

Ref. No.	Colour	Price netto (€)
48 348 000	chrome	30.00




**Spray face**  
for SmartControl and head showers with multiple Bokoma sprays  
including spray face with / without GROHE Logo  
including disassembly-key

# GROHE SENA



# GROHE SENA


Ref. No. Colour Price netto (€)



28 341 000 chrome 140.00

**Sena Stick**  
**Hand shower 1 spray**  
Normal spray  
metal  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
universal mounting system, fitting all standard shower hoses  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

28 034 000 chrome 140.00  
ditto, with non-restricted flow




26 465 000 chrome 125.00  
26 465 DC0 supersteel 175.00  
26 465 \*\*\* SPA colours 175.00

**Sena Stick**  
**Hand shower 1 spray**  
Normal spray  
metal  
**GROHE EcoJoy** 6.6 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
universal mounting system, fitting all standard shower hoses  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar


\*\*\* SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL




28 348 000 chrome 235.00

**Sena**  
**Wall holder set 1 spray**  
metal  
consisting of:  
hand shower Sena (28 034 000)  
wall shower holder (28 690)  
shower hose (28 151 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
min. recommended pressure 1.0 bar



28 308 000 chrome 134.00

**Sena 75**  
**Head shower 1 spray**  
Normal spray  
metal  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
min. recommended pressure 1.0 bar



28 690 000 chrome 108.00











**Sena**  
**Wall hand shower holder**  
not adjustable  
metal  
**GROHE StarLight** chrome finish

# GROHE RAINSHOWER





# GROHE RAINSHOWER

	Ref. No.	Colour	Price netto (€)
	27 276 000	chrome	84.00
	27 276 LSO	moon white	82.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) <b>GROHE EcoJoy</b> technology for less water and perfect flow metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	27 443 000	red	90.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
			
	27 444 000	orange	92.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
			
	27 446 000	yellow	90.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
			
	27 447 000	pink	92.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
			



# GROHE RAINSHOWER


	Ref. No.	Colour	Price netto (€)
 	27 448 000	purple	90.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 449 000	blue	90.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 628 000	chrome/natural sandstone	90.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 630 000	chrome/limestone	90.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 633 000	chrome/fired clay	90.00
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		

# GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)




27 635 000

chrome/sheer marble

90.00

**Rainshower Icon 150**  
**Hand shower 2 sprays**

Rain, SmartRain  
eco function (reduction of flow rate)  
metal elbow adapter for the combination of hand showers with shower hoses  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
universal mounting system, fitting all standard shower hoses  
suitable for instantaneous heater




27 637 000

chrome/misty slate

92.00

**Rainshower Icon 150**  
**Hand shower 2 sprays**

Rain, SmartRain  
eco function (reduction of flow rate)  
metal elbow adapter for the combination of hand showers with shower hoses  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
universal mounting system, fitting all standard shower hoses  
suitable for instantaneous heater




27 639 000

chrome/frosted granite

90.00

**Rainshower Icon 150**  
**Hand shower 2 sprays**

Rain, SmartRain  
eco function (reduction of flow rate)  
metal elbow adapter for the combination of hand showers with shower hoses  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
universal mounting system, fitting all standard shower hoses  
suitable for instantaneous heater



27 277 001

chrome

201.00

**Rainshower Icon 150**  
**Shower rail set 2 sprays**


consisting of:  
hand shower Icon 150 (27 276 000)  
shower rail, 900 mm (28 819)  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
elbow adapter for the combination of hand showers with shower sets  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** adjustable distance between brackets for adaption to existing drilling holes  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater

# GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)




27 272 000

chrome

115.00

**Rainshower Solo 150**  
**Hand shower 2 sprays**

eco function (reduction of flow rate)  
elbow adapter for the combination of hand showers with shower sets  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
suitable for instantaneous heater



27 273 001

chrome

241.00

**Rainshower Solo 150**  
**Shower rail set 2 sprays**


consisting of:  
hand shower Solo (27 272)  
shower rail, 900 mm (28 819)  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
elbow adapter for the combination of hand showers with shower sets  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** adjustable distance between brackets for adaption to existing drilling holes  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater

# GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)



27 274 000

chrome

115.00

**Rainshower Eco 120**  
**Hand shower 2 sprays**

Rain, SmartRain

eco function (reduction of flow rate)  
elbow adapter for the combination of  
hand showers with shower sets

**GROHE StarLight** chrome finish

**GROHE DreamSpray** perfect spray pattern











**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

# GROHE POWER&SOUL




# GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 668 000	chrome	129.00
<p><b>Power&amp;Soul Cosmopolitan 160</b> Hand shower 4+ sprays GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 664 000	chrome	120.00
<p><b>Power&amp;Soul Cosmopolitan 130</b> Hand shower 4+ sprays GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 663 LS0	moon white/chrome	129.00
<p><b>Power&amp;Soul Cosmopolitan 130</b> Hand shower 4+ sprays GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar</p>			
 	27 661 000	chrome	103.00
<p><b>Power&amp;Soul Cosmopolitan 115</b> Hand shower 2 sprays GROHE Rain O<sup>2</sup>, Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 744 000	chrome	224.00
<p><b>Power&amp;Soul Cosmopolitan 160</b> Shower rail set 4+ sprays consisting of: Hand shower Power&amp;Soul Cosmopolitan 160 (27 668 000) shower rail, 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 746 000	chrome	235.00
ditto, 900 mm			



# GROHE POWER&SOUL

Ref. No. Colour Price netto (€)




**27 732 000** **chrome** **207.00**

**Power&Soul Cosmopolitan 130  
Shower rail set 4+ sprays**

consisting of:  
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)  
shower rail, 600 mm (27 784 000)  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** adjustable distance between brackets  
for adaption to existing drilling holes  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

**27 734 000** **chrome** **213.00**  
**ditto, 900 mm**



**27 741 000** **chrome** **159.00**


**Power&Soul Cosmopolitan 130  
Wall holder set 4+ sprays**

consisting of:  
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)  
wall shower holder, adjustable (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

SHOWERS


# GROHE POWER&SOUL

Ref. No. Colour Price netto (€)




27 675 000 chrome 109.00

**Power&Soul 160**  
**Hand shower 4+ sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet  
 GROHE EcoJoy 9,5 l/min flow limiter  
 GROHE DreamSpray perfect spray pattern  
 GROHE One-click showering  
 spray selection via push of a button  
 GROHE StarLight chrome finish  
 SpeedClean anti-lime system  
 Inner WaterGuide for a longer life  
 universal mounting system, fitting all standard shower hoses  
 suitable for instantaneous heater




27 673 000 chrome 93.00

**Power&Soul 130**  
**Hand shower 4+ sprays, spray plate night time grey**  
 GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet  
 GROHE EcoJoy 9,5 l/min flow limiter  
 GROHE DreamSpray perfect spray pattern  
 GROHE One-click showering  
 spray selection via push of a button  
 GROHE StarLight chrome finish  
 SpeedClean anti-lime system  
 Inner WaterGuide for a longer life  
 universal mounting system, fitting all standard shower hoses  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



27 673 LS0 moon white 82.00








**Power&Soul 130**  
**Hand shower 4+ sprays, spray plate white**  
 GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet  
 GROHE EcoJoy 9,5 l/min flow limiter  
 GROHE DreamSpray perfect spray pattern  
 GROHE One-click showering  
 spray selection via push of a button  
 GROHE StarLight chrome finish  
 SpeedClean anti-lime system  
 Inner WaterGuide for a longer life  
 universal mounting system, fitting all standard shower hoses  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



27 672 000	chrome	91.00
27 672 GL0	cool sunrise	113.00
27 672 DA0	warm sunset	129.00
27 672 A00	hard graphite	129.00
27 672 AL0	brushed hard graphite	138.00
27 672 PV0	chrome/natural sandstone	100.00
27 672 DR0	chrome/limestone	90.00
27 672 HF0	chrome/fired clay	90.00
27 672 TN0	chrome/misty slate	102.00
27 672 XH0	chrome/frosted granite	100.00


**Power&Soul 130**  
**Hand shower 4+ sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet  
 GROHE EcoJoy 9,5 l/min flow limiter  
 GROHE DreamSpray perfect spray pattern  
 GROHE One-click showering  
 spray selection via push of a button  
 GROHE StarLight chrome finish  
 SpeedClean anti-lime system  
 Inner WaterGuide for a longer life  
 universal mounting system, fitting all standard shower hoses  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar

# GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 962 000	chrome	97.00
	<p><b>Power&amp;Soul 130</b>  <b>Hand shower 4+ sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray, Jet            consisting of:            Hand shower Power&amp;Soul 130 (27 673 000)            travellers kit  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE One-Click Showering</b> spray selection            with one click  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            universal mounting system, fitting all standard shower hoses            suitable for instantaneous heater</p>		
 	27 671 000	chrome	83.00
	<p><b>Power&amp;Soul 115</b>  <b>Hand shower 2 sprays, spray plate night time grey</b>            GROHE Rain O<sup>2</sup>, Rain  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE One-click showering</b>            spray selection via push of a button  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            universal mounting system, fitting all standard shower hoses            suitable for instantaneous heater</p>		
 	27 671 LS0	moon white	73.00
	<p><b>Power&amp;Soul 115</b>  <b>Hand shower 2 sprays, spray plate white</b>            GROHE Rain O<sup>2</sup>, Rain  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE One-click showering</b>            spray selection via push of a button  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            universal mounting system, fitting all standard shower hoses            min. recommended pressure 1.0 bar</p>		
 	27 748 000	chrome	209.00
	<p><b>Power&amp;Soul 160</b>  <b>Shower rail set 4+ sprays</b>            consisting of:            Hand shower Power&amp;Soul 160 (27 675 000)            shower rail, 600 mm (27 784 000)            with wall holders made of metal            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE CoolTouch</b>  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE QuickFix Plus</b> adjustable distance between brackets            for adaption to existing drilling holes  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> to prevent hose from twisting            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>		
	27 750 000	chrome	214.00
	ditto, 900 mm		

# GROHE POWER&SOUL


Ref. No. Colour Price netto (€)



27 736 000 **chrome** 194.00


**Power&Soul 130**  
**Shower rail set 4+ sprays**  
consisting of:  
Hand shower Power&Soul 130 (27 673 000)  
shower rail, 600 mm (27 784 000)  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE QuickFix Plus** adjustable distance between brackets  
for adaption to existing drilling holes  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

27 738 000 **chrome** 199.00  
**ditto, 900 mm**



27 742 000 **chrome** 135.00

**Power&Soul 130**  
**Wall holder set 4+ sprays**  
consisting of:  
Hand shower Power&Soul 130 (27 673 000)  
wall shower holder, adjustable (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar



27 785 000 **chrome** 106.00  
27 785 DA0 **warm sunset** 133.00

**Power&Soul**  
**Shower rail, 900 mm**  
with wall holders made of metal  
glide element and swivel holder  
**GROHE QuickFix** (adjustable distance between  
wall shower holders for adaption to existing drillings)  
**GROHE StarLight** chrome finish

27 784 000 **chrome** 102.00  
**ditto, 600 mm**

# GROHE MOVARIO




# GROHE MOVARIO

Ref. No.

Colour

Price netto (€)



28 393 000

chrome

164.00

**Movario 100 Five**

**Hand shower 5 sprays**

Normal, Jet, Rain, Massage,

Champagne spray

**Rotahead** adjustable shower head system

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater

minimum flow rate 7,5 l/min.




# GROHE EUPHORIA



# GROHE EUPHORIA


	Ref. No.	Colour	Price netto (€)
 	27 222 000	chrome	59.00
<p><b>Euphoria 110 Champagne</b> Hand shower 3 sprays Rain, Champagne spray, SmartRain <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 239 001	chrome	47.00
<p><b>Euphoria 110 Massage</b> Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE StarLight</b> chrome finish spray plate white <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 221 001	chrome	48.59
<p><b>ditto, with non-restricted flow</b></p>			
 	27 239 000	chrome	62.00
<p><b>Euphoria 110 Massage</b> Hand shower 3 sprays Rain, Massage, SmartRain <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 221 000	chrome	58.00
<p><b>ditto, with non-restricted flow</b></p>			
 	27 238 000	chrome	46.00
<p><b>Euphoria 110 Duo</b> Hand shower 2 sprays Rain, SmartRain <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 220 000	chrome	42.00
<p><b>ditto, with non-restricted flow</b></p>			
 	27 265 00E	chrome	31.00
<p><b>Euphoria 110 Mono</b> Hand shower 1 spray Rain <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 265 000	chrome	31.00
<p><b>ditto, with hand shower Mono</b></p>			



**27 232 001** **chrome** **109.00**

**Euphoria 110 Champagne  
Shower rail set 3 sprays**

consisting of:  
 hand shower Champagne (27 222 000)  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar




**27 243 001** **chrome** **110.00**

**Euphoria 110 Massage  
Shower rail set 3 sprays**

consisting of:  
 hand shower Massage (27 239 000)  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar

**27 231 001** **chrome** **107.00**  
**ditto, with non-restricted flow**




**27 242 001** **chrome** **91.00**

**Euphoria 110 Duo  
Shower rail set 2 sprays**

consisting of:  
 hand shower Euphoria 110 Duo (27 238)  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar

**27 230 001** **chrome** **91.00**  
**ditto, with non-restricted flow**




27 266 00E **chrome** 88.00

**Euphoria 110 Mono  
Shower rail set 1 spray**

consisting of:  
hand shower Euphoria 110 (27 265 00E), 1 spray, 5.7 l/min  
shower rail, 600 mm (27 499)  
Silverflex shower hose 1750 mm (28 388 000)

**GROHE EasyReach** tray  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** (upper bracket adjustable  
for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

27 266 001 **chrome** 87.00  
**ditto, with hand shower Mono**




27 227 001 **chrome** 114.00

**Euphoria 110 Champagne  
Shower rail set 3 sprays**

consisting of:  
hand shower Champagne (27 222 000)  
shower rail 900 mm (27 500)  
Silverflex shower hose 1750 mm (28 388 000)

**GROHE EasyReach** tray (27 596)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow  
rate reduction)  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** (upper bracket adjustable  
for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar



27 226 001 **chrome** 114.00  
27 226 DC1 **supersteel** 154.00  
27 226 \*\*\* **SPA colours** 151.00


**Euphoria 110 Massage  
Shower rail set 3 sprays**

consisting of:  
hand shower Massage (27 221 000)  
shower rail 900 mm (27 500)  
Silverflex shower hose 1750 mm (28 388 000)

**GROHE EasyReach** tray (27 596)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless flow  
rate reduction)  
**GROHE QuickFix** (upper bracket adjustable  
for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

\*\*\* SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL




27 225 001

chrome

105.00

**Euphoria 110 Duo  
Shower rail set 2 sprays**

consisting of:  
 hand shower Duo (27 220 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar




27 267 001

chrome

92.00

**Euphoria 110 Mono  
Shower rail set 1 spray**

consisting of:  
 hand shower Mono (27 265 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes)  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar




27 355 000

chrome

99.00

**Euphoria 110 Champagne  
Wall holder set 3 sprays**

consisting of:  
 hand shower Champagne (27 222 000)  
 Wall shower holder 28 401  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



27 354 000








chrome

54.00

**Euphoria 110 Mono  
Wall holder set 1 spray**

consisting of:  
 hand shower Mono (27 265 000)  
 wall shower holder (27 056)  
 Silverflex shower hose 1 250 mm (28 362)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar

# GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	26 459 000	chrome	191.00
	<p><b>Euphoria 260</b>  <b>Head shower set 380 mm, 3 sprays</b>            consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            Shower arm Rainshower 380 mm (28 361 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>		
	26 458 000	chrome	192.00
	ditto, with non-restricted flow		
 	26 461 000	chrome	152.00
	<p><b>Euphoria 260</b>  <b>Head shower set ceiling 142 mm, 3 sprays</b>            consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>		
	26 460 000	chrome	147.00
	ditto, with non-restricted flow		
	26 456 000	chrome	113.00
	26 456 ENO	brushed nickel	156.00
	<p><b>Euphoria 260</b>  <b>Head shower 3 sprays</b>            Rain, SmartRain, Jet            Ø 260 mm            ball joint ± 15° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 6.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>		
	26 457 000	chrome	116.00
	26 457 ENO	brushed nickel	190.00
	ditto, with 9.5 l/min flow limiter		
	26 455 000	chrome	116.00
	ditto, with non-restricted flow		
 	27 499 000	chrome	48.00
	<p><b>Euphoria</b>  <b>Shower rail, 600 mm</b>            with wall holders, glide element and swivel holder  <b>GROHE QuickFix</b> (upper bracket adjustable            for adaption to existing drilling holes)  <b>GROHE StarLight</b> chrome finish</p>		



# GROHE EUPHORIA

Ref. No.


Colour

Price netto (€)

48 051 000

chrome

6.30




**Compensation disc**

for Tempesta shower rails 27 519 / 27 520 /  
27 521 / 27 522 / 27 523 / 27 524  
for Euphoria shower rails 27 499 / 27 500

27 596 000

chrome











6.50













**GROHE EasyReach tray**









Acrylic  
for Tempesta and Euphoria  
shower rails Ø 22 mm

# GROHE EUPHORIA







	Ref. No.	Colour	Price netto (€)
 	27 400 000	chrome	49.00
	<b>Euphoria Cosmopolitan Stick</b> <b>Hand shower 1 spray</b> Normal spray <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 367 000	chrome	49.00
	<b>ditto, with non-restricted flow</b>		
 	27 368 000	chrome	168.00
	<b>Euphoria Cosmopolitan Stick</b> <b>Shower rail set 1 spray</b> consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>GROHE QuickFix Plus</b> adjustable distance between brackets for adaption to existing drilling holes <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 404 000	chrome	66.00
	<b>Euphoria Cosmopolitan Stick</b> <b>Wall holder set 1 spray</b> with integrated wall union 1/2" consisting of: hand shower 27 400 000 shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 369 000	chrome	79.00
	<b>Euphoria Cosmopolitan Stick</b> <b>Wall holder set 1 spray</b> consisting of: hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 0.5 bar		
 	28 233 000	chrome	83.00
	<b>Euphoria Cosmopolitan 160</b> <b>Head shower 1 spray</b> Rain ball joint ± 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		

Ref. No. Colour Price netto (€)

		<p><b>27 888 000</b></p> <p><b>Euphoria Cube+ Stick</b> <b>Hand shower 1 spray</b> Normal spray metal <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 92.00</p>
		<p><b>27 884 001</b></p> <p><b>ditto, with non-restricted flow</b></p>	<p>chrome 91.00</p>
		<p><b>27 891 000</b></p> <p><b>Euphoria Cube+ Stick</b> <b>Shower rail set 1 spray</b> consisting of: hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 244.00</p>
		<p><b>27 890 000</b></p> <p><b>Euphoria Cube+ Stick</b> <b>Shower rail set 1 spray</b> consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 246.00</p>
		<p><b>27 889 000</b></p> <p><b>Euphoria Cube+ Stick</b> <b>Wall holder set 1 spray</b> consisting of: hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 127.00</p>

	Ref. No.	Colour	Price netto (€)
 	27 699 000	chrome	47.00
	<b>Euphoria Cube Stick</b> <b>Hand shower 1 spray</b> Normal spray <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 698 000	chrome	48.00
	<b>ditto, with non-restricted flow</b>		
 	27 936 000	chrome	208.00
	<b>Euphoria Cube</b> <b>Shower set</b> consisting of: hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 700 000	chrome	218.00
	<b>Euphoria Cube Stick</b> <b>Shower rail set 1 spray</b> consisting of: hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 405 000	chrome	85.00
	<b>Euphoria Cube Stick</b> <b>Wall holder set 1 spray</b> with integrated wall union 1/2" consisting of: hand shower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1 250 mm (28 362) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		

Ref. No. Colour Price netto (€)

		<p><b>27 703 000</b></p> <p><b>Euphoria Cube Stick Wall holder set 1 spray</b> consisting of: hand shower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1 250 mm (28 362) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p><b>chrome</b> <b>84.00</b></p>
		<p><b>27 702 000</b> <b>ditto, with non-restricted flow</b></p>	<p><b>chrome</b> <b>84.00</b></p>
		<p><b>27 892 000</b></p> <p><b>Euphoria Cube Shower rail, 600 mm</b> with wall holders, glide element and swivel holder <b>GROHE StarLight</b> chrome finish</p>	<p><b>chrome</b> <b>192.00</b></p>
		<p><b>27 841 000</b> <b>ditto, 900mm</b></p>	<p><b>chrome</b> <b>172.00</b></p>
		<p><b>27 845 000</b></p> <p><b>Euphoria Cube Compensation disc</b> for Euphoria Cube shower bars 27 892 000 / 27 841 000</p>	<p><b>chrome</b> <b>1.10</b></p>


# GROHE TEMPESTA





# GROHE TEMPESTA

Ref. No. Colour Price netto (€)




27 608 001 chrome 35.00

**Tempesta Rustic 100**  
**Hand shower 4 sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 universal mounting system, fitting all standard shower hoses  
 suitable for instantaneous heater

26 085 001 chrome \*

ditto, with non-restricted flow




27 609 001 chrome 81.00

**Tempesta Rustic 100**  
**Shower rail set 4 sprays**  
 consisting of:  
 hand shower (27 608)  
 shower rail, 600 mm (27 519)  
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater

26 086 001 chrome \*

ditto, with non-restricted flow




27 805 001 chrome 55.00

**Tempesta Rustic 100**  
**Wall holder set 4 sprays**  
 consisting of:  
 hand shower (27 608)  
 wall shower holder adjustable (27 595)  
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar


26 089 001 chrome 56.00

**Tempesta Rustic 100**  
**Head shower set 4 sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
 ball joint ± 15° rotatable  
 Shower arm with connection thread 1/2"  
 escutcheon  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



27 610 001 chrome 49.00

**Tempesta Rustic 100**  
**Head shower 4 sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
 ball joint ± 15° rotatable  
 connection thread 1/2"  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



# GROHE TEMPESTA


	Ref. No.	Colour	Price netto (€)
 	<b>27 575 002</b>	<b>chrome</b>	<b>39.00</b>
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>27 573 002</b>	<b>chrome</b>	<b>39.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>27 574 002</b>	<b>chrome</b>	<b>27.50</b>
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>27 572 002</b>	<b>chrome</b>	<b>29.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>27 571 20E</b>	<b>chrome</b>	<b>24.00</b>
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 2 sprays</b> Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>26 046 002</b>	<b>chrome</b>	<b>*</b>
	<b>ditto, with 6.6 l/min flow limiter</b>		
	<b>27 571 002</b>	<b>chrome</b>	<b>23.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>26 082 002</b>	<b>chrome</b>	<b>18.50</b>
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 1 spray</b> Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar		

# GROHE TEMPESTA

Ref. No.

Colour

Price netto (€)



27 577 002

chrome

74.00

**Tempesta Cosmopolitan 100  
Shower rail set 4 sprays**

consisting of:

hand shower (27 575)  
shower rail, 600 mm (27 521)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE EasyReach** tray (27 596)

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE DreamSpray** perfect spray pattern


**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 576 002

chrome

68.00

**Tempesta Cosmopolitan 100  
Shower set 3 sprays**

consisting of:

hand shower (27 574)  
shower rail, 600 mm  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE EasyReach** tray (27 596)

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater


min. recommended pressure 1.0 bar

27 929 002

chrome

57.00

ditto, with non-restricted flow



27 928 002

chrome

61.00

**Tempesta Cosmopolitan 100  
Shower rail set 2 sprays**

consisting of:

hand shower (27 571)  
shower rail, 600 mm (27 521)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE EasyReach** tray (27 596)

**GROHE DreamSpray** perfect spray pattern


**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 083 002

chrome

53.00

**Tempesta Cosmopolitan 100  
Shower rail set 1 spray**

consisting of:

hand shower (26 082)  
shower rail, 600 mm (27 521)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE EasyReach** tray (27 596)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system









**Inner WaterGuide** for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar

# GROHE TEMPESTA

Ref. No. Colour Price netto (€)


		<p><b>27 580 002</b> <b>chrome</b> <b>67.00</b></p> <p><b>Tempesta Cosmopolitan 100 Shower rail set 4 sprays</b>            consisting of:            hand shower Tempesta Cosmopolitan 100 (27 575)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
		<p><b>27 579 002</b> <b>chrome</b> <b>59.00</b></p> <p><b>Tempesta Cosmopolitan 100 Shower rail set 3 sprays</b>            consisting of:            hand shower (27 574)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater            min. recommended pressure 1.0 bar</p> <p><b>27 787 002</b> <b>chrome</b> <b>67.00</b></p> <p><b>ditto, with non-restricted flow</b></p>
		<p><b>27 578 20E</b> <b>chrome</b> <b>52.00</b></p> <p><b>Tempesta Cosmopolitan 100 Shower rail set 2 sprays</b>            consisting of:            hand shower Tempesta Cosmopolitan 100 (27 571 20E)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater            min. recommended pressure 1.0 bar</p> <p><b>26 076 002</b> <b>chrome</b> *</p> <p><b>ditto, with 6.6 l/min flow limiter</b></p> <p><b>27 578 002</b> <b>chrome</b> <b>53.00</b></p> <p><b>ditto, with non-restricted flow</b></p>
		<p><b>27 790 002</b> <b>chrome</b> <b>72.00</b></p> <p><b>Tempesta Cosmopolitan 100 Shower rail set 4 sprays</b>            consisting of:            hand shower (27 573)            shower rail, 900 mm (27 522)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>

# GROHE TEMPESTA

Ref. No.

Colour

Price netto (€)



27 789 002

chrome

65.00

**Tempesta Cosmopolitan 100  
Shower rail set 3 sprays**

consisting of:

hand shower (27 572)

shower rail, 900 mm (27 522)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE DreamSpray** perfect spray pattern


**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 788 002

chrome

57.00

**Tempesta Cosmopolitan 100  
Shower rail set 2 sprays**

consisting of:

hand shower (27 571)

shower rail, 900 mm (27 522)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE DreamSpray** perfect spray pattern


**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 584 002

chrome

43.00

**Tempesta Cosmopolitan 100  
Shower set 3 sprays**

consisting of:

hand shower (27 574)

wall shower holder adjustable (27 595)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE DreamSpray** perfect spray pattern


**GROHE StarLight** chrome finish

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 588 002

chrome

41.00

**Tempesta Cosmopolitan 100  
Wall holder set 3 sprays**

consisting of:

hand shower (27 574)

wall shower holder non-adjustable (27 594)

Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

**GROHE EcoJoy** 9,5 l/min flow limiter

**GROHE StarLight** chrome finish

**GROHE DreamSpray** perfect spray pattern

**SpeedClean** anti-lime system

**Inner WaterGuide** for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar

# GROHE TEMPESTA

Ref. No. Colour Price netto (€)

	<p><b>26 084 002</b> <b>chrome</b> <b>29.00</b></p> <p><b>Tempesta Cosmopolitan 100</b>  <b>Wall holder set 1 spray</b>            consisting of:            hand shower (26 082)            wall shower holder non-adjustable (27 594)            Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE StarLight</b> chrome finish  <b>GROHE DreamSpray</b> perfect spray pattern  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
	<p><b>27 869 001</b> <b>chrome</b> <b>63.00</b></p> <p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            ball joint ± 15° rotatable            Shower arm with connection thread 1/2"            escutcheon  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
	<p><b>27 591 001</b> <b>chrome</b> <b>54.00</b></p> <p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            ball joint ± 15° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 9,5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
	<p><b>26 051 001</b> <b>chrome</b> <b>43.00</b></p> <p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 1 spray</b>            Rain            ball joint ± 15° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater            min. recommended pressure 1.0 bar</p>
	<p><b>27 851 000</b> <b>chrome</b> <b>42.00</b></p> <p><b>Tempesta</b>  <b>Shower arm 400 mm</b>            metal            projection 400 mm            connection thread 1/2"</p>
	<p><b>27 559 000</b> <b>chrome</b> <b>33.00</b></p> <p><b>Tempesta</b>  <b>Shower arm ceiling 186 mm</b>            metal            length 186 mm            connection thread 1/2"</p>




# GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	<b>28 421 002</b>	<b>chrome</b>	<b>35.00</b>
	<b>Tempesta 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	<b>28 578 002</b>	<b>chrome</b>	<b>35.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>28 419 002</b>	<b>chrome</b>	<b>27.00</b>
	<b>Tempesta 100</b> <b>Hand shower 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	<b>28 261 002</b>	<b>chrome</b>	<b>27.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>27 597 10E</b>	<b>chrome</b>	<b>20.00</b>
	<b>Tempesta 100</b> <b>Hand shower 2 sprays</b> Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>26 047 001</b>	<b>chrome</b>	<b>*</b>
	<b>ditto, with 6.6 l/min flow limiter</b>		
	<b>26 161 001</b>	<b>chrome</b>	<b>21.00</b>
	<b>ditto, with 9.5 l/min flow limiter</b>		
	<b>27 597 001</b>	<b>chrome</b>	<b>22.00</b>
	<b>ditto, with non-restricted flow</b>		
 	<b>27 923 001</b>	<b>chrome</b>	<b>17.00</b>
	<b>Tempesta 100</b> <b>Hand shower 1 spray</b> Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>27 852 001</b>	<b>chrome</b>	<b>18.50</b>
	<b>ditto, with non-restricted flow</b>		

# GROHE TEMPESTA


Ref. No. Colour Price netto (€)



28 436 002 chrome 68.00

**Tempesta 100**  
**Shower rail set 4 sprays**  
consisting of:  
hand shower (28 421)  
shower rail, 600 mm (27 523)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**ShockProof** silicone ring prevents damages caused by shower falling  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar


28 593 002 chrome 68.00  
**ditto, with non-restricted flow**



27 600 001 chrome 61.00

**Tempesta 100**  
**Shower rail set 3 sprays**  
consisting of:  
hand shower (28 419)  
shower rail, 600 mm (27 523)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**ShockProof** silicone ring prevents damages caused by shower falling  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar


27 927 001 chrome 61.00  
**ditto, with non-restricted flow**



26 638 000 chrome \*

**Tempesta 100**  
**Shower rail set 2 sprays**  
consisting of:  
hand shower Tempesta 100 (26 161)  
shower rail, 600 mm (27 523)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**ShockProof** silicone ring prevents damages caused by shower falling  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

27 926 001 chrome 55.00  
**ditto, with non-restricted flow**












27 645 001 chrome 59.00

**Tempesta 100**  
**Shower rail set 4 sprays**  
consisting of:  
hand shower (28 421)  
shower rail, 600 mm (27 523)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
**ShockProof** silicone ring prevents damages caused by shower falling  
suitable for instantaneous heater  
min. recommended pressure 1.0 bar

27 795 001 chrome 59.00  
**ditto, with non-restricted flow**

SHOWERS

# GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
	<b>27 644 001</b> <b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	54.00
		<b>27 794 001</b> ditto, with non-restricted flow	chrome
	<b>27 598 10E</b> <b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	48.00
		<b>26 162 001</b> ditto, with 9.5 l/min flow limiter	chrome
	<b>27 598 001</b> ditto, with non-restricted flow	chrome	56.00
		<b>27 924 001</b> <b>Tempesta 100</b> <b>Shower rail set 1 spray</b> consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome
		<b>27 853 001</b> ditto, with non-restricted flow	chrome
	<b>27 796 001</b> ditto, with non-restricted flow	chrome	60.00
		<b>28 789 002</b> <b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome

# GROHE TEMPESTA

Ref. No. Colour Price netto (€)

		<p><b>27 646 10E</b> <b>chrome</b> <b>53.00</b></p> <p><b>Tempesta 10E</b> <b>Shower rail set 2 sprays</b> consisting of: hand shower (27 597) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>ShockProof</b> silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	SHOWERS
		<p><b>26 163 001</b> <b>chrome</b> <b>55.00</b></p> <p><b>ditto, with 9.5 l/min flow limiter</b></p>	
		<p><b>27 646 001</b> <b>chrome</b> <b>54.00</b></p> <p><b>ditto, with non-restricted flow</b></p>	
		<p><b>27 925 001</b> <b>chrome</b> <b>45.00</b></p> <p><b>Tempesta 100</b> <b>Shower rail set 1 spray</b> consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>ShockProof</b> silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
		<p><b>27 854 001</b> <b>chrome</b> <b>44.00</b></p> <p><b>ditto, with non-restricted flow</b></p>	
		<p><b>27 601 10E</b> <b>chrome</b> <b>35.00</b></p> <p><b>Tempesta 100</b> <b>Wall holder set 2 sprays</b> consisting of: hand shower (27 597) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>ShockProof</b> silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
		<p><b>26 639 000</b> <b>chrome</b> *</p> <p><b>Tempesta 100</b> <b>Wall holder set 3 sprays</b> consisting of: hand shower Tempesta 100 (28 419) wall shower holder (28 605), not adjustable Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>ShockProof</b> silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
		<p><b>27 849 001</b> <b>chrome</b> <b>39.00</b></p> <p><b>ditto, with non-restricted flow</b></p>	

# GROHE TEMPESTA

Ref. No. Colour Price netto (€)

		<p><b>27 803 10E</b> <b>chrome</b> <b>31.00</b></p> <p><b>Tempesta 100</b> <b>Wall holder set 2 sprays</b> consisting of: hand shower (27 597) wall shower holder (28 605), not adjustable Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>ShockProof</b> silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p><b>27 798 10E</b> <b>chrome</b> <b>28.08</b></p> <p><b>Tempesta 100</b> <b>Wall holder set 2 sprays</b> consisting of: hand shower (27 597) wall shower holder (28 605), not adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>ShockProof</b> silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p><b>26 164 001</b> <b>chrome</b> <b>31.00</b> <b>ditto, with 9.5 l/min flow limiter</b></p> <p><b>27 799 001</b> <b>chrome</b> <b>30.00</b> <b>ditto, with non-restricted flow</b></p>
		<p><b>26 406 001</b> <b>chrome</b> <b>44.00</b></p> <p><b>Tempesta 100</b> <b>Wall holder set 2 sprays</b> with integrated wall union 1/2" consisting of: hand shower (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>ShockProof</b> silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p><b>26 412 000</b> <b>chrome</b> <b>139.00</b></p> <p><b>Tempesta 210</b> <b>Head shower set 286 mm, 1 spray</b> consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p><b>26 411 000</b> <b>chrome</b> <b>139.00</b> <b>ditto, with non-restricted flow</b></p>


# GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	<b>27 870 001</b>	<b>chrome</b>	<b>56.00</b>
	<b>Tempesta 100</b> <b>Head shower set 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	<b>26 088 001</b>	<b>chrome</b>	<b>51.52</b>
	<b>Tempesta 100</b> <b>Head shower set 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	<b>26 414 000</b>	<b>chrome</b>	<b>117.00</b>
	<b>Tempesta 210</b> <b>Head shower set ceiling 142 mm, 1 spray</b> consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>26 413 000</b>	<b>chrome</b>	<b>114.00</b>
	<b>ditto, with non-restricted flow</b>		
	<b>26 409 000</b>	<b>chrome</b>	<b>77.00</b>
	<b>26 409 EN0</b>	<b>brushed nickel</b>	<b>129.00</b>
	<b>Tempesta 210</b> <b>Head shower 1 spray</b> Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	<b>26 410 000</b>	<b>chrome</b>	<b>79.00</b>
	<b>26 410 EN0</b>	<b>brushed nickel</b>	<b>106.00</b>
	<b>ditto, with 9.5 l/min flow limiter</b>		
	<b>26 408 000</b>	<b>chrome</b>	<b>79.00</b>
	<b>ditto, with non-restricted flow</b>		




# GROHE TEMPESTA

Ref. No. Colour Price netto (€)



27 606 001 chrome 43.00

**Tempesta 100**  
**Head shower 4 sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
 ball joint ± 15° rotatable  
 connection thread 1/2"  
**GROHE EcoJoy** 9,5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar



26 050 001 chrome 40.00

**Tempesta 100**  
**Head shower 1 spray**  
 Rain  
 ball joint ± 15° rotatable  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heater  
 min. recommended pressure 1.0 bar


# GROHE SENA TRIGGER SPRAYS

---




# GROHE SENA TRIGGER SPRAYS

Ref. No. Colour Price netto (€)



26 328 000 **chrome** 62.00


**Sena Trigger Spray 35**  
**Hand shower 1 spray**  
with trigger control  
metal  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
universal mounting system, fitting all standard shower hoses  
min. recommended pressure 0.5 bar  
Please refer to local norms regarding installation.



26 332 000 **chrome** 165.00

**Sena Trigger Spray 35**  
**Wall holder set with angle valve 1 spray**  
consisting of:  
hand shower with trigger control (26 328)  
valve with integrated shower holder (26 333)  
Silverflex Longlife shower hose 1250 mm (26 335)  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
**Twistfree** to prevent hose from twisting  
min. recommended pressure 0.5 bar  
Please refer to local norms regarding installation.

26 329 000 **chrome** 159.00  
ditto, hose 1.000 mm



26 333 000 **chrome** 79.00











**Valve**  
with wall shower holder  
escutcheon  
connection thread 1/2"  
**GROHE StarLight** chrome finish  
Please refer to local norms regarding installation.

# GROHE TEMPESTA-F TRIGGER SPRAYS









---



# GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	27 512 001	chrome	19.00
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life                      universal mounting system, fitting all standard shower hoses                      min. recommended pressure 1.0 bar                      Please refer to local norms regarding installation.</p>			
 	28 020 L01	white	13.50
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control  <b>GROHE StarLight</b> finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life                      universal mounting system, fitting all standard shower hoses                      min. recommended pressure 1.0 bar                      Please refer to local norms regarding installation.</p>			
 	26 353 000	chrome	35.00
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      consisting of:                      hand shower with trigger control (27 512 001)                      wall shower holder (28 605)                      Silverflex Longlife shower hose 1500 mm (26 346)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> to prevent hose from twisting                      min. recommended pressure 1.0 bar                      Please refer to local norms regarding installation.</p>			
	27 513 001	chrome	35.00
	ditto, with 1250 mm hose		
	26 352 000	chrome	32.00
	ditto, with 1000 mm hose		
 	26 354 000	chrome	38.00
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      consisting of:                      hand shower with trigger control (27 512 001)                      wall shower holder (28 605)                      metal shower hose 1250 mm  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life                      min. recommended pressure 1.0 bar                      Please refer to local norms regarding installation.</p>			
 	27 812 IL1	chrome/white	28.00
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      consisting of:                      hand shower with trigger control (28 020 L01)                      wall shower holder (28 605)                      Silverflex Longlife shower hose 1250 mm (26 335)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-lime system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> to prevent hose from twisting                      min. recommended pressure 1.0 bar                      Please refer to local norms regarding installation.</p>			
	26 355 IL0	chrome/white	27.00
	ditto, with 1000 mm hose		

# GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	26 356 ILO	chrome/white	30.00
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set 1 spray</b> consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) metal shower hose 1250 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
 	26 357 000	chrome	67.00
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set with angle valve 1 spray</b> consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
	27 514 001	chrome	68.00
	ditto, with 1250 mm hose		
 	26 358 000	chrome	108.00
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set with self-closing angle valve, 1 spray</b> consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334) <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-lime system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
 	26 346 000	chrome	21.66
	<b>Silverflex Longlife</b> <b>Shower hose Twistfree 1500</b> 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C <b>AntiFold</b> bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function <b>GROHE StarLight</b> chrome finish blister packaging		
	26 335 000	chrome	19.58
	ditto, 1.250 mm		
	26 334 000	chrome	17.49
	ditto, 1.000 mm		







# GROHE SHOWER HOSES







---











# GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
 	<b>28 025 000</b> <b>Rotaflex Metal Longlife</b> <b>Metal shower hose Twistfree 1750</b> 1750 mm metal Longlife strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" Rotation cone for Twistfree-function cone with silicone tape to prevent the turning of the hand shower during the usage <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>	chrome	27.91
	<b>28 417 000</b> <b>ditto, 1500 mm</b>	chrome	25.83
 	<b>28 145 000</b> <b>Relexaflex Metal Longlife</b> <b>Metal shower hose 2000</b> 2000 mm metal Longlife strengthened model <b>tensile strength 750 N</b> pressure resistance up to 16 bar heat resistance 75°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>	chrome	27.91
	<b>28 143 000</b> <b>28 143 LS0</b> <b>28 143 KS0</b> <b>ditto, 1500 mm</b>	chrome moon white velvet black	23.74 30.83 30.83
	<b>28 142 000</b> <b>ditto, 1250 mm</b>	chrome	21.66
	<b>28 140 000</b> <b>Relexaflex Metal</b> <b>Metal shower hose 2000</b> 2000 mm metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>	chrome	23.74
	<b>28 139 000</b> <b>ditto, 1750 mm</b> <b>28 105 000</b> <b>ditto, 1500 mm</b>	chrome chrome	21.66 19.58

# GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
 	<b>26 346 000</b>	<b>chrome</b>	<b>21.66</b>
	<b>Silverflex Longlife</b> <b>Shower hose Twistfree 1500</b> 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" Rotation cone for Twistfree-function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>		
	<b>26 335 000</b>	<b>chrome</b>	<b>19.58</b>
	<b>ditto, 1.250 mm</b>		
	<b>26 334 000</b>	<b>chrome</b>	<b>17.49</b>
	<b>ditto, 1.000 mm</b>		
 	<b>27 137 000</b>	<b>chrome</b>	<b>21.66</b>
	<b>Silverflex</b> <b>Shower hose Twistfree 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" Rotation cone for Twistfree-function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>		
	<b>28 388 000</b>	<b>chrome</b>	<b>19.58</b>
	<b>28 388 DC0</b>	<b>supersteel</b>	<b>27.49</b>
	<b>28 388 ***</b>	<b>SPA colours</b>	<b>27.49</b>
	<b>ditto, 1750 mm</b>		
	<b>28 364 000</b>	<b>chrome</b>	<b>17.49</b>
	<b>ditto, 1500 mm</b>		
	<b>28 362 000</b>	<b>chrome</b>	<b>15.41</b>
	<b>28 362 DC0</b>	<b>supersteel</b>	<b>21.24</b>
<b>28 362 ***</b>	<b>SPA colours</b>	<b>24.16</b>	
<b>ditto, 1250 mm</b>			
<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
 	<b>28 413 001</b>	<b>chrome</b>	<b>17.08</b>
	<b>Rotaflex</b> <b>Shower hose Twistfree 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" Rotation cone for Twistfree-function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>		
	<b>28 410 001</b>	<b>chrome</b>	<b>14.99</b>
	<b>ditto, 1750 mm</b>		
	<b>28 409 001</b>	<b>chrome</b>	<b>13.33</b>
	<b>ditto, 1500 mm</b>		

# GROHE SHOWER HOSES







	Ref. No.	Colour	Price netto (€)
	<b>28 155 001</b> <b>Relexaflex</b> <b>Shower hose 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>	chrome	14.99
	<b>28 154 001</b> ditto, 1750 mm	chrome	13.33
	<b>28 151 001</b> <b>28 151 L01</b> ditto, 1500 mm	chrome white	11.24 14.58
	<b>28 150 001</b> ditto, 1250 mm	chrome	9.58
			
	<b>28 158 000</b> <b>Metal hose</b> 2000 mm for bath rim, installation under tiled surround and shower sets <b>GROHE StarLight</b> chrome finish	chrome	33.33
			
	<b>28 146 000</b> <b>Metal hose</b> 2000 mm M15 x M15 <b>GROHE StarLight</b> chrome finish	chrome	51.00
			
	<b>45 973 001</b> <b>Relexaflex</b> <b>Shower hose 1500</b> 1500 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C <b>AntiFold</b> bendproof <b>universal connection</b> G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b> in units of 10	chrome	10.83
	<b>45 971 001</b> ditto, 1250 mm	chrome	8.74
			

# GROHE SHOWER ACCESSORIES

---















# GROHE SHOWER ACCESSORIES











	Ref. No.	Colour	Price netto (€)
 	27 055 000	chrome	44.00
<p><b>Rainshower</b> Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	28 623 000	chrome	29.00
<p><b>Relexa</b> Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	27 595 000	chrome	19.00
<p><b>Tempesta</b> Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			



# GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	28 690 000	chrome	108.00
	<b>Sena</b> <b>Wall hand shower holder</b> not adjustable metal <b>GROHE StarLight</b> chrome finish		
 	27 056 000	chrome	30.00
	<b>Rainshower</b> <b>Wall hand shower holder</b> not adjustable without escutcheon <b>GROHE StarLight</b> chrome finish		
 	27 074 000 27 074 DC0 27 074 LS0 27 074 ***	chrome supersteel moon white SPA colours	34.00 58.00 42.00 40.00
	<b>Rainshower</b> <b>Wall hand shower holder</b> not adjustable with round escutcheon <b>GROHE StarLight</b> chrome finish		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li>● BE    ● GL    ● DA    ● A0</li> <li>● EN    ● GN    ● DL    ● AL</li> </ul>			
 	27 075 000 27 075 LS0	chrome moon white	34.00 41.00
	<b>Rainshower</b> <b>Wall hand shower holder</b> not adjustable with square escutcheon <b>GROHE StarLight</b> chrome finish		
 	27 706 000	chrome	33.00
	<b>Allure Brilliant</b> <b>Wall hand shower holder</b> not adjustable metal <b>GROHE StarLight</b> chrome finish		
 	27 693 000	chrome	27.00
	<b>Euphoria Cube</b> <b>Wall hand shower holder</b> not adjustable <b>GROHE StarLight</b> chrome finish		

# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	28 622 000	chrome	16.00
	<b>Relexa</b> <b>Wall hand shower holder</b> not adjustable GROHE StarLight chrome finish		
 	27 594 000	chrome	13.00
	<b>Tempesta Cosmopolitan</b> <b>Wall hand shower holder</b> not adjustable GROHE StarLight chrome finish		
 	28 605 000	chrome	16.00
	<b>Relexa</b> <b>Wall hand shower holder</b> not adjustable GROHE StarLight chrome finish		
 	27 151 000	chrome	99.00
	<b>Lead-through for pull-out showers</b> for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) <b>The lead-through can be combined with all hand showers</b> GROHE StarLight chrome finish		
 	27 531 000	chrome	137.00
	<b>Lead-through for pull-out showers</b> for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) <b>The lead-through can be combined with all hand showers</b> GROHE StarLight chrome finish		


# GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)




27 621 000 chrome 313.00

**Grotherm F**  
**Wall shower union with integrated shower holder**  
Vertical or horizontal installation  
for use with rough-in box 35 034 000 (1/2" connection) /  
35 035 (1/2" NPT connection)  
sold separately  
shower outlet 1/2"  
hand shower and shower hose sold separately  
protected against backflow  
vertical and horizontal installation



35 034 000 chrome 215.00

**Grotherm F**  
**Rough-in for wall shower union 27 621**  
for grid installation of Grotherm Custom Shower system  
built-in box with removable protection cover  
waterproof membrane base for wall sealing  
flushing plug  
for masonry and drywall installation  
fixing points for front and back wall  
aramã DR  
1/2" connections  
installation depth 70 - 95 mm




27 057 000 chrome 52.00  
27 057 DC0 supersteel 63.00  
27 057 LS0 moon white/chrome 63.00  
27 057 \*\*\* SPA colours 71.00

**Rainshower**  
**Shower outlet elbow, 1/2"**  
male thread  
with round escutcheon  
protected against backflow  
**GROHE StarLight** chrome finish


\*\*\* SPA colours:

● BE ● GL ● DA ● A0  
● EN ● GN ● DL ● AL




27 076 000 chrome 52.00  
27 076 LS0 moon white 62.00

**Rainshower**  
**Shower outlet elbow**  
male thread  
with square escutcheon  
protected against backflow  
**GROHE StarLight** chrome finish



27 707 000 chrome 51.00









**Allure Brilliant**  
**Shower outlet elbow, 1/2"**  
male thread  
protected against backflow  
metal  
**GROHE StarLight** chrome finish



27 704 000 chrome 30.00

**Euphoria Cube**  
**Shower outlet elbow, 1/2"**  
male thread  
protected against backflow  
**GROHE StarLight** chrome finish

# GROHE SHOWER ACCESSORIES











	Ref. No.	Colour	Price netto (€)
 	<b>26 370 000</b> <b>Euphoria Cube</b> <b>Shower outlet elbow, 1/2"</b> with wall shower holder male thread protected against backflow <b>GROHE StarLight</b> finish	chrome	38.00
 	<b>28 671 000</b> <b>Relaxa</b> <b>Shower outlet elbow, 1/2"</b> male thread suitable for the Relaxa plus hand sprays Single (28 212) Exquisit (28 215) Duo (28 419) Duo (28 261) Trio (28 421) Trio (28 578) <b>GROHE StarLight</b> chrome finish	chrome	31.00
	<b>28 680 000</b> ditto, protected against backflow	chrome	46.00
 	<b>28 626 000</b> <b>Relaxa</b> <b>Shower outlet elbow, 1/2"</b> shower connection 1/2" wall connection 1/2" male thread <b>GROHE StarLight</b> chrome finish with matt chrome cap	chrome	32.00
	<b>28 678 000</b> ditto, protected against backflow	chrome	29.00
	<b>28 636 000</b> ditto, for IG-combination	chrome	37.00
 	<b>28 628 000</b> <b>Relaxa</b> <b>Shower outlet elbow, 1/2"</b> with wall shower holder male thread <b>GROHE StarLight</b> chrome finish	chrome	32.00
	<b>28 679 000</b> ditto, protected against backflow	chrome	53.00

# GROHE SHOWER ACCESSORIES

Ref. No.













Colour

Price netto (€)

		<p><b>27 136 001</b></p> <p><b>Rainshower</b> <b>Shower rail, 1150 mm</b> with wall holders made of metal glide element and swivel holder adjustable distance between wall shower holders for adaption to existing drillings <b>GROHE StarLight</b> chrome finish</p>	<p>chrome</p>	<p>155.00</p>
		<p><b>27 784 000</b></p> <p><b>Power&amp;Soul</b> <b>Shower rail, 600 mm</b> with wall holders made of metal glide element and swivel holder <b>GROHE QuickFix</b> (adjustable distance between wall shower holders for adaption to existing drillings) <b>GROHE StarLight</b> chrome finish</p>	<p>chrome</p>	<p>102.00</p>
		<p><b>27 785 000</b> <b>27 785 DA0</b> ditto, 900 mm</p>	<p>chrome warm sunset</p>	<p>106.00 133.00</p>
		<p><b>28 620 000</b></p> <p><b>Relaxa</b> <b>Shower rail, 600 mm</b> Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device hight adjustment by click stop <b>GROHE StarLight</b> chrome finish</p>	<p>chrome</p>	<p>78.00</p>
		<p><b>28 621 000</b></p> <p><b>Relaxa</b> <b>Shower rail, 1000 mm</b> Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device hight adjustment by click stop <b>GROHE StarLight</b> chrome finish</p>	<p>chrome</p>	<p>128.00</p>
		<p><b>28 587 000</b></p> <p><b>Relaxa</b> <b>Shower rail, 900 mm</b> with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device hight adjustment by click stop <b>GROHE StarLight</b> chrome finish</p>	<p>chrome</p>	<p>196.00</p>

SHOWERS

# GROHE SHOWER ACCESSORIES







		Ref. No.	Colour	Price netto (€)
		27 892 000	chrome	192.00
		<b>Euphoria Cube</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder GROHE StarLight chrome finish		
		27 841 000	chrome	172.00
		<b>ditto, 900mm</b>		
		27 499 000	chrome	48.00
		<b>Euphoria</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) GROHE StarLight chrome finish		
		27 500 000	chrome	51.00
		<b>ditto, 900 mm</b>		
		27 519 000	chrome	51.00
		<b>Tempesta Rustic</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 520 000	chrome	55.00
		<b>ditto, 900 mm</b>		
		27 521 000	chrome	51.00
		<b>Tempesta Cosmopolitan</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 522 000	chrome	52.00
		<b>ditto, 900 mm</b>		
		27 523 000	chrome	46.00
		<b>Tempesta</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 524 000	chrome	49.00
		<b>ditto, 900 mm</b>		
		45 914 XE0	gray night time	3.10
		<b>Compensation disc</b>		



# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	<b>45 406 000</b> <b>Compensation disc</b> (for shower rails 28 600/28 601/28 666)	chrome	6.20
 	<b>45 459 000</b> <b>Compensation disc</b> for shower rail 28 620/28 621	chrome	14.50
 	<b>48 051 000</b> <b>Compensation disc</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500	chrome	6.30
 	<b>27 845 000</b> <b>Euphoria Cube</b> <b>Compensation disc</b> for Euphoria Cube shower bars 27 892 000 / 27 841 000	chrome	1.10
 	<b>26 385 000</b> <b>Rainshower SmartControl</b> <b>Compensation disc</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable	chrome	14.00
 	<b>28 856 000</b> <b>Soap dish</b> acrylic, clear for Relexa shower rails (28 820 and 28 666) <b>GROHE StarLight</b> chrome finish	chrome	32.00

# GROHE SHOWER ACCESSORIES











	Ref. No.	Colour	Price netto (€)
 	<b>28 631 000</b> <b>Relexa</b> <b>Soap dish</b> for shower rail 28 620/28 621 <b>GROHE StarLight</b> chrome finish	chrome	31.00
 	<b>27 206 000</b> <b>Soap dish</b> transparent surface in parts with eroded structure for shower rail Ø 22 or 25 mm	chrome	19.50
 	<b>27 596 000</b> <b>GROHE EasyReach tray</b> Acrylic for Tempesta and Euphoria shower rails Ø 22 mm	chrome	6.50

# GROHE SHOWER ACCESSORIES

Ref. No.

Colour

Price netto (€)

		<p><b>27 320 000</b></p> <p><b>Riser pipe 1300 mm</b> with compression coupling 3/4" wall support with compensation piece <b>GROHE StarLight</b> chrome finish</p>	<p><b>chrome</b></p>	<p><b>118.00</b></p>
		<p><b>27 304 000</b></p> <p><b>Riser pipe 1300 mm</b> shower riser Ø 18 mm union nut 3/4" 1300 mm high projection 330 mm <b>GROHE StarLight</b> chrome finish</p>	<p><b>chrome</b></p>	<p><b>71.00</b></p>
		<p><b>28 708 000</b></p> <p><b>Pipe clip</b> for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin for fixing with wooden screws <b>GROHE StarLight</b> chrome finish</p>	<p><b>chrome</b></p>	<p><b>100.00</b></p>
		<p><b>28 788 000</b></p> <p><b>Relaxa</b> <b>Hand shower cradle</b> for wall mixers for mounting on top of the union nut 3/4" <b>GROHE StarLight</b> chrome finish</p>	<p><b>chrome</b></p>	<p><b>110.00</b></p>
		<p><b>28 389 000</b></p> <p><b>Sena</b> <b>Adapter 1/2" x 1/2"</b> metal for use with hand shower holder or shower rail <b>GROHE StarLight</b> chrome finish</p>	<p><b>chrome</b></p>	<p><b>75.00</b></p>

# GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	Price netto (€)
	<b>28 812 000</b> <b>Adapter 1/2" x 1/2"</b> black (to combine hand showers of other manufacturers with Relexa shower rails)	black	4.40
	<b>28 813 000</b> <b>Adapter 1/2" x 1/2"</b> white (to combine hand showers of other manufacturers with Relexa shower rails)	white	4.70
	<b>28 635 XX0</b> <b>Relexa Coupling piece</b> as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece	dark grey	5.60
	<b>28 634 XX0</b> <b>Relexa Quick coupling</b> for combination with average showers without integrated <b>Grohclick</b> with new system only in connection with coupling piece (28 635/28 637)	dark grey	39.00
	<b>28 874 000</b> <b>T connection, 1/2"</b> for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE StarLight</b> chrome finish	chrome	52.00
	<b>28 988 000</b> <b>Drain down valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE StarLight</b> chrome finish	chrome	59.00

# GROHE SHOWER ACCESSORIES

Ref. No.

Colour

Price netto (€)



28 799 000

chrome

113.00

**Diverter**  
**GROHE StarLight** chrome finish

SHOWERS

GROHE  
KITCHEN FITTINGS







## CONTENTS

Water systems	GROHE Blue Professional	427
	GROHE Blue Home	433
	GROHE Blue Pure	443
	GROHE Blue accessories	449
	GROHE Red	453
	Premium lines	K7
Competence lines	FootControl	461
	Minta / Minta Touch	463
	Zedra / Zedra Touch	469
	Atrio	473
	Essence	475
	Eurocube	477
	Eurodisc Cosmopolitan	479
	Eurodisc	481
	Concetto	483
	Eurostyle Cosmopolitan	487
Kitchen sinks	Eurosmart Cosmopolitan	491
	Eurosmart	495
	Euroeco / Euroeco Special	499
	Costa	501
	Bau Lines	503
	Soap dispensers	505
	Stainless steel sinks	507
	Composite sinks	517



# GROHE BLUE PROFESSIONAL



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 323 002	chrome	2,210.00
31 323 DC2	supersteel	2,540.00

## GROHE Blue Professional

### C-spout kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

### single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

### GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 347 003	chrome	2,210.00
31 347 DC3	supersteel	2,540.00

## GROHE Blue Professional

### L-spout kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

### single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

### GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 325 002	chrome	2,430.00
31 325 DC2	supersteel	2,800.00

## GROHE Blue Professional C-spout kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

### single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

### GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication


for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the  
delivery and have to be ordered separately



### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 326 002	chrome	2,430.00
31 326 DC2	supersteel	2,800.00

## GROHE Blue Professional

### L-spout kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

### single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

### GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 302 002	chrome	2,140.00
31 302 DC2	supersteel	2,460.00

## GROHE Blue Professional

### C-spout kit

consisting of:

**GROHE Blue** Mono faucet with filter function

### single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 150°

**GROHE Blue Professional** cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication


for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the  
delivery and have to be ordered separately



### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE BLUE HOME



31 455 001	chrome	1,700.00
31 455 DC1	supersteel	1,950.00
31 455 DA1	warm sunset	*
31 455 DL1	brushed warm sunset	*
31 455 A01	hard graphite	*
31 455 AL1	brushed hard graphite	*

## GROHE Blue Home

### C-spout Starter kit

consisting of:

GROHE Blue Home single-lever sink mixer with filter function

#### single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water

still, medium, sparkling

**GROHE StarLight** finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Home** cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

**GROHE Blue** filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle



### System requirements

#### Apple

iPhone with iOS 9.0 or higher

### System requirements

#### Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

# GROHE BLUE HOME

Ref. No.

Colour

Price netto (€)

31 455 DC0

supersteel

2,220.00

**GROHE Blue Home  
C-spout Starter kit**

consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
**single hole installation**

C-spout

push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Home** cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

**GROHE Blue** filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle



31 541 000	chrome	1,970.00
31 541 DC0	supersteel	*

**GROHE Blue Home  
C-spout Starter kit**

consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
**single hole installation**

C-spout  
push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** finish

**GROHE SilkMove** 28 mm ceramic cartridge

pull out mousseur  
swivel tubular spout  
swivel area 360°  
separate inner water ways for filtered  
and non-filtered water  
flexible connection hoses

**GROHE Blue Home** cooler

delivers 3 liters of chilled water per hour  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
CE approved

requires ventilation holes in the bottom of the kitchen cabinet  
software set-up and monitoring of filter and CO<sub>2</sub> capacity  
possible via GROHE Ondus app  
with Bluetooth 4.0\* and WIFI interface for wireless data communication  
for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used  
materials and walls between transmitter and receiver  
adjustable for GROHE Blue filter S-Size, GROHE Blue activated  
carbon filter and GROHE Blue magnesium+ filter

**GROHE Blue** filter S-Size, filter head with  
flexible water hardness adjustment  
for regions with water hardness of more than 9° dKH  
for regions with water hardness below 9° dKH please  
order activated carbon filter 40 547 001  
**GROHE Blue** 425 g CO<sub>2</sub> bottle

**System requirements**

**Apple**

iPhone with iOS 9.0 or higher

**System requirements**

**Android**

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have  
to be ordered separately via an authorised Apple store/store/iTunes or Google Play  
store.

\* The Bluetooth word mark and logos are registered trademarks owned by  
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.  
Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of  
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for  
the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
This product includes an article which is declared as a hazardous  
substance. Find more information in the safety data sheet. You can  
download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)





31 454 001	chrome	1,700.00
31 454 DC1	supersteel	*
31 454 DA1	warm sunset	*
31 454 DL1	brushed warm sunset	*
31 454 A01	hard graphite	*
31 454 AL1	brushed hard graphite	*

### GROHE Blue Home

#### L-spout Starter kit

consisting of:

GROHE Blue Home single-lever sink mixer with filter function

#### single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Home** cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

**GROHE Blue** filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

#### System requirements Apple

iPhone with iOS 9.0 or higher

#### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



31 539 000	chrome	1,970.00
31 539 DC0	supersteel	*

**GROHE Blue Home  
L-spout Starter kit**

consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
**single hole installation**

L-spout  
push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

**GROHE StarLight** finish

**GROHE SilkMove** 28 mm ceramic cartridge

pull out mousseur  
swivel tubular spout  
swivel area 360°  
separate inner water ways for filtered  
and non-filtered water  
flexible connection hoses

**GROHE Blue Home** cooler

delivers 3 liters of chilled water per hour  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
CE approved

requires ventilation holes in the bottom of the kitchen cabinet  
software set-up and monitoring of filter and CO<sub>2</sub> capacity  
possible via GROHE Ondus app  
with Bluetooth 4.0\* and WIFI interface for wireless data communication  
for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on used  
materials and walls between transmitter and receiver  
adjustable for GROHE Blue filter S-Size, GROHE Blue activated  
carbon filter and GROHE Blue magnesium+ filter

**GROHE Blue** filter S-Size, filter head with  
flexible water hardness adjustment  
for regions with water hardness of more than 9° dKH  
for regions with water hardness below 9° dKH please  
order activated carbon filter 40 547 001  
**GROHE Blue** 425 g CO<sub>2</sub> bottle

**System requirements**

**Apple**

iPhone with iOS 9.0 or higher

**System requirements**

**Android**

smart phone with Android 4.3 or higher


Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



# GROHE BLUE HOME

Ref. No. Colour Price netto (€)

31 456 001 chrome 1,700.00  
31 456 DC1 supersteel \*

## GROHE Blue Home U-spout Starter kit

consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
**single hole installation**

U - spout  
push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

### GROHE StarLight finish

**GROHE SilkMove** 28 mm ceramic cartridge  
swivel tubular spout  
swivel area 150°

separate inner water ways for filtered  
and non-filtered water  
flexible connection hoses

### GROHE Blue Home cooler

delivers 3 liters of chilled water per hour  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
CE approved

requires ventilation holes in the bottom of the kitchen cabinet  
software set-up and monitoring of filter and CO<sub>2</sub> capacity  
possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication  
for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on used  
materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated  
carbon filter and GROHE Blue magnesium+ filter  
**GROHE Blue** filter S-Size, filter head with  
flexible water hardness adjustment  
for regions with water hardness of more than 9° dKH  
for regions with water hardness below 9° dKH please  
order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements

#### Apple

iPhone with iOS 9.0 or higher

### System requirements

#### Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have  
to be ordered separately via an authorised Apple store/store/iTunes or Google Play  
store.

\* The Bluetooth word mark and logos are registered trademarks owned by  
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.  
Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of  
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for  
the function of this device or its compliance with safety and regulatory standards.


\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous  
substance. Find more information in the safety data sheet. You can  
download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



# GROHE BLUE HOME

Ref. No.	Colour	Price netto (€)
31 543 000	chrome	1,970.00
31 543 DC0	supersteel	2,270.00



## GROHE Blue Home U-spout Starter kit

consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
**single hole installation**

U - spout  
push buttons for 3 types of filtered and chilled table water  
still, medium, sparkling

### GROHE StarLight finish

### GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur  
swivel tubular spout  
swivel area 360°  
separate inner water ways for filtered  
and non-filtered water  
flexible connection hoses

### GROHE Blue Home cooler

delivers 3 liters of chilled water per hour  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
CE approved

requires ventilation holes in the bottom of the kitchen cabinet  
software set-up and monitoring of filter and CO<sub>2</sub> capacity  
possible via GROHE Ondus app  
with Bluetooth 4.0\* and WIFI interface for wireless data communication  
for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on used  
materials and walls between transmitter and receiver  
adjustable for GROHE Blue filter S-Size, GROHE Blue activated  
carbon filter and GROHE Blue magnesium+ filter

**GROHE Blue** filter S-Size, filter head with  
flexible water hardness adjustment  
for regions with water hardness of more than 9° dKH  
for regions with water hardness below 9° dKH please  
order activated carbon filter 40 547 001  
**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements

#### Apple

iPhone with iOS 9.0 or higher

### System requirements

#### Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

# GROHE BLUE HOME

Ref. No. Colour Price netto (€)

31 498 001	chrome	*
31 498 DC1	supersteel	*
31 498 DA1	warm sunset	*
31 498 DL1	brushed warm sunset	*
31 498 A01	hard graphite	*
31 498 AL1	brushed hard graphite	*

## GROHE Blue Home

### Mono Starter kit

consisting of:

GROHE Blue Home Mono faucet with filter function

### single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water

still, medium, sparkling

**GROHE StarLight** finish

swivel tubular spout

swivel area 150°

**GROHE Blue Home** cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity

possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

**GROHE Blue** filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements

#### Apple

iPhone with iOS 9.0 or higher

### System requirements

#### Android

smart phone with Android 4.3 or higher


Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



# GROHE BLUE PURE






# GROHE BLUE PURE


Ref. No. Colour Price netto (€)

33 249 001 chrome 745.00  
33 249 DC1 supersteel 879.00




**GROHE Blue Pure Starter Kit**  
consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
**single hole installation**  
C-spout  
separate handle for filtered water  
headpart 1/2"  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 180°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 21  
main switching power supply 100 - 240 V AC  
50/60 Hz with safety extra-low voltage (SELV)  
6 V DC to filter change display unit  
**GROHE Blue** size S filter, filter head with flexible adjustment  
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

33 251 000 chrome 471.00



**GROHE Blue Single-lever sink mixer 1/2" Bi-Flow**  
C-spout  
**single hole installation**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
metal lever  
adjustable flow rate limiter  
swivel tubular spout  
separate inner water ways for filtered and non-filtered water  
with integrated drinking water outlet  
with ceramic headpart to shut off drinking water  
mousseur  
flexible connection hoses  
filter for drinking water not included in delivery  
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

31 299 001 chrome 727.00  
31 299 DC1 supersteel 879.00




**GROHE Blue Pure Starter Kit**  
consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
**single hole installation**  
U - spout  
separate handle for filtered water  
headpart 1/2"  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 180°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 21  
main switching power supply 100 - 240 V AC  
50/60 Hz with safety extra-low voltage (SELV)  
6 V DC to filter change display unit  
**GROHE Blue** size S filter, filter head with flexible adjustment  
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

# GROHE BLUE PURE

Ref. No. Colour Price netto (€)

31 345 002 chrome 887.00  
31 345 DC2 supersteel 888.00



**GROHE Blue Pure Minta Starter Kit**

consisting of:  
GROHE Blue Minta single-lever sink mixer with filter function

**single hole installation**  
separate handle for filtered water headpart 1/2"

**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter


swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses type of protection IP 21

main switching power supply 100 - 240 V AC 50/60 Hz with safety extra-low voltage (SELV) 6 V DC to filter change display unit

**GROHE Blue** size S filter, filter head with flexible adjustment adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

KITCHEN FITTINGS



31 301 001 chrome 701.00

**GROHE Blue Pure Mono Starter Kit**

consisting of:  
GROHE Blue Minta Mono faucet with filter function

**single hole installation**  
handle for filtered table water

**GROHE StarLight** finish  
swivel tubular spout swivel area 150°

flexible connection hoses type of protection IP 21

main switching power supply 100 - 240 V AC 50/60 Hz with safety extra-low voltage (SELV) 6 V DC to filter change display unit

**GROHE Blue** size S filter, filter head with flexible adjustment

30 382 000 chrome \*  
30 382 DC0 supersteel \*



**GROHE Blue Pure Minta Starter Kit**

consisting of:  
GROHE Blue single-lever sink mixer with filter function

**single hole installation**  
L-spout pull out mousseur separate handle for filtered water headpart 1/2"

**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge swivel tubular spout swivel area 360°

separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head


GROHE Blue activated carbon filter for premium taste capacity 3000 l filter exchange timer including 2 x AA batteries

# GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



30 383 000

chrome

\*

## GROHE Blue Pure Eurosmart Starter Kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

**single hole installation**

C-spout

separate handle for filtered water  
headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l

filter exchange timer including 2 x AA batteries



30 385 000

chrome

\*

## GROHE Blue Pure BauCurve Starter Kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

**single hole installation**

C-spout

separate handle for filtered water  
headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l

filter exchange timer including 2 x AA batteries



30 387 000

chrome

\*

## GROHE Blue Pure Mono Starter Kit

consisting of:

**GROHE Blue** Mono faucet with filter function

**single hole installation**

C-spout

handle for filtered table water

headpart 1/2"

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 360°

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l


filter exchange timer including 2 x AA batteries

# GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



30 393 000

chrome

\*

## GROHE Blue Pure Minta Starter Kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

**single hole installation**

L-spout

pull out mousseur

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 46 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries



30 384 000

chrome

\*

## GROHE Blue Pure Eurosmart Starter Kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

**single hole installation**

C-spout

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries



30 386 000

chrome

\*

## GROHE Blue Pure BauCurve Starter Kit

consisting of:

**GROHE Blue** single-lever sink mixer  
with filter function

**single hole installation**

C-spout

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l


flow meter for filter lifetime measurement including 2 x AA batteries

# GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



30 388 000

chrome

\*

**GROHE Blue Pure Mono  
Starter Kit**

consisting of:

**GROHE Blue** Mono faucet with filter function  
**single hole installation**

C-spout

handle for filtered table water

headpart 1/2"

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 360°

flexible connection hoses

**GROHE Blue** filter head

**GROHE Blue** Ultrasafe filter for bacteria filtration and premium taste  
capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries



31 721 000

chrome

\*

31 721 DC0

supersteel

\*

**GROHE Blue Pure Minta**

**Single-lever sink mixer with filter function  
single hole installation**

L-spout

pull out mousseur

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 46 mm ceramic cartridge


swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses



31 722 000

chrome

\*

**GROHE Blue Pure Eurosmart**

**Single-lever sink mixer with filter function  
single hole installation**

C-spout

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge


swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses



31 723 000

chrome

\*

**GROHE Blue Pure BauCurve**

**Single-lever sink mixer with filter function  
single hole installation**

C-spout

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 28 mm ceramic cartridge


swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses



31 724 000

chrome

\*

**GROHE Blue Pure Mono**

**Mono faucet with filter function  
single hole installation**

C-spout

handle for filtered table water

headpart 1/2"

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 360°












flexible connection hoses

# GROHE BLUE ACCESSORIES













# GROHE BLUE ACCESSORIES

		Ref. No.	Colour	Price netto (€)
		<b>40 848 000</b> <b>GROHE Blue Drinking bottle</b> Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml	chrome	8.33
		<b>40 848 SD0</b> <b>GROHE Blue Thermo drinking bottle</b> stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml	stainless steel	12.49
		<b>40 405 000</b> <b>GROHE Blue Glass carafe</b> crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1.0 l	chrome	29.16
		<b>40 437 000</b> <b>GROHE Blue Water glasses (6 pieces)</b> crystal glasses with GROHE Blue decor dish washer safe volume 250 ml	chrome	29.16
		<b>46 717 000</b> <b>Pressure indicator</b> for GROHE Blue including adapters for 425 g and 2 kg CO <sub>2</sub> bottles	chrome	209.00
		<b>40 452 000</b> <b>GROHE Blue Pressure reducing valve</b> for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure	chrome	25.00


# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	<b>40 621 000</b> <b>GROHE Blue</b> <b>Shorter mixed water lever</b> for GROHE Blue and GROHE Red faucets to avoid hitting the lever to the backwall of the kitchen in warm water position fits to: - 31 323 001 / DC1 - 31 324 001 / DC1 - all GROHE Red Duo faucets	chrome	26.00
	<b>40 404 001</b> <b>GROHE Blue</b> <b>Filter S-Size</b> BWT replacement filter for GROHE Blue capacity 600 l at 20° dKH 5-phases filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure	chrome	58.33
	<b>40 430 001</b> <b>ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high</b>	chrome	108.33
	<b>40 412 001</b> <b>ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high</b>	chrome	141.66
	<b>40 547 001</b> <b>GROHE Blue</b> <b>Active carbon filter</b> BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH capacity 3000 l 3-phases filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure	chrome	74.99
	<b>40 691 001</b> <b>GROHE Blue</b> <b>Magnesiumfilter</b> BWT replacement filter for GROHE Blue for recharge of the water with magnesium capacity 400 l at 17° dGH 5-phases filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure	chrome	58.33
	<b>40 575 001</b> <b>GROHE Blue UltraSafe</b> <b>Filter</b> exchange filter for GROHE Blue UltraSafe capacity 3000 l 2-phase-filter	chrome	264.00
	<b>64 508 001</b> <b>GROHE Blue</b> <b>filter head</b> for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately	chrome	64.38

KITCHEN  
FITTINGS

# GROHE BLUE ACCESSORIES

Ref. No. Colour Price netto (€)



40 434 001 chrome 33.33

**GROHE Blue Cleaning cartridge**  
for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including sprayhead  
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately  
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



40 694 000 chrome 24.99

**GROHE Blue cleaning cartridge adapter**  
for GROHE Blue BWT Filterhead 64 508 001  
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately




40 422 000 chrome 66.66

**GROHE Blue Starter kit 425 g CO<sub>2</sub> bottles (4 pieces)**  
carbondioxid from natural sources for food and beverage (E290)  
Purity: CO<sub>2</sub> 99.9 % v/v min.  
volume 1 bottle: 425 g, for up to 60 l of sparkling water  
for refilling please order 40 687 000  
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



40 687 000 chrome 29.16

**GROHE Blue Refill 425 g CO<sub>2</sub> bottles (4 pieces)**  
carbondioxid from natural sources for food and beverage (E290)  
Purity: CO<sub>2</sub> 99.9 % v/v min.  
volume 1 bottle: 425 g, for up to 60 l of sparkling water  
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



40 423 000 chrome 99.99

**GROHE Blue Starter kit 2 kg CO<sub>2</sub> bottle**  
carbondioxid from natural sources for food and beverage (E290)  
Purity: CO<sub>2</sub> 99.9 % v/v min.  
volume 1 bottle: 2 kg, up to 350 l sparkling water  
integrated shut-off valve and safety carrier handle  
for refilling please order 40 424 000  
not suitable for the GROHE Blue Home cooler

# GROHE RED



Ref. No.

Colour


Price netto (€)

30 079 001  
30 079 DC1

chrome  
supersteel

1,620.00  
1,800.00

**GROHE Red Duo**  
**Faucet and L size boiler**  
consisting of:  
**GROHE Red Duo single-lever sink mixer**  
**single hole installation**  
C-spout  
**GROHE ChildLock** push buttons for boiling water  
TÜV certified triple electronic safeguards against accidental activation of boiling water  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 28 mm ceramic cartridge  
insulated tubular spout  
swivel area 150°  
separate water ways  
flexible connection hoses  
connection for GROHE Red boiler  
**GROHE Red boiler L size**  
reservoir for boiling and hot water  
5.5 liter 100° C boiling water  
7 liter total capacity  
required inlet pressure: 1-7 bar  
with flexible connection hose and outlet for boiling water  
CE approved  
power supply 230 V 50 Hz  
power consumption 2100 W  
standby power consumption 15 W  
energy efficiency class A  
**GROHE Red filter set**  
for protection of the boiler from limescale  
capacity 600 l at 20° dKH  
5 phase filter  
flow rate measuring unit




30 325 001  
30 325 DC1

chrome  
supersteel

1,570.00  
1,800.00

**GROHE Red Duo**  
**Faucet and L size boiler**  
consisting of:  
**GROHE Red Duo single-lever sink mixer**  
**single hole installation**  
L-spout  
**GROHE ChildLock** push buttons for boiling water  
TÜV certified triple electronic safeguards against accidental activation of boiling water  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 28 mm ceramic cartridge  
insulated tubular spout  
swivel area 150°  
separate water ways  
flexible connection hoses  
connection for GROHE Red boiler  
**GROHE Red boiler L size**  
reservoir for boiling and hot water  
5.5 liter 100° C boiling water  
7 liter total capacity  
required inlet pressure: 1-7 bar  
with flexible connection hose and outlet for boiling water  
CE approved  
power supply 230 V 50 Hz  
power consumption 2100 W  
standby power consumption 15 W  
energy efficiency class A  
**GROHE Red filter set**  
for protection of the boiler from limescale  
capacity 600 l at 20° dKH  
5 phase filter  
flow rate measuring unit



30 083 001	chrome	1,500.00
30 083 DC1	supersteel	1,670.00
30 083 DA1	warm sunset	*
30 083 DL1	brushed warm sunset	*
30 083 A01	hard graphite	*
30 083 AL1	brushed hard graphite	*

**GROHE Red Duo**  
**Faucet and M size boiler**  
 consisting of:  
**GROHE Red Duo single-lever sink mixer**  
**single hole installation**

C-spout  
**GROHE ChildLock** push buttons for boiling water  
 TÜV certified triple electronic safeguards against accidental activation of boiling water


**GROHE StarLight** chrome finish  
**GROHE SilkMove** 28 mm ceramic cartridge  
 insulated tubular spout  
 swivel area 150°

separate water ways  
 flexible connection hoses  
 connection for GROHE Red boiler

**GROHE Red boiler M size**  
 reservoir for boiling and hot water  
 3 liter 100° C boiling water  
 4 liter total capacity  
 required inlet pressure: 1-7 bar  
 with flexible connection hose and outlet for boiling water

CE approved  
 power supply 230 V 50 Hz  
 power consumption 2100 W  
 standby power consumption 15 W  
 energy efficiency class A

**GROHE Red filter set**  
 for protection of the boiler from limescale  
 capacity 600 l at 20° dKH  
 5 phase filter  
 flow rate measuring unit



30 327 001	chrome	1,450.00
30 327 DC1	supersteel	1,670.00
30 327 DA1	warm sunset	*
30 327 DL1	brushed warm sunset	*
30 327 A01	hard graphite	*
30 327 AL1	brushed hard graphite	*

**GROHE Red Duo**  
**Faucet and M size boiler**  
 consisting of:  
**GROHE Red Duo single-lever sink mixer**  
**single hole installation**

L-spout  
**GROHE ChildLock** push buttons for boiling water  
 TÜV certified triple electronic safeguards against accidental activation of boiling water


**GROHE StarLight** chrome finish  
**GROHE SilkMove** 28 mm ceramic cartridge  
 insulated tubular spout  
 swivel area 150°

separate water ways  
 flexible connection hoses  
 connection for GROHE Red boiler

**GROHE Red boiler M size**  
 reservoir for boiling and hot water  
 3 liter 100° C boiling water  
 4 liter total capacity  
 required inlet pressure: 1-7 bar  
 with flexible connection hose and outlet for boiling water


CE approved  
 power supply 230 V 50 Hz  
 power consumption 2100 W  
 standby power consumption 15 W  
 energy efficiency class A

**GROHE Red filter set**  
 for protection of the boiler from limescale  
 capacity 600 l at 20° dKH  
 5 phase filter  
 flow rate measuring unit






30 080 001 **chrome** 1,500.00



**GROHE Red Mono**  
**Pillar tap and L size boiler**  
consisting of:  
**GROHE Red Mono pillar tap**  
**single hole installation**  
C-spout  
**GROHE ChildLock** push buttons for boiling water  
TÜV certified triple electronic safeguards against accidental activation of boiling water  
**GROHE StarLight** chrome finish  
insulated tubular spout  
swivel area 150°  
connection for GROHE Red boiler  
**GROHE Red boiler L size**  
reservoir for boiling and hot water  
5.5 liter 100° C boiling water  
7 liter total capacity  
required inlet pressure: 1-7 bar  
with flexible connection hose and outlet for boiling water  
CE approved  
power supply 230 V 50 Hz  
power consumption 2100 W  
standby power consumption 15 W  
energy efficiency class A  
**GROHE Red filter set**  
for protection of the boiler from limescale  
capacity 600 l at 20° dKH  
5 phase filter  
flow rate measuring unit

30 085 001 **chrome** 1,340.00  
30 085 DC1 **supersteel** \*  
30 085 DA1 **warm sunset** \*  
30 085 DL1 **brushed warm sunset** \*  
30 085 A01 **hard graphite** \*  
30 085 AL1 **brushed hard graphite** \*

**GROHE Red Mono**  
**Pillar tap and M size boiler**  
consisting of:  
**GROHE Red Mono pillar tap**  
**single hole installation**  
C-spout  
**GROHE ChildLock** push buttons for boiling water  
TÜV certified triple electronic safeguards against accidental activation of boiling water  
**GROHE StarLight** chrome finish  
insulated tubular spout  
swivel area 150°  
connection for GROHE Red boiler  
**GROHE Red boiler M size**  
reservoir for boiling and hot water  
3 liter 100° C boiling water  
4 liter total capacity  
required inlet pressure: 1-7 bar  
with flexible connection hose and outlet for boiling water  
CE approved  
power supply 230 V 50 Hz  
power consumption 2100 W  
standby power consumption 15 W  
energy efficiency class A  
**GROHE Red filter set**  
for protection of the boiler from limescale  
capacity 600 l at 20° dKH  
5 phase filter  
flow rate measuring unit




# GROHE RED

Ref. No. Colour Price netto (€)

30 339 001 chrome 1,340.00  
30 339 DC1 supersteel 1,540.00

**GROHE Red Mono**  
**Pillar tap and M size boiler**  
consisting of:  
**GROHE Red Mono pillar tap**  
**single hole installation**




L-spout  
**GROHE ChildLock** push buttons for boiling water  
TÜV certified triple electronic safeguards against accidental activation of boiling water  
**GROHE StarLight** chrome finish  
insulated tubular spout  
swivel area 150°  
connection for GROHE Red boiler  
**GROHE Red boiler M size**  
reservoir for boiling and hot water  
3 liter 100° C boiling water  
4 liter total capacity  
required inlet pressure: 1-7 bar  
with flexible connection hose and outlet for boiling water  
CE approved  
power supply 230 V 50 Hz  
power consumption 2100 W  
standby power consumption 15 W  
energy efficiency class A  
**GROHE Red filter set**  
for protection of the boiler from limescale  
capacity 600 l at 20° dKH  
5 phase filter  
flow rate measuring unit

40 841 001 chrome 113.00




**GROHE Red**  
**Mixing valve**  
for thermostatic mixing of mains and boiling water to generate warm water  
adjustable between 35°C and 75°C  
hot fill and cold fill installation possible  
including 70 cm connection hose, manifold and wall fixation

40 438 001 chrome 277.00



**GROHE Red**  
**Filter with filter head**  
for regions with water hardness higher 12° KH  
turn before GROHE Red boiler  
flexible connection hoses  
filter 600 l

40 919 SD0 stainless steel 14.99




**GROHE Red**  
**Thermo drinking bottle**  
stainless steel bottle with GROHE Red decor  
double-walled  
lid with strap  
with tea strainer  
volume 450 ml

KITCHEN  
FITTINGS

# GROHE RED

Ref. No. Colour Price netto (€)

40 432 000 chrome 24.99




**GROHE Red**  
**Tea glasses (4 pieces)**  
heat proof glass with GROHE Red decor  
dish washer safe  
volume 250 ml

# GROHE K7




# GROHE K7

Ref. No. Colour Price netto (€)




32 950 000	chrome	736.00
32 950 DC0	supersteel	817.00
32 950 A00	hard graphite	*
32 950 AL0	brushed hard graphite	*

**K7**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
**GROHE StarLight finish**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/**SpeedClean** shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar



31 379 000	chrome	690.00
31 379 DC0	supersteel	920.00
31 379 A00	hard graphite	*
31 379 AL0	brushed hard graphite	*

**K7**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
**GROHE StarLight finish**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/**SpeedClean** shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar



32 176 000	chrome	645.00
32 176 DC0	supersteel	838.00

**K7**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
**GROHE StarLight finish**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 pull-out dual spray control -  
 switches back and forth between  
 regular flow and spray  
 diverter: mousseur/**SpeedClean** shower jet  
 automatic return to mousseur  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar

# GROHE FOOTCONTROL






# GROHE FOOTCONTROL

Ref. No.

Colour

Price netto (€)




30 312 000  
30 312 DC0

chrome  
supersteel

997.00  
1,080.00

**K7 Foot Control**  
**Electronic single-lever sink mixer 1/2"**  
**medium spout**

Foot control: activation of water via contact with sensor  
battery supply 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically safety stop after 60 sec. (factory set)  
type of protection IP 44  
**GROHE SilkMove** 35 mm ceramic cartridge  
professional spray  
diverter: mousseur/**SpeedClean** shower jet  
automatic return to mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system





30 311 000  
30 311 DC0

chrome  
supersteel

663.00  
623.00

**Essence Foot Control**  
**Electronic single-lever sink mixer 1/2"**  
**L-spout**

Foot control: activation of water via contact with sensor  
battery supply 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically safety stop after 60 sec. (factory set)  
type of protection IP 44  
**GROHE SilkMove** 28 mm ceramic cartridge  
flow strainer  
pull-out dual spray control -  
switches back and forth between  
regular flow and spray  
diverter: laminar spray/**SpeedClean** shower jet  
automatic return to laminar spray  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system



30 309 000

chrome

337.00

**FootControl**  
**Retro-fit set**


Foot control: activation of water via contact with sensor  
battery supply 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically safety stop after 60 sec. (factory set)  
type of protection IP 44  
upgrade set for GROHE pull-out kitchen faucets

# GROHE MINTA / MINTA TOUCH




# GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)




**31 360 001** chrome 594.00  
**31 360 DC1** supersteel 771.00

**Minta Touch**  
**Electronic single-lever sink mixer 1/2"**  
L-spout  
**Touch: activation of water via skin contact**  
battery supply 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically safety stop after 60 sec. (factory set)  
type of protection IP 44  
**GROHE SilkMove** 46 mm ceramic cartridge  
pull out mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system




**31 358 002** chrome 538.00  
**31 358 DC2** supersteel 699.00

**Minta Touch**  
**Electronic single-lever sink mixer 1/2"**  
C-spout  
**single hole installation**  
**Touch: activation of water via skin contact**  
battery supply 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically safety stop after 60 sec. (factory set)  
type of protection IP 44  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
pull-out dual spray  
diverter: laminar spray/**SpeedClean** shower jet  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system



**31 375 000** chrome 249.00  
**31 375 DC0** supersteel 287.00  
**31 375 DA0** warm sunset \*  
**31 375 DL0** brushed warm sunset \*  
**31 375 A00** hard graphite \*  
**31 375 AL0** brushed hard graphite \*

**Minta**  
**Single-lever sink mixer 1/2"**  
L-spout  
**GROHE StarLight** chrome finish  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout  
swivel range 0°/150°/360°  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar




**32 168 000** chrome 276.00  
**32 168 DC0** supersteel 335.00

**Minta**  
**Single-lever sink mixer 1/2"**  
L-spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
pull out mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valves  
protected against backflow  
flexible connection hoses  
rapid installation system


# GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)




30 274 000	chrome	328.00
30 274 DC0	supersteel	414.00
30 274 DA0	warm sunset	*
30 274 DL0	brushed warm sunset	*
30 274 A00	hard graphite	*
30 274 AL0	brushed hard graphite	*

**Minta**  
Single-lever sink mixer 1/2"  
L-spout  
single hole installation  
GROHE StarLight chrome finish  
GROHE SilkMove 46 mm ceramic cartridge  
flow strainer  
pull-out dual spray control -  
switches back and forth between  
regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar



32 917 000	chrome	233.00
32 917 DC0	supersteel	286.00
32 917 KS0	velvet black	278.00
32 917 DA0	warm sunset	*
32 917 DL0	brushed warm sunset	*
32 917 A00	hard graphite	*
32 917 AL0	brushed hard graphite	*

**Minta**  
Single-lever sink mixer 1/2"  
C-spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150° / 360°  
flexible connection hoses  
connector set 3/8"  
rapid installation system  
optional temperature limiter ref. no. 46 308 000



32 918 000	chrome	276.00
32 918 DC0	supersteel	370.00


**Minta**  
Single-lever sink mixer 1/2"  
C-spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
pull out mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar

32 918 00E	chrome	272.00
with GROHE EcoJoy 5.7 l/min. flow limiter		

KITCHEN  
FITTINGS

# GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)




32 321 002	chrome	234.00
32 321 DC2	supersteel	304.00
32 321 DA2	warm sunset	*
32 321 DL2	brushed warm sunset	*
32 321 A02	hard graphite	*
32 321 AL2	brushed hard graphite	*

**Minta**  
Single-lever sink mixer 1/2"  
C-spout  
single hole installation  
GROHE StarLight chrome finish  
GROHE SilkMove 46 mm ceramic cartridge  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar




30 348 001	chrome	234.00
------------	--------	--------

**Minta**  
Single-lever sink mixer 1/2"  
C-spout  
single hole installation  
GROHE SilkMove 46 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
shorter lever (71 mm)  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar



32 488 000	chrome	227.00
32 488 DC0	supersteel	244.00
32 488 DA0	warm sunset	*
32 488 DL0	brushed warm sunset	*
32 488 A00	hard graphite	*
32 488 AL0	brushed hard graphite	*

**Minta**  
Single-lever sink mixer 1/2"  
U - spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
adjustable flow rate limiter  
selectable swivel area : 0° / 150° / 360°  
swivel tubular spout  
flexible connection hoses  
rapid installation system  
optional temperature limiter ref. no. 46 308 000




32 067 000	chrome	279.00
------------	--------	--------

**Minta**  
Single-lever sink mixer 1/2"  
U - spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
pull out mousseur  
adjustable flow rate limiter  
swivel tubular spout, swivel area 360°  
integrated non-return valves  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar

# GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)



32 322 002	chrome	234.00
32 322 DC2	supersteel	304.00
32 322 DA2	warm sunset	*
32 322 DL2	brushed warm sunset	*
32 322 A02	hard graphite	*
32 322 AL2	brushed hard graphite	*

**Minta**  
Single-lever sink mixer 1/2"

U - spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

GROHE EasyDock guarantees easy retraction and

smooth docking back to the starting position

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

integrated non-return valve

protected against backflow

flexible connection hoses

rapid installation system

min. recommended pressure 1.0 bar

40 684 000	chrome	75.00
------------	--------	-------

**Minta**

**Lever**

for Minta single lever sink mixer





# GROHE ZEDRA / ZEDRA TOUCH



# GROHE ZEDRA / ZEDRA TOUCH

Ref. No.



Colour

Price netto (€)

30 219 002  
30 219 DC2

chrome  
supersteel

\*  
\*





**Ladylux Touch**  
**Electronic single-lever sink mixer 1/2"**  
**Touch: activation of water via skin contact**  
battery supply 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically safety stop after 60 sec. (factory set)  
type of protection IP 44  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out spray with 3 spray types  
diverter: laminar spray/**SpeedClean** shower jet/eco jet (reduced water consumption by up to 70 % and even stronger spray performance)  
stop function - pause button to stop the water flow  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
**GROHE QuickFix** rapid installation system

32 294 002  
32 294 DC2

chrome  
supersteel

\*  
\*




**Ladylux**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out spray with 3 spray types  
diverter: laminar spray/**SpeedClean** shower jet/eco jet (reduced water consumption by up to 70 % and even stronger spray performance)  
stop function - pause button to stop the water flow  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
**GROHE QuickFix** rapid installation system

32 553 002  
32 553 DC2

chrome  
supersteel

\*  
\*




**Ladylux**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out dual spray  
diverter: laminar spray/**SpeedClean** shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
**GROHE QuickFix** rapid installation system

30 026 002  
30 026 DC2

chrome  
supersteel

\*  
\*




**Ladylux**  
**Pillar tap with filter function**  
**single hole installation**  
handle for filtered table water  
ceramic headpart 1/2", 90°  
**GROHE StarLight** chrome finish  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE QuickFix** rapid installation system  
requires GROHE Blue filter including filter head (40 438 001), sold separately

# GROHE ZEDRA / ZEDRA TOUCH

Ref. No.

Colour

Price netto (€)




30 219 DC1

supersteel

947.00

**Zedra Touch**  
**Electronic single-lever sink mixer 1/2"**  
**Touch: activation of water via skin contact**  
 battery supply 6 V lithium-battery, type CR-P2  
 CE approved  
 solenoid valve  
 fixed value mixing valve  
 automatically safety stop after 60 sec. (factory set)  
 type of protection IP 44  
**GROHE SilkMove** 46 mm ceramic cartridge  
 pull-out dual spray control -  
 switches back and forth between  
 regular flow and spray  
 diverter: mousseur/**SpeedClean** shower jet  
 automatic return to mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system




32 553 SD0

stainless steel

539.00

**Zedra**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 pull-out dual spray control -  
 switches back and forth between  
 regular flow and spray  
 diverter: mousseur/**SpeedClean** shower jet  
 automatic return to mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system




30 026 SD0

stainless steel

424.00

**Zedra**  
**Pillar tap 1/2"**  
**single hole installation**  
**GROHE StarLight** finish  
 ceramic headpart 1/2", 90°  
 mousseur  
 swivel tubular spout  
 swivel area 360°



31 203 000

chrome

444.00

**Zedra**  
**Single-lever sink mixer 1/2"**  
 shut off valve  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 flow strainer  
 pull-out mousseur spray  
 diverter: laminar spray/**SpeedClean** shower jet  
 automatic return to laminar spray  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

KITCHEN  
FITTINGS

# GROHE ATRIO




# GROHE ATRIO

Ref. No.

Colour

Price netto (€)



30 362 000  
30 362 DC0  
30 362 AL0

chrome  
supersteel  
brushed hard graphite

471.00  
613.00  
707.00

**Atrio**

**Sink mixer**

C-spout

single hole installation

**GROHE StarLight** chrome finish

ceramic headparts 1/2", 90°

selectable swivel area : 0° / 150° / 360°

flexible connection hoses

rapid installation system

mousseur




# GROHE ESSENCE





# GROHE ESSENCE

Ref. No. Colour Price netto (€)



30 294 000	chrome	417.00
30 294 DC0	supersteel	557.00
30 294 ***	SPA colours	*


**Essence**  
Single-lever sink mixer 1/2"  
single hole installation  
GROHE StarLight chrome finish  
GROHE SilkMove 28 mm ceramic cartridge  
flow strainer  
with integrated temperature limiter  
professional spray  
with flexible, hygienic GROHflexx kitchen santoprene hose  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
metal spray  
GROHE EasyDock M integrated magnet for seamless docking of the spray head  
swivel spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system

\*\*\* SPA colours:



30 321 GE0	green	60.00
30 321 XC0	dark grey	95.00
30 321 MW0	chrome/sheer marble	97.00
30 321 HG0	dark brown	60.00
30 321 DG0	red	59.00
30 321 DP0	pink	60.00
30 321 DU0	purple	60.00
30 321 TY0	blue	59.00
30 321 YF0	yellow	60.00
30 321 YR0	orange	59.00


**GROHflexx kitchen hose spout**  
hose spout for Essence kitchen faucet  
for 30 294 000/30 294 DC0  
flexible, hygienic GROHflexx kitchen santoprene hose  
including fixing parts



30 269 000	chrome	253.00
30 269 DC0	supersteel	334.00
30 269 ***	SPA colours	323.00

**Essence**  
Single-lever sink mixer 1/2"  
high spout  
single hole installation  
GROHE StarLight chrome finish  
GROHE SilkMove 28 mm ceramic cartridge  
mousseur  
swivel tubular spout  
adjustable swivel area 0° / 150° / 360°  
flexible connection hoses  
rapid installation system  
integrated temperature limiter  
min. recommended pressure 1.0 bar


\*\*\* SPA colours:



30 270 000	chrome	335.00
30 270 DC0	supersteel	430.00
30 270 ***	SPA colours	425.00

**Essence**  
Single-lever sink mixer 1/2"  
high spout  
single hole installation  
GROHE StarLight chrome finish  
GROHE SilkMove 28 mm ceramic cartridge  
flow strainer  
pull-out dual spray control - switches back and forth between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
integrated temperature limiter  
min. recommended pressure 1.0 bar

\*\*\* SPA colours:



# GROHE EUROCUBE




# GROHE EUROCUBE

Ref. No.

Colour

Price netto (€)




31 395 000  
31 395 DC0

chrome  
supersteel

626.00  
795.00

**Eurocube**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 28 mm ceramic cartridge  
diverter: mousseur/**SpeedClean** shower jet  
swivel spout  
swivel area 140°  
360° maneuverable spring arm  
protected against backflow  
flexible connection hoses  
applicable for under cupboard installation  
rapid installation system



31 255 000  
31 255 DC0

chrome  
supersteel

249.00  
318.00


**Eurocube**  
**Single-lever sink mixer 1/2"**  
high spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 28 mm ceramic cartridge  
mousseur  
swivel cast spout  
swivel area 360°  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar

# GROHE EURODISC COSMOPOLITAN




# GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




**32 259 003** **chrome** **192.00**

**Eurodisc Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
high spout  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150°  
mousseur  
flexible connection hoses  
rapid installation system




**31 122 004** **chrome** **231.00**

**Eurodisc Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
high spout  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
GROHE Zero separated inner water ways - lead and nickel free  
pull out mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar




**33 770 002** **chrome** **219.00**

**Eurodisc Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
medium spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
flexible connection hoses  
rapid installation system



**32 257 002** **chrome** **266.00**

**Eurodisc Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
medium spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
pull-out dual spray  
diverter: mousseur/**SpeedClean** shower jet  
automatic return to mousseur  
adjustable flow rate limiter  
swivel cast spout  
swivel area 100°  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar



**33 772 002** **chrome** **222.00**


**Eurodisc Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
wall mounted  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150°  
projection 211 mm  
S-unions



# GROHE EURODISC








**33 770 001**

**chrome**

**215.00**

**Eurodisc**  
**Single-lever sink mixer 1/2"**  
 low spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 with stop restriction  
 flexible connection hoses  
 rapid installation system



**32 257 001**

**chrome**

**298.00**


**Eurodisc**  
**Single-lever sink mixer 1/2"**  
 low spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 pull-out dual spray  
 diverter: mousseur/**SpeedClean** shower jet  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar

# GROHE CONCETTO




# GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 491 000 chrome 339.00  
31 491 DC0 supersteel 457.00

**Concetto**  
**Single-lever sink mixer 1/2"**  
**single hole installation**  
GROHE StarLight chrome finish  
GROHE SilkMove 28 mm ceramic cartridge  
flow strainer  
with integrated temperature limiter  
professional spray  
with flexible, hygienic GROHflexx kitchen santoprene hose  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
GROHE EasyDock M integrated magnet for seamless docking of the spray head  
swivel spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system




32 661 003 chrome 172.00  
32 661 DC3 supersteel 222.00

**Concetto**  
**Single-lever sink mixer 1/2"**  
high spout  
**single hole installation**  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150°  
flexible connection hoses  
rapid installation system



32 663 003 chrome 209.00  
32 663 DC3 supersteel 269.00

**Concetto**  
**Single-lever sink mixer 1/2"**  
high spout  
**single hole installation**  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
GROHE Zero separated inner water ways - lead and nickel free  
pull-out laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar




31 212 003 chrome \*

**Concetto**  
**Single-lever sink mixer 1/2"**  
**for open water heater**  
high spout  
**single hole installation**  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
pull-out laminar spray  
automatic returning  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system


# GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 483 002 chrome 222.00  
31 483 DC2 supersteel 288.00

**Concetto**  
**Single-lever sink mixer 1/2"**  
high spout  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
GROHE Zero separated inner water ways - lead and nickel free  
pull-out dual spray  
diverter: laminar spray/**SpeedClean** shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system




31 128 001 chrome 208.00  
31 128 DC1 supersteel 230.00

**Concetto**  
**Single-lever sink mixer 1/2"**  
medium spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar



31 129 001 chrome 252.00  
31 129 DC1 supersteel 321.00

**Concetto**  
**Single-lever sink mixer 1/2"**  
medium spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
pull out mousseur  
adjustable flow rate limiter  
swivel cast spout  
swivel area 100°  
protected against backflow  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar



30 273 001 chrome 270.00  
30 273 DC1 supersteel 320.00


**Concetto**  
**Single-lever sink mixer 1/2"**  
medium spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
flow strainer  
pull-out dual spray control - switches back and forth between regular flow and spray  
diverter: laminar spray/**SpeedClean** shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel cast spout  
swivel area 100°  
protected against backflow  
integrated non-return valve  
flexible connection hoses  
rapid installation system

KITCHEN  
FITTINGS

Ref. No.

Colour

Price netto (€)




31 210 001

chrome

292.00

**Concetto**  
Single-lever sink mixer 1/2"  
for installation in front of window  
medium spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
non-removable socket height: 30 mm  
flexible connection hoses




32 659 001

chrome

181.00

**Concetto**  
Single-lever sink mixer 1/2"  
low spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
flexible connection hoses  
rapid installation system



32 667 001

chrome

174.00

**Concetto**  
Single-lever sink mixer 1/2"  
wall mounted  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
projection 223 mm  
S-unions

# GROHE EUROSTYLE COSMOPOLITAN






# GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




33 975 004

chrome

154.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
high spout

**single hole installation**  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150°  
flexible connection hoses  
rapid installation system




31 126 004

chrome

190.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
high spout

**single hole installation**  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
GROHE Zero separated inner water ways - lead and nickel free  
pull out mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system




31 482 003

chrome

213.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
high spout

**single hole installation**  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
GROHE Zero separated inner water ways - lead and nickel free  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system




30 221 002

chrome

147.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
high spout

**single hole installation**  
GROHE StarLight finish  
GROHE SilkMove 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
adjustable swivel area 0° / 150° / 360°  
flexible connection hoses  
rapid installation system  
integrated temperature limiter



31 124 002

chrome

211.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
medium spout


**single hole installation**  
GROHE StarLight finish  
GROHE SilkMove 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 140°  
flexible connection hoses  
rapid installation system

# GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




31 159 002

chrome

262.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
for installation in front of window  
**medium spout**  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 140°  
non-removable socket height: 30 mm  
flexible connection hoses




33 977 002

chrome

141.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
low spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 140°  
flexible connection hoses  
rapid installation system




33 982 002

chrome

171.00

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
wall mounted  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150°  
projection 273 mm  
S-unions



45 562 000

chrome

80.00

**Adapter**  
To convert to other spouts with screw coupling G3/4  
Suitable for several sink mixer wall mount  
e.g. 33 772 001, 33 772 002, 33 982 002

KITCHEN  
FITTINGS

# GROHE EUROSMART COSMOPOLITAN




# GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



32 843 002  
32 843 DC2

chrome  
supersteel

138.00  
179.00


**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**

high spout  
single hole installation  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150°  
flexible connection hoses  
rapid installation system

32 843 20E  
ditto, with GROHE Ecojoy

chrome

142.00




31 481 001

chrome

206.00

**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**

high spout  
single hole installation  
GROHE StarLight chrome finish  
GROHE SilkMove 35 mm ceramic cartridge  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
GROHE Zero separated inner water ways - lead and nickel free  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system




30 193 000  
30 193 DC0

chrome  
supersteel

122.00  
156.00

**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**

medium spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 140°  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar




32 842 000

chrome

132.00

**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**

low spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 140°  
flexible connection hoses  
rapid installation system



31 170 000

chrome

209.00

**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**


for installation in front of window  
low spout  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
adjustable flow rate limiter  
mousseur  
swivel tubular spout  
swivel area 140°  
non-removable socket height: 30 mm  
flexible connection hoses

# GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



31 188 002

chrome

142.00

**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**

high spout

**single hole installation**

**GROHE SilkMove** 35 mm ceramic cartridge

**GROHE StarLight** chrome finish

GROHE Zero separated inner water ways - lead and nickel free

mousseur

adjustable flow rate limiter

swivel tubular spout

selectable swivel area : 0° / 150°

flexible connection hoses

rapid installation system




# GROHE EUROSMART






Ref. No. Colour Price netto (€)




**33 202 002** chrome 121.00  
**33 202 DC2** supersteel 133.00

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
high spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
adjustable swivel area 0° / 150° / 360°  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar



**30 305 000** chrome 160.00  
**30 305 DC0** supersteel 211.00


**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
flow strainer  
with integrated temperature limiter  
pull-out dual spray control - switches back and forth between regular flow and spray  
diverter: laminar spray/**SpeedClean** shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel cast spout  
88° swivel radius  
separate inner water ways – lead and nickel free  
flexible connection hoses  
rapid installation system  
protected against backflow



**33 281 002** chrome 116.00  
**33 281 DC2** supersteel 126.00


**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
separate inner water ways – lead and nickel free  
mousseur with coin slot for tool free replacement  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar

**33 281 20E** chrome 97.00  
**ditto, with GROHE EcoJoy 5.7 l/min. flow limiter**



**30 260 002** chrome 113.00

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE SilkMove ES** 35 mm ceramic cartridge  
with energy saving function via cold start  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
separate inner water ways – lead and nickel free  
mousseur with coin slot for tool free replacement  
flexible connection hoses  
rapid installation system  
min. recommended pressure 1.0 bar




32 482 002

chrome

141.00

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
wall mounted  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel area 360°  
swivel tubular spout  
projection 186 mm  
integrated temperature limiter  
S-unions




32 224 002

chrome

141.00

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
wall mounted  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
projection 277 mm  
integrated temperature limiter  
S-unions




31 391 002

chrome

142.00

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
wall mounted  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
projection 217 mm  
integrated temperature limiter  
S-unions



31 509 002

chrome

119.00

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
wall mounted  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
projection 150 mm  
integrated temperature limiter  
S-unions

# GROHE EUROECO / EUROECO SPECIAL

---




# GROHE EUROECO / EUROECO SPECIAL

Ref. No.

Colour

Price netto (€)




32 752 000

chrome

99.00

**Euroeco**  
Single-lever sink mixer 1/2"  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel range 0°/150°/360°  
metal lever  
flexible connection hoses  
rapid installation system




32 750 000

chrome

99.00

**Euroeco**  
Single-lever sink mixer 1/2"  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 35 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 140°  
metal lever  
flexible connection hoses  
rapid installation system




32 786 000

chrome

121.00

**Euroeco Special**  
Single-lever sink mixer 1/2"  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable temperature limiter  
laminar flow straightener 9 l/min.  
swivel tubular spout  
selectable swivel area : 0° / 150° / 360°  
metal lever  
lever length 120 mm  
flexible connection hoses  
rapid installation system




33 912 000

chrome

284.00

**Euroeco Special**  
Single-lever sink mixer 1/2"  
single hole installation  
GROHE StarLight chrome finish  
ceramic cartridge  
adjustable flow rate limiter  
adjustable temperature limiter  
laminar flow straightener 9 l/min.  
swivel tubular spout  
metal lever  
lever length 120 mm  
temperature limiter  
Attention: old product



32 787 000

chrome

151.00

**Euroeco Special**  
Single-lever sink mixer 1/2"  
single hole installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
adjustable flow rate limiter  
adjustable temperature limiter  
laminar flow straightener 9 l/min.  
swivel tubular spout  
lever length 120 mm  
flexible connection hoses


# GROHE COSTA



Ref. No.

Colour

Price netto (€)




31 831 001

chrome

88.00

**Costa L**  
**Single-hole sink mixer 1/2"**  
metal handles  
heat-insulated  
**GROHE StarLight** finish  
Longlife-headparts  
mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses




31 187 001

chrome

99.00

**Costa L**  
**Wall sink mixer 1/2"**  
metal handles  
heat-insulated  
**GROHE StarLight** finish  
Longlife-headparts  
mousseur  
swivel tubular spout  
swivel area 360°  
projection 200 mm  
S-unions



30 484 001

chrome

53.00

**Costa L**  
**Bibtap 1/2"**  
wall mounted  
metal handle  
heat-insulated  
marking: blue  
**GROHE StarLight** finish  
mousseur  
Longlife-headparts  
swivel tubular spout  
swivel area 360°  
projection 200 mm




20 179 001

chrome

100.00

**Costa S**  
**Pillar tap**  
metal handle  
heat-insulated  
screwable  
**GROHE StarLight** finish  
ceramic headpart 1/2", 90°  
flow straightener  
swivel tubular spout  
swivel area 360°  
union nut 1/2" with 10.5 mm drilling



31 195 001

chrome

113.00

**Costa S**  
**Wall sink mixer 1/2"**  
wall mounted  
metal handles  
heat-insulated  
screwable  
**GROHE StarLight** finish  
Carbodur headpart  
mousseur  
swivel spout  
swivel area 360°  
projection 200 mm  
**without connection unions**




# GROHE BAU LINES



Ref. No.

Colour

Price netto (€)




31 367 000

chrome

103.00

**BauEdge**  
**Single-lever sink mixer 1/2"**  
 high spout  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE Longlife 28 mm** ceramic cartridge  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar




31 368 001

chrome

\*

**BauLoop**  
**Single-lever sink mixer 1/2"**  
 high spout  
**single hole installation**  
**GROHE StarLight** chrome finish  
**GROHE Longlife 28 mm** ceramic cartridge  
 GROHE Zero separated inner water ways - lead and nickel free  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar




31 535 000

chrome

91.00

**BauClassic**  
**Single-lever sink mixer 1/2"**  
 high spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE Longlife 28 mm** ceramic cartridge  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar




31 536 000

chrome

91.00

**BauCurve**  
**Single-lever sink mixer 1/2"**  
 high spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE Longlife 28 mm** ceramic cartridge  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar



31 538 000

chrome

88.00

**BauFlow**  
**Single-lever sink mixer 1/2"**  
 high spout  
**single hole installation**  
**GROHE StarLight** finish  
**GROHE Longlife 28 mm** ceramic cartridge  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system  
 min. recommended pressure 1.0 bar

# GROHE SOAP DISPENSERS




# GROHE SOAP DISPENSERS

Ref. No.

Colour

Price netto (€)




40 934 000  
40 934 DC0

chrome  
supersteel

\*  
\*

**Cube soap dispenser**  
for liquid soaps,  
storage bin 500 ml  
**GROHE StarLight** finish



40 535 000  
40 535 DC0  
40 535 \*\*\*


chrome  
supersteel  
SPA colours

60.00  
80.00  
\*

**Cosmopolitan soap dispenser**  
for liquid soaps,  
storage bin 500 ml  
**GROHE StarLight** finish

\*\*\* SPA colours:

● BE ● GL ● DA ● A0  
● EN ● GN ● DL ● AL




40 536 000  
40 536 DC0

chrome  
supersteel

55.00  
64.00

**Contemporary soap dispenser**  
for liquid soaps,  
storage bin 500 ml  
**GROHE StarLight** finish




40 553 000  
40 553 DC0

chrome  
supersteel

76.00  
76.24

**Ladylux / Zedra soap dispenser**  
for liquid soaps,  
storage bin 500 ml  
**GROHE StarLight** finish



40 537 000  
40 537 ZB0

chrome  
antique bronze

68.00  
78.00

**Authentic soap dispenser**  
for liquid soaps,  
storage bin 500 ml  
**GROHE StarLight** finish



# GROHE STAINLESS STEEL SINKS




# GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 582 SD0

stainless steel

1,290.83

**K1000**

**Stainless steel sink with drainer**

model: K1000 80-S 116/52 1.0 rh

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 800 mm

dimensions: 1160 x 520 mm

1 bowl: 710 x 400 mm

**GROHE QuickFix** installation system


sink mountable right

cut-out: 1148 x 508 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set



31 581 SD0

stainless steel

1,290.83

**K1000**

**Stainless steel sink with drainer**

model: K1000 80-S 116/52 1.0 lh

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 800 mm

dimensions: 1160 x 520 mm

1 bowl: 710 x 400 mm

**GROHE QuickFix** installation system

sink mountable left

cut-out: 1148 x 508 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set




# GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 583 SD0

stainless steel

832.50

**K800**

**Stainless steel sink**

model: K800 60-S 51.8/56 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm


dimensions: 518 x 560 mm

1 bowl: 462 x 400 x 200 mm

**GROHE QuickFix** installation system

drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



31 584 SD0

stainless steel

915.83

**K800**

**Stainless steel sink**

model: K800 90-S 84.6/56 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 900 mm


dimensions: 846 x 560 mm

1 bowl: 790 x 400 x 200 mm

**GROHE QuickFix** installation system

drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



31 585 SD0

stainless steel

1,707.50

**K800**

**Stainless steel sink**

model: K800 120-S 102.4/56 2.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 1200 mm


dimensions: 1024 x 560 mm

2 bowls: 462 x 400 x 200 mm

**GROHE QuickFix** installation system

drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



31 586 SD0

stainless steel

1,082.50

**K800**

**Stainless steel sink**

model: K800 120-S 102.4/56 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 1200 mm

dimensions: 1024 x 560 mm

1 bowl: 968 x 400 x 200 mm

**GROHE QuickFix** installation system

drainer: automatic waste fitting


accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

# GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)




**31 574 SD0**  
**31 574 GN0**  
**31 574 DL0**  
**31 574 AL0**

stainless steel  
brushed cool sunrise  
brushed warm sunset  
brushed hard graphite

265.83  
\*  
\*  
\*

**K700 Undermount**  
**Stainless steel sink**

model: K700U 60-S 54.4/44.4 1.0  
mounting type: undermount  
material: stainless steel AISI 304 (V2A)  
material thickness: 1 mm  
**GROHE StarLight** finish  
finish: satin finish  
**GROHE Whisper**  
min. cabinet size: 600 mm  
dimensions: 540 x 440 mm  
1 bowl: 500 x 400 x 195 mm  
**GROHE QuickFix** installation system  
cut-out: 500 x 400 mm  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set




**31 575 SD0**

stainless steel

474.17

**K700 Undermount**  
**Stainless steel sink**

model: K700U 80-S 76/45 1.5 lh  
mounting type: undermount  
material: stainless steel AISI 304 (V2A)  
material thickness: 1 mm  
**GROHE StarLight** finish  
finish: satin finish  
**GROHE Whisper**  
min. cabinet size: 800 mm  
dimensions: 760 x 450 mm  
1 bowl: 500 x 400 x 195 mm  
0.5 bowl: 180 x 400 x 140 mm  
**GROHE QuickFix** installation system  
sink mountable left  
cut-out: 710 x 400 mm (R15)  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set



**31 576 SD0**

stainless steel

440.83

**K700 Undermount**  
**Stainless steel sink**


model: K700U 60-S 58.5/44 1.5 rh  
mounting type: undermount  
material: stainless steel AISI 304 (V2A)  
material thickness: 1 mm  
**GROHE StarLight** finish  
finish: satin finish  
**GROHE Whisper**  
min. cabinet size: 600 mm  
dimensions: 585 x 440 mm  
1 bowl: 340 x 400 x 195 mm  
0.5 bowl: 180 x 400 x 140 mm  
**GROHE QuickFix** installation system  
sink mountable right  
cut-out: 545 x 400 mm (R15)  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set

# GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 577 SD0

stainless steel

440.83

**K700 Undermount  
Stainless steel sink**

model: K700U 60-S 58.5/44 1.5 lh  
mounting type: undermount  
material: stainless steel AISI 304 (V2A)  
material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm  
dimensions: 585 x 440 mm  
1 bowl: 340 x 400 x 195 mm  
0.5 bowl: 180 x 400 x 140 mm


**GROHE QuickFix** installation system

sink mountable left

cut-out: 545 x 400 mm (R15)

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket  
strainer waste, mounting set



31 578 SD0

stainless steel

465.83

**K700  
Stainless steel sink**

model: K700 45-S 46.4/46.4 1.0  
mounting type: flush mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish


**GROHE Whisper**

min. cabinet size: 450 mm  
dimensions: 464 x 464 mm  
1 bowl: 400 x 400 x 200 mm

**GROHE QuickFix** installation system

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket  
strainer waste, mounting set



31 580 SD0

stainless steel

549.17

**K700  
Stainless steel sink**

model: K700 90-S 86.4/46.4 1.0  
mounting type: flush mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish


**GROHE Whisper**

min. cabinet size: 900 mm  
dimensions: 864 x 464 mm  
1 bowl: 800 x 400 x 200 mm

**GROHE QuickFix** installation system

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket  
strainer waste, mounting set



31 726 SD0

stainless steel

\*

**K700  
Stainless steel sink**

model: K700 60-S 55/45 1.0  
mounting type: standard built-in, flush mount or undermount  
material: stainless steel AISI 304 (V2A)

**GROHE Whisper**

min. cabinet size: 600 mm  
dimensions: 550 x 450 mm  
1 bowl: 500 x 400 x 200 mm

**GROHE QuickFix** installation system

cut-out: 535 x 435 mm

cut-out for undermount installation: 505 x 405 mm

drainer: Ø 3.5"/90 mm basket strainer waste









accessories included: waste kit, basket  
strainer waste, mounting set

# GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)


 	<p><b>31 571 SD0</b> stainless steel 182.50</p> <p><b>K500</b>  <b>Stainless steel sink with drainer</b>            model: K500 45-S 86/50 1.0 rev            mounting type: standard built-in            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 450 mm            dimensions: 860 x 500 mm            1 bowl: 340 x 400 x 195 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 840 x 480 mm            drilling holes: 2 x 35 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting,            waste kit, basket strainer waste, mounting set</p>
 	<p><b>31 572 SD0</b> stainless steel 249.17</p> <p><b>K500</b>  <b>Stainless steel sink with drainer</b>            model: K500 60-S 97/50 1.5 rev            mounting type: standard built-in            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 970 x 500 mm            1 bowl: 340 x 400 x 195 mm            0.5 bowl: 150 x 300 x 162 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 950 x 480 mm            drilling holes: 2 x 35 mm            drainer: automatic waste fitting            accessories included: waste kit, basket            strainer waste, mounting set</p>
 	<p><b>31 588 SD0</b> stainless steel 290.83</p> <p><b>K500</b>  <b>Stainless steel sink with drainer</b>            model: K500 80-S 116/50 2.0 rev            mounting type: standard built-in            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 500 mm            2 bowls: 340 x 400 x 195 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 1140 x 480 mm            drilling holes: 2 x 35 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting,            waste kit, basket strainer waste, mounting set</p>
 	<p><b>31 573 SD0</b> stainless steel 340.83</p> <p><b>Minta</b>  <b>Kitchen sink and tap bundle</b>            consisting of:            K500 stainless steel sink with drainer (31 571 SD0)            Minta single-lever sink mixer (32 168)            high spout  <b>single hole installation</b>  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            pull out mousseur            adjustable flow rate limiter            swivel tubular spout            swivel area 360°            protected against backflow            flexible connection hoses            rapid installation system</p>

# GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 568 SD0

stainless steel

190.83

**K400+**

**Stainless steel sink with drainer**

model: K400+ 45-S 87.3/51.3 1.0 rev

mounting type: flat edge

material: stainless steel AISI 316 (V4A)

material thickness: 0.7 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 450 mm

dimensions: 873 x 513 mm

1 bowl: 363 x 400 x 188 mm

**GROHE QuickFix** installation system


sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



31 569 SD0

stainless steel

265.83

**K400+**

**Stainless steel sink with drainer**

model: K400+ 60-S 98.3/51.3 1.5 rev

mounting type: flat edge

material: stainless steel AISI 316 (V4A)

material thickness: 0.7 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 983 x 513 mm

1 bowl: 363 x 400 x 188 mm

0.5 bowl: 150 x 300 x 188 mm

**GROHE QuickFix** installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: waste kit, basket  
strainer waste, mounting set

# GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 566 SD0

stainless steel

149.99



**K400**

**Stainless steel sink with drainer**

model: K400 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 362.5 x 400 x 188 mm

**GROHE QuickFix** installation system

sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 567 SD0

stainless steel

215.83



**K400**

**Stainless steel sink with drainer**

model: K400 60-S 97/50 1.5 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 970 x 500 mm

1 bowl: 363 x 400 x 188 mm

0.5 bowl: 150 x 300 x 188 mm

**GROHE QuickFix** installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 587 SD0

stainless steel

215.83



**K400**

**Stainless steel sink with drainer**

model: K400 80-S 116/50 2.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

2 bowls: 362.5 x 400 x 188 mm

**GROHE QuickFix** installation system

sink mountable left or right

cut-out: 1140 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 570 SD0

stainless steel

290.83



**Concetto**

**Kitchen sink and tap bundle**

consisting of:

K400 stainless steel sink with drainer (31 566 SD0)

Concetto single lever sink mixer (32 663 003)

high spout

**single hole installation**

**GROHE StarLight** chrome finish

**GROHE SilkMove** 35 mm ceramic cartridge

pull out mousseur

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



# GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 563 SD0

stainless steel

120.83



**K300**

**Stainless steel sink with drainer**

model: K300 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 360 x 400 x 175 mm

**GROHE QuickFix** installation system

sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set

31 564 SD0

stainless steel

182.50



**K300**

**Stainless steel sink with drainer**

model: K300 60-S 97/50 1.5 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 970 x 500 mm

1 bowl: 360 x 400 x 175 mm

0.5 bowl: 150 x 300 x 155 mm

**GROHE QuickFix** installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set

31 565 SD0

stainless steel

190.83



**Eurosmart**

**Kitchen sink and tap bundle**

consisting of:

K300 stainless steel sink with drainer (31 563 SD0)

Eurosmart single-lever sink mixer (33 281 002)

low spout

**single hole installation**

**GROHE StarLight** chrome finish

**GROHE SilkMove** 35 mm ceramic cartridge

with integrated temperature limiter

adjustable flow rate limiter

swivel cast spout

swivel area 140°

separate inner water ways – lead and nickel free

mousseur with coin slot for tool free replacement

flexible connection hoses

rapid installation system


KITCHEN  
FITTINGS

# GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 720 SD0

stainless steel

\*

**K200**

**Stainless steel sink with drainer**

model: K200 50-S Ø 44 1.0

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

**GROHE Whisper**

min. cabinet size: 500 mm

dimensions: Ø 440 mm

1 bowl: Ø 390 mm


**GROHE QuickFix** installation system

cut-out: Ø 422 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set



31 719 SD0

stainless steel

\*

**K200**

**Stainless steel sink with drainer**

model: K200 60-S 53.3/45.8 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 533 x 458 mm

1 bowl: 482 x 406 mm


**GROHE QuickFix** installation system

cut-out: 517 x 442 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set



31 562 SD0

stainless steel

165.83

**Bau**

**Kitchen sink and tap bundle**

consisting of:

K200 stainless steel sink with drainer (31 552 SD0)

Bau Edge single lever sink mixer (31 367 000)

high spout

**single hole installation**

**GROHE StarLight** chrome finish

**GROHE Longlife 28 mm** ceramic cartridge


mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses

rapid installation system



31 552 SD0

stainless steel

95.83

**K200**

**Stainless steel sink with drainer**

model: K200 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.6 mm

**GROHE StarLight** finish

finish: pre-polished

**GROHE Whisper**

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 340 x 400 x 170 mm

**GROHE QuickFix** installation system

sink mountable left or right


cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set



40 953 000

chrome

\*

**Pop-up waste set with overflow**

square pop-up with remote control

overflow with square escutcheon

space saving waste set

including strainer plug

Ø 35 mm cut-out diameter

fits to kitchen sinks series K700, K700U

# GROHE COMPOSITE SINKS




# GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



**31 650 AT0**  
**31 650 AP0**

**granite gray**  
**granite black**

\*  
\*

**K700**

**Composite sink**

model: K700 50-C 40/50 1.0

mounting type: standard built-in

material: quartz composite

**GROHE Whisper**

min. cabinet size: 500 mm

dimensions: 400 x 500 mm


1 bowl: 340 x 370 x 200 mm

**GROHE QuickFix** installation system

cut-out: 840 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



**31 651 AT0**  
**31 651 AP0**

**granite gray**  
**granite black**

\*  
\*

**K700**

**Composite sink**

model: K700 60-C 56/51 1.0

mounting type: standard built-in

material: quartz composite

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 560 x 510 mm


1 bowl: 500 x 360 x 200 mm

**GROHE QuickFix** installation system

cut-out: 545 x 495 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



**31 652 AT0**  
**31 652 AP0**

**granite gray**  
**granite black**

\*  
\*

**K700**

**Composite sink**

model: K700 80-C 78/51 1.0

mounting type: standard built-in

material: quartz composite

**GROHE Whisper**

min. cabinet size: 800 mm

dimensions: 780 x 510 mm


1 bowl: 720 x 370 x 220 mm

**GROHE QuickFix** installation system

cut-out: 764 x 494 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



**31 653 AT0**  
**31 653 AP0**

**granite gray**  
**granite black**

\*  
\*

**K700 Undermount**

**Composite sink**

model: K700U 50-C 45.7/40.6 1.0

mounting type: standard built-in and undermount

material: quartz composite

**GROHE Whisper**

min. cabinet size: 500 mm

dimensions: 457 x 406 mm

1 bowl: 417 x 366 x 203 mm

**GROHE QuickFix** installation system

cut-out: 417 x 366 mm

drainer: Ø 3.5"/90 mm basket strainer waste

optional automatic waste fitting


accessories included: waste kit, basket  
strainer waste, mounting set

# GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



**31 654 AT0**  
**31 654 AP0**

**granite gray**  
**granite black**

\*  
\*

**K700 Undermount  
Composite sink**


model: K700U 60-C 53.3/45.7 1.0  
mounting type: standard built-in and undermount  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 600 mm  
dimensions: 533 x 457 mm  
1 bowl: 469 x 393 x 205 mm

**GROHE QuickFix** installation system  
cut-out: 468 x 390 mm

drainer: Ø 3.5"/90 mm basket strainer waste  
optional automatic waste fitting  
accessories included: waste kit, basket  
strainer waste, mounting set



**31 655 AT0**  
**31 655 AP0**

**granite gray**  
**granite black**

\*  
\*

**K700 Undermount  
Composite sink**


model: K700U 70-C 61/45.7 1.0  
mounting type: standard built-in and undermount  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 700 mm  
dimensions: 610 x 460 mm  
1 bowl: 544 x 394 x 205 mm

**GROHE QuickFix** installation system  
cut-out: 543 x 393 mm

drainer: Ø 3.5"/90 mm basket strainer waste  
optional automatic waste fitting  
accessories included: waste kit, basket  
strainer waste, mounting set



**31 644 AT0**  
**31 644 AP0**

**granite gray**  
**granite black**

\*  
\*

**K500**

**Composite sink with drainer**


model: K500 50-C 86/50 1.0 rev  
mounting type: standard built-in  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 500 mm  
dimensions: 860 x 500 mm  
1 bowl: 347 x 440 x 200 mm

**GROHE QuickFix** installation system  
sink mountable left or right

cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



**31 645 AT0**  
**31 645 AP0**

**granite gray**  
**granite black**

\*  
\*

**K500**

**Composite sink with drainer**

model: K500 60-C 100/50 1.0 rev  
mounting type: standard built-in  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 480 x 440 x 200 mm

**GROHE QuickFix** installation system  
sink mountable left or right


cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set

# GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 646 AT0  
31 646 AP0

granite gray  
granite black

\*  
\*

**K500**

**Composite sink with drainer**


model: K500 60-C 100/50 1.5 rev  
mounting type: standard built-in  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 345 x 440 x 200 mm  
0.5 bowl: 155 x 295 x 146 mm

**GROHE QuickFix** installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



31 647 AT0  
31 647 AP0

granite gray  
granite black

\*  
\*

**K500**

**Composite sink with drainer**


model: K500 80-C 116/50 2.0 rev  
mounting type: standard built-in  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 800 mm  
dimensions: 1160 x 500 mm  
1 bowl: 330 x 440 x 200 mm  
2 bowl: 330 x 440 x 200 mm

**GROHE QuickFix** installation system

sink mountable left or right  
cut-out: 1140 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



31 648 AT0  
31 648 AP0

granite gray  
granite black

\*  
\*

**K500**

**Composite sink**


model: K500 60-C 55.5/46 1.5 rev  
mounting type: standard built-in and undermount  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 600 mm  
dimensions: 555 x 460 mm  
1 bowl: 335 x 400 x 200 mm  
0.5 bowl: 155 x 400 x 140 mm

**GROHE QuickFix** installation system

sink mountable left or right  
cut-out: 525 x 400 mm  
drainer: Ø 3.5"/90 mm basket strainer waste  
optional automatic waste fitting  
accessories included: waste kit, basket  
strainer waste, mounting set



31 649 AT0  
31 649 AP0

granite gray  
granite black

\*  
\*

**K500**

**Composite sink**

model: K500 90-C 86/50 2.0 rev  
mounting type: standard built-in  
material: quartz composite

**GROHE Whisper**

min. cabinet size: 900 mm  
dimensions: 860 x 500 mm  
1 bowl: 390 x 430 x 200 mm  
2 bowl: 380 x 365 x 200 mm

**GROHE QuickFix** installation system

sink mountable left or right  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set




# GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 639 AT0  
31 639 AP0

granite gray  
granite black

\*  
\*

## K400

### Composite sink with drainer


model: K400 50-C 78/50 1.0 rev  
mounting type: standard built-in  
material: quartz composite

### GROHE Whisper

min. cabinet size: 500 mm  
dimensions: 780 x 500 mm  
1 bowl: 347 x 440 x 205 mm

### GROHE QuickFix installation system

sink mountable left or right  
cut-out: 765 x 485 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



31 640 AT0  
31 640 AP0

granite gray  
granite black

\*  
\*

## K400

### Composite sink with drainer


model: K400 50-C 86/50 1.0 rev  
mounting type: standard built-in  
material: quartz composite

### GROHE Whisper

min. cabinet size: 500 mm  
dimensions: 860 x 500 mm  
1 bowl: 337 x 420 x 205 mm

### GROHE QuickFix installation system

sink mountable left or right  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



31 641 AT0  
31 641 AP0

granite gray  
granite black

\*  
\*

## K400

### Composite sink with drainer


model: K400 60-C 100/50 1.0 rev  
mounting type: standard built-in  
material: quartz composite

### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 480 x 420 x 205 mm

### GROHE QuickFix installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



31 642 AT0  
31 642 AP0

granite gray  
granite black

\*  
\*

## K400

### Composite sink with drainer

model: K400 60-C 100/50 1.5 rev  
mounting type: standard built-in  
material: quartz composite

### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 335 x 420 x 205 mm  
0.5 bowl: 155 x 295 x 146 mm

### GROHE QuickFix installation system


sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set

# GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 643 AT0  
31 643 AP0

granite gray  
granite black

\*  
\*

## K400

### Composite sink with drainer

model: K400 80-C 116/50 1.5 rev

mounting type: standard built-in

material: quartz composite

### GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

1 bowl: 400 x 420 x 205 mm

2 bowl: 295 x 295 x 205 mm


### GROHE QuickFix installation system

sink mountable left or right

cut-out: 1140 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



31 656 AT0  
31 656 AP0

granite gray  
granite black

\*  
\*

## K200

### Composite sink

model: K200 50-C 51 1.0

mounting type: standard built-in

material: quartz composite

### GROHE Whisper

min. cabinet size: 500 mm

dimensions: Ø 510 mm

1 bowl: Ø 380 x 200 mm

### GROHE QuickFix installation system

cut-out: Ø 490 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set



GROHE  
**SPECIAL FITTINGS**





## CONTENTS

Electronic fittings	Essence E	527
	Eurocube E	531
	Bluetooth monitoring	535
	Europlus E	545
	Eurosmart Cosmopolitan E	549
	Euroeco Cosmopolitan E	557
	Bau Cosmopolitan E	563
Special thermostats	Grohtherm Micro	567
	Grohtherm Special	569
	Grohtherm XL	575
Single-lever mixer	Euroeco Special	579
Self-closing fittings	Euroeco Single Sequential	585
	Eurodisc SE	589
	Eurosmart Cosmopolitan T	591
	Euroeco Cosmopolitan T	593
	Contromix	595

## SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher  
Android 4.3 or higher

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.






# GROHE ESSENCE E



36 444 000

chrome

575.00



**Essence E**

**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

**GROHE StarLight** chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 445 000

chrome

508.00



**Essence E**

**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 446 000

chrome

474.00



**Essence E**

**Infra-red electronic basin tap 1/2" without mixing device**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hose

dirt strainer

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar



**36 447 000**


**chrome**

**722.00**

**Essence E**

**Infra-red electronic wall basin tap without mixing device**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar spray regulator 5.0 l/min  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings by remote control 36 407  
set for final installation  
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001  
CE approved  
acoustic group I in accordance with DIN 4109  
min. recommended pressure 1.0 bar




**36 264 001**

**chrome**

**166.00**

**Concealed mounting box**

wall installation  
for installation with pre-mixed or cold water suitable for IR-sets for final installation  
connection housing for power supply suitable for 36 447 000, 36 442 000



**38 748 002**

**chrome**

**417.00**

**Rapid SL**

**Element for wash basin with roughin-in set for infra-red electronic**

for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000


**1.13 m installation height**

for on-the-wall installations or studed walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled quick adjustment, lockable fixing material  
wash basin fixing bolts M10 with fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
pre-mounted roughing-in set with protecting block  
fire-proof pipe for laying electronic cables  
installation box with water group, stop valve and flush elbow  
connection with noise protected fitting holder 1/2"  
connecting box for mains supply 230 V  
CE approved  
for installation with pre-mixed or cold water  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE ESSENCE E

Ref. No. Colour Price netto (€)

36 407 001 chrome 308.00



**Remote control**  
for all GROHE one eye infra-red products as of 06/2015  
and GROHE Blue Home until 12/2018

**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared faucets)  
auto flush cycles (infrared faucets)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
cleaning mode on/off  
thermal disinfection (infrared faucets)  
detection range  
shut off delay (infrared faucets)  
auto flush (infrared faucets)  
filter capacity (GROHE Blue Home)

**service**  
send and save profile  
reset to factory or user settings  
filter capacity (GROHE Blue Home)  
demo mode  
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 340 000 chrome 59.00



**Power extension cable**  
length 3.00 m


36 341 000 chrome 91.00  
ditto, length 10 m

42 393 000 chrome 44.00



**Battery housing**  
including 6 V lithium-battery, type CR-P2  
to replace transformer


36 338 000 chrome 101.00



**Switch-mode power supply**  
for one eye infra-red wash basin mixer  
switch-mode power supply with operating  
voltage 100-230 V AC, 50 - 60 Hz  
for concealed socket with cover and strain relief

# GROHE EUROCUBE E





36 440 000


chrome

654.00

**Eurocube E  
Infra-red electronic basin mixer 1/2" with mixing device  
and adjustable temperature limiter**

with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose  
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

**GROHE StarLight** chrome finish  
laminar spray regulator 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
rapid installation system  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109  
type of protection faucet IP 59K  
min. recommended pressure 1.0 bar



36 441 000

chrome


671.00

**Eurocube E  
Infra-red electronic basin mixer 1/2" with mixing device  
and adjustable temperature limiter**

with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**  
battery lifetime: approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
laminar spray regulator 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109  
type of protection faucet IP 59K  
min. recommended pressure 1.0 bar



36 442 000

chrome

711.00

**Eurocube E  
Infra-red electronic wall basin tap without mixing device**


with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose  
for cold or premixed water  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.7 l/min  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
set for final installation  
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001  
CE approved  
acoustic group I in accordance with DIN 4109  
min. recommended pressure 1.0 bar




# GROHE EUROCUBE E

Ref. No. Colour Price netto (€)



**36 264 001** **chrome** **166.00**

**Concealed mounting box**  
wall installation  
for installation with pre-mixed or cold water  
suitable for IR-sets for final installation  
connection housing for power supply  
suitable for 36 447 000, 36 442 000




**38 748 002** **chrome** **417.00**

**Rapid SL**  
**Element for wash basin with roughin-in set for infra-red electronic**  
for wall mounted fittings  
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000  
and Eurocube E 36 442 000

**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
quick adjustment, lockable  
fixing material  
wash basin fixing bolts M10 with  
fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
pre-mounted roughing-in set  
with protecting block  
fire-proof pipe for laying electronic cables  
installation box with water group, stop valve and flush elbow  
connection with noise protected fitting holder 1/2"  
connecting box for mains supply 230 V  
CE approved  
for installation with pre-mixed or cold water  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

SPECIAL FITTINGS



**36 407 001** **chrome** **308.00**

**Remote control**  
for all GROHE one eye infra-red products as of 06/2015  
and GROHE Blue Home until 12/2018

**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared faucets)  
auto flush cycles (infrared faucets)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
cleaning mode on/off  
thermal disinfection (infrared faucets)  
detection range  
shut off delay (infrared faucets)  
auto flush (infrared faucets)  
filter capacity (GROHE Blue Home)

**service**  
send and save profile  
reset to factory or user settings  
filter capacity (GROHE Blue Home)  
demo mode  
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply







**36 340 000** **chrome** **59.00**

**Power extension cable**  
length 3.00 m

**36 341 000** **chrome** **91.00**  
**ditto, length 10 m**

# GROHE EUROCUBE E

Ref. No.	Colour	Price netto (€)
42 388 000	chrome	46.00
 <p><b>Mains adaptor</b> with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery</p>		
42 393 000	chrome	44.00
 <p><b>Battery housing</b> including 6 V lithium-battery, type CR-P2 to replace transformer</p>		
36 338 000	chrome	101.00
  <p><b>Switch-mode power supply</b> for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief</p>		

# GROHE BLUETOOTH MONITORING



# GROHE BLUETOOTH MONITORING

## BLUETOOTH\* MONITORING - SYSTEM REQUIREMENTS



### System requirements

#### Apple

iPhone 5/6/7, iPad 2/3/4/Air/Air 2, iPad mini/2/3  
Apple operating system: as of release iOS 8.0 and above (32/64 bit)

#### Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 413 000

chrome

636.00




**Eurosmart Cosmopolitan E Bluetooth**  
**Infra-red electronic basin tap 1/2" with mixing device**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 rapid installation system  
 mixing device with adjustable hot water limiter  
**GROHE StarLight** finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 with integrated solenoid valve  
 integrated non-return valves and dirt strainers  
 with Bluetooth 4.0\* for wireless data communication for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver  
**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush usage per day / 30 days  
 thermal disinfection cycles and timings last disinfection  
**configuration**  
 detection range and shut off delay  
 auto flush  
 thermal disinfection  
 cleaning mode  
 2 on/off timers  
 identification by name  
**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 acoustic group I in accordance with DIN 4109  
 type of protection faucet IP 59K

36 409 000

chrome

523.00



**Euroeco Cosmopolitan E Bluetooth**  
**Infra-red electronic basin tap 1/2" without mixing device**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 rapid installation system  
**GROHE StarLight** finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 external solenoid valve  
 dirt strainer  
 with Bluetooth 4.0\* for wireless data communication for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver  
**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush usage per day / 30 days  
 thermal disinfection cycles and timings last disinfection  
**configuration**  
 detection range and shut off delay  
 thermal disinfection  
 auto flush  
 cleaning mode  
 2 on/off timers  
 identification by name  
**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 acoustic group I in accordance with DIN 4109  
 type of protection faucet IP 59K

SPECIAL FITTINGS

# GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)

36 414 000

chrome

865.00

**Eurosmart Cosmopolitan E Bluetooth  
Infra-red electronic thermostatic basin mixer, wall mounted**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

**GROHE StarLight** finish

**GROHE CoolTouch**

**GROHE EcoJoy** technology for less water and perfect flow

GROHE SafeStop at 38°C

swivel cast spout 219 mm

with swivel stop at 130° or fixed

projection 287 mm

laminar mousseur 9 l/min

S-unions

escutcheon covers for S unions

non-return valve

dirt strainers

power connection cable 3.0 m

for use with connection set

39 383 000

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

**monitoring**

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

**configuration**

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles


reset to factory or user settings

hard and software version

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K



39 383 000

chrome

61.00

**Eurosmart Cosmopolitan E  
Thermostatic 230 V connection set**


fitting support

2 fitting connections 1/2"

power supply connector

wall installation

for use with Eurosmart Cosmopolitan E thermostat 230 V






# GROHE BLUETOOTH MONITORING


Ref. No. Colour Price netto (€)

36 410 000 chrome 600.00




**Euroeco Cosmopolitan E Bluetooth**  
**Infra-red electronic basin tap without mixing device**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 set for final installation for concealed fitting box  
 36 336 000/36 337 000  
**GROHE StarLight** finish  
**GROHE EcoJoy** technology for less water and perfect flow  
 laminar flow straightener 9 l/min.  
 chrome escutcheon and spout  
 projection 172 mm  
 with Bluetooth 4.0\* for wireless data communication for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver  
**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day / 30 days  
 thermal disinfection cycles and timings last disinfection  
**configuration**  
 detection range and shut off delay  
 auto flush  
 thermal disinfection  
 cleaning mode  
 2 on/off timers  
 identification by name  
**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 acoustic group I in accordance with DIN 4109

36 337 000 chrome 112.00



**Euroeco Cosmopolitan E**  
**Concealed mounting box**  
 wall installation  
 for installation with pre-mixed or cold water  
 suitable for IR-sets for final installation  
 stop valve  
 connection housing for power supply  
 suitable for  
 36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000

36 336 000 chrome 307.00



**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
 with integrated pre-adjustable thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 non-return valve  
 connection housing for power supply  
 suitable for

SPECIAL FITTINGS

# GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 412 000

chrome

750.00



**Eurosmart Cosmopolitan E Bluetooth  
Infra-red electronic basin mixer 1/2" with mixing device  
and adjustable temperature limiter**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
set for final installation for concealed fitting box  
36 339 000

**GROHE StarLight** finish

**GROHE EcoJoy** technology for less water and perfect flow  
laminar flow straightener 9 l/min.

chrome escutcheon and spout  
projection 172 mm

with Bluetooth 4.0\* for wireless data communication for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

**monitoring**

password protected products

app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush  
usage per day / 30 days

thermal disinfection cycles and timings last disinfection

**configuration**

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles

reset to factory or user settings

hard and software version


CE approved

acoustic group I in accordance with DIN 4109

36 339 000

chrome

206.00



**Eurosmart Cosmopolitan E  
Concealed mounting box  
with mixture**

wall installation  
suitable for IR-sets for final installation  
2 stop valves

housing with mixing device

non-return valve

connection housing for power supply

suitable for

36 315 000, 36 412 000, 36 376 000

# GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 415 000

chrome

625.00



**Eurosmart Cosmopolitan E Bluetooth  
Infra-red electronic for concealed shower thermostat**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC for concealed installation box 36 416 000

**GROHE StarLight** finish

chrome escutcheon with Bluetooth 4.0\* for wireless data communication for Apple\*\* and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

**monitoring**

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days thermal disinfection cycles and timings last disinfection

**configuration**

shut off delay auto flush thermal disinfection cleaning mode

2 on/off timers identification by name


**service**

send and save 3 profiles reset to factory or user settings hard and software version CE approved

36 416 000

chrome

587.00




**Eurosmart Cosmopolitan E  
Concealed body**

for shower with integrated pre-adjustable thermostatic mixer suitable for IR-set 36 415 000 2 stop valves Grotherm Micro integrated non-return valves with filters connection housing for power supply min. recommended pressure 1.0 bar

37 503 000

chrome

759.00



**Tectron Skate Bluetooth  
Infra-red electronic for Urinal  
for Rapido U**

37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

**GROHE StarLight** finish

flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth 4.0\* for wireless data communication bluetooth transmitter frequency: 2.4 GHz for Apple\*\* and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

**monitoring**

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days

**configuration**

detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name

**service**


send and save 3 profiles reset to factory or user settings CE approved hard and software version

# GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)



37 338 000

chrome


131.00

**GROHE Rapido U**  
roughing-in set for urinal  
**for manual actuation or Tectron**  
**infra-red electronic 6 V or 230 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply  
installation box with gasket  
fixing points for dry cladding and  
masonry-in  
shortable inspection shaft incl. protection

37 505 SD0

stainless steel

759.00




**Tectron Skate Bluetooth**  
**Infra-red electronic for WC**  
for flushing cistern GD 2  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
with infrared sensor and Bluetooth module for  
bi-directional communication for monitoring,  
configuration and service purpose  
front plate 156 x 197 mm  
servo motor  
with Bluetooth 4.0\* for wireless data communication  
for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on used  
materials and walls between transmitter and receiver  
**monitoring**  
password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush  
usage per day / 30 days  
**configuration**  
detection range and shut off delay  
auto flush  
cleaning mode  
2 on/off timers  
identification by name  
**service**  
send and save 3 profiles  
reset to factory or user settings  
hard and software version  
CE approved

37 504 000







chrome

935.00



**Tectron Skate Bluetooth**  
**Infra-red electronic for WC**  
for flushing cistern GD 2  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
with infrared sensor and Bluetooth module for  
bi-directional communication for monitoring,  
configuration and service purpose  
with additional manual actuation  
**GROHE StarLight** finish  
front plate 156 x 197 mm  
servo motor  
with Bluetooth 4.0\* for wireless data communication  
for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on used  
materials and walls between transmitter and receiver  
**monitoring**  
password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush  
usage per day / 30 days  
**configuration**  
detection range and shut off delay  
auto flush  
cleaning mode  
2 on/off timers  
identification by name  
**service**  
send and save 3 profiles  
reset to factory or user settings  
hard and software version  
CE approved


# GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	Price netto (€)
	36 340 000	chrome	59.00
	<b>Power extension cable</b> length 3.00 m		
	36 341 000	chrome	91.00
	<b>ditto, length 10 m</b>		
	36 338 000	chrome	101.00
	<b>Switch-mode power supply</b> for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
	36 407 001	chrome	308.00
	<b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 <b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO <sub>2</sub> capacity (GROHE Blue Home) <b>configuration</b> cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home) <b>service</b> send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home)  3 x 1.5 V AAA DC battery supply		
			

# GROHE EUROPLUS E








**36 207 001** **chrome** **550.00**

**Europlus E**  
**Infra-red electronic basin mixer 1/2" with mixing device**  
**and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose  
**6 V lithium-battery, type CR-P2**  
battery lifetime: approx. 7 years (150 actuations a day)  
GROHE EcoJoy mousseur 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
solenoid valve  
rapid installation system  
multistage battery status display  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109  
type of protection faucet IP 59K

**36 208 001** **chrome** **424.00**  
**ditto, without mixing device**




**36 015 001** **chrome** **627.00**

**Europlus E**  
**Infra-red electronic basin mixer 1/2" with mixing device**  
**and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose  
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC  
GROHE EcoJoy mousseur 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
solenoid valve  
rapid installation system  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109  
type of protection faucet IP 59K

**36 016 001** **chrome** **488.00**  
**ditto, without mixing device**



**36 407 001** **chrome** **308.00**

**Remote control**  
for all GROHE one eye infra-red products as of 06/2015  
and GROHE Blue Home until 12/2018

**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared faucets)  
auto flush cycles (infrared faucets)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
cleaning mode on/off  
thermal disinfection (infrared faucets)  
detection range  
shut off delay (infrared faucets)  
auto flush (infrared faucets)  
filter capacity (GROHE Blue Home)  
**service**  
send and save profile  
reset to factory or user settings  
filter capacity (GROHE Blue Home)  
demo mode  
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

# GROHE EUROPLUS E

	Ref. No.	Colour	Price netto (€)
	36 340 000	chrome	59.00
	<b>Power extension cable</b> length 3.00 m		
	36 341 000	chrome	91.00
	<b>ditto, length 10 m</b>		
	42 393 000	chrome	44.00
	<b>Battery housing</b> including 6 V lithium-battery, type CR-P2 to replace transformer		
	42 388 000	chrome	46.00
	<b>Mains adaptor</b> with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
	36 338 000	chrome	101.00
	<b>Switch-mode power supply</b> for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
			

# GROHE EUROSMART COSMOPOLITAN E



# GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 327 001

chrome

360.00



**Eurosmart Cosmopolitan E  
Infra-red electronic basin mixer 1/2" with mixing device  
and adjustable temperature limiter**

with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 331 001

chrome


365.00

**ditto, with pop-up waste set 1 1/4"**

36 422 000

chrome

399.00



**Eurosmart Cosmopolitan E**

**Infra-red electronic basin mixer 1/2" L-Size  
with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

**GROHE StarLight** finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 325 001

chrome

442.00



**Eurosmart Cosmopolitan E**

**Infra-red electronic basin mixer 1/2" with mixing device  
and adjustable temperature limiter**

with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

# GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 421 000

chrome

395.00




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" L-Size**  
**with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication  
 for monitoring, configuration and service purpose  
 with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC  
**GROHE StarLight** finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs:  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 acoustic group I in accordance with DIN 4109  
 type of protection faucet IP 59K  
 min. recommended pressure 1.0 bar

36 439 000

chrome

282.00




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin tap 1/2" without mixing device**  
 with infrared sensor for bi-directional communication  
 for monitoring, configuration and service purpose  
 for cold or premixed water  
**6 V lithium-battery, type CR-P2**  
 battery lifetime: approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
 GROHE EcoJoy mousseur 5.7 l/min  
 flexible connection hose  
 dirt strainer  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs:  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 acoustic group I in accordance with DIN 4109  
 type of protection faucet IP 59K  
 min. recommended pressure 1.0 bar

36 330 001

chrome

361.00



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with hidden mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication  
 for monitoring, configuration and service purpose  
**6 V lithium-battery, type CR-P2**  
 battery lifetime: approx. 7 years (150 actuations a day)  
 GROHE EcoJoy mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs:  
 CE approved  
 acoustic group I in accordance with DIN 4109  
 type of protection faucet IP 59K  
 min. recommended pressure 1.0 bar


SPECIAL FITTINGS

# GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 386 001

chrome

716.00

## Eurosmart Cosmopolitan E Powerbox

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system  
**GROHE EcoJoy** 6.0 l/min mousseur including all flexible connection hoses  
non-return valve  
dirt strainer  
rapid installation system  
Powerbox  
power generator with water turbine  
internal energy saving unit  
with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
min. recommended pressure 1.0 bar

36 332 000



chrome

847.00

## Eurosmart Cosmopolitan E

### Infra-red electronic wall basin mixer with thermostatic temperature control

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose  
**6 V lithium-battery, type CR-P2**  
battery lifetime: approx. 7 years (150 actuations a day)  
3 modi to start mixer: hand-hand, hand-body or body-body reflection  
laminar mousseur 9 l/min  
non-return valve  
dirt strainers  
temperature scale handle with GROHE SafeStop at 38°C  
swivel cast spout  
219 mm  
projection 287 mm  
swivel range stop at 130°, lockable  
multistage battery status display  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109



36 333 000

chrome

716.00

ditto, projection 255 mm

36 334 SD0


stainless steel

430.00

## Eurosmart Cosmopolitan E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
laminar mousseur 9 l/min  
stainless steel escutcheon  
SuperSteel spout  
projection 232 mm  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
set for final installation for concealed fitting box  
36 336 000/36 337 000  
CE approved  
acoustic group I in accordance with DIN 4109



36 335 SD0

stainless steel

365.00

ditto, spout 172 mm




# GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)




36 337 000

chrome

112.00

**Euroeco Cosmopolitan E  
Concealed mounting box**

wall installation  
for installation with pre-mixed or cold water  
suitable for IR-sets for final installation  
stop valve  
connection housing for power supply  
suitable for  
36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000




36 336 000

chrome

307.00

**Eurosmart Cosmopolitan E  
Concealed mounting box**

with integrated pre-adjustable  
thermostatic mixer  
wall installation  
suitable for IR-sets for final installation  
2 stop valves  
non-return valve  
connection housing for power supply  
suitable for



36 376 000

chrome

466.00

**Eurosmart Cosmopolitan E  
Infra-red electronic basin mixer with mixing device  
and adjustable temperature limiter**


with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
**GROHE StarLight** finish  
**GROHE EcoJoy** technology for less water and perfect flow  
laminar flow straightener 9 l/min.  
chrome escutcheon  
chrome spout  
projection 232 mm  
7 pre-set programs:  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
set for final installation for concealed  
fitting box  
36 339 000  
CE approved  
acoustic group I in accordance with DIN 4109  
min. recommended pressure 1.0 bar

36 315 000

chrome

471.00

ditto, projection 170 mm



36 339 000

chrome

206.00

**Eurosmart Cosmopolitan E  
Concealed mounting box  
with mixture**



wall installation  
suitable for IR-sets for final installation  
2 stop valves  
housing with mixing device  
non-return valve  
connection housing for power supply  
suitable for  
36 315 000, 36 412 000, 36 376 000

SPECIAL FITTINGS

# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	Price netto (€)
 	36 407 001	chrome	308.00
	<p><b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p><b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO<sub>2</sub> capacity (GROHE Blue Home)</p> <p><b>configuration</b> cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home)</p> <p><b>service</b> send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V AAA DC battery supply</p>		
 	36 340 000	chrome	59.00
	<p><b>Power extension cable</b> length 3.00 m</p>		
	36 341 000	chrome	91.00
	<p><b>ditto, length 10 m</b></p>		
	42 393 000	chrome	44.00
	<p><b>Battery housing</b> including 6 V lithium-battery, type CR-P2 to replace transformer</p>		
	42 388 000	chrome	46.00
	<p><b>Mains adaptor</b> with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery</p>		
 	36 338 000	chrome	101.00
	<p><b>Switch-mode power supply</b> for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief</p>		

# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	Price netto (€)
	<b>42 408 000</b> <b>Hidden mixing device</b> re-fitting set for vandal-proof, covered and pre-adjustable mixer suitable for single hole mixers Eurosmart Cosmopolitan E metallic cap <b>GROHE StarLight</b> chrome finish	chrome	15.50
	<b>34 507 000</b> <b>Grotherm Micro</b> <b>Thermostatic scalding protection</b> temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece <b>GROHE StarLight</b> chrome finish max. pressure differential 5:1 min. recommended pressure 1.0 bar	chrome	198.00

# GROHE EUROECO COSMOPOLITAN E



# GROHE EUROECO COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 271 000

chrome

271.00



## Euroeco Cosmopolitan E

**Infra-red electronic basin tap without mixing device**  
with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose  
for cold or premixed water

### 6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

dirt strainers

external solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved


acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

36 269 000

chrome

308.00



## Euroeco Cosmopolitan E

### Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose  
for cold or premixed water

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

dirt strainers

external solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 384 000

chrome

538.00



## Euroeco Cosmopolitan E

### Powerbox

infra-red electronic basin tap 1/2"

without mixing device

with infrared sensor for bi-directional communication  
for monitoring, configuration and service purpose

including Powerbox self-generating power system

**GROHE EcoJoy** 6.0 l/min mousseur

flexible connection hose

dirt strainer

rapid installation system

Powerbox

power generator with water turbine

internal energy saving unit

with use of 60 s/24 h stand-by, 260 s/100 h stand-by

with additional backup power

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


min. recommended pressure 1.0 bar

# GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)




36 274 000

chrome

325.00

**Euroeco Cosmopolitan E**  
**Infra-red electronic wall basin tap without mixing device**  
 with infrared sensor for bi-directional communication  
 for monitoring, configuration and service purpose  
 for cold or premixed water  
**6 V lithium-battery, type CR-P2**  
 battery lifetime: approx. 7 years (150 actuations a day)  
 metal body  
 multistage battery status display  
 7 pre-set programs:  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved




36 273 000

chrome

377.00

**Euroeco Cosmopolitan E**  
**Infra-red electronic wall basin tap without mixing device**  
 with infrared sensor for bi-directional communication  
 for monitoring, configuration and service purpose  
 for cold or premixed water  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 chrome spout  
 projection 172 mm  
 7 pre-set programs:  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 set for final installation for concealed  
 fitting box  
 36 336 000/36 337 000  
 CE approved  
 acoustic group I in accordance with DIN 4109




36 337 000

chrome

112.00

**Euroeco Cosmopolitan E**  
**Concealed mounting box**  
 wall installation  
 for installation with pre-mixed or cold water  
 suitable for IR-sets for final installation  
 stop valve  
 connection housing for power supply  
 suitable for  
 36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000



36 336 000

chrome

307.00

**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
 with integrated pre-adjustable  
 thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 non-return valve  
 connection housing for power supply  
 suitable for


SPECIAL FITTINGS





# GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	Price netto (€)
 	<p><b>36 407 001</b></p> <p><b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p><b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO<sub>2</sub> capacity (GROHE Blue Home)</p> <p><b>configuration</b> cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home)</p> <p><b>service</b> send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V AAA DC battery supply</p>	<p><b>chrome</b></p>	<p><b>308.00</b></p>
 	<p><b>36 340 000</b></p> <p><b>Power extension cable</b> length 3.00 m</p> <p><b>36 341 000</b> <b>ditto, length 10 m</b></p>	<p><b>chrome</b></p> <p><b>chrome</b></p>	<p><b>59.00</b></p> <p><b>91.00</b></p>
	<p><b>42 393 000</b></p> <p><b>Battery housing</b> including 6 V lithium-battery, type CR-P2 to replace transformer</p>	<p><b>chrome</b></p>	<p><b>44.00</b></p>
	<p><b>42 388 000</b></p> <p><b>Mains adaptor</b> with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery</p>	<p><b>chrome</b></p>	<p><b>46.00</b></p>
 	<p><b>36 338 000</b></p> <p><b>Switch-mode power supply</b> for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief</p>	<p><b>chrome</b></p>	<p><b>101.00</b></p>

# GROHE EUROECO COSMOPOLITAN E

Ref. No.	Colour	Price netto (€)
34 507 000	chrome	198.00
 <p> <b>Grohtherm Micro</b>  <b>Thermostatic scalding protection</b>            temperature adjustment 15-43° C (± 2° C)            thermal disinfection without re-adjustment of temperature            GROHE TurboStat thermoelement            built-in non return valves            dirt strainers            with connection set and T piece  <b>GROHE StarLight</b> chrome finish            max. pressure differential 5:1            min. recommended pressure 1.0 bar         </p>		

		45 704 000	chrome	40.00
<p> <b>Flexible connection hose</b>            300 mm            3/8" x 3/8"         </p>				

# GROHE BAU COSMOPOLITAN E



# GROHE BAU COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 451 000

chrome

194.00



**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device**  
**and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
body made of composite polymer  
flexible connection hoses  
non-return valve


dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs:

auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109  
min. recommended pressure 1.0 bar

36 452 000

chrome

180.00



**Bau Cosmopolitan E**  
**Infra-red electronic basin tap 1/2" without mixing device**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
body made of composite polymer  
flexible connection hose


dirt strainer  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs:

auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109  
min. recommended pressure 1.0 bar

36 453 000

chrome

205.00



**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device**  
**and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

**GROHE StarLight** chrome finish  
GROHE EcoJoy mousseur 5.7 l/min  
body made of composite polymer  
flexible connection hoses  
non-return valve


dirt strainers  
with integrated solenoid valve  
rapid installation system  
7 pre-set programs:

auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
acoustic group I in accordance with DIN 4109  
min. recommended pressure 1.0 bar

# GROHE BAU COSMOPOLITAN E

Ref. No. Colour Price netto (€)

36 407 001 chrome 308.00



**Remote control**  
for all GROHE one eye infra-red products as of 06/2015  
and GROHE Blue Home until 12/2018

**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared faucets)  
auto flush cycles (infrared faucets)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
cleaning mode on/off  
thermal disinfection (infrared faucets)  
detection range  
shut off delay (infrared faucets)  
auto flush (infrared faucets)  
filter capacity (GROHE Blue Home)

**service**  
send and save profile  
reset to factory or user settings  
filter capacity (GROHE Blue Home)  
demo mode  
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply



36 340 000 chrome 59.00


**Power extension cable**  
length 3.00 m

36 341 000 chrome 91.00  
ditto, length 10 m



42 393 000 chrome 44.00

**Battery housing**  
including 6 V lithium-battery, type CR-P2  
to replace transformer



36 338 000 chrome 101.00

**Switch-mode power supply**  
for one eye infra-red wash basin mixer  
switch-mode power supply with operating  
voltage 100-230 V AC, 50 - 60 Hz  
for concealed socket with cover and strain relief

SPECIAL FITTINGS

# GROHE GROHTHERM MICRO






# GROHE GROHTHERM MICRO

Ref. No.

Colour

Price netto (€)



34 487 000

chrome

165.00

**Grotherm Micro**

**Thermostatic scalding protection**

temperature adjustment 15-43° C ( $\pm 2^\circ$  C)  
thermal disinfection without re-adjustment of temperature  
connection 3/8" below with cap nut  
above 3/8" male thread  
GROHE TurboStat thermoelement  
**GROHE StarLight** chrome finish  
built-in non return valves  
dirt strainer  
without connection set  
max. pressure differential 5:1  
min. recommended pressure 1.0 bar



34 507 000


chrome

198.00

**Grotherm Micro**

**Thermostatic scalding protection**

temperature adjustment 15-43° C ( $\pm 2^\circ$  C)  
thermal disinfection without re-adjustment of temperature  
GROHE TurboStat thermoelement  
built-in non return valves  
dirt strainers  
with connection set and T piece  
**GROHE StarLight** chrome finish  
max. pressure differential 5:1  
min. recommended pressure 1.0 bar



47 533 000


chrome

40.00

**Grotherm Micro**

**Connection set**

for Grotherm Micro  
consisting of:  
union nut 3/8"  
T-unit  
2 outlets 3/8" male thread  
flexible connection hose  
union nuts  
**GROHE StarLight** chrome finish




45 704 000

chrome

40.00

**Flexible connection hose**

300 mm  
3/8" x 3/8"



45 120 000

chrome

14.00

**Connection hose, 300 mm**

connector set 3/8"  
for copper pipe  $\varnothing$  10 mm  
coupling nut 3/8"  
300 mm

# GROHE GROHTHERM SPECIAL

---



# GROHE GROHTHERM SPECIAL

Ref. No.


Colour

Price netto (€)

34 667 000

chrome

309.00





**Grotherm Special**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
ergonomic handles  
ceramic headparts 1/2", 90°  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
Temperature scale handle with  
pre-adjustable safety stop between  
35°C and 43°C  
easy thermal disinfection via optional key 47 994 000  
integrated mixed water shut off  
shower bottom outlet 1/2"  
with integrated non return-valve  
metal temperature safety stop  
dirt strainers  
with S-unions and with covers  
**GROHE Quickfix** for fast exchange of  
non return valves in connections  
**100% GROHE CoolTouch** consisting of safety  
housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
GROHE SafetyPlus

34 665 000

chrome

386.00




**Grotherm Special**  
**Thermostatic bath mixer 1/2"**  
wall mounted  
ergonomic handles  
Aquadimmer handle with multiple function  
flow control  
integrated mixed water shut off  
diverter bath/shower  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
Temperature scale handle with  
pre-adjustable safety stop between  
35°C and 43°C  
easy thermal disinfection via optional key 47 994 000  
shower bottom outlet 1/2"  
with integrated non return-valve  
metal temperature safety stop  
laminar mousseur  
dirt strainers  
with S-unions and with covers  
**GROHE Quickfix** for fast exchange of  
non return valves in connections  
**100% GROHE CoolTouch** consisting of safety  
housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
GROHE SafetyPlus

34 681 000







chrome

305.00









**Grotherm Special**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
ergonomic handles  
ceramic headparts 1/2", 90°  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
Temperature scale handle with  
pre-adjustable safety stop between  
35°C and 43°C  
easy thermal disinfection via optional key 47 994 000  
integrated mixed water shut off  
shower bottom outlet 1/2"  
with integrated non return-valve  
metal temperature safety stop  
dirt strainers  
without S-unions and covers  
**GROHE Quickfix** for fast exchange of  
non return valves in connections  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
GROHE SafetyPlus







# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	Price netto (€)
 	<b>34 671 000</b> <b>Grohtherm Special</b> <b>Thermostatic bath mixer 1/2"</b> wall mounted ergonomic handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower <b>GROHE TurboStat</b> compact cartridge with wax thermoelement Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection via optional key 47 994 000 shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers <b>GROHE Quickfix</b> for fast exchange of non return valves in connections <b>GROHE CoolTouch</b> safety housing <b>GROHE StarLight</b> chrome finish GROHE SafetyPlus	chrome	383.00
 	<b>13 080 000</b> <b>Spout</b> length 77 mm <b>GROHE StarLight</b> chrome finish	chrome	206.00
	<b>13 137 000</b> <b>Cast swivel spout</b> length 115 mm <b>GROHE StarLight</b> chrome finish	chrome	235.00
	<b>13 138 000</b> <b>Spout</b> length 175 mm <b>GROHE StarLight</b> chrome finish	chrome	299.00

# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	Price netto (€)
 	<b>34 666 000</b>	<b>chrome</b>	<b>343.00</b>
	<p><b>Grohtherm Special</b>  <b>Thermostatic basin mixer 1/2"</b>                      wall mounted                      ergonomic handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      Temperature scale handle with                      pre-adjustable safety stop between                      35°C and 43°C                      easy thermal disinfection via optional key 47 994 000                      integrated mixed water shut off                      bottom outlet for spouts 13 378 or 13 380                      metal temperature safety stop                      dirt strainers                      with S-unions and with covers  <b>GROHE Quickfix</b> for fast exchange of                      non return valves in connections  <b>100% GROHE CoolTouch</b> consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE StarLight</b> chrome finish                      GROHE SafetyPlus</p>		
 	<b>13 378 000</b>	<b>chrome</b>	<b>92.00</b>
	<p><b>Cast swivel spout</b>                      length 115 mm                      swivelling (180 or 90°) and lockable                      laminar flow straightener 9 l/min.  <b>GROHE StarLight</b> finish</p>		
	<b>13 380 000</b>	<b>chrome</b>	<b>102.00</b>
	<p><b>ditto, length 175 mm</b></p>		
 	<b>29 094 000</b>	<b>chrome</b>	<b>236.00</b>
	<p><b>Grohtherm Special</b>  <b>Thermostatic shower mixer</b>                      set for final installation for                      GROHE Rapido T 35 500 000                      without concealed body                      escutcheon- and shaft-sealing                      covered connections                      ergonomic handles                      Temperature scale handle with                      pre-adjustable safety stop between                      35°C and 43°C                      integrated mixed water shut off                      metal temperature safety stop                      easy thermal disinfection via optional key 47 994 000  <b>GROHE StarLight</b> chrome finish                      GROHE SafetyPlus</p>		
	<b>35 500 000</b>	<b>chrome</b>	<b>245.00</b>
	<p><b>GROHE Rapido T Universal thermostatic                      mixer for concealed installation</b></p>		


# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	Price netto (€)
 	<b>29 095 000</b> <b>Grotherm Special</b> <b>Thermostatic bath mixer</b> set for final installation for GROHE Rapido T 35 500 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C integrated mixed water shut off metal temperature safety stop easy thermal disinfection via optional key 47 994 000 <b>GROHE StarLight</b> chrome finish GROHE SafetyPlus	chrome	242.00
 	<b>29 096 000</b> <b>Grotherm Special</b> <b>Central thermostatic mixer</b> set for final installation for GROHE Rapido T 35 500 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C metal temperature safety stop easy thermal disinfection via optional key 47 994 000 <b>GROHE StarLight</b> chrome finish GROHE SafetyPlus	chrome	190.00
	<b>47 979 000</b> <b>Non-return valves</b> including screws and O-rings for <b>GROHE QuickFix</b> packaging unit: 2 pieces	chrome	24.00
	<b>47 994 000</b> <b>Grotherm Special</b> <b>Temperature unlocking handle</b> unlocking of temperature handle for thermal disinfection	chrome	6.10




# GROHE GROHTHERM SPECIAL

Ref. No. Colour Price netto (€)




12 051 000 chrome 60.00

**S-union, lockable**  
1/2" x 3/4"  
screw socket to cover the union nut and the rosette  
sealing towards wall  
adjustment range 12.5 mm  
lockable for service  
suitable for 1/2" connections  
**GROHE StarLight** chrome finish



28 874 000 chrome 52.00

**T connection, 1/2"**  
for connection to shower and bath/shower- mixer  
union nut 1/2"  
2 connections 1/2" for the shower hose or drain valves  
**GROHE StarLight** chrome finish

















28 988 000 chrome 59.00

**Drain down valve**  
for fitting between shut-off valve and shower  
acc. to hospital guide rules  
female thread 1/2"  
**GROHE StarLight** chrome finish












# GROHE GROHTHERM XL



# GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
		<p><b>35 085 000</b></p> <p><b>Grotherm XL</b> <b>Thermostatic mixer 1"</b> wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet <b>without connection unions</b> <b>GROHE StarLight</b> chrome finish min. recommended pressure 1.0 bar</p>	<p>chrome</p> <p>1,180.00</p>
		<p><b>35 087 000</b></p> <p><b>Grotherm XL</b> <b>Thermostatic mixer 1 1/4"</b> wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet <b>without connection unions</b> <b>GROHE StarLight</b> chrome finish min. recommended pressure 1.0 bar</p>	<p>chrome</p> <p>1,280.00</p>
		<p><b>12 411 000</b></p> <p><b>S-union</b> nut 1 1/4" x 1" male thread <b>adjustment range 50 mm</b> screw escutcheon (for Grotherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish in units of 1</p>	<p>chrome</p> <p>201.00</p>
		<p><b>12 417 000</b></p> <p><b>Straight union</b> nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish</p>	<p>chrome</p> <p>137.00</p>
		<p><b>12 420 000</b> <b>ditto,</b> nut, 1 1/2" x 1 1/4", male thread (for Grotherm XL 1 1/4", 35 087/35 088)</p>	<p>chrome</p> <p>121.00</p>
		<p><b>12 424 000</b></p> <p><b>Straight union</b> nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish</p>	<p>chrome</p> <p>101.00</p>
		<p><b>12 426 000</b> <b>ditto,</b> nut, 2" x 1 1/2", external thread (for Grotherm XL 1 1/4", 35 087/35 088)</p>	<p>chrome</p> <p>376.00</p>

# GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
 	<b>12 428 000</b>	chrome	247.00
	<b>Elbow union</b> nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish		
	<b>12 430 000</b>	chrome	218.00
	<b>Elbow union</b> nut, 1 1/2" x 1 1/4", male thread (for Grohtherm XL 1 1/4", 35 087/35 088)		
 	<b>12 432 000</b>	chrome	226.00
	<b>Wall union, male 1 1/4"</b> nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish		
 	<b>12 444 000</b>	chrome	322.00
	<b>Wall union, male 1 1/4"</b> with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish		
 	<b>12 448 000</b>	chrome	584.00
	<b>Wall union, male 1 1/2"</b> with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon <b>GROHE StarLight</b> chrome finish		
 	<b>12 436 000</b>	chrome	236.00
	<b>Wall union, male 1 1/4"</b> without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish		
	<b>47 569 000</b>	chrome	552.00
	<b>Loose key and shield</b>		

# GROHE GROHTHERM XL

Ref. No. Colour Price netto (€)



12 124 000 chrome 126.00

**Mixed water circulation connection**  
consisting of:  
flexible connection hose  
3/4" x 3/4", 90° angle  
connecting nipple M45 x 1.5 x 3/4"  
for connection to existing circulation pipe  
double nipple 1" male thread x 3/4"  
for connection to Grotherm XL  
**GROHE StarLight** chrome finish



# GROHE EUROECO SPECIAL






# GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)


32 762 000 chrome 120.00



**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
**single hole installation**  
smooth body  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
laminar flow straightener 9 l/min.  
metal lever  
lever length 120 mm  
rapid installation system  
flexible connection hoses

32 763 000 chrome 117.00  
**ditto, with pop-up waste set 1 1/4"**


32 765 000 chrome 241.00



**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
**single hole installation**  
smooth body, high version  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
laminar flow straightener 9 l/min.  
metal lever  
lever length 120 mm  
rapid installation system  
flexible connection hoses


32 766 000 chrome 249.00  
**ditto, with pop-up waste set 1 1/4"**

30 208 000 chrome 243.00



**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
**single hole installation**  
high spout  
302 mm  
smooth body  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
laminar flow straightener 5.7 l/min.  
swivel tubular spout  
swivel area 140°  
metal lever  
lever length 170 mm  
rapid installation system  
flexible connection hoses  
min. recommended pressure 1.0 bar


32 776 000 chrome 213.00



**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
laminar flow straightener 9 l/min.  
cast spout  
projection 157 mm  
metal lever  
lever length 120 mm  
S-unions

# GROHE EUROECO SPECIAL


Ref. No. Colour Price netto (€)



32 778 000 chrome 248.00

**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
laminar flow straightener 9 l/min.  
cast spout, projection 205 mm  
metal lever  
lever length 170 mm  
S-unions


32 779 000 chrome 278.00  
ditto, with lockable S unions, projection 221 mm



32 770 000 chrome 211.00

**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
laminar flow straightener 9 l/min.  
cast swivel spout, lockable  
projection 157 mm  
metal lever  
lever length 120 mm  
S-unions


32 768 000 chrome 239.00  
ditto, with lockable S unions, projection 174 mm



32 767 000 chrome 265.00

**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
laminar flow straightener 9 l/min.  
cast swivel spout, lockable  
projection 197 mm  
metal lever  
lever length 120 mm  
S-unions

32 771 000 chrome 268.00  
ditto, with lockable S unions, projection 214 mm



32 773 000 chrome 278.00

**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
cast swivel spout, lockable  
laminar flow straightener 9 l/min.  
projection 257 mm  
metal lever  
lever length 170 mm  
S-unions

32 775 000 chrome 291.00  
ditto, with lockable S unions, projection 342 mm


SPECIAL FITTINGS

# GROHE EUROECO SPECIAL

Ref. No.

Colour

Price netto (€)




32 774 000

chrome

306.00

**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
wall mounted

**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
laminar flow straightener 9 l/min.  
cast swivel spout, lockable  
projection 274 mm  
metal lever  
lever length 170 mm  
with lockable S-unions




32 772 000

chrome

242.00

**Euroeco Special**  
**Single-lever basin mixer**  
wall mounted

**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable minimum flow rate  
approx. 2.5 l/min  
adjustable temperature limiter  
adjustable flow rate limiter  
laminar flow straightener 9 l/min.  
cast swivel spout, lockable  
projection 222 mm  
metal lever  
lever length 170 mm  
without S-unions  
water saving




32 780 000

chrome

126.00

**Euroeco Special**  
**Single-lever shower mixer 1/2"**  
wall mounted

**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate  
approx. 2.5 l/min  
shower bottom outlet 1/2"  
integrated non-return valve  
metal lever  
lever length 120 mm  
S-unions  
protected against backflow  
without shower set



32 783 000

chrome

145.00

**Euroeco Special**  
**Single-lever bath mixer 1/2"**  
wall mounted

**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EcoJoy** technology for less water and perfect flow  
adjustable flow rate limiter  
automatic diverter:  
bath/shower  
mousseur  
integrated non-return valve  
metal lever  
lever length 120 mm  
temperature limiter, S-unions  
protected against backflow  
without shower set



# GROHE EUROECO SPECIAL

	Ref. No.	Colour	Price netto (€)
 	<b>32 784 000</b> <b>Euroeco Special</b> <b>Single-lever shower mixer</b> set for final installation for without concealed body <b>GROHE StarLight</b> chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter	chrome	113.00
 	<b>33 912 000</b> <b>Euroeco Special</b> <b>Single-lever sink mixer 1/2"</b> <b>single hole installation</b> <b>GROHE StarLight</b> chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout metal lever lever length 120 mm temperature limiter Attention: old product	chrome	284.00
	<b>32 870 000</b> <b>Euroeco Special</b> <b>Lever 115 mm</b> for Euroeco Special single-lever mixer <b>GROHE StarLight</b> chrome finish	chrome	21.00
	<b>32 871 000</b> <b>ditto, length 160 mm</b>	chrome	28.00
	<b>46 259 000</b> <b>Lever 120 mm</b> <b>GROHE StarLight</b> chrome finish	chrome	22.00
	<b>46 257 000</b> <b>Lever 170 mm</b> <b>GROHE StarLight</b> chrome finish	chrome	52.00
	<b>46 688 000</b> <b>Lever 120 mm</b> for Euroeco Special single lever basin mixer metal, 120 mm <b>GROHE StarLight</b> chrome finish	chrome	27.00
	<b>46 689 000</b> <b>length 170 mm</b>	chrome	24.00

# GROHE EUROECO SINGLE SEQUENTIAL



# GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
 	<b>32 789 000</b>	<b>chrome</b>	<b>215.00</b>
<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>  <b>single hole installation</b>                      smooth body  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      laminar flow straightener 9 l/min.                      metal lever                      lever length 120 mm                      rapid installation system                      flexible connection hoses,</p>			
	<b>32 788 000</b>	<b>chrome</b>	<b>225.00</b>
<p><b>ditto, with pop-up waste set 1 1/4"</b></p>			
 	<b>32 790 000</b>	<b>chrome</b>	<b>304.00</b>
<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>  <b>single hole installation</b>                      smooth body, high version  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      laminar flow straightener 9 l/min.                      metal lever                      lever length 120 mm                      rapid installation system                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
 	<b>32 823 000</b>	<b>chrome</b>	<b>320.00</b>
<p><b>Euroeco Special</b>  <b>Single-lever safety basin mixer 1/2"</b>                      ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast spout with flow straightener 9 l/min.                      projection 170 mm                      metal lever                      lever length 170 mm  <b>without connection unions</b></p>			
 	<b>32 795 000</b>	<b>chrome</b>	<b>323.00</b>
<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast spout with flow straightener 9 l/min.                      projection 204 mm                      metal lever                      lever length 170 mm                      S-unions</p>			



# GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
 	<b>32 792 000</b>	<b>chrome</b>	<b>373.00</b>
	<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast swivel spout, lockable with flow                      straightener 9 l/min.                      projection 197 mm                      metal lever                      lever length 120 mm                      S-unions                      min. recommended pressure 1.0 bar</p>		
	<b>32 793 000</b>	<b>chrome</b>	<b>358.00</b>
	<b>ditto, projection 256 mm</b>		
	<b>46 277 000</b>	<b>chrome</b>	<b>9.80</b>
	<p><b>Temperature limiter</b>                      for cartridge 46 278                      for Euroeco safety mixer batteries</p>		
	<b>46 278 000</b>	<b>chrome</b>	<b>72.00</b>
	<p><b>Cartridge</b>                      with ceramic sealing system                      for Euroeco safety mixer batteries</p>		
	<b>46 686 000</b>	<b>chrome</b>	<b>31.00</b>
	<p><b>Lever 120 mm</b>                      for Euroeco Special                      single sequential basin mixer                      metal, 120 mm  <b>GROHE StarLight</b> chrome finish</p>		
	<b>46 687 000</b>	<b>chrome</b>	<b>35.00</b>
	<p><b>Lever 170 mm</b>                      for Euroeco Special                      single sequential basin mixer                      metal, 170 mm  <b>GROHE StarLight</b> chrome finish</p>		

# GROHE EURODISC SE



# GROHE EURODISC SE

Ref. No.


Colour

Price netto (€)

36 233 000

chrome

654.00




**Eurodisc SE**  
Self-closing basin mixer with mixing device  
and adjustable temperature limiter  
**6 V lithium-battery, type CR-P2**  
**GROHE StarLight** chrome finish  
flexible connection hoses  
non-return valves with integrated dirt strainers  
rapid installation system  
start-stop function  
electronic control of operating time  
safety stop after 180 sec.  
functions to activate with tip code  
flow time infinitely adjustable from 2-180 sec.  
automatic flushing: 5 min after 3 days  
without use  
thermal disinfection for 3.5 or 11 min  
CE approved  
type of protection faucet IP 59K  
min. recommended pressure 1.0 bar

36 249 000

chrome

718.00



**Eurodisc SE**  
Self-closing basin tap 1/2"  
without mixing device  
**6 V lithium-battery, type CR-P2**  
for cold or premixed water  
marking: blue  
**GROHE StarLight** chrome finish  
flexible connection hose  
dirt strainer  
rapid installation system  
start-stop function  
electronic control of operating time  
safety stop after 180 sec.  
functions to activate with tip code  
flow time infinitely adjustable from 2-180 sec.  
automatic flushing: 5 min after 3 days  
without use  
CE approved  
type of protection faucet IP 59K

36 209 000

chrome

119.00



**Hidden mixing device**  
vandal-proof, covered and pre-adjustable  
mixer  
suitable for single hole mixers  
Europlus E and Eurodisc SE  
consisting of:  
special mixing device, adjustment by  
screwdriver  
metallic cap  
**GROHE StarLight** chrome finish

42 886 000

chrome

22.00

Battery




45 704 000

chrome

40.00

**Flexible connection hose**  
300 mm  
3/8" x 3/8"



# GROHE EUROSMART COSMOPOLITAN T






# GROHE EUROSMART COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 317 000

chrome

281.00

**Eurosmart Cosmopolitan T**  
**Self-closing basin mixer with mixing device**  
**and adjustable temperature limiter**


GROHE StarLight chrome finish  
3 adjustable flow times: short - medium - long  
(factory setting: short), approx. 7, 15, 30 sec  
(pressure dependent)  
pressure range 0.5 to 6 bar  
2 flexible hoses  
non-return valve  
dirt strainers,

36 318 000

chrome

305.00

ditto, with pop-up waste set 1 1/4"




36 319 000

chrome

504.00

**Eurosmart Cosmopolitan T**  
**Self-closing basin mixer with mixing device**  
**and adjustable temperature limiter**

wall mounted  
GROHE StarLight chrome finish  
GROHE EcoJoy technology for less water and perfect flow  
laminar flow straightener 9 l/min., swivel cast spout 200 mm  
swivel range stop at 130°, lockable  
3 adjustable flow times: short - medium - long  
(factory setting: medium), approx. 7, 15, 30 sec  
(pressure dependent)  
pressure range 0.5 to 6 bar  
S-unions, non-return valve  
dirt strainers




36 320 000

chrome

442.00

**Eurosmart Cosmopolitan T**  
**Self-closing shower mixer 1/2" with mixing device**  
**and adjustable temperature limiter**

wall mounted  
GROHE StarLight chrome finish  
mixing device with hot water stop-valve  
hose connection G 1/2"  
3 adjustable flow times: short - medium - long  
(factory setting: medium), approx. 7, 15, 30 sec  
(pressure dependent)  
pressure range 0.5 to 6 bar  
S-unions, non-return valve  
dirt strainers




36 321 000

chrome

316.00

**Eurosmart Cosmopolitan T**  
**Self-closing shower mixer 1/2" with mixing device**  
**and adjustable temperature limiter**

GROHE StarLight chrome finish  
chrome escutcheon  
3 adjustable flow times: short - medium - long  
(factory setting: medium), approx. 7, 15, 30 sec  
(pressure dependent)  
pressure range 0.5 to 6 bar  
dirt strainers  
for use with 36 322 000  
without concealed body



36 322 000

chrome

140.00

**Eurosmart Cosmopolitan T**  
**Concealed mounting box**  
**with mixture**

wall installation  
suitable for self-closing final installation sets  
with adhesive flange for sealing the wall  
2 stop valves  
housing with mixing device  
non-return valve  
for use with 36 321 000

# GROHE EUROECO COSMOPOLITAN T






# GROHE EUROECO COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 265 000

chrome

129.00


**Euroeco Cosmopolitan T  
Self-closing pillar tap 1/2"**

for cold or premixed water  
marking: blue/red

**GROHE StarLight** chrome finish

3 adjustable flow times: short - medium - long  
(factory setting: short), approx. 7, 15, 30 sec  
(pressure dependent)

min. recommended pressure 1.0 bar



36 266 000

chrome

99.00

**Euroeco Cosmopolitan T  
Self-closing pillar tap 1/2"**


wall mounted

marking: blue/red

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow  
flow limiter 5.7 l/min

escutcheon



36 316 000


chrome

35.00

**Euroeco Cosmopolitan T  
Extension, 42 mm**

for self-closing pillar tap 1/2" (36 266 000)

**GROHE StarLight** chrome finish



36 268 000

chrome

99.00

**Euroeco Cosmopolitan T  
Self-closing gate valve 1/2"**

for concealed installation


for cold or premixed water

marking: blue/red

**GROHE StarLight** chrome finish

3 adjustable flow times: short - medium - long  
(factory setting: short), approx. 7, 15, 30 sec  
(pressure dependent)

min. recommended pressure 1.0 bar



36 267 000

chrome

84.00

**Euroeco Cosmopolitan T  
Self-closing shower valve 1/2"**

exposed installation

for cold or premixed water

marking: blue/red

**GROHE StarLight** chrome finish

3 adjustable flow times: short - medium - long  
(factory setting: short), approx. 7, 15, 30 sec  
(pressure dependent)

escutcheon

min. recommended pressure 1.0 bar

# GROHE CONTROMIX




# GROHE CONTROMIX

Ref. No.

Colour

Price netto (€)




36 109 000

chrome

498.00

**Contromix Public**  
**Self-closing basin mixer 1/2"**  
**with mixing device**  
GROHE StarLight chrome finish  
economy stop function  
temperature limiter  
flow time adjustable  
5-40 sec.  
flexible connection hoses  
non-return valve  
dirt strainer  
min. recommended pressure 1.2 bar




36 121 000

chrome

562.00

**Contromix Surf**  
**Self-closing shower mixer 1/2"**  
**with mixture**  
GROHE StarLight chrome finish  
GROHE EcoJoy technology for less water and perfect flow  
economy stop function  
temperature limiter  
flow time adjustable  
5-40 sec.  
escutcheon, plastic chromed  
escutcheon- and shaft-sealing  
non-return valve  
dirt strainers  
set for final installation for 36 122  
without concealed body  
min. recommended pressure 1.5 bar




36 122 000

chrome

244.00

**Contromix Surf**  
**Concealed mounting box**  
(for 36 121/36 123)  
without finishing trim set  
wall mounting box with adhesive  
flange for sealing the wall  
installation from top or at the sides  
stop valve and flush elbow



45 704 000

chrome

40.00

**Flexible connection hose**  
300 mm  
3/8" x 3/8"



43 813 000

chrome

156.00

**Cartridge**  
for Contromix Surf/Public

# GROHE CONTROMIX

Ref. No.	Colour	Price netto (€)
----------	--------	-----------------




43 959 000	chrome	54.00
------------	--------	-------

**Socket Spanner**  
for Contromix Surf/Public

SPECIAL FITTINGS

# GROHE SENSIA SHOWER TOILETS





**CONTENTS**

Shower toilet

Sensia IGS

601

Sensia Arena

605

SHOWER TOILET





# GROHE SENSIA IGS



# GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

39 111 SH0	alpine white	3,980.00
39 111 LPO	alpine white/alpine white	4,370.00
39 111 LDO	alpine white/red	4,370.00
39 111 LKO	alpine white/black	4,370.00

## GROHE Sensia IGS

Shower toilet complete system for concealed flushing cisterns, wall-hung

**GROHE Hygiene** decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use

**GROHE DreamSpray** technology

separate water way for lady spray

aerated shower spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

warm water with adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with soft close function

push and turn seat control operation

4 programmable user profiles for remote controller

power switch

inside night lighting

hidden water supply and power supply connections

includes:

touchscreen remote control with wall-mounted holder

batteries for remote controller

active carbon filter

fixing and connecting material

flush pipe

installation guide, manual

cable with system plug on device

pressure 0.1 - 1.0 MPa (1 - 10 bar)

nominal voltage 220-240 V AC 1400 W

main frequency 50-60 Hz

type of protection IPX4

complying with EN 1717/13077

CE approved

**SH0:**

alpine white ceramic, housing, front, seat and lid

**LPO:**

alpine white ceramic, front, seat and lid

matt chrome housing

**LDO:**

alpine white ceramic, seat and lid

matt chrome housing


red front

**LKO:**

alpine white ceramic, seat and lid

matt chrome housing

black front



46 884 000	chrome	79.00
------------	--------	-------

## Care set

for GROHE Sensia IGS shower WC

consisting of:

1 odor filter

descaling agent for 2 applications



46 882 00M	chrome	52.00
------------	--------	-------

## Descaling agent

for GROHE Sensia IGS shower WC

for 4 applications

This product is a hazardous substance. Find more information

in the safety data sheet. You can download the safety data at:

[www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



# GROHE SENSIA IGS

	Ref. No.	Colour	Price netto (€)
	46 883 00M <b>Odor filter for GROHE Sensia IGS shower WC</b> contains 2 odor filters	chrome	97.00
	40 899 000 <b>Retrofit kit for shower toilets Sensia Arena and IGS</b> retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm	chrome	36.00

# GROHE SENSIA ARENA



# GROHE SENSIA ARENA

Ref. No. Colour Price netto (€)

**39 354 SH1** **alpine white** **2,010.00**

## GROHE Sensia Arena

### Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and anti stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with **GROHE Triple Vortex** flushing technology

GROHE Skin Clean:

- 2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)
- separate water way for lady spray
- oscillating spray (automatic forward and reverse motion of the spray)
- pulsating spray for massage
- adjustable spray intensity
- automatic pre- and post-rinsing of spray nozzle with fresh water
- integrated instant heater provides unlimited warm water
- adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

infra-red user detection

seat control panel operation

power switch

inside bowl night light

hidden water supply and power supply connections

remote control

smart phone app for iOS and Android

includes:

noise protection sheet, mounting bases and washers

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

cable with system plug on device

pressure 0.05 - 1 MPa (0.5 - 10 bar)

nominal voltage 220-240 V AC


main frequency 50-60 Hz

type of protection IPX4

complies with

EN 1717

CE approved



**46 944 001** **chrome** **182.00**

## GROHE Sensia Arena

### Installation kit for automatic flush and pre-flush

consisting of:

servo motor for GD 2


actuation rod for flushing valve

cable + blind cap

flexible hose

WC actuation plate not included

CE approved



**40 899 000** **chrome** **36.00**

## Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS

including:

conduit pipe with locking ring and flat seal

cable ties

WC connecting pipe Ø 45 mm

waste sleeve Ø 90 mm







# GROHE CERAMICS





## CONTENTS

Essence	611
Cube Ceramic	617
Euro Ceramic	623
Bau Ceramic	631
Acrylic shower trays	639




# GROHE ESSENCE





Ref. No. Colour Price netto (€)




**39 564 00H**

alpine white

176.00

**Essence**  
**Wash basin 70**  
wall hung  
1 hole punched, 2 holes pre-punched  
with overflow on opposite site to faucet  
700 x 485 mm  
suitable for half and full pedestal  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**12 pieces per pallet**




**39 565 00H**

alpine white

164.00

**Essence**  
**Wash basin 60**  
wall hung  
1 hole punched, 2 holes pre-punched  
with overflow on opposite site to faucet  
600 x 485 mm  
suitable for half and full pedestal  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**16 pieces per pallet**




**39 566 00H**

alpine white

386.00

**Essence**  
**Vanity basin 100**  
wall hung  
1 hole punched, 2 holes pre-punched  
with overflow on opposite site to faucet  
suitable for vanity units  
1000 x 460 mm  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**8 pieces per pallet**




**39 567 00H**

alpine white

277.00

**Essence**  
**Vanity basin 80**  
wall hung  
1 hole punched, 2 holes pre-punched  
with overflow on opposite site to faucet  
suitable for vanity units  
800 x 460 mm  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**12 pieces per pallet**




**39 568 00H**

alpine white

190.00

**Essence**  
**Vanity basin 60**  
wall hung  
1 hole punched, 2 holes pre-punched  
with overflow on opposite site to faucet  
suitable for vanity units  
600 x 460 mm  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**16 pieces per pallet**



**39 608 00H**

alpine white

369.00

**Essence**  
**Vessel basin 60**  
without overflow  
600 x 400 mm  
including fixation set  
including ceramic waste, removable cover  
non-closable  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing




# GROHE ESSENCE

Ref. No.

Colour

Price netto (€)




39 609 00H

alpine white

246.00

**Essence**  
**Vessel basin 45**  
without overflow  
450 x 450 mm  
including fixation set  
including ceramic waste, removable cover  
non-closable  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing




39 570 000

alpine white

103.00

**Essence**  
**Half pedestal**  
including fixation set  
sanitary ware  
**33 pieces per pallet**




39 571 00H

alpine white

245.00

**Essence**  
**Wall hung WC**  
for concealed cistern  
wash down  
rimless  
horizontal outlet  
flush volume 3/4.5 l  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**12 pieces per pallet**




39 572 00H

alpine white

274.00

**Essence**  
**Floor standing WC for close coupled combination**  
close coupled  
universal trap for horizontal and vertical outlet  
wash down  
rimless  
flush volume 3/4.5 l  
including fixation set  
cistern to be ordered separately  
sanitary ware  
fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**6 pieces per pallet**



39 573 00H

alpine white


255.00

**Essence**  
**Floor standing back to wall WC**  
universal trap for horizontal and vertical outlet  
back to wall  
for concealed cistern  
rimless  
flush volume 3/4.5 l  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**8 pieces per pallet**

CERAMICS


# GROHE ESSENCE

Ref. No. Colour Price netto (€)




39 578 000 alpine white 154.00

**Essence**  
**Exposed flushing cistern for close coupled combination**  
side inlet  
including flushing set GROHE AV1  
dual flush 4.5/3 l  
including fixation set  
sanitary ware  
**24 pieces per pallet**




39 579 000 alpine white 154.00

**Essence**  
**Exposed flushing cistern for close coupled combination**  
bottom inlet  
inlet and outlet concealed  
including flushing set GROHE AV1  
dual flush 4.5/3 l  
including fixation set  
sanitary ware  
**24 pieces per pallet**




39 577 000 alpine white 103.00

**Essence**  
**WC seat soft close**  
with lid  
quick release function  
detachable  
material: Duroplast  
including fixation set  
**7 pieces per master carton**




39 576 000 alpine white 68.00

**Essence**  
**WC seat**  
with lid  
quick release function  
detachable  
material: Duroplast  
including fixation set  
**7 pieces per master carton**



39 574 00H alpine white 245.00

**Essence**  
**Wall hung bidet**  
1 hole punched  
with overflow  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**16 pieces per pallet**




39 575 00H alpine white 255.00

**Essence**  
**Floor standing bidet**  
1 hole punched  
with overflow  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**8 pieces per pallet**


# GROHE ESSENCE

Ref. No. Colour Price netto (€)




19 025 000 chrome 57.00

**Talento**  
**Waste and overflow set for bath tubes**  
set for final installation  
escutcheon, waste plug, fixing set  
**in combination with**  
**Talentofill 28 939/28 943**  
**GROHE StarLight** chrome finish




19 952 000 chrome 173.00

**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
consisting of:  
escutcheon, supply part, waste plug, fixing set  
**in combination with**  
**Talentofill 28 990/28 991**  
**GROHE StarLight** chrome finish



28 943 000 chrome 119.00

**Talento**  
**Pop-up bath waste and overflow**  
set for special baths  
with bowden cable  
without finishing trim set  
bottle trap  
45° waste elbow



28 991 000 chrome 154.00

**Talentofill**  
**Inlet-, pop-up and waste-system**  
for body formed bath tubs  
without finishing trim set  
with bottle trap and 45°-outlet-bend  
without anti-vacuum device  
installation acc. to DIN 1988  
only with anti-vacuum device  
A2 type  
or Talentofill connection set (28 995)

CERAMICS

# GROHE CUBE CERAMIC




# GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)



39 386 00H


alpine white

368.00

**Cube Ceramic  
Wash basin 100**

wall hung  
1 hole punched, 2 holes pre-punched  
with overflow  
1010 x 490 mm

sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**10 pieces per pallet**



39 469 00H


alpine white

318.00

**Cube Ceramic  
Wash basin 80**

wall hung  
1 hole punched, 2 holes pre-punched  
with overflow  
800 x 490 mm

sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**10 pieces per pallet**



39 473 00H


alpine white

173.00

**Cube Ceramic  
Wash basin 60**

wall hung  
1 hole punched, 2 holes pre-punched  
with overflow  
600 x 490 mm

sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**16 pieces per pallet**



39 474 00H


alpine white

162.00

**Cube Ceramic  
Wash basin 50**

wall hung  
1 hole punched, 2 holes pre-punched  
with overflow  
500 x 490 mm

sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**18 pieces per pallet**



39 475 00H


alpine white

368.00

**Cube Ceramic  
Counter top basin 100**

flat back side glazed  
1 hole punched, 2 holes pre-punched  
with overflow  
1000 x 490 mm

including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**10 pieces per pallet**



39 476 00H

alpine white

319.00

**Cube Ceramic  
Counter top basin 80**

flat back side glazed  
1 hole punched, 2 holes pre-punched  
with overflow  
800 x 490 mm


including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**10 pieces per pallet**

# GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 477 00H

alpine white

173.00

**Cube Ceramic Counter top basin 60**  
flat back side glazed  
1 hole punched, 2 holes pre-punched  
with overflow  
600 x 490 mm  
including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**16 pieces per pallet**




39 478 00H

alpine white

162.00

**Cube Ceramic Counter top basin 50**  
flat back side glazed  
1 hole punched, 2 holes pre-punched  
with overflow  
500 x 490 mm  
including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**18 pieces per pallet**




39 481 00H

alpine white

155.00

**Cube Ceramic Vessel basin 50**  
without overflow  
500 x 470 mm  
including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**20 pieces per pallet**




39 482 00H

alpine white

137.00

**Cube Ceramic Vessel basin 40**  
without overflow  
400 x 400 mm  
including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**24 pieces per pallet**




39 480 00H

alpine white

155.00

**Cube Ceramic Under-counter wash basin 50**  
installation from below  
with overflow  
492 x 370 mm  
including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**18 pieces per pallet**



39 479 00H

alpine white

166.00


**Cube Ceramic Counter basin 60**  
flat back side glazed  
built-in  
1 hole punched, 2 holes pre-punched  
with overflow  
605 x 490 mm  
including fixation set  
sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**16 pieces per pallet**

CERAMICS




# GROHE CUBE CERAMIC


Ref. No. Colour Price netto (€)




**39 483 00H** **alpine white** **134.00**  
**Cube Ceramic**  
**Hand rinse basin 45**  
 wall hung  
 1 hole punched  
 with overflow  
 455 x 350 mm  
 sanitary ware  
**PureGuard** anti scale coating and anti bacterial glazing  
**22 pieces per pallet**




**39 485 00H** **alpine white** **320.00**  
**Cube Ceramic**  
**Floor standing back to wall WC**  
 for concealed cistern  
 universal trap for horizontal and vertical outlet  
 back to wall  
 wash down  
 rimless  
 flush volume 3/4.5 l  
 including fixation set  
 sanitary ware  
 fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**8 pieces per pallet**




**39 484 00H** **alpine white** **343.00**  
**Cube Ceramic**  
**Floor standing WC for close coupled combination**  
 close coupled  
 universal trap for horizontal and vertical outlet  
 rimless  
 flush volume 3/4.5 l  
 including fixation set  
 cistern to be ordered separately  
 sanitary ware  
 fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**6 pieces per pallet**



**39 489 000** **alpine white** **188.00**  
**Cube Ceramic**  
**Exposed flushing cistern for close coupled combination**  
 side inlet  
 including flushing set GROHE AV1  
 including fixation set  
 sanitary ware  
**24 pieces per pallet**



**39 490 000** **alpine white** **188.00**  
**Cube Ceramic**  
**Exposed flushing cistern for close coupled combination**  
 bottom inlet  
 inlet and outlet concealed  
 including flushing set GROHE AV1  
 including fixation set  
 sanitary ware  
**24 pieces per pallet**




**39 488 000** **alpine white** **132.00**  
**Cube Ceramic**  
**WC seat soft close**  
 with lid  
 soft close  
 quick release function  
 detachable  
 material: Duroplast  
 including fixation set

# GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 486 00H

alpine white

252.00

**Cube Ceramic  
Wall hung bidet**  
1 hole punched  
with overflow  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**6 pieces per pallet**



39 487 00H

alpine white













261.00

**Cube Ceramic  
Floor standing bidet**  
1 hole punched  
with overflow  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
**PureGuard** anti scale coating and anti bacterial glazing  
**8 pieces per pallet**













# GROHE EURO CERAMIC



# GROHE EURO CERAMIC

	Ref. No.	Colour	Price netto (€)
 	<b>39 585 00H</b> <b>Euro Ceramic Vanity basin 100</b> wall hung 1 hole punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware PureGuard anti scale coating and anti bacterial glazing <b>8 pieces per pallet</b>	alpine white	296.00
 	<b>39 584 00H</b> <b>Euro Ceramic Vanity basin 80</b> wall hung 1 hole punched with overflow 800 x 460 mm suitable for vanity units sanitary ware PureGuard anti scale coating and anti bacterial glazing <b>12 pieces per pallet</b>	alpine white	229.00
 	<b>39 323 000</b> <b>39 323 00H</b> <b>Euro Ceramic Wash basin 65</b> wall hung 1 hole punched with overflow 650 x 515 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) <b>18 pieces per pallet</b>	alpine white alpine white	64.00 96.00
 	<b>39 335 000</b> <b>39 335 00H</b> <b>Euro Ceramic Wash basin 60</b> wall hung 1 hole punched with overflow 600 x 480 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) <b>18 pieces per pallet</b>	alpine white alpine white	57.00 90.00
 	<b>39 337 000</b> <b>39 337 00H</b> <b>Euro Ceramic Counter top basin 60</b> 1 hole punched with overflow including fixation set sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) <b>18 pieces per pallet</b>	alpine white alpine white	63.00 95.00
 	<b>39 336 000</b> <b>39 336 00H</b> <b>Euro Ceramic Wash basin 55</b> wall hung 1 hole punched with overflow 550 x 450 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) <b>21 pieces per pallet</b>	alpine white alpine white	56.00 89.00

# GROHE EURO CERAMIC


	Ref. No.	Colour	Price netto (€)
	<b>39 423 000</b> <b>Universal tap</b> <b>Undercounter wash basin 55</b> installation from below with overflow 560 x 420 mm sanitary ware <b>18 pieces per pallet</b>	alpine white	68.00
			
	<b>39 324 000</b> <b>39 324 00H</b> <b>Euro Ceramic</b> <b>Hand rinse basin 45</b> wall hung 1 hole punched with overflow 450 x 400 mm sanitary ware optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H) <b>27 pieces per pallet</b>	alpine white alpine white	41.00 74.00
			
	<b>39 327 000</b> <b>39 327 00H</b> <b>Euro Ceramic</b> <b>Mini hand rinse basin</b> wall hung 1 hole punched 370 x 180 mm sanitary ware no pedestals recommended optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H) <b>36 pieces per pallet</b>	alpine white alpine white	52.00 84.00
			
	<b>39 201 000</b> <b>Euro Ceramic</b> <b>Semi pedestal for wash basin</b> invisible fixation set sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H <b>30 pieces per pallet</b>	alpine white	45.00
			
	<b>39 325 000</b> <b>Euro Ceramic</b> <b>Semi pedestal for hand rinse basin</b> invisible fixation set sanitary ware suitable for hand rinse basins 39 324 000/39 324 00H <b>30 pieces per pallet</b>	alpine white	45.00
			
	<b>39 202 000</b> <b>Euro Ceramic</b> <b>Full pedestal for wash basin</b> invisible fixation set sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H <b>30 pieces per pallet</b>	alpine white	50.00
			

# GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




**39 328 000**  
**39 328 00H**

**alpine white**  
**alpine white**

**178.00**  
**210.00**

**Euro Ceramic**  
**Wall hung WC**  
for concealed cistern  
horizontal outlet  
GROHE Triple Vortex flushing technology  
wash down  
rimless  
flush volume 3/5 l  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
optional: **PureGuard** anti scale coating and  
anti bacterial glazing (00H)  
**16 pieces per pallet**




**39 206 000**  
**39 206 00H**

**alpine white**  
**alpine white**

**162.00**  
**194.00**

**Euro Ceramic**  
**Wall hung compact WC**  
for concealed cistern  
horizontal outlet  
GROHE Triple Vortex flushing technology  
wash down  
rimless  
flush volume 3/5 l  
49 cm width  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
optional: **PureGuard** anti scale coating and  
anti bacterial glazing (00H)  
**16 pieces per pallet**




**39 538 000**

**alpine white**

**142.00**

**Euro Ceramic**  
**Wall hung WC, basic**  
for concealed cistern  
horizontal outlet  
wash down  
rimless  
flush volume 3/5 l  
sanitary ware  
**12 pieces per pallet**




**39 338 000**  
**39 338 00H**

**alpine white**  
**alpine white**

**138.00**  
**171.00**

**Euro Ceramic**  
**Floor standing WC for close coupled combination**  
close coupled  
universal trap for horizontal and vertical outlet  
GROHE Triple Vortex flushing technology  
wash down  
rimless  
flush volume 3/5 l  
including fixation set  
cistern to be ordered separately  
sanitary ware  
fully skirted with invisible fixation  
optional: **PureGuard** anti scale coating and  
anti bacterial glazing (00H)  
**9 pieces per pallet**



**39 332 000**

**alpine white**

**129.00**

**Euro Ceramic**  
**Exposed flushing cistern**  
bottom inlet  
inlet and outlet concealed  
including flushing set with dual flush  
including fixation set  
sanitary ware  
**18 pieces per pallet**




# GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




39 333 000

alpine white

129.00

**Euro Ceramic  
Exposed flushing cistern**

side or back inlet  
for back inlet please order mounting set 49 522 000 (sold separately)  
including flushing set with dual flush  
including fixation set  
sanitary ware  
**18 pieces per pallet**



39 329 000

alpine white

133.00


39 329 00H

alpine white

166.00

**Euro Ceramic  
Floor standing WC**

universal trap for horizontal and vertical outlet  
wash down  
rimless  
flush volume 3/5 l  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
optional: **PureGuard** anti scale coating and  
anti bacterial glazing (00H)  
**12 pieces per pallet**



39 339 000

alpine white

138.00


39 339 00H

alpine white

170.00

**Euro Ceramic  
Floor standing back to wall WC**

horizontal outlet  
back to wall  
GROHE Triple Vortex flushing technology  
wash down  
rimless  
flush volume 3/5 l  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
optional: **PureGuard** anti scale coating and  
anti bacterial glazing (00H)  
**12 pieces per pallet**



39 330 001

alpine white

65.00

**Euro Ceramic  
WC seat**

with lid  
soft close  
quick release function  
detachable  
material: Duroplast  
including fixation set  
suitable for all GROHE Euro Ceramic WCs



39 331 001

alpine white

\*

**Euro Ceramic  
WC seat**

with lid  
quick release function  
detachable  
material: Duroplast  
including fixation set  
suitable for all GROHE Euro Ceramic WCs


CERAMICS

# GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




39 208 000  
39 208 00H

alpine white  
alpine white

160.00  
193.00

**Euro Ceramic  
Wall hung bidet**  
1 hole punched  
with overflow  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
optional: **PureGuard** anti scale coating and  
anti bacterial glazing (00H)  
**16 pieces per pallet**



39 340 000  
39 340 00H

alpine white  
alpine white

141.00  
173.00


**Euro Ceramic  
Floor standing bidet**  
1 hole punched  
with overflow  
including fixation set  
sanitary ware  
fully skirted with invisible fixation  
optional: **PureGuard** anti scale coating and  
anti bacterial glazing (00H)  
**12 pieces per pallet**

# GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




39 453 000

chrome

\*

**WC connection outlet**  
horizontal  
320 mm from wall




39 454 000

chrome

\*

**WC connection outlet**  
horizontal and vertical  
length adjustable  
60 to 105 mm from wall




39 457 000

chrome

\*

**WC connection outlet**  
vertical  
length adjustable  
93.5 to 137 mm from wall




49 532 000

chrome

\*

**Escutcheon**  
for 39 457 000



39 551 000

chrome

\*













**WC connection outlet**  
vertical  
length adjustable  
200 to 250 mm from wall

CERAMICS













# GROHE BAU CERAMIC



# GROHE BAU CERAMIC

	Ref. No.	Colour	Price netto (€)
	 <p><b>39 420 000</b> <b>Bau Ceramic Wash basin 65</b> wall hung 1 hole punched with overflow 646 x 468 mm sanitary ware <b>18 pieces per pallet</b></p>	alpine white	44.00
	 <p><b>39 421 000</b> <b>Bau Ceramic Wash basin 60</b> wall hung 1 hole punched with overflow 609 x 442 mm sanitary ware <b>18 pieces per pallet</b></p>	alpine white	38.00
	 <p><b>39 440 000</b> <b>Bau Ceramic Wash basin 55</b> wall hung 1 hole punched with overflow 553 x 386 mm sanitary ware <b>21 pieces per pallet</b></p>	alpine white	37.00
	 <p><b>39 422 000</b> <b>Bau Ceramic Counter basin 55</b> built-in 1 hole punched with overflow 560 x 400 mm sanitary ware <b>21 pieces per pallet</b></p>	alpine white	68.00
	 <p><b>39 423 000</b> <b>Universal tap Undercounter wash basin 55</b> installation from below with overflow 560 x 420 mm sanitary ware <b>18 pieces per pallet</b></p>	alpine white	68.00
	 <p><b>39 424 000</b> <b>Bau Ceramic Hand rinse basin 45</b> wall hung 1 hole punched with overflow 453 x 354 mm sanitary ware <b>27 pieces per pallet</b></p>	alpine white	37.00


# GROHE BAU CERAMIC

	Ref. No.	Colour	Price netto (€)
 	39 426 000	alpine white	42.00
<p><b>Bau Ceramic</b> <b>Half pedestal</b> including fixation set sanitary ware <b>30 pieces per pallet</b></p>			
 	39 425 000	alpine white	37.00
<p><b>Bau Ceramic</b> <b>Full pedestal</b> including fixation set sanitary ware <b>30 pieces per pallet</b></p>			
 	39 427 000	alpine white	70.00
<p><b>Bau Ceramic</b> <b>Wall hung WC</b> for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware <b>16 pieces per pallet</b></p>			
 	39 491 000	alpine white	55.00
<p><b>Bau Ceramic</b> <b>Wall hung WC</b> for concealed cistern wash down open rim horizontal outlet flush volume 6/3 l including fixation set sanitary ware <b>16 pieces per pallet</b></p>			
 	39 428 000	alpine white	77.00
<p><b>Bau Ceramic</b> <b>Floor standing WC for close coupled combination</b> wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware <b>9 pieces per pallet</b></p>			
 	39 349 000	alpine white	86.00
<p><b>Bau Ceramic</b> <b>Floor standing WC for close coupled combination</b> wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware <b>9 pieces per pallet</b></p>			




# GROHE BAU CERAMIC


Ref. No. Colour Price netto (€)




**39 429 000** alpine white 86.00  
**Bau Ceramic**  
**Floor standing WC for close coupled combination**  
 wash down  
 rimless  
 vertical outlet, concealed  
 flush volume 6/3 l  
 including fixation set  
 cistern to be ordered separately  
 sanitary ware  
**9 pieces per pallet**




**39 436 000** alpine white 67.00  
**Bau Ceramic**  
**Exposed flushing cistern**  
 bottom inlet  
 inlet and outlet concealed  
 including flushing set  
 sanitary ware  
**24 pieces per pallet**




**39 437 000** alpine white 67.00  
**Bau Ceramic**  
**Exposed flushing cistern**  
 side inlet  
 including flushing set  
 sanitary ware  
**24 pieces per pallet**



**39 494 000** alpine white 52.00  
**Bau Ceramic**  
**Exposed flushing cistern**  
 side inlet  
 including flushing set  
 sanitary ware  
**24 pieces per pallet**




**39 430 000** alpine white 58.00  
**Bau Ceramic**  
**Floor standing WC**  
 wash down  
 rimless  
 horizontal outlet  
 flush volume 6/3 l  
 including fixation set  
 sanitary ware  
**12 pieces per pallet**




**39 431 000** alpine white 58.00  
**Bau Ceramic**  
**Floor standing WC**  
 wash down  
 rimless  
 vertical outlet  
 flush volume 6/3 l  
 including fixation set  
 sanitary ware  
**12 pieces per pallet**

# GROHE BAU CERAMIC


Ref. No. Colour Price netto (€)




**39 492 000** **alpine white** **30.00**  
**Bau Ceramic WC seat**  
 with lid  
 quick release function  
 detachable  
 material: Duroplast  
 including fixation set  
**126 pieces per pallet**




**39 493 000** **alpine white** **54.00**  
**Bau Ceramic WC seat soft close**  
 with lid  
 quick release function  
 detachable  
 material: Duroplast  
 including fixation set  
**126 pieces per pallet**




**39 433 000** **alpine white** **118.00**  
**Bau Ceramic Wall hung bidet**  
 1 hole punched  
 with overflow  
 sanitary ware  
**16 pieces per pallet**



**39 432 000** **alpine white** **117.00**  
**Bau Ceramic Floor standing bidet**  
 1 hole punched  
 with overflow  
 including fixation set  
 sanitary ware  
**12 pieces per pallet**



**39 438 000** **alpine white** **133.00**  
**Bau Ceramic Urinal**  
 concealed inlet  
 flush volume 1 l  
 including fixation set  
 sanitary ware  
**16 pieces per pallet**




**39 439 000** **alpine white** **133.00**  
**Bau Ceramic Urinal**  
 top inlet  
 flush volume 1 l  
 including fixation set  
 sanitary ware  
**16 pieces per pallet**

CERAMICS


# GROHE BAU CERAMIC

Ref. No. Colour Price netto (€)




**39 351 000** alpine white 117.00

**Bau Ceramic Wall hung WC set**  
WC seat and lid with soft close feature  
for concealed cistern  
wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
sanitary ware  
**12 pieces per pallet**



**39 497 000** alpine white 83.00

**Bau Ceramic Wall hung WC set**  
WC seat and lid  
for concealed cistern  
wash down  
open rim  
horizontal outlet  
flush volume 6/3 l  
sanitary ware  
**12 pieces per pallet**




**39 347 000** alpine white 189.00

**Bau Ceramic Bundle close coupled WC**  
consisting of:  
**Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)**  
wash down  
boxed rim  
horizontal outlet, concealed  
flush volume 6/3 l  
including fixation set  
sanitary ware

**Bau Ceramic exposed flushing cistern (39 437 000)**  
side inlet  
including flushing set  
sanitary ware

**Bau Ceramic WC seat (39 493 000)**  
with lid  
soft close  
quick release function  
detachable  
material: Duroplast  
including fixation set  
**4 pieces per pallet**



**39 346 000** alpine white 197.00

**Bau Ceramic Bundle close coupled WC**  
consisting of:  
**Bau Ceramic floor standing toilet with vertical outlet (39 429 000)**  
wash down  
rimless  
vertical outlet  
flush volume 6/3 l  
including fixation set  
sanitary ware

**Bau Ceramic exposed flushing cistern (39 437 000)**  
side inlet  
including flushing set  
sanitary ware


**Bau Ceramic WC seat (39 493 000)**  
with lid  
soft close  
quick release function  
detachable  
material: Duroplast  
including fixation set  
**4 pieces per pallet**

# GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)




39 453 000

**WC connection outlet**  
horizontal  
320 mm from wall

chrome

\*




39 454 000

**WC connection outlet**  
horizontal and vertical  
length adjustable  
60 to 105 mm from wall

chrome

\*




39 457 000

**WC connection outlet**  
vertical  
length adjustable  
93.5 to 137 mm from wall

chrome

\*




49 532 000

**Escutcheon**  
for 39 457 000

chrome

\*



39 551 000

**WC connection outlet**  
vertical  
length adjustable  
200 to 250 mm from wall

chrome

\*


# GROHE ACRYLIC SHOWER TRAYS



# GROHE ACRYLIC SHOWER TRAYS



Ref. No. Colour Price netto (€)

39 300 000 alpine white 157.00





**Acrylic shower tray 1000 x 1000**  
 dimensions: 1000 x 1000 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)  
 or  
 MEPA mounting frame SF (# 150183)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014416  
 recommended Schedel installation set SD 90083  
**20 pieces per pallet**

39 301 000 alpine white 116.00




**Acrylic shower tray 900 x 900**  
 dimensions: 900 x 900 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)  
 or  
 MEPA mounting frame SF (# 150183)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014408  
 recommended Schedel installation set SD 90081  
**20 pieces per pallet**

39 302 000 alpine white 111.00



**Acrylic shower tray 800 x 800**  
 dimensions: 800 x 800 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)  
 or  
 MEPA mounting frame SF (# 150183)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014411  
 recommended Schedel installation set SD 90080  
**20 pieces per pallet**

39 305 000 alpine white 197.00




**Acrylic shower tray 800 x 1200**  
 dimensions: 800 x 1200 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA mounting frame SF (# 150183)  
 extension set MR SF (# 150194)  
 height adjustment easy lift (# 150193)  
 wall rails for shower trays (# 190032)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014413  
 recommended Schedel installation set SD 90084  
**20 pieces per pallet**



# GROHE ACRYLIC SHOWER TRAYS


Ref. No. Colour Price netto (€)

39 306 000 alpine white 128.00




**Acrylic shower tray 800 x 1000**  
 dimensions: 800 x 1000 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)  
 or  
 MEPA mounting frame SF (# 150183)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014412  
 recommended Schedel installation set SD 90082  
**20 pieces per pallet**

39 307 000 alpine white 282.00




**Acrylic shower tray 900 x 1400**  
 dimensions: 900 x 1400 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA mounting frame SF (# 150181)  
 height adjustment easy lift (# 150193)  
 wall rails for shower trays (# 190032)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014415  
 recommended Schedel installation set SD 90086  
**20 pieces per pallet**

39 308 000 alpine white 243.00




**Acrylic shower tray 900 x 1200**  
 dimensions: 900 x 1200 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA mounting frame SF (# 150183)  
 extension set MR SF (# 150194)  
 height adjustment easy lift (# 150193)  
 wall rails for shower trays (# 190032)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014414  
 recommended Schedel installation set SD 90085  
**20 pieces per pallet**

49 533 000 chrome 34.00



**Waste set for universal shower tray**  
 Ø 112 mm  
 vertical outlet  
 GROHE StarLight chrome finish  
 flow rate 1.1 l/s according to DIN EN 274

49 534 000 chrome 34.00



**Waste set for universal shower tray**  
 Ø 112 mm  
 horizontal outlet  
 GROHE StarLight chrome finish  
 flow rate 0.7 l/s (42 l/min) according to DIN EN 274

CERAMICS

GROHE  
INSTALLATION SYSTEMS





## CONTENTS

Rapid SL	Rapid SL for WC	645
	Rapid SL for urinal	659
	Rapid SL for wash basin and bidet	663
	Rapid SL for the disabled	669
	Rapid SL free-standing installation	673
	Rapid SL fitting supports	677
	Rapid SL accessories	679
Uniset	Uniset frames and accessories	685



# GROHE RAPID SL FOR WC




# GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)



**39 374 KS0**

**velvet black**

**762.00**

**GROHE glass module**

for Rapid SL / Uniset

**with flushing cistern GD 2**

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections


mounting plate with concealed water connection

for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

set for noise protection

including accessory for mounting glass plate and WC ceramic



**39 374 LS0**

**moon white**

**767.00**

**GROHE glass module**

for Rapid SL / Uniset

**with flushing cistern GD 2**

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection

for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

set for noise protection


including accessory for mounting glass plate and WC ceramic

# GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




38 827 000

chrome

387.00

**Rapid SL**  
**5-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 528 001)  
Skate Cosmopolitan flush plate, chrome (38 732 000)  
GROHE Fresh retro-fit set (38 796 000)  
Rapid SL wall brackets (38 558 00M)  
including WC set for noise protection (37 131 000)




38 750 001

chrome

322.00

**Rapid SL**  
**4-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 528 001)  
Skate Air flush plate, chrome, vertical installation (38 505 000)  
Rapid SL wall brackets (38 558 00M)  
including WC set for noise protection (37 131 000)




38 775 001

chrome

223.00

**Rapid SL**  
**4-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 528 001)  
Skate Cosmopolitan flush plate, chrome (38 732 000)  
Rapid SL wall brackets (38 558 00M)  
including WC set for noise protection (37 131 000)



38 813 001

chrome

235.00

**Rapid SL**  
**4-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 528 001)  
Nova Cosmopolitan flush plate, chrome (38 765 000)  
Rapid SL wall brackets (38 558 00M)  
including WC set for noise protection (37 131 000)




# GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




38 929 000

chrome

235.00

**Rapid SL**  
**4-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 528 001)  
Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000)  
Rapid SL wall brackets (38 558 00M)  
including WC set for noise protection (37 131 000)




38 719 001

alpine white

202.00

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 840 000)  
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)  
Rapid SL wall brackets (38 558 00M)




38 722 001

alpine white

276.00

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 528 001)  
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)  
Rapid SL wall brackets (38 558 00M)



38 772 001

chrome

322.00

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2**

consisting of:  
Rapid SL element for WC (38 528 001)  
Skate Cosmopolitan flush plate, chrome (38 732 000)  
Rapid SL wall brackets (38 558 00M)

# GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 528 001

chrome

248.00



## Rapid SL

### Element for WC, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (less than 205 mm)  
require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:


adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 536 001

chrome

289.00



## Rapid SL

### Element for WC, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (less than 205 mm)  
require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

# GROHE RAPID SL FOR WC

Ref. No. Colour Price netto (€)

38 539 001 chrome 229.00


**Rapid SL  
Element for WC, 1.13 m installation height  
with flushing cistern GD 2**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (less than 205 mm)  
require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 l, containing following features:**

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of  
operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
insulated against condensation  
1/2" water supply connection including  
integrated angle valve and push fit  
flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase  
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation  
including WC set for noise protection (37 131 000)  
for mounting of small flush plates please order  
revision shaft 40 911 000 (sold separately)



38 624 001 chrome 227.00


**Rapid SL  
Element for WC, 1.13 m installation height  
with flushing cistern GD 2**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (less than 205 mm)  
require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 l, containing following features:**

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of  
operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
insulated against condensation  
angle valve 1/2"  
water inlet with pipe fixation  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase  
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation  
for mounting of small flush plates please order  
revision shaft 40 911 000 (sold separately)



# GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 002 000

chrome

345.00



## Rapid SL

### Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2

with flush pipe for external odour extraction  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (less than 205 mm)  
require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:


adjustment ex factory 6 l and 3 l  
flush pipe with connection for odor extraction 50 mm  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 897 000

chrome

299.00



## Rapid SL

### Element for WC, 1.13 m installation height, with vertical support for ceramics with small bearing area

with vertical support for WC bowls  
with a bearing area of less than 20 cm  
**with flushing cistern GD 2**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

# GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 062 000

chrome

401.00



## Rapid SL

### Element for WC with leakage box, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material

2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### leakage box

collection body with wastewater lead-through  
and connection for spill, black  
leakage / splash water protection

### flushing cistern GD 2, 6 - 9 l, containing following features:


adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of  
operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
fully insulated against condensation  
angle valve 1/2"  
water inlet with pipe fixation  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase  
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation  
for mounting of small flush plates please order  
revision shaft 40 911 000 (sold separately)

38 675 001

chrome

354.00



## Rapid SL

### Element for WC, 1.13 m installation height, 0.42 m width with flush cistern 6 l

### for WC bowls 70 cm projection

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections

fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of  
operation: dual flush or start/stop or single flush  
low noise (group I acc. to  
German Noise Specification)  
insulated against condensation  
1/2" water supply connection including  
integrated angle valve and push fit  
flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for the mounting of support rails for the disabled please  
order fixing element 38 559 001 (sold separately)

# GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 588 001

chrome

360.00



## Rapid SL

### Element for WC, 1.13 m installation height, for shaft installation with flushing cistern GD 2

for shaft installation 800 - 1100 mm width  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

#### flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 994 000

chrome

328.00

## Rapid SL


### Element for WC with flushing cistern 80 mm, 1.13 m installation height element width 0.62 m

for small, narrow bathrooms  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

#### flushing cistern 80 mm, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from top or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
water supply 1/2" and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical use

including wall brackets 38 558 00M for on-the-wall installation  
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)





# GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 995 000

chrome

339.00



## Rapid SL

### Element for WC with flushing cistern 80 mm, variable width 1.13 m installation height

for small, narrow bathrooms  
variable element width 0.70 – 1.20 m  
for on-the-wall installation  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

#### flushing cistern 80 mm, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from top  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
water supply 1/2" and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical use

including wall brackets 38 558 00M for on-the-wall installation  
for installation in Scandinavia please order adapter 38 338 000 (sold separately)

38 525 001

chrome

314.00

## Rapid SL


### Element for WC, 1.00 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (less than 205 mm)  
require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

#### flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)



# GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 526 000

chrome

337.00



## Rapid SL

### Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern 6 - 9 l containing the following features:


pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

38 618 000

chrome

279.00



## Rapid SL

### Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern 6 - 9 l containing the following features:


pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
angle valve 1/2"  
water inlet with pipe fixation  
Shortable inspection shaft incl. protection during construction phase

including wall brackets 38 558 00M for on-the-wall installation  
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)  
for installation in Scandinavia please order adapter 38 338 000 (sold separately)

# GROHE RAPID SL FOR WC

Ref. No. Colour Price netto (€)

38 519 001 chrome 335.00



**Rapid SL**  
**Element for WC with flush valve, 1.13 m installation height**  
**with flush valve 6 - 9 l**

**for manual / electronic actuation**

for on-the-wall installations or studded walls  
steel frame with foil coating/hot galvanized,  
self-supporting

for dry-cladding, completely pre-assembled  
quick adjustment, lockable

fixing material  
TUV approved

2 WC fixing bolts

distance of fixing bolts 180/230 mm

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

manual/electronic actuation

adjustable

low noise (group I acc. to

German Noise Specification)

¾"

**stop valve**

6 l flush

flush bend

flow rate adjustment

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

40 899 000 chrome 36.00



**Retrofit kit for shower toilets Sensia Arena and IGS**

retrofit of existing Rapid SL and Uniset installations to  
shower toilets Sensia Arena or IGS

including:


conduit pipe with locking ring and flat seal

cable ties

WC connecting pipe Ø 45 mm

waste sleeve Ø 90 mm

38 558 00M chrome 23.00



**Rapid SL**

**Wall brackets**

for on-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

steady vertical adjustment from


130 - 230 mm

cladding for single or series installation

fixing material

2 pieces

42 333 000 chrome 19.00



**4.5 l adapter for GD2**

to reduce the maximum flush volume to 4.5 liters


suitable for all elements with flushing cistern GD 2

# GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




42 327 000

PP-outlet bend Ø 90 mm  
variable depth adjustment

chrome

16.00



42 946 000

Elbow  
made of PE  
Ø 80/100 mm

chrome

20.00

# GROHE RAPID SL FOR URINAL

---



# GROHE RAPID SL FOR URINAL

Ref. No.


Colour

Price netto (€)

38 786 001

chrome

284.00



## Rapid SL

Element for urinal with infra-red electronic with GROHE Rapido U


**1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
HT-outlet bend Ø 50 mm  
fixing bolts M8, with fixing device for the ceramic  
inlet connection and inlet connecting set  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
Shortable inspection shaft incl. protection  
during construction phase for sets for final  
installation with dimensions 116 x 144 mm  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 803 001

chrome

279.00



## Rapid SL

Element for urinal with infra-red electronic with GROHE Rapido U


**1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
HT-outlet bend Ø 50 mm  
inlet connection and inlet connecting set  
fixing bolts M8, with fixing device for the ceramic  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
Shortable inspection shaft incl. protection  
during construction phase for sets for final  
installation with dimensions 116 x 144 mm  
including wall brackets 38 558 00M for on-the-wall installation

39 376 000

chrome

262.00



## Rapid SL

Element for urinal with temperature sensor with roughing-in set for T sensor

**1.13 and 1.30 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
HT-outlet bend Ø 50 mm  
fixing bolts M8, with fixing device for the ceramic  
inlet connection and inlet connecting set  
box for concealed installation  
including roughing-in box  
water group with stop valve and flush elbow  
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




# GROHE RAPID SL FOR URINAL

Ref. No.

Colour

Price netto (€)



38 517 001

chrome

219.00

**Rapid SL**  
**Element for urinal without fitting**  
**1.13 and 1.30 m installation height**  
**for manual / electronic actuation**  
**for exposed fittings**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable  
fixing material

TÜV approved

HT-outlet bend Ø 50 mm

fixing bolts M8, with fixing device for the ceramic


inlet connection and inlet connecting set

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 558 00M

chrome

23.00



**Rapid SL**

**Wall brackets**

for on-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

steady vertical adjustment from

130 - 230 mm

cladding for single or series installation

fixing material

2 pieces

42 824 000

chrome

689.00



**Pull-off device for urinal**

for 505.00.200, 508.00.200 and 809.00.200

# GROHE RAPID SL FOR WASH BASIN AND BIDET




# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



38 554 001

chrome

148.00


**Rapid SL**  
**Element for wash basin, single hole installation**  
**with noise protection**

**1.13 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
wash basin fixing bolts M10 with  
fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



39 052 000

chrome

145.00


**Rapid SL**  
**Element for wash basin, single hole installation, height adjustable**  
**with noise protection**

**1.13 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
fixing and connecting traverse, height adjustable  
wash basin fixing bolts M10 with  
fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 557 001

chrome

113.00

**Rapid SL**  
**Element for wash basin, single hole installation**  
**1.13 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
wash basin fixing bolts M10 with  
fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



**38 625 001**

**chrome**

**290.00**

**Rapid SL**

**Element for wash basin with concealed trap**

for single hole installation or wall mounted fittings

**1.13 m installation height**

with concealed trap Ø 50 mm

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

single installation or fitting to a rail

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

2 noise protected fitting connections 1/2"

concealed syphon

for concealed wall installation


including cover plate for concealed trap, stainless steel

including adjustable brass outlet bend

**chrome plated**

height adjustable

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 748 002**

**chrome**

**417.00**

**Rapid SL**

**Element for wash basin with rough-in set for infra-red electronic**

for wall mounted fittings

suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000

and Eurocube E 36 442 000

**1.13 m installation height**

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

quick adjustment, lockable

fixing material

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

pre-mounted roughing-in set

with protecting block

fire-proof pipe for laying electronic cables

installation box with water group, stop valve and flush elbow


connection with noise protected fitting holder 1/2"

connecting box for mains supply 230 V

CE approved

for installation with pre-mixed or cold water

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 546 000**

**chrome**

**118.00**

**Rapid SL**

**Element for wash basin, for wall mounted fittings**

**1.30 m installation height**

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 noise protected fitting connections 1/2"


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)




38 541 000

chrome

124.00

**Rapid SL**  
**Element for wash basin, single hole installation**  
**1.00 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
wash basin fixing bolts M10 with  
fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 544 000

chrome

224.00

**Rapid SL**  
**Element for hospital waste sink**  
**for wall mounted fittings**  
**1.30 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
waterproof plywood  
HT-outlet bend Ø 50 mm  
2 noise protected fitting connections 1/2"  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




38 553 001

chrome

261.00

**Rapid SL**  
**Element for bidet, 1.13 m installation height**

vertical support for ceramics with  
small bearing area (< 205 mm)  
powder coated steel frame, self-supporting  
for on-the-wall installations or studded walls  
pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 545 000

chrome

309.00

**Rapid SL**  
**Element for bidet, 1.00 m installation height**

powder coated steel frame, self-supporting  
for on-the-wall installations or studded walls  
pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.



Colour

Price netto (€)

38 543 000

chrome

279.00



## Rapid SL


### Element for bidet, 0.82 m installation height

powder coated steel frame, self-supporting  
for on-the-wall installations or studded walls  
pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable  
fixing material  
TÜV approved  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 558 00M

chrome

23.00



## Rapid SL

### Wall brackets

for on-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
steady vertical adjustment from  
130 - 230 mm  
cladding for single or series installation  
fixing material  
2 pieces



# GROHE RAPID SL FOR THE DISABLED



# GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 675 001

chrome

354.00





**Rapid SL**  
**Element for WC, 1.13 m installation height, 0.42 m width**  
 with flush cistern 6 l  
**for WC bowls 70 cm projection**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 for dry-cladding, completely pre-assembled  
 with fixed connections  
 fixing material  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 90 mm  
 depth adjustable  
 reducer Ø 90/110 mm  
 inlet and outlet connecting set  
 pneumatic discharge valve offering 3 modes of  
 operation: dual flush or start/stop or single flush  
 low noise (group I acc. to  
 German Noise Specification)  
 insulated against condensation  
 1/2" water supply connection including  
 integrated angle valve and push fit  
 flexible hose union  
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
 for the mounting of support rails for the disabled please  
 order fixing element 38 559 001 (sold separately)

39 140 000

chrome

648.00



	
A	1060
B	230
C	910
D	950
E	1010
F	410

**Rapid SL**  
**Element for WC, 1.13 m installation height**  
**with fixing element for back support and support rails**  
**with flushing cistern GD 2**  
 for the disabled  
**for WC bowls 70 cm projection**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 for dry-cladding, completely pre-assembled  
 with fixed connections  
 quick adjustment, lockable  
 fixing material  
 TÜV approved  
 2 WC fixing bolts  
 4 wall brackets  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 PP outlet bend Ø 90 mm  
 depth adjustable  
 reducer Ø 90/110 mm  
 inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 l, containing following features:**  
 adjustment ex factory 6 l and 3 l  
 pneumatic discharge valve offering 3 modes of  
 operation: dual flush or start/stop or single flush  
 water supply from left/right or back  
 low noise (group I acc. to  
 German Noise Specification)  
 insulated against condensation  
 1/2" water supply connection including  
 integrated angle valve and push fit  
 flexible hose union  
 no tools required for the installation  
 of the inspection shaft incl. protection  
 during construction phase  
 for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation  
 for mounting of small flush plates please order  
 revision shaft 40 911 000 (sold separately)

# GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 759 SD0

stainless steel

858.00




## Radio electronic

for WC  
receiver modul 868,4 MHz  
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB  
for flushing cistern GD 2, for flushing cistern 6 l  
concealed installation, front plate 156 x 197 mm  
servo motor  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
adjustable flush volume  
adjustable flow time  
72 h flushing can be activated  
with extension cable, 3.00 m length,  
for connecting transformer and  
electronic  
CE approved

38 934 SD0

stainless steel

468.00




## WC control for manual remote actuation

for concealed flushing cisterns, 6 - 9 l  
for connecting one or more potential-free actuation buttons via cable  
suitable for support rails for the disabled with integrated actuation button  
from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB  
stainless steel wall plate 156 x 197 mm  
transformer for external installation  
operating voltage 230 V AC, 50/60 Hz, 4.0 VA  
servo motor  
3 m connecting cable  
for the connection of transformer and electronic  
3 m connection cable with plug  
CE approved  
delivery range without actuation button/support rails

39 141 000

chrome

533.00




## Radio electronic

for WC with flushing cistern GD2  
receiver modul 868,4 MHz  
for wall sender 39 142 000 or radio transmitter 38 758 000  
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB  
servo motor  
integrated battery box for 4 x 1.5 V Mono D (LR20)  
adjustable flush volume  
72 h flushing can be activated  
Dual Flush possible (6/3 or 9/4.5 l)  
WC actuation plate and batteries are not included  
CE approved

39 142 000

chrome

235.00



## Radio transmitter

for WC receiver module 39 141 000, 38 759 SD0  
frequency 868.4 MHz  
with option for Dual Flush  
can be integrated into a standard electricity box  
(measurements according to DIN 49073)  
CE approved

# GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 625 001

chrome

290.00



## Rapid SL

### Element for wash basin with concealed trap

for single hole installation or wall mounted fittings

#### 1.13 m installation height

with concealed trap Ø 50 mm

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

single installation or fitting to a rail

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

2 noise protected fitting connections 1/2"

concealed syphon

for concealed wall installation

including cover plate for concealed trap, stainless steel

including adjustable brass outlet bend

**chrome plated**


height adjustable

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 541 000

chrome

124.00



## Rapid SL

### Element for wash basin, single hole installation

#### 1.00 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm


2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 559 001

chrome

193.00



## Rapid SL

### Fixing element, 1.13 m installation height

to fix **support** for the disabled in

lightweight studded wall partitions

or on-the-wall installations

#### 0.31 m wide

powder coated steel frame

waterproof plywood

fixing material

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FREE-STANDING INSTALLATION

---



# GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)

38 584 001


chrome

408.00

## Rapid SL

### Element for WC, 1.13 m installation height with flushing cistern GD 2

for free-standing installation, for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections  
lockable  
fixing material  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (less than 205 mm) require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend  $\varnothing$  90 mm  
depth adjustable  
reducer  $\varnothing$  90/110 mm  
inlet and outlet connecting set



### flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 340 001


chrome

235.00

## Rapid SL

### Element for WC, 1.13 m installation height with flushing cistern GD 2

for free-standing installation, for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections  
lockable  
fixing material  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
PVC outlet bend 100 mm  
spacer  $\varnothing$  80 mm  
inlet and outlet connecting set



### flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)



# GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)

38 586 001

chrome

548.00

## Rapid SL

### Element for WC, 1.00 m installation height with flushing cistern 6 - 9 l

for free-standing installation, for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections  
lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic


distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set



### flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

#### front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

Shortable inspection shaft incl. protection

during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

38 587 000

chrome

326.00

## Rapid SL

### Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for free-standing installation, for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections  
lockable

TÜV approved

fixing material

2 WC fixing bolts

fixing device for ceramic


distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set



### flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

#### front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

Shortable inspection shaft incl. protection

during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)


for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

# GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)



38 581 001



chrome

500.00

## Rapid SL

### Element for bidet, 1.13 m installation height

for free-standing installation, for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
pre-assembled  
height adjustable fitting connections  
lockable  
TÜV approved  
fixing material  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 548 001


chrome

124.00

## Rapid SL

### Empty element, 1.13 m installation height

for the installation of fitting holders  
or to cover the distance between  
two elements (60 - 170 cm)  
for installation back to back with free-standing  
elements  
TÜV approved  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 558 00M

chrome

23.00

## Rapid SL

### Wall brackets









for on-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
steady vertical adjustment from  
130 - 230 mm  
cladding for single or series installation  
fixing material  
2 pieces

# GROHE RAPID SL FITTING SUPPORTS

---



# GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	Colour	Price netto (€)
 	37 998 000	chrome	78.00
<p><b>Rapid SL</b>  <b>Fitting support for exposed fittings</b>            for <b>studded walls</b>            for empty frames            2 noise protected fitting connections 1/2"            fixing material</p>			
 	38 652 000	chrome	108.00
<p><b>Rapid SL</b>  <b>Mounting plate</b>            for fixing concealed fittings and room ventilation            for <b>studded walls</b>            for empty frames            for GROHE Rapido            500 x 240 x 77 mm            variable depth adjustment 75-115 mm            with waterproof plywood board for fixation            fixing material</p>			
 	38 437 000	chrome	95.00
<p><b>Rapid SL</b>  <b>Fitting support for kitchen sink</b>            for <b>studded walls</b>            2 noise protected fitting connections 1/2"            HT-outlet bend Ø 50 mm            seal Ø 40 mm            fixing material</p>			
 	38 548 001	chrome	124.00
<p><b>Rapid SL</b>  <b>Empty element, 1.13 m installation height</b>            for the installation of fitting holders            or to cover the distance between            two elements (60 - 170 cm)            for installation back to back with free-standing            elements            TÜV approved            for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			


# GROHE RAPID SL ACCESSORIES

---




# GROHE RAPID SL ACCESSORIES

Ref. No. Colour Price netto (€)




**38 636 001** **chrome** **176.00**

**Rapid SL**  
**Cladding for wall mounted WC**  
**1.13 m installation height**  
gypsum fibre boards 1190 x 480 x 12.5 mm  
with all cut-outs  
self-tapping screws  
2 zinc coated support angles with  
fixing screws





**38 630 001** **chrome** **158.00**

**Rapid SL**  
**Cladding**  
**for bidet, urinal elements or between**  
**elements**  
**1.13 m installation height**  
gypsum fibre boards 1190 x 480 x 12.5 mm  
**without cut-outs**  
self-tapping screws  
2 zinc coated support angles with  
fixing screws




**38 558 00M** **chrome** **23.00**

**Rapid SL**  
**Wall brackets**  
for on-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
steady vertical adjustment from  
130 - 230 mm  
cladding for single or series installation  
fixing material  
2 pieces



**38 548 001** **chrome** **124.00**

**Rapid SL**  
**Empty element, 1.13 m installation height**  
for the installation of fitting holders  
or to cover the distance between  
two elements (60 - 170 cm)  
for installation back to back with free-standing  
elements  
TÜV approved  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)















**38 629 000** **chrome** **46.00**






**Rapid SL**  
**Extension**  
for floor constructions from 200 up to 350 mm  
fixing material  
not suitable for project elements



# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	<b>37 310 000</b>	<b>chrome</b>	<b>82.00</b>
	<b>Installation rail</b> for row installation fixing material 1 piece 2600 x 36 x 20 mm mounting set for 3 Rapid or Uniset elements not available for Uniset WC		
 	<b>37 220 001</b>	<b>chrome</b>	<b>17.50</b>
	<b>Rapid SL Wall brackets</b> for Rapid SL, to fix claddings to side walls and intermediate plates to the masonry <b>1.13 m, 1.00 m and 0.82 m installation height</b> dimension 50 x 25 mm		
 	<b>38 733 000</b>	<b>chrome</b>	<b>28.00</b>
	<b>Rapid SL Mounting angle</b> for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces		
 	<b>38 562 001</b>	<b>chrome</b>	<b>85.00</b>
	<b>Rapid SL Set for corner installation</b> for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets <b>1.13 m 135°</b>		
 	<b>38 563 000</b>	<b>chrome</b>	<b>7.70</b>
	<b>Extension set</b> for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves		
 	<b>38 779 000</b>	<b>chrome</b>	<b>101.00</b>
	<b>Rapid SL Accessory</b> for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)		

# GROHE RAPID SL ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	<b>37 131 000</b> <b>Set for noise protection</b> for WC sound insulation 2 rubber pipes	chrome	13.00
	<b>42 397 000</b> <b>Tube</b>	chrome	8.30
	<b>42 766 000</b> <b>Distance pipe 3"</b>	chrome	7.00
 	<b>38 338 000</b> <b>Connecting box</b>	chrome	26.00
 	<b>40 911 000</b> <b>Revision shaft for small flush plates</b> for combination with Rapid SL and Uniset GD 2 cisterns	chrome	13.00
 	<b>40 950 000</b> <b>Revision shaft for small flush plates</b> for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height	chrome	*

# GROHE RAPID SL ACCESSORIES

Ref. No.

Colour

Price netto (€)



40 949 000

chrome

\*

**Revision shaft for small flush plates**  
for combination with 80 mm cistern





66 791 000

chrome

10.00

**Inspection shaft**



43 617 000

chrome

86.00

**Motor support device**  
for Rapid SL 38 675  
for the disabled  
as of mid 2008  
for installation of infra-red electronic

# GROHE UNISSET FRAMES AND ACCESSORIES



# GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 723 001

chrome

200.00



**Uniset  
2-in-1 set for WC  
with flushing cistern GD 2**

consisting of:


Uniset element for WC (38 643 001)

Skate Air flush plate, chrome, vertical installation (38 505 000)

38 643 001

chrome

204.00



**Uniset  
Element for WC with EPS housing  
with flushing cistern GD 2**

sound-insulating EPS module for  
masonry-in

830 x 470 x 130 mm

rail adaptors for modular fixing

for single or rail installation

wall rail with fixing accessories for

single installation

2 WC fixing bolts

distance of fixing bolts 180/230 mm

fixing device for ceramic

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 I, containing following features:**

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right/back or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

for vertical or horizontal use

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

preparation for shower toilets with additional

accessory 40 899 000 (sold separately)

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

# GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 642 001

chrome

203.00



**Uniset**

**Element for WC with EPS housing and support feet with flushing cistern GD 2**

sound-insulating EPS module for masonry-in  
830 x 470 x 130 mm  
rail adaptors for modular fixing  
wall rail with fixing accessories for single installation  
2 WC fixing bolts  
distance of fixing bolts 180/230 mm  
fixing device for ceramic  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm

**flushing cistern GD 2, 6 - 9 l, containing following features:**


inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right/back or top  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase

preparation for shower toilets with additional accessory 40 899 000 (sold separately)  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 165 000

chrome

117.00



**Uniset**

**Element for WC with flushing cistern GD 2**

778 x 440 x 116 mm  
for single installation  
2 WC fixing bolts  
distance of fixing bolts 180/230 mm  
fixing device for ceramic  
outlet bend Ø 90 mm  
reducer Ø 90/110 mm  
inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 l, containing following features:**

adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right/back or top  
low noise (group I acc. to German Noise Specification)  
cistern insulated against condensation  
1/2" angle valve with push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical or horizontal use

preparation for shower toilets with additional accessory 40 899 000 (sold separately)  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

INSTALLATION  
SYSTEMS



# GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 415 001

chrome

243.00



**Uniset**

**Element for WC, 0.82 m installation height  
with flushing cistern 6 - 9 l**

**front or top actuation**

sound-insulating EPS module for masonry-in  
rail adaptors for modular fixing for single or rail installation  
wall rail with fixing accessories for single installation  
2 WC fixing bolts  
distance of fixing bolts 180/230 mm  
fixing device for ceramic  
outlet bend Ø 90 mm  
depth adjustable  
inlet and outlet connecting set

**flushing cistern 6 - 9 l containing the following features:**

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
water supply from left/right or top  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
1/2" water supply connection  
angle valve 1/2"  
Shortable inspection shaft incl. protection during construction phase

preparation for shower toilets with additional


accessory 40 899 000 (sold separately)

for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

38 785 000

chrome

189.00



**Uniset**

**Element for urinal with infra-red electronic**

with GROHE Rapido U

roughing-in set for urinal

**for manual actuation or Tectron  
infra-red electronic 6 V or 230 V**

sound-insulating EPS module for masonry-in with closed surface  
rail adaptors for modular fixing for single or series installation  
fixing accessories for single installation  
height adjustable fitting connections  
inlet connection and inlet connecting set  
HT-outlet bend Ø 50 mm  
threaded bolts M8  
fixing material for urinal bowl  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply 230 V

installation box with gasket

Shortable inspection shaft incl. protection


during construction phase for sets for final

installation with dimensions 116 x 144 mm

37 576 000

chrome

202.00



**Uniset**

**Element for wash basin, single hole installation**

sound-insulating EPS module for masonry-in with closed surface

rail adaptors for modular fixing

for single or series installation

fixing accessories for single installation

height adjustable fitting and

outlet connections

wash basin fixing bolts

distance of fixing bolts 280 mm

HT-outlet bend Ø 50 mm










seal Ø 32 mm

2 fitting connections 1/2"

fixing material for wash basin

for on-the-wall installation please order support feet 37 304 000 (sold separately)

# GROHE UNISET FRAMES AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	<b>37 578 001</b>	<b>chrome</b>	<b>198.00</b>
	<p><b>Uniset</b>  <b>Element for bidet with EPS housing</b>                      sound-insulating EPS module for masonry-in with closed surface rail adaptors for modular fixing for single or series installation wall rail with fixing accessories for single installation                      bidet fixing bolts                      height adjustabel fitting and outlet connections                      HT-outlet bend Ø 50 mm                      seal Ø 32 mm                      2 variable fitting connections                      fixing material for bidet                      for on-the-wall installation please order support feet 37 304 000 (sold separately)</p>		
 	<b>37 304 000</b>	<b>chrome</b>	<b>40.00</b>
	<p><b>Uniset</b>  <b>Support feet</b>                      matching Uniset for WC and bidet  <b>made of hot galvanized steel</b>                      fixing material  <b>for on-the-wall installations</b></p>		
 	<b>37 310 000</b>	<b>chrome</b>	<b>82.00</b>
	<p><b>Installation rail</b>                      for row installation                      fixing material                      1 piece                      2600 x 36 x 20 mm                      mounting set for 3 Rapid or Uniset elements                      not available for Uniset WC</p>		
	<b>40 899 000</b>	<b>chrome</b>	<b>36.00</b>
	<p><b>Retrofit kit for shower toilets Sensia Arena and IGS</b>                      retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS                      including:                      conduit pipe with locking ring and flat seal                      cable ties                      WC connecting pipe Ø 45 mm                      waste sleeve Ø 90 mm</p>		
 	<b>40 911 000</b>	<b>chrome</b>	<b>13.00</b>
	<p><b>Revision shaft for small flush plates</b>                      for combination with Rapid SL and Uniset GD 2 cisterns</p>		
	<b>40 950 000</b>	<b>chrome</b>	*
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
	<b>40 949 000</b>	<b>chrome</b>	*
	ditto, for combination with 80 mm cistern		

GROHE  
**FLUSHING SYSTEMS**





## CONTENTS

WC	Flushing cisterns	693
	Accessories for flushing cisterns	697
	WC flush valves	707
	Electronic actuations for WC	713
Urinal	Electronic actuations for urinal	719
	Urinal flush valves	727



# GROHE FLUSHING CISTERNS






# GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)




**37 355 SH0**

**alpine white**

**90.00**

**Flushing cistern for WC**

**6 l flush**  
 exposed installation  
 interruptible flush cycle  
 servo actuation  
 low level  
 made of ABS  
 low noise (group I acc. to German Noise Specification)  
 fully insulated against condensation  
 angle valve 1/2"  
 copper pipe  
 mounting template  
 flush pipe bend  
 WC inlet connector




**38 895 000**

**chrome**

**188.00**

**GD2 set**

**6 l flush**  
 adjustment ex factory 6 l and 3 l  
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
 water supply from left/right/back or top  
 low noise (group I acc. to German Noise Specification)  
 insulated against condensation  
 1/2" water supply connection including integrated angle valve and push fit flexible hose union  
 no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical or horizontal use  
 flush pipe insulated against condensation  
 fixing brackets  
 inlet and outlet connecting set  
 fixing device for ceramic  
 Skate Air wall plate  
 vertical installation  
 156 x 197 mm  
 chrome  
 made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow



**38 661 000**

**chrome**


**162.00**

**Flushing cistern GD 2**

**6 l flush**  
 adjustment ex factory 6 l and 3 l  
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
 water supply from left/right/back or top  
 low noise (group I acc. to German Noise Specification)  
 insulated against condensation  
 1/2" water supply connection including integrated angle valve and push fit flexible hose union  
 no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical or horizontal use  
 flush pipe insulated against condensation  
 fixing brackets  
**without wall plate/actuation**  
**GROHE EcoJoy** technology for less water and perfect flow  
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)


# GROHE FLUSHING CISTERNS

Ref. No. Colour Price netto (€)





**38 863 000** **chrome** **101.00**

**Flushing cistern for WC 80 mm**  
**6 l flush**  
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush  
 water supply connection from top  
 low noise (group I acc. to German Noise Specification)  
 with plaster base coating made of vinyl fleece with push fit flexible hose union  
 angle valve 1/2"  
 Shortable inspection shaft incl. protection during construction phase, for vertical use  
 fixing brackets  
**without wall plate/actuation**  
**GROHE EcoJoy** technology for less water and perfect flow for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)



**38 422 000** **chrome** **196.00**

**Flushing cistern for WC**  
**6 l flush**  
 concealed installation  
**0.82 m installation height**  
 dual flush discharge valve, pneumatic  
**front or top actuation**  
 water supply from left/right or top  
 low noise (group I acc. to German Noise Specification)  
 insulated against condensation  
 415 x 410 x 360 mm  
 1/2" water supply connection  
 fixing brackets  
 flush pipe  
 Shortable inspection shaft incl. protection during construction phase  
**without wall plate/actuation**  
**GROHE EcoJoy** technology for less water and perfect flow



**38 691 000** **chrome** **153.00**

**Eau2**  
**WC flushing cistern 0.82 m**  
**6l / 3l**  
**Dual Flush**  
 low noise filling valve  
**6 l flush**  
 concealed installation  
**0.82 m installation height**  
 water supply from left/right or back  
 connection from left / right or back  
 non-interruptible flush cycle  
 front or top single 6 l only flush  
 water supply from left/right or top  
 low noise (group I acc. to German Noise Specification)  
 insulated against condensation  
 415 x 410 x 360 mm  
 with angle stop valve 1/2" and flush pipe  
 1/2" water supply connection  
 angle valve 1/2"  
 fixing brackets  
 flush pipe  
**without wall plate/actuation**  
 protecting block  
 min. recommended static pressure 0.2 bar  
**air button**  
**front or top actuation**  
 extended hose length for flexibility when positioning the actuation  
 sleek and minimal styling allows the button to be fitted in any 360degree orientation  
**GROHE EcoJoy** technology for less water and perfect flow

FLUSHING  
SYSTEMS

# GROHE FLUSHING CISTERNS

Ref. No.


Colour

Price netto (€)

38 771 000

chrome

36.00



**Pneumatic push button actuation**

for dual flush or start & stop actuation  
Ø 48 mm

in combination with bath furniture or  
removable claddings for cistern  
inspection

for material thickness from 18 -24 mm  
pneumatic hose 600 mm











**GROHE StarLight** chrome finish

# GROHE ACCESSORIES FOR FLUSHING CISTERNS




---



# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 095 000	chrome	32.00
<p><b>Filling valve</b> 3/8" universal application <b>without</b> adapter for the pipe connection cap, restrictor</p> <p>***) max. shortening 100 mm</p>			
 	43 537 000	chrome	22.00
<p><b>Filling valve</b> for concealed flushing cisterns 6 l</p>			
 	42 297 P10	matt chrome/chrome	55.00
<p><b>Eco-discharge valve</b> dual flush discharge valve AV1 push button actuation <math>\varnothing</math> 40 mm with Eco-knob with fixing device for lid <b>GROHE EcoJoy</b> technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.</p>			
	42 253 000	chrome	53.00
<p><b>Discharge valve, Dual Flush</b></p>			
 	37 088 P10	matt chrome/chrome	61.00
<p><b>Servo discharge valve</b> interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes <math>\varnothing</math> 16 - 35 mm fixing material <b>GROHE StarLight</b> chrome finish</p>			
	43 536 000	chrome	3.20
<p><b>Valve head</b></p>			

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 733 000	chrome	3.90
	<b>Membrane</b> filling valve		
	43 758 00M	chrome	24.00
	<b>ditto, 10 pieces per set</b>		
	42 271 00M	chrome	65.00
	<b>Nipple</b> multi-packaging: 10 pieces		
	37 099 K00	black	70.00
	<b>Flush pipe</b> for low level flushing cistern behind the wall for remote control two-parts 180 x 70 mm 300 mm extension including protecting plug		
	38 735 000	chrome	54.00
	<b>Retro-fit set</b> for flushing cistern 6 l concealed installation dual flush discharge valve AV1 including valve seat for 6 l or 3 l angle valve 1/2" guiding pipe for screws <b>without wall plate</b> GROHE EcoJoy technology for less water and perfect flow		
	38 736 000	chrome	40.00
	<b>Retro-fit set dual flush</b> for flushing cistern GD 2 6 l flush dual flush discharge valve AV1 including valve seat <b>without wall plate/actuation</b> GROHE EcoJoy technology for less water and perfect flow		
	42 320 000	chrome	41.00
	<b>Dual Flush discharge valve AV1</b> AV1 complete with pipe extension 6 l flush without valve seat without actuation		



# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	42 137 000	chrome	28.00
 	43 486 000	chrome	22.00
 	42 774 000	chrome	55.00
	42 233 000	chrome	9.50
 	43 908 000	chrome	17.50
 	37 311 K00	black	28.00

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	<b>37 489 000</b> <b>Extension</b> for concealed flush pipe length 200 mm	chrome	6.70
	<b>43 352 000</b> <b>ditto, length 300 mm</b>	chrome	7.70
	<b>37 103 SH0</b> <b>Inlet set</b> connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon	alpine white	11.00
	<b>37 104 K00</b> <b>WC inlet and outlet connecting set</b> for wall hung WC connecting pipe Ø 45 mm length 200 mm connector waste sleeve Ø 110 mm 150 mm long cover for WC fixing bolts	black	31.00
	<b>37 105 K00</b> <b>Extension</b> for concealed flush pipe length 300 mm	black	31.00
	<b>37 115 PI0</b> <b>Push button and escutcheon</b> for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm <b>GROHE StarLight</b> chrome finish	matt chrome/chrome	10.00
	<b>37 117 PI0</b> <b>Push button and escutcheon</b> for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm <b>GROHE StarLight</b> chrome finish	matt chrome/chrome	10.00







# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	<b>37 119 000</b> <b>Connector</b> 55 mm for low level flushing cistern	chrome	2.70
 	<b>37 125 000</b> <b>Dummy plug and escutcheon cap</b> for ceramic flushing cisterns lid hole Ø 40 mm <b>GROHE StarLight</b> chrome finish	chrome	8.10
 	<b>42 327 000</b> <b>PP-outlet bend Ø 90 mm</b> variable depth adjustment	chrome	16.00
 	<b>42 333 000</b> <b>4.5 l adapter for GD2</b> to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2	chrome	19.00
 	<b>42 946 000</b> <b>Elbow</b> made of PE Ø 80/100 mm	chrome	20.00
 	<b>37 131 000</b> <b>Set for noise protection</b> for WC sound insulation 2 rubber pipes	chrome	13.00








# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	42 773 000 Valve seat for concealed cisterns, dual flush	chrome	8.60
	42 315 000 Valve seat for GD2	chrome	8.00
	43 542 000 Valve seat with o-ring valve seat for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m installation height (from 02.97) for Variella Compact Ø 41 mm	chrome	6.70
	43 545 000 Valve seat with o-ring for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m installation height (until 02.97) for Variella Compact Ø 55 mm	chrome	19.00
 	43 535 000 Push Bar for Servo discharge valve 350 mm	chrome	2.90
 	43 540 000 Pop-up rod for Servo discharge valve 451 mm	chrome	3.50

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 544 000 Outlet piston for Servo discharge valve	chrome	10.50
	43 722 000 Set of seals	chrome	7.10
	43 734 000 Lever	chrome	3.10
	43 735 000 Screw cap	chrome	2.50
	43 745 000 Seal	chrome	5.30
	43 770 00M Seal multi-packaging: 10 pieces	chrome	7.80

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 976 000 Lever	chrome	3.10
	42 242 000 4" outlet adaptor for Rapid SL	chrome	9.60
	42 075 000 <b>Flow restrictor</b> reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary	chrome	5.30
 	42 300 000 <b>Flow restrictor</b> reduces flow rate for flushing cistern GD 2 installation in valve seat	chrome	17.00
 	38 714 000 <b>Extension set 70 mm</b> for wall plates/actuators for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve	chrome	17.50




# GROHE WC FLUSH VALVES




# GROHE WC FLUSH VALVES

Ref. No. Colour Price netto (€)




37 347 000 chrome 218.00

**Rondo A.S.**  
**Flush valve for WC**  
3/4"  
brass  
**GROHE StarLight** chrome finish  
for wash-down and wash-out bowls  
control cap and connection to  
plastic flush pipe  
with flow rate adjustment  
**6 l** flush  
with escutcheon  
flow pressure min 1.2 bar  
operating pressure max 5 bar  
low noise (group I acc. to  
German Noise Specification)




37 349 000 chrome 214.00

**Rondo A.S.**  
**Flush valve for WC**  
3/4"  
brass  
**integrated stop valve**  
**GROHE StarLight** chrome finish  
for wash-down and wash-out bowls  
control cap and connection to  
plastic flush pipe  
with flow rate adjustment  
**6 l** flush  
with escutcheon  
flow pressure min 1.2 bar  
operating pressure max 5 bar  
low noise (group I acc. to  
German Noise Specification)




37 141 000 chrome 93.00

**DAL-Full-automatic flush valve for WC**  
3/4"  
brass  
**GROHE StarLight** chrome finish  
for wash-down and wash-out bowls  
with automatic flow rate  
flow pressure range from 1.2 - 5.0 bar  
low noise (group II according to  
German noise specification)



37 139 000 chrome 98.00















**DAL-Automatic flush valve for WC**  
3/4"  
brass  
**GROHE StarLight** chrome finish  
for wash-down and wash-out bowls  
with flow rate adjustment





37 636 000 chrome 137.00

**Stop valve**  
3/4"  
exposed installation  
with inside lying spindle  
escutcheon  
for roughing-in set for concealed installation  
**GROHE StarLight** chrome finish

# GROHE WC FLUSH VALVES


	Ref. No.	Colour	Price netto (€)
 	<b>37 132 000</b> <b>Fixing device</b> hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm	chrome	28.00
 	<b>37 133 000</b> <b>Inlet adaptor</b> for corner installation 3/4"	chrome	94.00
 	<b>37 107 000</b> <b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>600 x 200 mm</b> brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector	chrome	94.00
 	<b>38 251 000</b> <b>ditto, 750 x 250 mm</b>	chrome	57.00
 	<b>37 112 000</b> <b>Flush pipe</b> for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass	chrome	124.00
 	<b>37 108 000</b> <b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>1000 x 200 mm</b> straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector	chrome	89.00
 	<b>37 114 000</b> <b>Flush pipe extension</b> Ø 28 x 26 mm 260 mm brass	chrome	33.00

# GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
	<p><b>42 041 000</b></p> <p><b>Flush pipe set</b> for WC flush valve Rondo A.S. for <b>squatting WC</b> flush pipe 850 mm distributor for the flush pipe flush pipe fixing device</p>	<p><b>chrome</b></p>	<p><b>143.00</b></p>
	<p><b>37 135 000</b></p> <p><b>Connector</b> 55 mm for flush valve to pedestal WC</p>	<p><b>chrome</b></p>	<p><b>8.20</b></p>


# GROHE WC FLUSH VALVES

Ref. No. Colour Price netto (€)




**37 153 000** **chrome** **268.00**

**Flush valve for WC**  
concealed installation  
3/4"  
**stop valve**  
6 l flush  
flow pressure range from 1.2 - 5.0 bar  
with flow rate adjustment  
box for concealed installation with  
flush elbow  
flush pipe adjustable in length  
**without wall plate/actuation**  
low noise (group I acc. to  
German Noise Specification)





**37 157 000** **chrome** **234.00**

**Flush valve for WC**  
concealed installation  
3/4"  
**stop valve**  
6 - 14 l adjustable  
for low pressure  
for wash-down and wash-out bowls  
flow pressure range from 0.6 - 3.0 bar  
(min. static pressure 1.5 bar)  
with flow rate adjustment  
box for concealed installation with  
flush elbow  
flush pipe adjustable in length  
**without wall plate/actuation**  
volume needed: 1.6 l/sec




**37 048 000** **chrome** **330.00**

**Flush valve for WC**  
concealed installation  
3/4"  
with **connection** to solenoid valve  
**stop valve**  
6 l flush  
flow pressure range from 1.2 - 5.0 bar  
with flow rate adjustment  
2 m connecting cable  
box for concealed installation with  
flush elbow  
concealed flush pipe  
**without electronic actuation**



**43 996 000** **chrome** **205.00**

**Flush valve for WC**  
concealed installation  
3/4"  
**retrofit** for 677.00.200/677.03.200/680.00.200  
**without stop valve**  
**without flush pipe**








**43 997 000** **chrome** **236.00**

**Flush valve for WC**  
3/4"  
**retrofit** for 677.00.500/677.03.500/680.00.500  
for low pressure  
**without stop valve**  
**without flush pipe**

**reference:**  
Model 677. with stainless steel actuation is to be replaced  
by ref. 43 997 and 43 179 P00 (plastic actuation).

# GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
	<p><b>42 902 000</b></p> <p><b>Flush valve for WC</b> concealed installation 3/4" <b>6 l</b> flush stainless steel wall plate <b>without stop valve</b> without flush pipe <b>to replace</b> against model <b>663.04.200 (G1)</b></p>	<p>chrome</p>	<p>490.00</p>
	<p><b>42 901 000</b></p> <p><b>Flush valve for WC</b> 3/4" concealed installation <b>6 l</b> flush wall plate Classic, 220 x 255 mm <b>GROHE StarLight</b> chrome finish <b>without stop valve</b> <b>without flush pipe</b> <b>retrofit</b> for <b>623.03.200 (G3/4)</b></p>	<p>chrome</p>	<p>381.00</p>
	<p><b>37 134 000</b></p> <p><b>Fixing set</b> 50 mm extension for WC flush valve concealed installation</p>	<p>chrome</p>	<p>57.00</p>
	<p><b>37 102 SH0</b></p> <p><b>Inlet set</b> connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon</p>	<p>alpine white</p>	<p>25.00</p>
	<p><b>37 131 000</b></p> <p><b>Set for noise protection</b> for WC sound insulation 2 rubber pipes</p>	<p>chrome</p>	<p>13.00</p>



# GROHE ELECTRONIC ACTUATIONS FOR WC




# GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



**38 698 SD1**

stainless steel

597.00


**Tectron Skate**

**Infra-red electronic for WC flushing cistern**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor  
concealed installation  
front plate 156 x 197 mm

infra-red control  
7 pre-set programs:  
auto flush  
cleaning mode  
pre-flush on/off  
additional functions and precise settings  
by remote control 36 407  
adjustable flush (3 - 9 l) by hand and remote  
CE approved



**38 699 001**

chrome

513.00

**Tectron Surf**


**Infra-red electronic for WC flushing cistern**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

**GROHE StarLight** chrome finish  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor  
concealed installation  
front plate 156 x 197 mm

infra-red control  
7 pre-set programs:  
auto flush  
cleaning mode  
pre-flush on/off  
additional functions and precise settings  
by remote control 36 407  
adjustable flush (3 - 9 l) by hand and remote  
CE approved



**37 419 000**

chrome

803.00

**37 419 SD0**

stainless steel

827.00

**Tectron Skate**

**Infra-red electronic for WC flushing cistern**


with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC

**for single flush actuation**

for flushing cistern GD 2

servo motor  
concealed installation  
hidden fixing screws  
front plate 156 x 197 mm

7 pre-set programs:  
auto flush  
cleaning mode  
pre-flush on/off  
additional functions and precise settings  
by remote control 36 407  
adjustable flush (3 - 9 l) by hand and remote  
CE approved



**38 393 SD1**

stainless steel

513.00

**Tectron Skate**

**Infra-red electronic for WC flush valve**

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

concealed installation  
front plate 156 x 197 mm

infra-red control  
solenoid valve  
7 pre-set programs:

CE approved

# GROHE ELECTRONIC ACTUATIONS FOR WC


	Ref. No.	Colour	Price netto (€)
 	<b>43 617 000</b>	<b>chrome</b>	<b>86.00</b>
<p><b>Motor support device</b> for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic</p>			
 	<b>38 759 SD0</b>	<b>stainless steel</b>	<b>858.00</b>
<p><b>Radio electronic</b> for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2, for flushing cistern 6 l concealed installation, front plate 156 x 197 mm servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic CE approved</p>			
 	<b>38 778 000</b>	<b>chrome</b>	<b>692.00</b>
<p><b>Radio electronic</b> for an additional wall plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2, for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic</p>			
 	<b>39 141 000</b>	<b>chrome</b>	<b>533.00</b>
<p><b>Radio electronic</b> for WC with flushing cistern GD2 receiver modul 868,4 MHz for wall sender 39 142 000 or radio transmitter 38 758 000 for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB servo motor integrated battery box for 4 x 1.5 V Mono D (LR20) adjustable flush volume 72 h flushing can be activated Dual Flush possible (6/3 or 9/4.5 l) WC actuation plate and batteries are not included CE approved</p>			
 	<b>39 142 000</b>	<b>chrome</b>	<b>235.00</b>
<p><b>Radio transmitter</b> for WC receiver module 39 141 000, 38 759 SD0 frequency 868.4 MHz with option for Dual Flush can be integrated into a standard electricity box (measurements according to DIN 49073) CE approved</p>			

# GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 934 SD0

stainless steel

468.00

## WC control for manual remote actuation

for concealed flushing cisterns, 6 - 9 l  
for connecting one or more potential-free actuation buttons via cable  
suitable for support rails for the disabled with integrated actuation button  
from Hewi, Keuco, Lehen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB  
stainless steel wall plate 156 x 197 mm  
transformer for external installation  
operating voltage 230 V AC, 50/60 Hz, 4.0 VA  
servo motor  
3 m connecting cable  
for the connection of transformer and electronic  
3 m connection cable with plug  
CE approved  
delivery range without actuation button/support rails



36 340 000

chrome

59.00

## Power extension cable

length 3.00 m



36 341 000



chrome

91.00

## Power extension cable

length 10.00 m

# GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	Price netto (€)
 	43 977 000	chrome	425.00
<p><b>Pneumatic actuation</b>  <b>GROHE StarLight</b> chrome finish  remote hand-actuation for  <b>institutional requirements</b>  push button with escutcheon Ø 100 mm  for walls of 80 - 240 mm thickness  actuation stop  pneumatic hose 1.50 m</p>			
  	37 059 000	chrome	180.00
<p><b>Pneumatic actuation</b>  <b>GROHE StarLight</b> chrome finish  remote hand actuation  push button actuation with  escutcheon Ø 100 mm  vertical and horizontal installation  wall plate Surf 156 x 197 mm  pneumatic hose 1.50 m</p>			
 	37 060 000	chrome	112.00
<p><b>Pneumatic actuation</b>  <b>GROHE StarLight</b> chrome finish  push button actuation with  escutcheon Ø 100 mm  pneumatic hose 1.50 m  <b>without wall plate</b></p>			
 	36 407 001	chrome	308.00
<p><b>Remote control</b>  for all GROHE one eye infra-red products as of 06/2015  and GROHE Blue Home until 12/2018  <b>monitoring</b>  consumption and usage data  thermal disinfection cycles (infrared faucets)  auto flush cycles (infrared faucets)  cleaning mode cycles (GROHE Blue Home)  filter and CO<sub>2</sub> capacity (GROHE Blue Home)  <b>configuration</b>  cleaning mode on/off  thermal disinfection (infrared faucets)  detection range  shut off delay (infrared faucets)  auto flush (infrared faucets)  filter capacity (GROHE Blue Home)  <b>service</b>  send and save profile  reset to factory or user settings  filter capacity (GROHE Blue Home)  demo mode  error codes (GROHE Blue Home)</p> <p>3 x 1.5 V AAA DC battery supply</p>			



# GROHE ELECTRONIC ACTUATIONS FOR URINAL





# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 421 000

chrome

468.00



## Tectron Rondo

### Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

### 6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 426 000

chrome

399.00



## Tectron Rondo

### Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

### 6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings


by remote control 36 407

CE approved

37 427 000

chrome

340.00



## Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

### 6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 021 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 428 000

chrome

292.00



## Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 339 000 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 336 001

chrome

531.00



**Tectron Surf**


**Infra-red electronic for Urinal**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer  
front plate 116 x 144 mm  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
infra-red control  
7 pre-set programs:  
auto flush  
cleaning mode  
pre-flush on/off  
additional functions and precise settings  
by remote control 36 407  
adjustable flow time by hand or remote  
**set for final installation  
for Rapido U**  
CE approved

37 337 001

chrome

547.00



**Tectron Surf**

**Infra-red electronic for Urinal**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose  
**6 V lithium-battery, type CR-P2**  
battery lifetime: approx. 7 years (150 actuations a day)  
cartridge with solenoid valve and dirt strainer  
front plate 116 x 144 mm  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
infra-red control  
multistage battery status display  
7 pre-set programs:  
auto flush  
cleaning mode  
pre-flush on/off  
additional functions and precise settings  
by remote control 36 407  
adjustable flow time by hand or remote  
**set for final installation  
for Rapido U or Rapido UMB**  
CE approved

37 321 001

chrome

548.00

37 321 SH1

alpine white

549.00

37 321 SD1


stainless steel

548.00

**Tectron Skate**

**Infra-red electronic for Urinal**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer  
front plate 116 x 144 mm  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
7 pre-set programs:  
auto flush  
cleaning mode  
pre-flush on/off  
additional functions and precise settings  
by remote control 36 407  
adjustable flow time by hand or remote  
**set for final installation  
for Rapido U**  
CE approved



# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 324 001  
37 324 SD1

chrome  
stainless steel

548.00  
546.00



**Tectron Skate**

**Infra-red electronic for Urinal**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar

operating pressure max 10 bar

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

**set for final installation**


**for Rapido U or Rapido UMB**

CE approved

37 751 001

chrome

457.00



**Tectron**

**Retro-fit unit**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

**6 V lithium-battery, type CR-P2**

battery lifetime: approx. 7 years (150 actuations a day)

exposed installation

for concealed urinal flush valve 37 017

and DAL 509

metal housing 145 x 90 x 45 mm

solenoid valve with dirt strainer

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 338 000

chrome

131.00



**GROHE Rapido U**

**roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V**

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply

installation box with gasket


fixing points for dry cladding and masonry-in

shortable inspection shaft incl. protection

38 787 000

chrome

105.00



**GROHE Rapido UMB**

**roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V**

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

installation box with gasket

fixing points for dry cladding and masonry-in

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

36 407 001

chrome

308.00



**Remote control**

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

**monitoring**

consumption and usage data  
thermal disinfection cycles (infrared faucets)  
auto flush cycles (infrared faucets)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)


**configuration**

cleaning mode on/off  
thermal disinfection (infrared faucets)  
detection range  
shut off delay (infrared faucets)  
auto flush (infrared faucets)  
filter capacity (GROHE Blue Home)

**service**

send and save profile  
reset to factory or user settings  
filter capacity (GROHE Blue Home)  
demo mode  
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply



39 368 000

chrome

629.00

**Temperature sensor for urinal**


with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

can be used with 39 376 000  
siphon with temperature sensor  
cartridge with solenoid valve  
and dirt strainer

flow pressure min 0.5 bar  
operating pressure max 10 bar

7 pre-set programs:

auto flush  
cleaning mode  
pre-flush on/off  
CE approved



39 367 000

chrome

573.00

**Temperature sensor for urinal  
6 V lithium-battery, type CR-P2**

with water connection set and stop valve

siphon with temperature sensor  
cartridge with solenoid valve  
and dirt strainer

flow pressure min 0.5 bar  
operating pressure max 10 bar

7 pre-set programs:

auto flush  
cleaning mode  
pre-flush on/off  
CE approved

only for certain urinal ceramics, check online TPI

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.

Colour

Price netto (€)

39 369 000

chrome

763.00

## Temperature sensor with Bluetooth for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

siphon with temperature sensor

cartridge with solenoid valve

and dirt strainer

flow pressure min 0.5 bar

operating pressure max 10 bar

with Bluetooth module for bi-directional communication

for monitoring, configuration and service purpose

with Bluetooth 4.0\* for wireless data communication

bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

for Apple\*\* and Android devices

### monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

### configuration

shut-off delay

auto flush

cleaning mode

2 on/off timers

identification by name


### service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved



Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE URINAL FLUSH VALVES




# GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 339 000

chrome

124.00

**Rondo**  
Flush valve for urinal  
1/2"  
brass  
**integrated stop valve**  
GROHE StarLight chrome finish  
with control cap and flush pipe connection  
flow rate adjustment  
flush volume adjustable 1.0 - 4.0 l  
with wall escutcheon  
flush pipe 200 mm  
rubber connector with escutcheon  
flow pressure min 0.5 bar  
operating pressure max 5 bar




37 342 000

chrome

150.00

**Rondo**  
Flush valve for urinal  
1/2", brass  
vandal proof by metal actuation knob  
**integrated stop valve**  
GROHE StarLight chrome finish  
with control cap and flush pipe connection  
flow rate adjustment  
flush volume adjustable 1.0 - 4.0 l  
with wall escutcheon  
flush pipe 200 mm  
rubber connector with escutcheon  
flow pressure min 0.5 bar  
operating pressure max 5 bar




37 345 000

chrome

137.00

**Rondo**  
Flush valve for urinal  
1/2"  
brass  
**integrated stop valve**  
GROHE StarLight chrome finish  
with control cap and flush pipe connection  
flow rate adjustment  
flush volume adjustable 1.0 - 4.0 l  
with wall escutcheon  
flush pipe 200 mm  
rubber connector with escutcheon  
flow pressure min 0.5 bar  
operating pressure max 5 bar




37 346 000

chrome

96.00

**Rondo**  
Flush valve for urinal  
1/2"  
brass  
**without stop valve**  
GROHE StarLight chrome finish  
with control cap and flush pipe connection  
flush volume adjustable 1.0 - 4.0 l  
with wall escutcheon  
flush pipe 200 mm  
rubber connector with escutcheon  
flow pressure min 0.5 bar  
operating pressure max 5 bar



37 396 000


chrome

95.00

**Press urinal flush valve**  
1/2"  
brass  
GROHE StarLight chrome finish  
with wall escutcheon


# GROHE URINAL FLUSH VALVES

Ref. No. Colour Price netto (€)




**37 044 000** **chrome** **17.00**

**Inlet connecting set 1/2"**  
for urinal bowls with inlet from back  
connector Ø 33.5 - 38 mm



**37 035 000** **chrome** **12.50**

**Urinal flush pipe**  
Ø 18 mm  
200 mm  
brass  
**chrome plated**  
straight




**37 036 000** **chrome** **17.50**

**Urinal flush pipe**  
Ø 18 mm  
200 mm  
brass  
**chrome plated**  
offset 10 mm

**37 037 000** **chrome** **21.00**

**Offset 20 mm**




**37 038 000** **chrome** **17.50**

**Urinal flush pipe**  
Ø 18 mm  
200 mm  
brass  
**chrome plated**  
offset 30 mm

**37 039 000** **chrome** **17.50**

**ditto, offset 40 mm**



**37 040 000** **chrome** **23.00**

**Urinal flush pipe**  
Ø 18 mm  
200 mm  
brass  
**chrome plated**  
offset 50 mm



**37 043 000** **chrome** **32.00**


**Urinal flush pipe**  
Ø 18 mm  
400 mm  
brass  
straight

# GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)



37 042 000

chrome

16.50


**Flush pipe extension**  
Ø 16 mm  
200 mm  
brass

# GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 338 000

chrome

131.00

**GROHE Rapido U**  
roughing-in set for urinal  
**for manual actuation or Tectron**  
**infra-red electronic 6 V or 230 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply  
installation box with gasket  
fixing points for dry cladding and  
masonry-in  
shortable inspection shaft incl. protection





38 787 000

chrome

105.00

**GROHE Rapido UMB**  
roughing-in set for urinal  
**for manual actuation or Tectron**  
**infra-red electronic 6 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
installation box with gasket  
fixing points for dry cladding and  
masonry-in




38 896 000

chrome

70.00

**Extension-set, 50 mm**  
**for Rapido U or Rapido UMB**  
shaft extension with fixing material




43 040 000

chrome

31.00

**Converter set**  
for wall plate Surf  
for manual urinal flush valve  
concealed installation  
for installation on model 509.  
**without wall plate/actuation**



43 310 000

chrome

61.00

Fixing nut



43 818 000

chrome

3.40

**Adapter for urinal**  
with inlet pipe  
1/2"  
**GROHE StarLight** chrome finish



GROHE  
**ACTUATIONS**







## CONTENTS

WC	Wall plates for WC	735
	GROHE Fresh	743
	Wall plates for WC flush valves	745
Urinal	Wall plates for urinal	747




# GROHE WALL PLATES FOR WC



# GROHE WALL PLATES FOR WC

Ref. No. Colour Price netto (€)



37 535 000	chrome	67.00
37 535 P00	matt chrome	67.00
37 535 SH0	alpine white	55.00
37 535 DC0	supersteel	142.00
37 535 ***	SPA colours	*

## Skate Cosmopolitan S

### Wall plate



for dual flush or start & stop actuation  
for pneumatic discharge valve AV1  
GD 2 cistern  
vertical installation  
130 x 172 mm  
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow  
flush plate with magnetic holder  
and fixing brackets included

small shaft 40 911 000 sold separately

### \*\*\* SPA colours:



37 601 000	chrome	82.00
37 601 P00	matt chrome	80.00
37 601 SH0	alpine white	65.00
37 601 DC0	supersteel	142.00
37 601 ***	SPA colours	*

## Nova Cosmopolitan S

### Wall plate


for dual flush or start & stop actuation  
for pneumatic discharge valve AV1  
GD 2 cistern  
vertical installation  
130 x 172 mm  
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow  
flush plate with magnetic holder  
and fixing brackets included

small shaft 40 911 000 sold separately

### \*\*\* SPA colours:



37 624 000	chrome	82.00
37 624 P00	matt chrome	79.00
37 624 SH0	alpine white	65.00
37 624 DC0	supersteel	93.00
37 624 ***	SPA colours	*

## Arena Cosmopolitan S

### Wall plate



for dual flush or start & stop actuation  
for pneumatic discharge valve AV1  
GD 2 cistern  
vertical installation  
130 x 172 mm  
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow  
flush plate with magnetic holder  
and fixing brackets included

small shaft 40 911 000 sold separately

### \*\*\* SPA colours:



37 965 000	chrome	53.00
37 965 SH0	alpine white	44.00

## Skate Air S

### Wall plate











for dual flush or start & stop actuation  
for pneumatic discharge valve AV1  
GD 2 cistern  
vertical installation  
130 x 172 mm  
made of ABS

GROHE StarLight chrome finish













GROHE EcoJoy technology for less water and perfect flow  
flush plate with magnetic holder  
and fixing brackets included

small shaft 40 911 000 sold separately

# GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
 	40 911 000	chrome	13.00
	<b>Revision shaft for small flush plates</b> for combination with Rapid SL and Uniset GD 2 cisterns		
	40 950 000	chrome	*
	<b>ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height</b>		
	40 949 000	chrome	*
	<b>ditto, for combination with 80 mm cistern</b>		
 	38 915 KS0	velvet black	926.00
	38 915 LS0	moon white	928.00
	<b>Veris Light</b> <b>Wall plate</b> for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor <b>110 V to 240 V 50/60 Hz broad range power supply</b> 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass <b>GROHE EcoJoy</b> technology for less water and perfect flow		
 	38 809 000	chrome	580.00
	<b>Nova Cosmopolitan Light</b> <b>Wall plate</b> for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation operating voltage 230 V AC 50/60 Hz, 2.0 VA, this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic discharge valve AV1 vertical and horizontal installation, 156 x 197 mm, made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		
 	38 765 000	chrome	63.00
	38 765 SH0	alpine white	63.00
	38 765 P00	matt chrome	70.00
	<b>Nova Cosmopolitan</b> <b>Wall plate</b> for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		
 	38 847 K10	black/chrome	102.00
	38 847 L10	white/chrome	101.00
	38 847 XG0	black graphics	98.00
	<b>Nova Cosmopolitan</b> <b>Wall plate</b> with printed graphics for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS <b>GROHE EcoJoy</b> technology for less water and perfect flow		

# GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
 	<b>38 766 000</b>	<b>chrome</b>	<b>177.00</b>
<p><b>GROHE Ondus</b> <b>Wall plate</b> for dual flush or start &amp; stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm, made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	<b>38 845 KS0</b> <b>38 845 LS0</b> <b>38 845 MF0</b>	<b>velvet black</b> <b>moon white</b> <b>chrome/ daVinci satin</b>	<b>243.00</b> <b>237.00</b> <b>243.00</b>
<p><b>Skate Cosmopolitan</b> <b>Wall plate</b> with glass surface for dual flush or start &amp; stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set not suitable for flushing cistern 6 l <b>GROHE StarLight</b> finish <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	<b>38 916 0A0</b>	<b>mirror glass</b>	<b>289.00</b>
<p><b>Skate Cosmopolitan</b> <b>Wall plate</b> with mirror surface plastic actuation buttons, titanium for dual flush or start &amp; stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	<b>38 957 000</b>	<b>chrome</b>	<b>94.00</b>
<p><b>Mounting set</b> for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness for vertical or horizontal use protection plate dismantling tool for wall plate fixing material</p>			
 	<b>38 958 000</b>	<b>chrome</b>	<b>80.00</b>
<p><b>Covering frame</b> for wall-aligned installation of Skate Cosmopolitan with glass surface chrome plated plastic for covering wide tile joints 8 mm frame coverage</p>			
 	<b>38 821 000</b>	<b>chrome</b>	<b>245.00</b>
<p><b>Skate Cosmopolitan</b> <b>Wall plate</b> for dual flush or start &amp; stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of brass <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			



# GROHE WALL PLATES FOR WC


	Ref. No.	Colour	Price netto (€)
 	<b>38 732 SD0</b>	<b>stainless steel</b>	<b>157.00</b>
	<b>Skate Cosmopolitan</b> <b>Wall plate, stainless steel</b> for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm plastic fixing frame hidden fixing screws not suitable for GROHE Fresh <b>GROHE StarLight</b> finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		
 	<b>38 732 SH0</b>	<b>alpine white</b>	<b>63.00</b>
	<b>38 732 P00</b>	<b>matt chrome</b>	<b>59.00</b>
	<b>38 732 ***</b>	<b>SPA colours</b>	<b>120.00</b>
 	<b>38 732 BR0</b>	<b>titanium</b>	<b>121.00</b>
	<b>ditto, with anti-fingerprint surface</b>		
 	<b>38 859 XG0</b>	<b>black graphics</b>	<b>100.00</b>
	<b>Skate Cosmopolitan</b> <b>Wall plate</b> with printed graphics for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS <b>GROHE StarLight</b> finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		
 	<b>38 844 000</b>	<b>chrome</b>	<b>70.00</b>
	<b>38 844 SH0</b>	<b>alpine white</b>	<b>62.00</b>
	<b>38 844 P00</b>	<b>matt chrome</b>	<b>70.00</b>
 	<b>38 858 000</b>	<b>chrome</b>	<b>68.00</b>
	<b>38 858 SH0</b>	<b>alpine white</b>	<b>60.00</b>
	<b>38 858 P00</b>	<b>matt chrome</b>	<b>70.00</b>
	<b>ditto, horizontal installation</b>		

\*\*\* SPA colours:

- BE    ● GL    ● DA    ● A0
- EN    ● GN    ● DL    ● AL

# GROHE WALL PLATES FOR WC

Ref. No. Colour Price netto (€)



38 505 000	chrome	66.00
38 505 SH0	alpine white	59.00
38 505 P00	matt chrome	75.00
38 505 DA0	warm sunset	61.00
38 505 GL0	cool sunrise	120.00
38 505 A00	hard graphite	57.00
38 505 AL0	brushed hard graphite	57.00

## Skate Air


### Wall plate

for dual flush or start & stop actuation  
for pneumatic discharge valve AV1  
vertical installation  
156 x 197 mm  
made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow

38 506 000	chrome	75.00
38 506 SH0	alpine white	67.00
38 506 P00	matt chrome	73.00
<b>ditto, horizontal installation</b>		



38 862 000	chrome	67.00
38 862 SH0	alpine white	58.00
38 862 P00	matt chrome	60.00
38 862 SD0	stainless steel	143.00


## Skate

### Wall plate

for dual flush or start & stop actuation  
for pneumatic discharge valve AV1  
vertical and horizontal installation  
156 x 197 mm  
made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow



38 861 000	chrome	71.00
------------	--------	-------

## Surf















### Wall plate

for dual flush or start & stop actuation  
for pneumatic discharge valve AV1  
vertical and horizontal installation  
156 x 197 mm  
made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow

# GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 564 000	chrome	73.00
	38 564 SH0	alpine white	65.00
	<b>Skate Air</b> <b>Wall plate</b> <b>for single flush actuation</b> for pneumatic discharge valve vertical installation 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		
	38 565 000	chrome	68.00
	38 565 SH0	alpine white	65.00
	<b>ditto, horizontal installation</b>		
	38 573 000	chrome	73.00
	38 573 SH0	alpine white	65.00
	38 573 P00	matt chrome	73.00
	<b>Skate</b> <b>Wall plate</b> <b>for single flush actuation</b> for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		
	38 672 SD0	stainless steel	124.00
		<b>Skate</b> <b>Wall plate, stainless steel</b> <b>for single flush actuation</b> for pneumatic discharge valve vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws <b>GROHE EcoJoy</b> technology for less water and perfect flow	
	38 574 000	chrome	75.00
		<b>Surf</b> <b>Wall plate</b> <b>for single flush actuation</b> for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow	
	37 059 000	chrome	180.00
		<b>Pneumatic actuation</b> <b>GROHE StarLight</b> chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m	
	43 977 000	chrome	425.00
		<b>Pneumatic actuation</b> <b>GROHE StarLight</b> chrome finish remote <b>hand-actuation</b> for <b>institutional requirements</b> push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m	

# GROHE WALL PLATES FOR WC

Ref. No.


Colour

Price netto (€)

37 060 000

chrome

112.00




**Pneumatic actuation**  
**GROHE StarLight** chrome finish  
push button actuation with  
escutcheon Ø 100 mm  
pneumatic hose 1.50 m  
**without wall plate**

38 771 000

chrome

36.00




**Pneumatic push button actuation**  
for dual flush or start & stop actuation  
Ø 48 mm  
in combination with bath furniture or  
removable claddings for cistern  
inspection  
for material thickness from 18 -24 mm  
pneumatic hose 600 mm  
**GROHE StarLight** chrome finish

38 714 000

chrome

17.50



**Extension set 70 mm**  
for wall plates/actuators for flushing  
cistern GD 2, 6 - 9 l  
with pneumatic discharge valve

# GROHE FRESH




# GROHE FRESH

Ref. No.

Colour

Price netto (€)



38 805 000

chrome


132.00

### Skate Cosmopolitan Set Fresh Wall plate

for dual flush or start & stop actuation  
with **GROHE Fresh**  
fixing frame with opening function  
with box for support of aromatic tabs  
for chlorine-free tabs only  
for pneumatic discharge valve AV1  
vertical and horizontal installation  
156 x 197 mm  
made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow



38 796 000

chrome

71.00

### GROHE Fresh retro-fit set

for GROHE flushing cistern GD 2 with pneumatic  
discharge valve and regular inspection shaft  
not suitable for Skate Cosmopolitan with  
wood or glass or metal surface  
fixing frame with opening function  
with box for support of aromatic tabs  
for chlorine-free tabs only  
for all GROHE wall plates  
156 x 197 mm



38 882 000

chrome

8.30

### GROHE Fresh Tabs

2 x 50 g WC tabs

This product is a hazardous substance. Find more information  
in the safety data sheet. You can download the safety data at:  
[www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



# GROHE WALL PLATES FOR WC FLUSH VALVES

---











# GROHE WALL PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	<b>37 547 000</b> <b>37 547 SH0</b> <b>37 547 P00</b>	<b>chrome</b> <b>alpine white</b> <b>matt chrome</b>	<b>54.00</b> <b>60.00</b> <b>67.00</b>
<p><b>Skate</b>  <b>Wall plate</b>                      vertical installation                      156 x 197 mm                      manual activation                      push button actuation                      made of ABS  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>38 445 SD0</b>	<b>stainless steel</b>	<b>104.00</b>
<p><b>Skate</b>  <b>Wall plate, stainless steel</b>                      vertical installation                      156 x 197 mm                      push button actuation                      plastic fixing frame                      hidden fixing screws</p>			
 	<b>37 063 000</b> <b>37 063 SH0</b>	<b>chrome</b> <b>alpine white</b>	<b>36.00</b> <b>51.00</b>
<p><b>Surf</b>  <b>Wall plate</b>                      156 x 197 mm                      manual activation                      push button actuation                      made of ABS  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>37 069 000</b>	<b>chrome</b>	<b>311.00</b>
<p><b>Surf</b>  <b>Wall plate</b>                      vertical installation                      156 x 197 mm                      for concealed flush valve 6 - 9 l                      brass                      push button actuation                      fixing frame                      hidden fixing screws  <b>GROHE StarLight</b> chrome finish</p>			









# GROHE WALL PLATES FOR URINAL



# GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 846 MF0	chrome/ daVinci satin	277.00
	38 846 LS0	moon white	277.00
	38 846 KS0	velvet black	309.00
	<b>Skate Cosmopolitan</b> <b>Actuation plate</b> with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated <b>set for final installation</b> <b>for Rapido U or Rapido UMB</b> fixing frame with mounting-set 116 x 144 mm, mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable, low noise (group II according to German noise specification) <b>GROHE StarLight</b> chrome finish		
	38 784 000	chrome	118.00
	38 784 SH0	alpine white	115.00
38 784 P00	matt chrome	115.00	
	<b>Skate Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal <b>set for final installation</b> <b>for Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) <b>GROHE StarLight</b> chrome finish		
			
	38 784 SD0	stainless steel	178.00
	<b>Skate Cosmopolitan</b> <b>Wall plate, stainless steel</b> manual activation for urinal <b>set for final installation</b> <b>for Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws		
			
	38 804 000	chrome	118.00
38 804 SH0	alpine white	115.00	
	<b>Nova Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal <b>set for final installation</b> <b>for Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) <b>GROHE StarLight</b> chrome finish		
			

# GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 857 000	chrome	115.00
	38 857 SH0	alpine white	109.00
	38 857 P00	matt chrome	105.00
	<b>Arena Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal <b>set for final installation</b> <b>for Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) <b>GROHE StarLight</b> chrome finish		
	38 808 000	chrome	103.00
	38 808 SH0	alpine white	98.00
	38 808 P00	matt chrome	92.00
	<b>Surf</b> <b>Actuation plate</b> manual activation for urinal <b>set for final installation</b> <b>for Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) <b>GROHE StarLight</b> chrome finish		
	37 018 P00	matt chrome	67.00
		<b>Surf</b> <b>Wall plate</b> 116 x 144 mm with push button actuation <b>GROHE StarLight</b> finish	
	38 595 000	chrome	54.00
	38 595 P00	matt chrome	60.00
	38 595 SH0	alpine white	27.00
	<b>Skate</b> <b>Wall plate</b> 116 x 144 mm with push button actuation <b>GROHE StarLight</b> chrome finish		



GROHE  
**CONNECTION AND SECURITY TECHNOLOGY**







## CONTENTS

Angle valves

752

WAS valves











755

Safety systems











758

# GROHE ANGLE VALVES













Ref. No. Colour Price netto (€)

 <p>*** SPA colours:</p> <ul style="list-style-type: none"> <li>● BE ● GL ● DA ● A0</li> <li>● EN ● GN ● DL ● AL</li> </ul>		<p><b>22 039 000</b> <b>22 039 DC0</b> <b>22 039 ***</b></p> <p><b>chrome</b> <b>supersteel</b> <b>SPA colours</b></p> <p><b>Angle valve 1/2"</b> self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm <b>GROHE StarLight</b> finish</p>	<p>8.40 * *</p>
		<p><b>22 043 000</b></p> <p><b>chrome</b></p> <p><b>Angle valve 1/2"</b> self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm <b>GROHE StarLight</b> finish</p>	<p>6.50</p>
		<p><b>22 037 000</b></p> <p><b>chrome</b></p> <p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm <b>GROHE StarLight</b> finish</p>	<p>7.50</p>
		<p><b>22 041 000</b></p> <p><b>chrome</b></p> <p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm <b>GROHE StarLight</b> finish</p>	<p>5.60</p>
		<p><b>22 045 000</b></p> <p><b>chrome</b></p> <p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm <b>blister packaging</b> <b>GROHE StarLight</b> finish</p>	<p>8.30</p>

# GROHE ANGLE VALVES


	Ref. No.	Colour	Price netto (€)
 	<b>22 046 000</b>	<b>chrome</b>	<b>6.60</b>
	<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm <b>blister packaging</b> <b>GROHE StarLight</b> finish</p>		
 	<b>22 023 00M</b>	<b>chrome</b>	<b>50.00</b>
	<p><b>Angle valve 1/2"</b> self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm sales unit 10 pieces <b>GROHE StarLight</b> finish</p>		
	<b>22 023 000</b>	<b>chrome</b>	<b>5.30</b>
	<b>ditto, 1 piece</b>		
 	<b>22 027 00M</b>	<b>chrome</b>	<b>48.00</b>
	<p><b>Angle valve 1/2"</b> self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces <b>GROHE StarLight</b> finish</p>		
 	<b>22 018 00M</b>	<b>chrome</b>	<b>48.00</b>
	<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces <b>GROHE StarLight</b> finish</p>		
	<b>22 018 000</b>	<b>chrome</b>	<b>4.40</b>
	<b>ditto, 1 piece</b>		
 	<b>22 025 00M</b>	<b>chrome</b>	<b>50.00</b>
	<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces <b>GROHE StarLight</b> finish</p>		

# GROHE ANGLE VALVES

	Ref. No.	Colour	Price netto (€)
 	<b>22 031 000</b>	<b>chrome</b>	<b>5.30</b>
	<p><b>Angle valve 1/2"</b>            self-sealing connection thread            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            ergonomic handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>blister packaging</b>  <b>GROHE StarLight</b> finish</p>		
 	<b>22 029 000</b>	<b>chrome</b>	<b>4.70</b>
	<p><b>Angle valve 1/2"</b>            pre-roughened connection thread for easy sealing            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            ergonomic handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>blister packaging</b>  <b>GROHE StarLight</b> finish</p>		
 	<b>22 032 000</b>	<b>chrome</b>	<b>5.10</b>
	<p><b>Angle valve 1/2"</b>            pre-roughened connection thread for easy sealing            wall connection 1/2"            outlet 1/2"            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            ergonomic handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>blister packaging</b>  <b>GROHE StarLight</b> finish</p>		
 	<b>22 017 00M</b>	<b>chrome</b>	<b>52.00</b>
	<p><b>Universal angle valve 1/2"</b>            with compression coupling            3/8"            for copper pipe Ø 10 mm            plastic handle            marking: neutral            screw escutcheon            metal            10 pieces  <b>GROHE StarLight</b> finish</p>		
 	<b>22 939 000</b>	<b>chrome</b>	<b>20.00</b>
	<p><b>Angle valve 1/2"</b>            connector set 3/8"            for copper pipe Ø 10 mm            TDL handle            marking: neutral            sliding escutcheon  <b>GROHE StarLight</b> finish</p>		
 	<b>41 263 000</b>	<b>chrome</b>	<b>22.00</b>
	<p><b>EGAPLUS service valve 1/2"</b>            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10mm            ergonomic handle            marking: neutral            metal push-on escutcheon</p>		

# GROHE WAS VALVES


Ref. No. Colour Price netto (€)



**22 036 000** chrome 28.00

**Original WAS combination service valve 1/2"**  
self-sealing connection thread  
wall connection 1/2"  
outlet thread 3/8"  
with length compensation  
with compression nut Ø 10mm  
outlet 3/4"  
with hose connection  
grease chamber headpart  
non-return valve type EB  
long connecting shaft  
ergonomic handles  
marking: neutral  
metal push-on escutcheon Ø 55 mm  
for combination with pipe ventilating valve type HB 41 239 000


**22 035 000** chrome 19.00  
**ditto, non self-sealing**



**22 034 000** chrome 23.00


**Original WAS combination service valve 3/8"**  
self-sealing connection thread  
wall connection 3/8"  
outlet thread 3/8"  
with length compensation  
with compression nut Ø 10mm  
outlet 3/4"  
with hose connection  
grease chamber headpart  
non-return valve type EB  
long connecting shaft  
ergonomic handles  
marking: neutral  
metal push-on escutcheon Ø 55 mm  
for combination with pipe ventilating valve type HB 41 239 000

**22 033 000** chrome 19.00  
**ditto, non self-sealing**




**41 073 000** chrome 28.00

**Original WAS combination service valve 1/2"**  
wall mounted  
Cartridge headpart for closable  
copper pipe connection  
grease chamber headpart 3/8" for closable hose connection  
non-return valve type EB  
protected against backflow  
**GROHE StarLight** finish



**41 070 000** chrome 31.00

**Original WAS combination service valve 3/8"**  
wall mounted  
Cartridge headpart for closable  
copper pipe connection  
grease chamber headpart 3/8" for closable hose connection  
non-return valve type EB  
protected against backflow  
**GROHE StarLight** chrome finish  
for combination with pipe ventilating valve type HB 41 239 000




**41 030 000** chrome 42.00


**Original WAS valve „Eckfix“ 3/8"**  
Installation on service valve  
Axis dimension 60 mm  
grease chamber headpart 3/8" for closable hose connection  
non-return valve type EB  
protected against backflow  
**GROHE StarLight** chrome finish  
for combination with pipe ventilating valve type HB 41 239 000

# GROHE WAS VALVES

Ref. No. Colour Price netto (€)




**41 033 000** **chrome** **67.00**  
**Original WAS valve „Eckfix“ 3/8"**  
 Installation on service valve  
 Axis dimension 60 mm  
 with safety unit type HD (pipe ventilating valve combined with non-return valve)  
 grease chamber headpart 3/8" for closable hose connection  
 protected against backflow  
**GROHE StarLight** chrome finish




**41 010 000** **chrome** **28.00**  
**Original WAS connecting valve 1/2"**  
 wall mounted  
 grease chamber headpart 1/2" for closable hose connection  
 non-return valve type EB  
 protected against backflow  
**GROHE StarLight** finish


**41 015 000** **chrome** **59.00**  
**ditto, 1/2", with pipe ventilating valve**



**41 190 000** **chrome** **34.00**  
**Fitting combination 1/2"**  
 wall mounted  
 slanted seat model  
 with safety unit type HD (pipe ventilating valve combined with non-return valve)  
 grease chamber headpart 1/2" for closable hose connection  
 protected against backflow  
**GROHE StarLight** chrome finish




**41 154 000** **chrome** **56.00**  
**Fitting combination 1/2"**  
 wall mounted  
 with safety unit type HD (pipe ventilating valve combined with non-return valve)  
 grease chamber headpart 1/2" for closable hose connection  
 protected against backflow  
**GROHE StarLight** chrome finish



**41 043 000** **chrome** **90.00**  
**Original WAS valve „Mixer“ 3/4"**  
 wall mounted  
 for wall mixers 1/2"  
 right-hand connection  
 grease chamber headpart 1/2" for closable hose connection  
 non-return valve type EB  
 Spacer  
 protected against backflow  
**GROHE StarLight** chrome finish  
 for combination with pipe ventilating valve type HB 41 239 000

**41 040 000** **chrome** **80.00**  
**ditto, left hand connection**




**41 110 000** **chrome** **46.00**  
**Original WAS valve „Electro“ 1/2"**  
 wall mounted  
 grease chamber headpart 3/8" for closable hose connection  
 non-return valve type EB  
 protected against backflow  
**GROHE StarLight** chrome finish  
 for combination with pipe ventilating valve type HB 41 239 000




# GROHE WAS VALVES

Ref. No. Colour Price netto (€)



41 050 000 chrome 91.00

**Original WAS under-basin valve 1/2"**  
Sink installation  
adjustable up to 50 mm  
grease chamber headpart 1/2" for closable hose connection  
non-return valve type EB  
protected against backflow  
**GROHE StarLight** finish  
for combination with pipe ventilating valve type HB 41 239 000




41 130 000 chrome 59.00

**Eggemann**  
**Original WAS connection adapter 1/2"**  
Sink installation  
adjustable up to 70 mm  
coupling nut 3/4"  
Connecting pipe diameter 12 mm  
**GROHE StarLight** chrome finish




41 133 000 chrome 47.00

**Eggemann**  
**Original WAS connecting pipe 3/4"**  
coupling nut 3/4"  
Connecting pipe diameter 12 mm  
**GROHE StarLight** chrome finish




41 007 000 chrome 27.00

**Eggemann**  
**Original WAS T-piece 3/8"**  
for service valve  
connector set 3/8"  
**GROHE StarLight** chrome finish



41 020 000 chrome 86.00

**Original WAS double valve „Simple“ 1/2"**  
wall mounted  
grease chamber headpart 1/2" for closable hose connection  
non-return valve type EB  
female thread 1/2"  
protected against backflow  
**GROHE StarLight** chrome finish  
for combination with pipe ventilating valve type HB 41 239 000



41 022 000 chrome 85.00

**Original WAS double valve „Simple“ 1/2"**  
wall mounted  
grease chamber headpart 1/2" for closable hose connection  
non-return valve type EB  
protected against backflow  
**GROHE StarLight** chrome finish  
for combination with pipe ventilating valve type HB 41 239 000

# GROHE SAFETY SYSTEMS

	Ref. No.	Colour	Price netto (€)
 	41 230 000	chrome	33.00
	<b>Pipe-ventilating valve 1/2"</b> with safety unit type HD (pipe ventilating valve combined with non-return valve) vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
 	41 231 000	chrome	41.00
	<b>ditto, 3/4"</b>		
 	41 238 000	chrome	27.00
	<b>Pipe-ventilating valve 1/2"</b> type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 <b>GROHE StarLight</b> chrome finish		
 	41 239 000	chrome	25.00
	<b>ditto, 3/4"</b>		
 	41 270 000	chrome	34.00
	<b>Non-return valve 3/8"</b> for service valve connector set $\varnothing$ 10 mm (3/8") coupling nut 3/8" safety unit type EB Vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
 	41 126 000	chrome	53.00
	<b>Original WAS hose-connecting elbow 1/2"</b> wall mounted pipe ventilating valve type HB protected against backflow <b>GROHE StarLight</b> chrome finish		
 	41 125 000	chrome	28.00
	<b>ditto, without pipe ventilating valve</b>		
 	41 001 000	chrome	26.00
	<b>Original WAS hose-burst protection 3/4"</b> for 1/2" hoses female thread 3/4" male thread 3/4" <b>GROHE StarLight</b> chrome finish		
 	41 275 000	chrome	74.00
	<b>Original WAS inclined filter 3/4"</b> suitable for cold and warm water up to + 80° C Transparent cap mesh width 315 $\mu$ m stainless steel filter insert <b>GROHE StarLight</b> chrome finish		

# GROHE SAFETY SYSTEMS

Ref. No. Colour Price netto (€)



41 827 000 **chrome** 19.00  
**Strainer**  
for original WAS inclined filter  
Transparent cap  
mesh width 315 µm  
stainless steel filter insert

\* price upon request

GROHE  
**SPARE PARTS**





## CONTENTS

Cartridges	762
Thermo elements and thermostatic cartridges	763
Aquadimmer	764
Head parts	765
Extension sets	766
Unions	767
Outlets and spouts	769
Flow straighteners	770
Waste sets and traps	772
Connections and non-return valves	773
Spare parts for electronics	774
Hoses	775
Spare parts for kitchen faucets	776
Spare parts for showers	777
Special tools	778
Cleaning and care	779
Spare parts for sanitary systems	780
Spare parts for shower toilet	781

# GROHE CARTRIDGES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	46 580 000	chrome	41.00		 	46 907 000	chrome	35.00
	<b>Cartridge</b> 28 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter for single lever mixers				<b>Cartridge</b> 29 mm <b>GROHE SilkMove</b> Joystick cartridge with ceramic sealing system with o-ring for cartridge fixation nut for single lever mixers			
  	46 374 000	chrome	43.00		46 048 000	chrome	44.00	
<b>Cartridge</b> 35 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter adjustable flow rate limiter for single lever mixers				<b>Cartridge</b> 46 mm <b>GROHE SilkMove</b> with ceramic sealing system adjustable flow rate limiter for single lever mixers				
					46 409 000	chrome	35.00	
				<b>ditto, for open water heater</b>				
	46 386 000	chrome	132.00		46 278 000	chrome	72.00	
<b>Cartridge</b> 56 mm <b>GROHE SilkMove</b> with ceramic sealing system for bath mixers				<b>Cartridge</b> with ceramic sealing system for Euroeco safety mixer batteries				
	46 308 000	chrome	16.50		46 375 000	chrome	9.40	
<b>Temperature limiter</b> for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media				<b>Temperature limiter</b> for cartridge 46 374 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media				
	46 277 000	chrome	9.80		48 297 000	chrome	48.00	
<b>Temperature limiter</b> for cartridge 46 278 for Euroeco safety mixer batteries				<b>Cartridge</b> for Rainshower system SmartControl push button including fixation				
	43 813 000	chrome	156.00					
<b>Cartridge</b> for Contromix Surf/Public								





# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	47 450 000	chrome	79.00		47 310 000	chrome	106.00
	<b>Thermo-element 1/2"</b> wax element with slider made of stainless steel to avoid corrosion				<b>Thermo-element 3/4"</b> wax element		
	47 282 000	chrome	187.00		47 379 000	chrome	461.00
	ditto, for inverted waterways, 1/2"				ditto, for inverted waterways, 3/4"		
	47 349 000	chrome	79.00		47 217 000	chrome	60.00
	<b>Thermo-element 3/8"</b> wax element				<b>Thermo-element 1/2"</b> wax element with non-rising spindle		
	47 220 000	chrome	100.00		47 010 000	chrome	91.00
	<b>Thermo-element 3/4"</b> wax element with non-rising spindle				<b>Thermo-element 1/2"</b> bimetal for Grohmix thermostats		
	47 019 000	chrome	158.00		47 439 000	chrome	80.00
	<b>Thermo-element 3/4"</b> bimetal for Grohmix thermostats				<b>Thermostatic compact cartridge 1/2"</b> GROHE TurboStat compact cartridge with wax thermoelement		
	47 483 000	chrome	47.00		47 175 000	chrome	101.00
	<b>Thermostatic compact cartridge 3/4"</b> GROHE TurboStat compact cartridge with wax thermoelement				ditto, for inverted waterways, 1/2"		
	47 186 000	chrome	93.00				
	ditto, for inverted waterways, 3/4"						

# GROHE AQUADIMMER

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	47 364 000	chrome	69.00		12 433 000	chrome	31.00
	<b>Aquadimmer</b> for thermostatic mixers				<b>Aquadimmer</b> for exposed fittings		

# GROHE HEAD PARTS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	45 346 000	chrome	27.00		45 342 000	chrome	16.50
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing discs rotation angle 180° stop: right-hand				<b>Ceramic headpart, 1/2"</b> with ceramic sealing discs rotation angle 180° stop: left-hand		
	45 978 000	chrome	15.50				
	ditto, packaging unit 20						
	45 885 000	chrome	38.00				
	<b>Ceramic headpart 3/4"</b> with ceramic sealing discs rotation angle 180° stop: right-hand						

# GROHE EXTENSION SETS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
45 202 000	chrome	6.90			
	<b>Extension-set, 80 mm</b> for GROHE concealed valves, 1/2", 3/4", 1"				
45 203 000	chrome	14.00			
	<b>ditto, 200 mm</b>				

# GROHE UNIONS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 001 000	chrome	9.00		12 050 000	chrome	33.00
	<b>S-union</b> 1/2" x 3/4" adjustment range 7.5 mm screw escutcheon in dispense of 2 piece at 00M <b>GROHE StarLight</b> chrome finish				<b>S-union</b> 3/8" x 3/4" adjustment range 17 mm screw escutcheon in dispense of 2 piece at 00M <b>GROHE StarLight</b> chrome finish		
					12 004 000	chrome	30.00
					<b>ditto</b> , 1/2" x 1/2", adjustment range 10 mm		
	12 400 000	chrome	46.00		12 051 000	chrome	60.00
	12 400 00M	chrome	93.00		<b>S-union, lockable</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections <b>GROHE StarLight</b> chrome finish		
	<b>S-union, lockable</b> 1/2" x 3/4" adjustment range 10 mm sliding escutcheon lockable for service <b>GROHE StarLight</b> chrome finish						
	12 465 000	chrome	49.00		12 075 000	chrome	12.50
	<b>S-union</b> male thread screw escutcheon 1/2" x 3/4" adjustment range 55 mm <b>GROHE StarLight</b> chrome finish				<b>S-union</b> 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm <b>GROHE StarLight</b> chrome finish content: 1 piece		
	12 411 000	chrome	201.00		12 013 000	chrome	26.00
	<b>S-union</b> nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) <b>GROHE StarLight</b> chrome finish in units of 1				<b>Wall union</b> male thread 3/4" x 1/2" <b>GROHE StarLight</b> chrome finish		
	12 015 000	chrome	24.00		12 041 000	chrome	123.00
	<b>Wall unions</b> male thread 3/4" x 1/2" <b>GROHE StarLight</b> chrome finish				<b>Pillar union 1/2"</b> angle 3/4" stop screw 1/2" diameter of nut 10.5 mm adjustment range 12.5 mm projection 30 mm <b>GROHE StarLight</b> chrome finish		
	12 030 000	chrome	53.00		12 060 000	chrome	262.00
	<b>Pillar union 1/2"</b> for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm <b>GROHE StarLight</b> chrome finish				<b>Pillar union 1/2"</b> plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 70 mm high without connection nipple <b>GROHE StarLight</b> chrome finish		

\* price upon request








767

# GROHE UNIONS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 036 000	chrome	288.00		12 063 000	chrome	73.00
	<b>Pillar union 1/2"</b> for Europlus and Florida plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 150 mm high without connection nipple <b>GROHE StarLight</b> chrome finish				<b>Elbow union</b> male thread 1/2" x 3/4" sliding escutcheon for Vertica-mixers <b>GROHE StarLight</b> chrome finish		
	12 407 000	chrome	159.00		12 901 00M	chrome	10.00
	<b>Wall union, male 1/2"</b> without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon <b>GROHE StarLight</b> chrome finish				<b>Coupling nut 1/2"</b> drilling 10.5 mm nickel-plated in dispense of 2 piece at 00M <b>GROHE StarLight</b> chrome finish		







# GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 005 000	chrome	22.00		13 051 000	chrome	24.00
	<b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout projection 150 mm mousseur coupling nut 3/4" DR-brass GROHE StarLight chrome finish				<b>Tubular spout</b> for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 200 mm DR-brass GROHE StarLight chrome finish		
	13 084 000	chrome	24.00		13 052 000	chrome	23.00
	13 017 000	chrome	31.00		ditto, projection 150 mm		
	13 017 000	chrome	31.00		ditto, projection 300 mm		
	13 028 000	chrome	23.00		13 076 000	chrome	25.00
	<b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish				<b>Tubular spout</b> swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish		
	13 034 000	chrome	32.00		13 071 000	chrome	23.00
		ditto, projection 300 mm			ditto, without stop		
	13 072 000	chrome	23.00		13 073 000	chrome	26.00
	<b>Tubular spout</b> swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass GROHE StarLight chrome finish				<b>Tubular swivel spout</b> for kitchen pillar mixers, 1/2" tubular spout mousseur projection 185 mm DR-brass GROHE StarLight chrome finish		
	13 070 000	chrome	27.00				
	<b>Tubular spout</b> for kitchen pillar mixers, 1/2" mousseur coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish						
	13 077 000	chrome	29.00	ditto, projection 235 mm			

# GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	48 189 000	chrome	18.00	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert connection size G 3/8"		48 190 000	chrome 18.00 <b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"
	48 191 000	chrome	18.00	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"		13 954 000	chrome 10.00 <b>Flow straightener</b> internal thread M 22 x 1 flow class PCA 7.8 l/min. at 3.5 bar <b>SpeedClean</b> anti-lime system <b>GROHE StarLight</b> finish
	13 928 000	chrome	5.80	<b>Mousseur</b> internal thread M 22 x 1 flow class A 13.5 - 15.0 l/min at 3 bar <b>GROHE StarLight</b> finish		13 960 000	chrome 7.00 <b>Flow straightener</b> external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar <b>GROHE StarLight</b> finish
	36 133 000	chrome	16.00	<b>Mousseur</b> external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key theft proof <b>GROHE StarLight</b> finish		13 955 000	chrome 6.50 <b>Flow straightener</b> external thread M 24 x 1 flow class: X 8.3 l/min at 4.14 bar <b>GROHE StarLight</b> finish
	64 451 000	chrome	7.80	<b>Flow straightener</b> external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar <b>GROHE AquaGuide</b> adjustable mousseur <b>GROHE StarLight</b> finish		13 929 000	chrome 4.40 13 929 G00 gold 81.00 13 929 L00 white 36.00 <b>Mousseur</b> external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar <b>GROHE StarLight</b> finish
	13 930 000	chrome	11.00	<b>Mousseur</b> external thread M 28 x 1.5 55 l/min. at 3 bar for pull out shower (46 108) <b>GROHE StarLight</b> finish		13 937 000	chrome 17.50 <b>Mousseur set</b> consisting of: mousseur 14.9 l/min at 3 bar mousseur 7.2 l/min at 3 bar external thread M 16.5 x 1 including disassembly-key

# GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 926 000	chrome	9.90		13 925 000	chrome	13.00
	<b>Mousseur</b> external thread M 24 x 1 flow class C 27.0 l/min at 3 bar integrated including disassembly-key <b>GROHE StarLight</b> finish				<b>Ball-joint aerator</b> internal thread M 22 x 1 flow class A 13.5 - 15.0 l/min at 3 bar <b>GROHE StarLight</b> finish		
	13 915 000	chrome	22.00		13 220 000	chrome	16.50
	<b>Ball-joint aerator</b> external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar <b>GROHE StarLight</b> finish				<b>Mousseur</b> flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key		

# GROHE WASTE SETS AND TRAPS





	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	28 910 000	chrome	42.00	<b>Waste set 1 1/4"</b> for wash basins with overflow for basin/bidet fittings complete GROHE StarLight chrome finish		40 565 000	chrome	82.00
	28 910 L00	white	223.00			40 565 DC0	warm sunset	*
					40 565 A00	hard graphite	*	
					40 565 AL0	brushed hard graphite	*	
					<b>Plug incl. cup</b> for wash basins with overflow for standard pop-up waste set 1 1/4" GROHE StarLight chrome finish			
	65 807 000	chrome	51.00	<b>Waste fitting</b> with push-open cover removable cover closable GROHE StarLight chrome finish		65 808 000	chrome	50.00
	65 807 DC0	supersteel	*			65 807 ***	SPA colours	*
<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL								
	40 824 000	chrome	19.00	<b>Waste set with push-open plug</b> for wash basins with overflow removable plug closable		07 182 G00	gold	121.00
							<b>Plug for waste set 1 1/4"</b> GROHE StarLight finish	
	28 947 000	chrome	32.00	<b>P-trap 1 1/4"</b> for basins wall connection sliding escutcheon GROHE StarLight chrome finish		28 961 000	chrome	40.00
							<b>Trap</b> for bidet sliding escutcheon wall connection GROHE StarLight chrome finish	
	28 946 000	chrome	44.00	<b>P-trap 1 1/4"</b> for bidet wall connection sliding escutcheon wall support 250 - 265 mm GROHE StarLight chrome finish		28 920 000	chrome	40.00
							<b>Trap 1 1/4"</b> for basins with fixed dip tube wall connection sliding escutcheon GROHE StarLight chrome finish	
	40 564 000	chrome	262.00	<b>Bottle trap</b> for wash basin GROHE StarLight chrome finish brass body		28 912 000	chrome	228.00
	40 564 DC0	supersteel	*			28 912 DC0	supersteel	*
	40 564 A00	hard graphite	*	28 912 ***	SPA colours	*		
	40 564 AL0	brushed hard graphite	*					
					<b>Trap 1 1/4"</b> for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish			
				<b>*** SPA colours:</b> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL				

# GROHE CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	14 165 00M	chrome	18.50		14 116 00M	chrome	40.00
	<b>Non-return valve</b> male thread 1/2" female thread 1/2" <b>GROHE StarLight</b> chrome finish multi-packaging: 2 pieces				<b>Non-return valve 1/2"</b> multi-packaging: 2 pieces		

\* price upon request

# GROHE SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	42 229 000	chrome	105.00		42 886 000	chrome	22.00
	<b>Solenoid valve</b> for Europlus E				<b>Battery</b>		
	42 393 000	chrome	44.00		42 388 000	chrome	46.00
	<b>Battery housing</b> including 6 V lithium-battery, type CR-P2 to replace transformer				<b>Mains adaptor</b> with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		




# GROHE HOSES

Ref. No.

Colour

Price netto (€)






28 112 000

chrome





30.00

**Metal hose**  
for sink mixers  
1500 mm  
M 15 x 1 x 3/8" nut  
**GROHE StarLight** chrome finish

# GROHE SPARE PARTS FOR KITCHEN FAUCETS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
46 710 000	chrome	58.00	46 731 000	chrome	59.00
		<p><b>Pull out spray</b> GROHE StarLight chrome finish</p>			<p><b>Pull out spray</b> professional spray regular flow/shower jet automatic return to mousseur <b>SpeedClean</b> anti-lime system GROHE StarLight chrome finish</p>
46 769 000	chrome	38.00			
		<p><b>Pull out spray</b> GROHE StarLight chrome finish</p>			

# GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	28 635 XX0	dark grey	5.60		28 634 XX0	dark grey	39.00
	<b>Relexa Coupling piece</b> as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece				<b>Relexa Quick coupling</b> for combination with average showers without integrated <b>Grohclick</b> with new system only in connection with coupling piece (28 635/28 637)		
	28 785 000	black	13.00		12 435 000	chrome	51.00
	<b>Swivel adaptor 1/2"</b> black (to combine Relexa hand showers with shower rails of other manufacturers)				<b>Relexa Plus Gliding element with metal sleeve</b> for shower rail 28 620/28 621, Ø 28 mm angle of inclination adjustable by click stop device height adjustment by click stop <b>GROHE StarLight</b> chrome finish		

# GROHE SPECIAL TOOLS

Ref. No.      Colour      Price netto (€)      Ref. No.      Colour      Price netto (€)

48 021 000    chrome      6.40



**Disassembling key**  
for Grohtherm 1000 after 2006  
(M 22 x 1, M 24 x 1, M 28 x 1)  
for integrated mousseurs:  
M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1  
sales unit 10 pieces

# GROHE CLEANING AND CARE




Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
45 937 000	chrome	9.20	48 166 000	chrome	19.00
 <b>Grohe Special grease</b> 25 g sales unit 15 pieces			 <b>Grohclean</b> <b>Detergent for fittings and bathrooms</b> 500 ml spray bottle in display box sales unit 10 pieces		

# GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	42 302 000	chrome	66.00	<b>Surf</b> <b>Wall plate</b> for retrofit for dual flush or start & stop actuation for pneumatic discharge valve with 2 hoses (42 253 and 42 774) vertical and horizontal installation 156 x 197 mm, made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		42 303 000	chrome	67.00
	42 302 SH0	alpine white	69.00			42 303 SH0	alpine white	72.00
	42 304 000	chrome	55.00	<b>Skate Air</b> <b>Wall plate</b> for dual flush or start & stop actuation for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774), vertical installation 156 x 197 mm, made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow		42 305 000	chrome	50.00
	42 304 SH0	alpine white	51.00			42 305 SH0	alpine white	49.00
	42 304 P00	matt chrome	81.00			42 305 P00	matt chrome	84.00
	37 115 P10	matt chrome/ chrome	10.00	<b>Push button and escutcheon</b> for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm <b>GROHE StarLight</b> chrome finish		37 117 P10	matt chrome/ chrome	10.00
	43 544 000	chrome	10.50	<b>Outlet piston</b> for Servo discharge valve		43 535 000	chrome	2.90
	43 540 000	chrome	3.50	<b>Pop-up rod</b> for Servo discharge valve 451 mm		43 745 000	chrome	5.30
	43 722 000	chrome	7.10	<b>Set of seals</b>		43 758 00M	chrome	24.00



# GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	Price netto (€)
	<b>14 917 000</b> <b>Connecting pipe</b> for Sensia IGS shower WC system flush- and waste pipe	chrome	134.00
 	<b>14 926 000</b> <b>GROHE Sensia Arena Remote control</b> for 39 354 SH0 for Sensia Arena shower toilet system, wall hung including wall holder including batteries	chrome	290.00

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
<b>07</b>			13 052 000	769	23.00	13 929 000	770	4.40
07 182 G00	772	121.00	13 070 000	769	27.00	13 929 G00	770	81.00
07 182 L00		50.00	13 071 000	769	23.00	13 929 L00	770	36.00
07 749 000		104.00	13 072 000	769	23.00	13 930 000	770	11.00
<b>11</b>			13 073 000	769	26.00	13 937 000	770	17.50
11 046 000		336.00	13 076 000	769	25.00	13 951 000		3.00
11 513 000		54.00	13 077 000	769	29.00	13 954 000	770	10.00
11 514 000		59.00	13 080 000	571	206.00	13 955 000	770	6.50
11 515 000		86.00	13 084 000	769	24.00	13 960 000	770	7.00
11 516 000		140.00	13 137 000	571	235.00	<b>14</b>		
11 550 000		54.00	13 138 000	571	299.00	14 014 000	330	45.00
11 551 000		66.00	13 139 003	68	209.00	14 047 000	331	45.00
<b>12</b>			13 139 AL3	68	335.00	14 048 000	280	129.00
12 001 000	767	9.00	13 139 DA3	68	*	14 053 00M	280	42.00
12 003 000		105.00	13 139 DC3	68	293.00	14 055 000	203, 280	139.00
12 004 000	767	30.00	13 139 GL3	68	*	14 056 000	280	*
12 011 000		183.00	13 216 001		1,220.00	14 057 000	280	*
12 013 000	767	26.00	13 218 000	52	1,220.00	14 058 000	281	*
12 015 000	767	24.00	13 220 000	771	16.50	14 116 00M	773	40.00
12 030 000	767	53.00	13 257 000	176, 180	*	14 159 000		16.00
12 036 000	768	288.00	13 261 000	166	96.00	14 165 00M	773	18.50
12 037 000		65.00	13 262 000	166	111.00	14 917 000	781	134.00
12 041 000	767	123.00	13 264 000	53	265.00	14 926 000	781	290.00
12 050 000	767	33.00	13 268 000		222.00	<b>18</b>		
12 051 000	574, 767	60.00	13 269 000		242.00	18 349 000	164	31.00
12 060 000	767	262.00	13 270 000		264.00	18 391 001	142	36.00
12 063 000	768	73.00	13 271 000		375.00	18 541 000	98	30.00
12 075 000	767	12.50	13 276 002	150	102.00	18 608 001	260	44.00
12 092 000		166.00	13 277 002	150	126.00	18 700 000	263	40.00
12 110 000		57.00	13 278 002	138	90.00	18 864 000		86.00
12 124 000	578	126.00	13 279 002	138	114.00	18 978 000		123.00
12 400 000	767	46.00	13 280 001	144	99.00	<b>19</b>		
12 400 00M	767	93.00	13 281 001	144	132.00	19 025 000	113, 203	57.00
12 407 000	768	159.00	13 289 000	43	313.00	19 069 003	66	81.00
12 408 000		347.00	13 299 A00	43	*	19 069 AL3	66	*
12 409 000		208.00	13 299 ALO	43	*	19 069 DA3	66	*
12 411 000	576, 767	201.00	13 299 DC0	43	*	19 069 DC3	66	*
12 417 000	576	137.00	13 301 000	42	1,340.00	19 069 EN3		*
12 419 000		38.00	13 301 A00	42	*	19 069 GL3	66	*
12 420 000	576	121.00	13 301 ALO	42	*	19 088 003	66	81.00
12 422 000		76.00	13 301 DC0	42	*	19 088 AL3	66	*
12 423 000		85.00	13 303 000	102	121.00	19 088 DA3	66	*
12 424 000	576	101.00	13 303 000	102	135.00	19 088 DC3	66	*
12 426 000	576	376.00	13 304 000		325.00	19 088 EN3		*
12 428 000	577	247.00	13 315 000		325.00	19 088 GL3	66	*
12 430 000	577	218.00	13 317 000	52	717.00	19 285 001	126	165.00
12 432 000	577	226.00	13 319 000		779.00	19 285 A01	126	202.00
12 433 000	764	31.00	13 319 A00		*	19 285 AL1	126	202.00
12 435 000	777	51.00	13 319 ALO		*	19 285 BE1	126	214.00
12 436 000	577	236.00	13 319 DC0		*	19 285 DA1	126	214.00
12 444 000	577	322.00	13 335 000		268.00	19 285 DC1	126	200.00
12 448 000	577	584.00	13 341 000	78	208.00	19 285 DL1	126	228.00
12 465 000	767	49.00	13 341 DA0	78	276.00	19 285 EN1	126	200.00
12 476 000		40.00	13 341 IGO	78	271.00	19 285 GL1	126	200.00
12 477 000		107.00	13 378 000	572	92.00	19 285 GN1	126	228.00
12 482 000		142.00	13 380 000	572	102.00	19 286 001	126	145.00
12 901 00M	768	10.00	13 383 001	88	202.00	19 286 A01	126	197.00
<b>13</b>			13 383 DC1	88	263.00	19 286 AL1	126	211.00
13 005 000	769	22.00	13 404 003	110	126.00	19 286 BE1	126	197.00
13 017 000	769	31.00	13 460 000		184.00	19 286 DA1	126	197.00
13 028 000	769	23.00	13 461 000		375.00	19 286 DC1	126	184.00
13 034 000	769	32.00	13 462 000		288.00	19 286 DL1	126	211.00
13 051 000	769	24.00	13 540 000	193	153.00	19 286 EN1	126	184.00
			13 914 000		19.00	19 286 GL1	126	197.00
			13 915 000	771	22.00			
			13 925 000	771	13.00			
			13 926 000	771	9.90			
			13 928 000	770	5.80			

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
19 286 GN1	126	184.00	19 787 DC1	41	*	19 966 000	101	632.00
19 287 003	58	349.00	19 789 000	41	381.00	19 967 001	123	218.00
19 287 AL3	58	558.00	19 796 000	43	165.00	19 967 A01	123	280.00
19 287 DA3	58	523.00	19 796 A00	43	*	19 967 AL1	123	318.00
19 287 DC3	58	488.00	19 796 AL0	43	*	19 967 BE1	123	298.00
19 287 GL3	58	*	19 796 DC0	43	*	19 967 DA1	123	280.00
19 309 000	50	651.00	19 798 000	43	262.00	19 967 DC1	123	278.00
19 316 000	51	1,220.00	19 798 A00	43	*	19 967 DL1	123	318.00
19 334 000	53	116.00	19 798 AL0	43	368.00	19 967 EN1	123	318.00
19 381 000	164	206.00	19 798 DC0	43	*	19 967 GL1	123	298.00
19 384 000	53	132.00	19 806 001	194	38.00	19 967 GN1	123	278.00
19 386 000	50	696.00	19 808 001	193	28.00	19 968 000	130	218.00
19 408 001	123	204.00	19 809 001	193	28.00	19 968 LS0	130	262.00
19 408 A01	123	264.00	19 830 000		26.00	19 969 000	130	231.00
19 408 AL1	123	282.00	19 831 000		26.00	19 969 LS0	130	299.00
19 408 BE1	123	247.00	19 840 000		27.00	19 970 002	171	51.00
19 408 DA1	123	248.00	19 841 000		22.00	19 972 002	172	44.00
19 408 DC1	123	247.00	19 842 000		97.00	19 974 002	136	217.00
19 408 DL1	123	248.00	19 895 000	97	267.00	19 976 001	127	515.00
19 408 EN1	123	247.00	19 897 001	101	893.00	19 997 000	91	263.00
19 408 GL1	123	264.00	19 910 000	102	51.00	19 998 000	91	270.00
19 408 GN1	123	282.00	19 918 003	59	395.00			
19 409 001	85	221.00	19 918 AL3	59	632.00	<b>20</b>		
19 409 DC1	85	304.00	19 918 DA3	59	*	20 008 003	64	429.66
19 416 000		*	19 918 DC3	59	553.00	20 008 AL3	64	744.00
19 417 000		354.00	19 918 GL3	59	*	20 008 DA3	64	*
19 418 000		*	19 919 000	78	1,130.00	20 008 DC3	64	651.00
19 450 002	171	129.00	19 919 DA0	78	1,360.00	20 008 GL3	64	*
19 451 002	171	116.00	19 919 IG0	78	1,470.00	20 009 003	64	465.00
19 459 003		*	19 920 000	77	340.00	20 009 AL3	64	744.00
19 470 000	254	67.00	19 920 DA0	77	449.00	20 009 DA3	64	*
19 506 002	150	176.00	19 920 IG0	77	389.00	20 009 DC3	64	651.00
19 506 003	159	146.00	19 922 003	67	1,050.00	20 009 GL3	64	*
19 506 LS3	159	188.00	19 922 AL3	67	1,460.00	20 021 003	63	232.00
19 507 002	149	165.00	19 922 DA3	67	*	20 021 AL3	63	325.00
19 507 003	158	128.00	19 922 DC3	67	1,460.00	20 021 DC3	63	325.00
19 507 LS3	158	172.00	19 922 GL3	67	*	20 143 000	49	744.00
19 571 002	148	231.00	19 923 003	67	1,050.00	20 164 003	64	327.00
19 571 003	155	202.00	19 923 AL3	67	1,670.00	20 164 AL3	64	519.20
19 571 LS3	155	289.00	19 923 DA3	67	*	20 164 DA3	64	*
19 573 002	136	201.00	19 923 DC3	67	1,360.00	20 164 DC3	64	553.00
19 575 001	142	199.00	19 923 GL3	67	*	20 164 GL3	64	*
19 577 001	87	754.00	19 929 000	75	375.00	20 169 003	64	395.00
19 577 DC1	87	1,040.00	19 929 IG0	75	487.00	20 169 AL3	64	632.00
19 578 001	126	714.00	19 930 000	75	414.00	20 169 DA3	64	*
19 578 A01	126	953.00	19 930 IG0	75	538.00	20 169 DC3	64	553.00
19 578 AL1	126	890.00	19 932 000	77	273.00	20 169 GL3	64	*
19 578 BE1	126	953.00	19 932 IG0	77	355.00	20 179 001	196, 502	100.00
19 578 DA1	126	953.00	19 936 000	77	1,060.00	20 187 000	163	177.00
19 578 DC1	126	864.00	19 936 A00	77	1,440.00	20 188 000	49	742.00
19 578 DL1	126	1,020.00	19 936 AL0	77	1,350.00	20 189 000	50	652.00
19 578 EN1	126	890.00	19 936 DA0	77	1,440.00	20 190 000	49	557.00
19 578 GL1	126	953.00	19 936 GL0	77	1,440.00	20 192 000	49	596.00
19 578 GN1	126	890.00	19 936 IG0	77	1,250.00	20 193 000	50	696.00
19 590 000	53	170.00	19 942 000	79	130.00	20 201 000	200	102.00
19 781 000	39	675.00	19 942 IG0	79	169.00	20 202 000	200	114.00
19 781 A00	39	*	19 944 000	79	94.00	20 203 000	200	92.00
19 781 AL0	39	*	19 944 IG0	79	122.00	20 205 000	200	91.00
19 781 DC0	39	*	19 950 003		*	20 208 002	147	223.00
19 783 000	39	761.00	19 950 AL3		*	20 216 001	141	263.00
19 783 A00	39	*	19 950 DC3		*	20 289 000	179	139.00
19 783 AL0	39	*	19 952 000	113, 202	173.00	20 296 001	123	253.00
19 783 DC0	39	*	19 952 A00	202	*	20 299 001	123	246.00
19 785 000	41	490.00	19 952 DA0	202	*	20 301 000	117	311.00
19 787 001	41	1,340.00	19 952 GL0	202	*	20 301 003	107	280.00
19 787 A01	41	*	19 954 000	202	18.00	20 304 001	85	284.00
19 787 AL1	41	*	19 965 001	88	595.00	20 342 000	39	612.00

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
20 342 A00	39	*	22 023 000	753	5.30	23 112 AL0	38	*
20 342 AL0	39	*	22 023 00M	753	50.00	23 112 DC0	38	*
20 342 DC0	39	*	22 025 00M	753	50.00	23 114 000	38	904.00
20 344 000	38	817.00	22 027 00M	753	48.00	23 114 A00	38	*
20 344 A00	38	1,020.00	22 029 000	754	4.70	23 114 AL0	38	1,230.00
20 344 AL0	38	968.00	22 031 000	754	5.30	23 114 DC0	38	*
20 344 DC0	38	*	22 032 000	754	5.10	23 117 000	40	664.00
20 346 000	39	636.00	22 033 000	755	19.00	23 117 A00	40	*
20 346 A00	39	*	22 034 000	755	23.00	23 117 AL0	40	*
20 346 AL0	39	*	22 035 000	755	19.00	23 117 DC0	40	*
20 346 DC0	39	*	22 036 000	755	28.00	23 119 000	42	2,560.00
20 348 000	39	800.00	22 037 000	752	7.50	23 119 001	42	2,240.00
20 348 A00	39	*	22 039 000	752	8.40	23 119 A00	42	3,370.00
20 348 AL0	39	*	22 039 A00	752	*	23 119 AL0	42	3,590.00
20 348 DC0	39	*	22 039 AL0	752	*	23 119 DC0	42	*
20 351 000	97	308.00	22 039 BE0	752	*	23 124 002	168	136.00
20 389 000	75	537.00	22 039 DA0	752	*	23 125 000	162	179.00
20 389 AL0	75	682.00	22 039 DC0	752	*	23 127 000	96	214.00
20 389 DA0	75	682.00	22 039 DL0	752	*	23 127 00E	96	215.00
20 389 GL0	75	730.00	22 039 EN0	752	*	23 132 000	96	204.00
20 389 IG0	75	724.00	22 039 GL0	752	*	23 132 00E	96	209.00
20 393 001	192	66.00	22 039 GN0	752	*	23 135 000	97	245.00
20 405 001	196	50.00	22 041 000	752	5.60	23 135 00E	97	239.00
20 414 000	75	412.00	22 043 000	752	6.50	23 137 000	96	166.00
20 414 IG0	75	474.00	22 045 000	752	8.30	23 138 000	98	214.00
20 415 000	75	403.00	22 046 000	753	6.60	23 140 000	98	283.00
20 415 DA0	75	535.00	22 047 00M		53.00	23 141 000	98	333.00
20 415 IG0	75	525.00	22 051 000		*	23 145 000	98	244.00
20 417 000	75	440.00	22 500 LNO	27	415.83	23 147 001	320	1,090.00
20 417 IG0	75	645.00	22 501 000	27	66.66	23 200 000	40, 97	236.00
20 421 000	174	63.00	22 502 LNO	27	540.83	23 296 001	84	253.00
20 422 000	178	61.00	22 505 LNO	26	49.99	23 296 DC1	84	350.00
20 474 000	175	297.00	22 506 LNO	26	24.99	23 303 000	74	354.00
20 575 000	182	47.00	22 507 LNO		83.33	23 303 A00	74	437.00
<b>21</b>			22 521 LNO	27	16.66	23 303 AL0	74	500.00
21 019 003	63	320.00	22 594 LNO	26	*	23 303 DA0	74	469.00
21 019 AL3	63	595.00	22 597 LNO	26	*	23 303 GL0	74	432.00
21 019 DA3	63	*	22 939 000	754	20.00	23 303 IG0	74	458.00
21 019 DC3	63	520.00	<b>23</b>			23 310 000	74	354.00
21 019 GL3	63	*	23 029 000	38	585.00	23 310 DA0	74	414.00
21 022 003	63	372.00	23 029 A00	38	751.00	23 310 IG0	74	406.00
21 022 A03		*	23 029 AL0	38	801.00	23 313 000	74	471.00
21 022 AL3	63	595.00	23 029 DC0	38	*	23 313 IG0	74	538.00
21 022 DA3	63	*	23 033 000	38	585.00	23 315 000	76	387.00
21 022 DC3	63	520.00	23 033 A00	38	*	23 315 IG0	76	517.00
21 022 GL3	63	*	23 033 AL0	38	*	23 316 000	76	414.00
21 044 003	63	477.40	23 033 DC0	38	*	23 316 IG0	76	474.00
21 044 AL3	63	818.00	23 037 002	146	128.00	23 317 000	76	500.00
21 044 DA3	63	*	23 039 002	146	98.00	23 317 IG0	76	668.00
21 044 DC3	63	716.00	23 043 003	147	156.00	23 318 000	78	1,610.00
21 044 GL3	63	*	23 049 002	134	164.00	23 318 A00	78	2,040.00
21 107 000	74	423.00	23 051 002	134	94.00	23 318 AL0	78	2,040.00
21 107 IG0	74	487.00	23 054 003	135	185.00	23 318 DA0	78	2,190.00
21 255 001	196	154.00	23 055 002	136	225.00	23 318 GL0	78	2,190.00
21 257 001	196	139.00	23 058 003	320	689.00	23 318 IG0	78	1,900.00
21 337 001	192	86.00	23 060 001	140	148.00	23 319 000	76	200.00
21 338 001	196	98.00	23 061 002	319	471.00	23 322 001	169	111.00
21 374 001	192	88.00	23 076 000	48	497.00	23 324 001	169	101.00
21 375 001	192	111.00	23 106 001	84	193.00	23 325 000	163	127.00
21 390 001	192	156.00	23 106 DC1	84	267.00	23 327 000	163	121.00
<b>22</b>			23 109 000	38	729.00	23 328 000	174	80.00
22 012 000	102	47.00	23 109 A00	38	825.00	23 330 000	174	75.00
22 017 00M	754	52.00	23 109 AL0	38	995.00	23 331 000	175	78.00
22 018 000	753	4.40	23 109 DC0	38	*	23 333 000	176	78.00
22 018 00M	753	48.00	23 112 000	38	722.00	23 334 000	176	98.00
			23 112 A00	38	*	23 335 000	178	80.00
						23 336 000	178	75.00

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
23 337 000	178	73.00	23 564 003	152	123.00	23 756 000	183	81.00
23 338 000	179	80.00	23 567 003	153	115.00	23 757 000	174	91.00
23 340 000	179	78.00	23 569 003	154	184.00	23 758 000	174	80.00
23 341 000	180	98.00	23 569 LS3	154	240.00	23 759 000	175	82.00
23 373 20E	187	107.00	23 570 003	154	231.00	23 760 000	175	93.00
23 374 003	152, 187	118.00	23 570 LS3	154	298.00	23 761 000	175	108.00
23 374 LS3	152, 187	149.00	23 571 000	85, 124	236.00	23 762 000	178	82.00
23 376 00E	188	83.00	23 588 000	168	91.00	23 763 000	179	93.00
23 379 001	186	151.00	23 589 001	120	151.00	23 764 000	179	111.00
23 382 20E	187	143.00	23 589 A01	120	206.00	23 788 002	168	78.00
23 385 10E	187	113.00	23 589 AL1	120	219.00	23 789 002	169	78.00
23 390 00E	186	183.00	23 589 BE1	120	194.00	23 790 001	186	181.00
23 392 00E	186	178.00	23 589 DA1	120	193.00	23 791 001	84	181.00
23 395 10E	189	101.00	23 589 DC1	120	206.00	23 791 DC1	84	250.00
23 398 00E	163, 188	118.00	23 589 DL1	120	219.00	23 792 001	88	1,380.00
23 403 000	48	733.00	23 589 EN1	120	219.00	23 792 DC1	88	1,930.00
23 405 001	85	272.00	23 589 GL1	120	206.00	23 797 001	120	135.00
23 405 DC1	85	373.00	23 589 GN1	120	219.00	23 798 001	121	162.00
23 406 000	97	293.00	23 590 001	120	142.00	23 799 001	122	176.00
23 409 000	100	655.00	23 590 A01	120	199.00	23 802 000	174	59.92
23 425 000	130	188.00	23 590 AL1	120	212.00	23 843 003	106	293.00
23 425 LS0	130	244.00	23 590 BE1	120	186.00	23 844 003	106	293.00
23 427 000	130	200.00	23 590 DA1	120	199.00	23 845 003	109	614.00
23 427 LS0	130	268.00	23 590 DC1	120	180.00	23 846 003	110	1,370.00
23 428 000	130	278.00	23 590 DL1	120	182.00	23 848 003	104	*
23 428 LS0	130	375.00	23 590 EN1	120	186.00	23 850 003	104	*
23 429 000	59, 91	237.00	23 590 GL1	120	199.00	23 851 003	105	253.00
23 430 000	131	211.00	23 590 GN1	120	212.00	23 870 003	105	180.00
23 430 LS0	131	275.00	23 591 001	120, 186	150.00	23 871 003	105	226.00
23 431 000	131	285.00	23 654 000	90	233.00	23 872 003	105	226.00
23 431 LS0	131	384.00	23 656 000	90	221.00	23 873 003	106	253.00
23 432 000	135	275.00	23 657 000	90	244.00			
23 433 000	162	287.00	23 658 000	90	239.00	<b>24</b>		
23 444 001	85	239.00	23 661 000	90	322.00	24 027 003	65	365.65
23 444 DC1	85	329.00	23 664 000	91	250.00	24 027 AL3	65	632.00
23 445 000	96	228.00	23 665 000	91	286.00	24 027 DA3	65	*
23 446 000	96	216.00	23 666 000	92	353.00	24 027 DC3	65	553.00
23 447 000	97	279.00	23 667 001	94	*	24 027 GL3	65	*
23 448 002	135	174.00	23 672 001	101	1,370.00	24 036 000	131	200.00
23 449 002	135	176.00	23 707 003	152	113.00	24 036 LS0	131	260.00
23 450 001	140	159.00	23 707 LS3	152	147.00	24 042 002	171	106.00
23 451 001	141	141.00	23 708 003	152	107.00	24 043 002	171	116.00
23 462 001	121	185.00	23 709 003	153, 188	110.00	24 044 000	165	115.00
23 462 A01	121	241.00	23 709 LS3	153, 188	143.00	24 045 000	166	127.00
23 462 AL1	121	227.00	23 715 003	153	108.00	24 046 003	157	111.00
23 462 BE1	121	225.00	23 716 003	154	102.00	24 046 LS3	157	144.00
23 462 DA1	121	225.00	23 718 003	154	175.00	24 047 003	158	122.00
23 462 DC1	121	225.00	23 718 LS3	154	229.00	24 047 LS3	158	159.00
23 462 DL1	121	257.00	23 719 003	154	218.00	24 048 003	157	116.00
23 462 EN1	121	257.00	23 719 LS3	154	282.00	24 048 LS3	157	151.00
23 462 GL1	121	241.00	23 720 003	155	113.00	24 049 003	158	128.00
23 462 GN1	121	257.00	23 720 LS3	155	147.00	24 049 LS3	158	166.00
23 463 001	122	168.00	23 722 003	156	124.00	24 051 002	149	127.00
23 480 001	121	168.00	23 722 LS3	156	156.00	24 052 002	149	139.00
23 491 001	127	1,260.00	23 725 003	158	146.00	24 053 001	143	129.00
23 491 A01	127	1,400.00	23 726 003	156	153.00	24 054 001	143	141.00
23 491 AL1	127	1,410.00	23 726 LS3	156	198.00	24 055 002	132, 137	132.00
23 491 BE1	127	1,400.00	23 729 30A	157	129.00	24 056 002	132, 138	145.00
23 491 DA1	127	1,400.00	23 739 002	141	201.00	24 057 001	125	141.00
23 491 DC1	127	1,400.00	23 741 001	127	2,070.00	24 057 A01	125	197.00
23 491 DL1	127	1,610.00	23 741 DC1	127	2,630.00	24 057 AL1	125	197.00
23 491 EN1	127	1,400.00	23 743 002	169	115.00	24 057 BE1	125	211.00
23 491 GL1	127	1,410.00	23 751 000	182	76.00	24 057 DA1	125	211.00
23 491 GN1	127	1,380.00	23 752 000	182	63.00	24 057 DC1	125	197.00
23 537 002	169	154.00	23 753 000	182	93.00	24 057 DL1	125	225.00
23 541 001	122	195.00	23 754 000	182	76.00	24 057 EN1	125	197.00
23 549 000	147	148.96	23 755 000	183	67.00	24 057 GL1	125	197.00

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
24 057 GN1	125	197.00	24 096 DA3	60	470.00	26 066 BE0	338	734.00
24 058 001	125	155.00	24 096 DC3	60	439.00	26 066 DA0	338	734.00
24 058 A01	125	232.00	24 096 GL3	60	470.00	26 066 DC0	338	743.00
24 058 AL1	125	248.00	24 099 000	41	363.00	26 066 DL0	338	780.00
24 058 BE1	125	217.00	24 099 A00	41	545.00	26 066 EN0	338	780.00
24 058 DA1	125	217.00	24 099 AL0	41	582.00	26 066 GL0	338	647.00
24 058 DC1	125	217.00	24 099 DC0	41	509.00	26 066 GN0	338	643.00
24 058 DL1	125	248.00	24 134 003	61	515.00	26 067 000	338	511.00
24 058 EN1	125	217.00	24 134 AL3	61	824.00	26 067 A00	338	734.00
24 058 GL1	125	232.00	24 134 DA3	61	773.00	26 067 AL0	338	780.00
24 058 GN1	125	217.00	24 134 DC3	61	670.00	26 067 BE0	338	734.00
24 059 002	118	137.00	24 135 003	61	551.00	26 067 DA0	338	643.00
24 059 003	108	171.00	24 135 AL3	61	881.00	26 067 DC0	338	663.00
24 060 002	118	150.00	24 135 DC3	61	771.00	26 067 DL0	338	643.00
24 060 003	109	180.00	24 138 003	61	551.00	26 067 EN0	338	780.00
24 061 000	92, 99	155.00	24 138 AL3	61	881.00	26 067 GL0	338	643.00
24 062 000	92, 99	170.00	24 138 DA3	61	826.00	26 067 GN0	338	643.00
24 063 001	87	161.00	24 138 DC3	61	771.00	26 068 000	339	461.00
24 063 DC1	87	225.00	24 138 GL3	61	826.00	26 069 000	339	408.00
24 064 001	87	177.00	24 153 000	93, 99	406.00	26 070 000	340	461.00
24 064 DC1	87	248.00	24 154 000	93, 100	453.00	26 071 000	340	465.00
24 065 003	60	267.00	24 155 000	93, 100	453.00	26 073 000	342	238.00
24 065 AL3	60	427.00				26 075 000	312	848.00
24 065 DA3	60	400.00	<b>25</b>			26 075 A00	312	1,040.00
24 065 DC3	60	373.00	25 010 003	65	515.57	26 075 AL0	312	1,260.00
24 065 GL3	60	400.00	25 010 AL3	65	892.00	26 075 BE0	312	1,190.00
24 066 003	60	293.00	25 010 DA3	65	*	26 075 DA0	312	1,190.00
24 066 AL3	60	469.00	25 010 DC3	65	781.00	26 075 DC0	312	1,110.00
24 066 DA3	60	440.00	25 010 GL3	65	*	26 075 DL0	312	1,260.00
24 066 DC3	60	411.00	25 044 003	66	1,740.00	26 075 EN0	312	1,260.00
24 066 GL3	60	440.00	25 044 AL3	66	2,790.00	26 075 GL0	312	1,190.00
24 067 000	76	254.00	25 044 DA3	66	*	26 075 GN0	312	1,260.00
24 067 IG0	76	305.00	25 044 DC3	66	2,440.00	26 076 002	391	*
24 068 000	77	279.00	25 044 EN3		*	26 082 002	389	18.50
24 068 IG0	77	335.00	25 044 GL3	66	*	26 083 002	390	53.00
24 069 000	51	288.00	25 219 001	166	377.00	26 084 002	393	29.00
24 070 000	51	316.00	25 450 001	193	125.00	26 085 001	388	*
24 071 000	40	312.00	25 460 001		*	26 086 001	388	*
24 071 A00	40	468.00	25 483 001	197	136.00	26 087 000	313	1,290.00
24 071 AL0	40	499.00	<b>26</b>			26 088 000		*
24 071 DC0	40	437.00	26 003 003	65	418.00	26 088 001	343, 399	51.52
24 072 000	40	343.00	26 003 AL3	65	669.00	26 089 000		*
24 072 A00	40	515.00	26 003 DA3	65	*	26 089 001	343, 388	56.00
24 072 AL0	40	549.00	26 003 DC3	65	586.00	26 090 001	343	49.00
24 072 DC0	40	480.00	26 003 GL3	65	*	26 114 001	318	612.00
24 075 000	248	313.00	26 037 000	79	107.00	26 145 000	356	85.00
24 076 000	248	349.00	26 037 DA0	79	129.00	26 146 000	355	85.00
24 077 000	248	349.00	26 037 IG0	79	127.00	26 146 LS0	355	107.00
24 078 000	246	313.00	26 038 000		203.00	26 161 000		*
24 079 000	246	349.00	26 038 IG0		263.00	26 161 001	394	21.00
24 080 000	246	349.00	26 042 000	345	219.00	26 162 001	396	*
24 092 001	126	175.00	26 046 002	389	*	26 163 001	397	55.00
24 092 A01	126	263.00	26 047 001	394	*	26 164 000		*
24 092 AL1	126	280.00	26 050 001	353, 400	40.00	26 164 001	398	31.00
24 092 BE1	126	263.00	26 051 001	353, 393	43.00	26 170 000	339	514.00
24 092 DA1	126	245.00	26 052 000	341	361.00	26 170 LS0	339	611.00
24 092 DC1	126	245.00	26 054 000	340	523.00	26 171 000	340	398.00
24 092 DL1	126	245.00	26 056 000	338	515.00	26 171 LS0	341	525.00
24 092 EN1	126	245.00	26 060 000	340	408.00	26 186 000	315	665.00
24 092 GL1	126	263.00	26 062 000	341	361.00	26 187 000	314	781.00
24 092 GN1	126	245.00	26 063 000	341	331.00	26 190 000		*
24 093 003	109	203.00	26 064 000	340	525.00	26 190 001	328	511.00
24 094 000	92, 99	191.00	26 065 000	340	468.00	26 191 000	328, 331	47.00
24 095 001	87	197.00	26 066 000	338	511.00	26 223 000		645.00
24 095 DC1	87	276.00	26 066 A00	338	734.00	26 223 001	325	571.00
24 096 003	60	314.00	26 066 AL0	338	780.00	26 224 001	325	397.00
24 096 AL3	60	439.00				26 227 000		*



# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
26 240 000	320	338.00	26 459 000	341, 380	191.00	27 074 GLO	413	46.00
26 241 000	317	369.00	26 460 000	342, 380	147.00	27 074 GNO	413	48.00
26 243 000	319	496.00	26 461 000	342, 380	152.00	27 074 LSO	413	42.00
26 249 000	316	570.00	26 465 000	360	125.00	27 075 000	413	34.00
26 250 000	298	1,310.00	26 465 A00	360	175.00	27 075 LSO	413	41.00
26 250 LSO	298	1,310.00	26 465 AL0	360	212.00	27 076 000	415	52.00
26 254 000	334	595.00	26 465 BE0	360	175.00	27 076 LSO	415	62.00
26 254 LSO	334	543.00	26 465 DA0	360	200.00	27 134 000	349	123.00
26 255 000	337	593.00	26 465 DC0	360	175.00	27 136 001	417	155.00
26 256 000	338	1,810.00	26 465 DL0	360	212.00	27 137 000	409	21.66
26 257 000	338	489.00	26 465 EN0	360	212.00	27 151 000	414	99.00
26 259 000	339	456.00	26 465 GLO	360	175.00	27 174 001	304	1,290.00
26 264 001	301, 334	97.00	26 465 GNO	360	212.00	27 180 000	331	40.00
26 317 001	196	92.00	26 475 000	335	451.00	27 184 000		132.00
26 328 000	402	62.00	26 475 LSO	335	574.00	27 206 000	420	19.50
26 329 000	402	159.00	26 477 000	335	437.00	27 220 000	376	42.00
26 330 001	193	88.00	26 477 LSO	335	574.00	27 221 000	376	58.00
26 332 000	402	165.00	26 479 000	335	475.00	27 221 001	376	48.59
26 333 000	402	79.00	26 479 LSO	336	616.00	27 222 000	376	59.00
26 334 000	405, 409	17.49	26 481 000	336	475.00	27 225 001	379	105.00
26 335 000	405, 409	19.58	26 481 LSO	336	616.00	27 226 001	378	114.00
26 346 000	405, 409	21.66	26 483 000	336	93.00	27 226 A01	378	151.00
26 352 000	404	32.00	26 484 000	336	93.00	27 226 AL1	378	161.00
26 353 000	404	35.00	26 507 000	111, 308	913.00	27 226 BE1	378	151.00
26 354 000	404	38.00	26 507 LSO	111, 308	1,002.40	27 226 DA1	378	151.00
26 355 ILO	404	27.00	26 508 000	111, 308	913.00	27 226 DC1	378	154.00
26 356 ILO	405	30.00	26 508 LSO	111, 308	1,050.00	27 226 DL1	378	132.00
26 357 000	405	67.00	26 509 000	112, 309	792.00	27 226 EN1	378	161.00
26 358 000	405	108.00	26 510 000	112, 309	922.00	27 226 GL1	378	151.00
26 361 000	299	1,190.00	26 558 000	337	314.00	27 226 GN1	378	161.00
26 361 LSO	299	1,190.00	26 560 000	337	314.00	27 227 001	378	114.00
26 362 LNO	331	28.00	26 562 000	346	257.00	27 230 001	377	91.00
26 363 000	314	699.00	26 562 LSO	346	334.00	27 231 001	377	107.00
26 366 000		*	26 564 000	337	336.00	27 232 001	377	109.00
26 370 000	416	38.00	26 566 000	337	336.00	27 238 000	376	46.00
26 373 001	288, 344	19,700.00	26 568 000	346	280.00	27 239 000	376	62.00
26 374 000	291	1,050.00	26 568 LSO	346	364.00	27 239 001	376	47.00
26 376 001	288, 344	1,860.00	26 638 000	395	*	27 242 001	377	91.00
26 381 000		*	26 639 000	397	*	27 243 001	377	110.00
26 381 001	326	211.00	26 788 001	197	106.00	27 251 000	346	114.00
26 385 000	302, 331	14.00				27 253 000	346	172.00
26 404 000	382	66.00				27 265 000	376	31.00
26 405 000	384	85.00	27 032 001	305	974.00	27 265 00E	376	31.00
26 406 001	398	44.00	27 055 000	412	44.00	27 266 001	378	87.00
26 408 000	352, 399	79.00	27 056 000	413	30.00	27 266 00E	378	88.00
26 409 000	352, 399	77.00	27 057 000	415	52.00	27 267 001	379	92.00
26 409 EN0	352, 399	129.00	27 057 A00	415	71.00	27 271 000	346	445.00
26 410 000	352, 399	79.00	27 057 AL0	415	76.00	27 272 000	365	115.00
26 410 EN0	352, 399	106.00	27 057 BE0	415	71.00	27 273 001	365	241.00
26 411 000	342, 398	139.00	27 057 DA0	415	71.00	27 274 000	366	115.00
26 412 000	342, 398	139.00	27 057 DC0	415	63.00	27 276 000	362	84.00
26 413 000	342, 399	114.00	27 057 DL0	415	76.00	27 276 LSO	362	82.00
26 414 000	342, 399	117.00	27 057 EN0	415	76.00	27 277 001	364	201.00
26 418 000	316	484.00	27 057 GLO	415	62.00	27 285 000	346	459.00
26 443 000	300	1,310.00	27 057 GNO	415	61.00	27 286 000	345	1,930.00
26 443 LSO	300	1,310.00	27 057 LSO	415	63.00	27 296 002	312	496.00
26 446 000	301	1,190.00	27 058 000	306	850.00	27 304 000	421	71.00
26 446 LSO	301	1,190.00	27 062 000	351	208.00	27 320 000	421	118.00
26 449 000	243, 302	121.00	27 065 000	351	166.00	27 354 000	379	54.00
26 450 000	334	468.00	27 074 000	413	34.00	27 355 000	379	99.00
26 450 LSO	334	471.00	27 074 A00	413	46.00	27 367 000	382	49.00
26 455 000	351, 380	116.00	27 074 AL0	413	48.00	27 368 000	382	168.00
26 456 000	351, 380	113.00	27 074 BE0	413	40.00	27 369 000	382	79.00
26 456 EN0	351, 380	156.00	27 074 DA0	413	46.00	27 400 000	382	49.00
26 457 000	351, 380	116.00	27 074 DC0	413	58.00	27 406 000	357	50.00
26 457 EN0	351, 380	190.00	27 074 DL0	413	39.00	27 421 002	321	397.00
26 458 000	341, 380	192.00	27 074 EN0	413	40.00	27 443 000	362	90.00

**27**

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
27 444 000	362	92.00	27 615 000		*	27 785 DA0	372, 417	133.00
27 446 000	362	90.00	27 615 001	313	496.00	27 786 002	391	59.00
27 447 000	362	92.00	27 621 000	415	313.00	27 787 002	391	67.00
27 448 000	363	90.00	27 628 000	363	90.00	27 788 002	392	57.00
27 449 000	363	90.00	27 630 000	363	90.00	27 789 002	392	65.00
27 467 000	345	603.00	27 633 000	363	90.00	27 790 002	391	72.00
27 469 000	305	1,120.00	27 635 000	364	90.00	27 794 001	396	54.00
27 470 000	347	456.00	27 637 000	364	92.00	27 795 001	395	59.00
27 470 LSO	347	608.00	27 639 000	364	90.00	27 796 001	396	60.00
27 471 000	347	458.00	27 641 000	306	1,150.00	27 798 10E	398	28.08
27 473 001	319	447.00	27 644 001	396	54.00	27 799 001	398	30.00
27 475 001	318	620.00	27 645 001	395	59.00	27 803 10E	398	31.00
27 477 000	348	509.00	27 646 001	397	54.00	27 805 000		*
27 477 A00	348	608.00	27 646 10E	397	53.00	27 805 001	388	55.00
27 477 AL0	348	608.00	27 661 000	368	103.00	27 812 IL1	404	28.00
27 477 DA0	348	608.00	27 663 LSO	368	129.00	27 841 000	385, 418	172.00
27 477 GL0	348	608.00	27 664 000	368	120.00	27 845 000	385, 419	1.10
27 478 000	348	497.00	27 668 000	368	129.00	27 849 001	397	39.00
27 479 000	347	493.00	27 671 000	371	83.00	27 851 000	393	42.00
27 480 000	347	493.00	27 671 LSO	371	73.00	27 852 001	394	18.50
27 484 000	356	63.00	27 672 000	370	91.00	27 853 001	396	42.00
27 485 000	356	55.00	27 672 A00	370	129.00	27 854 001	397	44.00
27 488 000	356	80.00	27 672 AL0	370	138.00	27 863 000	347	672.00
27 492 000	352	134.00	27 672 DA0	370	129.00	27 865 000	289, 344	4,620.00
27 499 000	380, 418	48.00	27 672 DR0	370	90.00	27 869 001	343, 393	63.00
27 500 000	418	51.00	27 672 GL0	370	113.00	27 870 001	343, 399	56.00
27 512 001	404	19.00	27 672 HF0	370	90.00	27 884 001	383	91.00
27 513 001	404	35.00	27 672 PV0	370	100.00	27 888 000	383	92.00
27 514 001	405	68.00	27 672 TN0	370	102.00	27 889 000	383	127.00
27 519 000	418	51.00	27 672 XH0	370	100.00	27 890 000	383	246.00
27 520 000	418	55.00	27 673 000	370	93.00	27 891 000	383	244.00
27 521 000	418	51.00	27 673 LSO	370	82.00	27 892 000	385, 418	192.00
27 522 000	418	52.00	27 675 000	370	109.00	27 911 000	321	557.00
27 523 000	418	46.00	27 693 000	413	27.00	27 922 000	324	539.00
27 524 000	418	49.00	27 696 000	322	670.00	27 922 001	324	447.00
27 530 000	351	412.00	27 698 000	384	48.00	27 923 001	394	17.00
27 531 000	414	137.00	27 699 000	384	47.00	27 924 001	396	48.00
27 559 000	393	33.00	27 700 000	384	218.00	27 925 001	397	45.00
27 571 002	389	23.00	27 702 000	385	84.00	27 926 001	395	55.00
27 571 20E	389	24.00	27 703 000	385	84.00	27 927 001	395	61.00
27 572 002	389	29.00	27 704 000	415	30.00	27 928 002	390	61.00
27 573 002	389	39.00	27 705 000	352	151.00	27 929 002	390	57.00
27 574 002	389	27.50	27 706 000	413	33.00	27 932 000	317	649.00
27 575 002	389	39.00	27 706 A00		*	27 933 000	331	197.00
27 576 002	390	68.00	27 706 AL0		*	27 934 000	290	3,210.00
27 577 002	390	74.00	27 706 DC0		*	27 936 000	384	208.00
27 578 002	391	53.00	27 707 000	415	51.00	27 938 001	345	3,140.00
27 578 20E	391	52.00	27 707 A00		*	27 939 001	345	3,120.00
27 579 002	391	59.00	27 707 AL0		*	27 962 000	371	97.00
27 580 002	391	67.00	27 707 DC0		*	27 964 000	315	709.00
27 584 002	392	43.00	27 709 000	356	110.00	27 966 000	304	1,150.00
27 588 002	392	41.00	27 711 000	357	93.00	27 967 000	305	997.00
27 591 001	353, 393	54.00	27 732 000	369	207.00	27 968 000	304	1,150.00
27 594 000	414	13.00	27 734 000	369	213.00	27 969 000		82.00
27 595 000	412	19.00	27 736 000	372	194.00	27 969 A00		118.00
27 596 000	381, 420	6.50	27 738 000	372	199.00	27 969 AL0		125.00
27 597 001	394	22.00	27 741 000	369	159.00	27 969 BE0		118.00
27 597 10E	394	20.00	27 742 000	372	135.00	27 969 DA0		118.00
27 598 001	396	56.00	27 744 000	368	224.00	27 969 DL0		125.00
27 598 10E	396	48.00	27 746 000	368	235.00	27 969 GL0		118.00
27 600 001	395	61.00	27 748 000	371	209.00	27 969 GN0		125.00
27 601 10E	397	35.00	27 750 000	371	214.00	27 969 IGO		96.00
27 606 001	352, 400	43.00	27 764 LSO	349	164.00	27 970 000		125.00
27 608 000		*	27 765 000	349	150.00	27 970 A00		177.00
27 608 001	388	35.00	27 767 000	350	134.00	27 970 AL0		188.00
27 609 001	388	81.00	27 784 000	372, 417	102.00	27 970 BE0		155.00
27 610 001	353, 388	49.00	27 785 000	372, 417	106.00	27 970 DA0		177.00

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
27 970 DL0		188.00	28 388 A00	409	31.24	28 912 000	113, 772	228.00
27 970 EN0		155.00	28 388 AL0	409	27.49	28 912 A00	772	*
27 970 GL0		177.00	28 388 BE0	409	27.49	28 912 AL0	772	*
27 970 GN0		155.00	28 388 DA0	409	31.24	28 912 AS0		*
27 970 IG0		145.00	28 388 DC0	409	27.49	28 912 DA0	772	*
27 974 000	349	417.00	28 388 DL0	409	33.33	28 912 DC0	772	*
27 974 DA0		542.00	28 388 EN0	409	33.33	28 912 DL0	772	*
27 974 IG0	349	500.00	28 388 GL0	409	27.49	28 912 EN0	772	*
27 976 000		427.00	28 388 GN0	409	33.33	28 912 GL0	772	*
27 978 000	357	75.00	28 389 000	421	75.00	28 912 GN0	772	*
27 978 IG0	357	83.00	28 393 000	374	164.00	28 920 000	772	40.00
27 982 000	357	84.00	28 404 000	354	16.00	28 939 000	203	80.00
27 982 IG0	357	100.00	28 409 001	409	13.33	28 943 000	204, 615	119.00
27 986 000	357	95.00	28 410 001	409	14.99	28 946 000	772	44.00
27 986 DA0		120.00	28 413 001	409	17.08	28 947 000	772	32.00
27 986 IG0	357	126.00	28 417 000	408	25.83	28 948 000	354	271.00
27 993 000		150.00	28 419 002	394	27.00	28 961 000	772	40.00
27 993 IG0		188.00	28 421 002	394	35.00	28 963 000	203	49.00
<b>28</b>			28 429 000	357	58.00	28 982 000	355	135.00
28 002 000	354	190.00	28 436 002	395	68.00	28 988 000	422, 574	59.00
28 020 L01	404	13.50	28 497 000	356	66.00	28 990 000	202	172.00
28 025 000	408	27.91	28 541 000	357	84.00	28 991 000	202, 615	154.00
28 034 000	360	140.00	28 545 000	354	252.00	28 993 000	202	56.00
28 034 GN0		*	28 576 000	355	80.00	28 995 000	202	382.00
28 089 000	354	215.00	28 576 A00	355	108.00	<b>29</b>		
28 105 000	408	19.58	28 576 AL0	355	94.00	29 007 000	203	172.00
28 112 000	775	30.00	28 576 DA0	355	108.00	29 008 000		81.00
28 139 000	408	21.66	28 576 GL0	355	108.00	29 009 000	203	50.00
28 140 000	408	23.74	28 578 002	394	35.00	29 025 000	39, 50	238.00
28 142 000	408	21.66	28 587 000	417	196.00	29 032 000	53, 67	32.00
28 143 000	408	23.74	28 593 002	395	68.00	29 033 000	43, 53	261.00
28 143 KSO	408	30.83	28 605 000	414	16.00	29 037 000	42, 78	734.00
28 143 LSO	408	30.83	28 620 000	417	78.00	29 037 001	68, 110	674.00
28 145 000	408	27.91	28 621 000	417	128.00	29 069 000	289	136.00
28 146 000	410	51.00	28 622 000	414	16.00	29 072 000	289	241.00
28 150 001	410	9.58	28 623 000	412	29.00	29 073 000	290	246.00
28 151 001	410	11.24	28 626 000	416	32.00	29 074 000	291	381.00
28 151 L01	410	14.58	28 628 000	416	32.00	29 078 000	176	124.00
28 154 001	410	13.33	28 631 000	420	31.00	29 079 000	176	132.00
28 155 001	410	14.99	28 634 XX0	422, 777	39.00	29 080 000	180	121.00
28 158 000	410	33.33	28 635 XX0	422, 777	5.60	29 081 000	180	132.00
28 190 000	354	128.00	28 636 000	416	37.00	29 084 000	572	236.00
28 233 000	352, 382	83.00	28 671 000	416	31.00	29 094 000	573	242.00
28 261 002	394	27.00	28 678 000	416	29.00	29 095 000	573	190.00
28 308 000	351, 360	134.00	28 679 000	416	53.00	29 096 000	573	190.00
28 341 000	360	140.00	28 680 000	416	46.00	29 097 003	155	205.00
28 348 000	360	235.00	28 690 000	360, 413	108.00	29 097 LS3	155	249.00
28 361 000	355	100.00	28 708 000	421	100.00	29 098 003	158	123.00
28 362 000	409	15.41	28 724 000	356	64.00	29 098 LS3	158	150.00
28 362 A00	409	21.24	28 724 A00	356	62.00	29 099 LS3	159	180.00
28 362 AL0	409	21.24	28 724 AL0	356	62.00	29 112 000	183	112.00
28 362 BE0	409	24.16	28 724 DA0	356	62.00	29 113 000	183	124.00
28 362 DA0	409	21.24	28 724 GL0	356	62.00	29 118 000	68, 239	432.00
28 362 DC0	409	21.24	28 724 LSO	356	66.00	29 118 AL0	68, 239	586.00
28 362 DL0	409	25.83	28 778 000	347	620.00	29 118 DC0	68, 239	586.00
28 362 EN0	409	25.83	28 785 000	777	13.00	29 119 000	68, 239	475.00
28 362 GL0	409	21.24	28 785 L00		13.00	29 119 AL0	68, 239	729.00
28 362 GN0	409	21.24	28 788 000	421	110.00	29 119 DC0	68, 239	638.00
28 364 000	409	17.49	28 789 002	396	59.00	29 120 000	69, 239	565.00
28 368 000	348	369.00	28 799 000	423	113.00	29 120 AL0	69, 239	874.00
28 368 00E	348	377.00	28 812 000	422	4.40	29 120 DC0	69, 239	710.00
28 368 LSO	348	403.00	28 813 000	422	4.70	29 121 000	69, 240	513.00
28 369 000	349	359.00	28 817 000		13.50	29 121 AL0	69, 240	788.00
28 373 000	348	296.00	28 856 000	419	32.00	29 121 DC0	69, 240	690.00
28 384 000	355	177.00	28 874 000	422, 574	52.00	29 122 000	69, 240	301.00
28 388 000	409	19.58	28 910 000	772	42.00	29 122 AL0	69, 240	481.00
			28 910 L00	772	223.00	29 122 DC0	69, 240	391.00



# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
31 375 A00	464	*	31 576 SD0	510	440.83	32 043 DC3	58	423.00
31 375 AL0	464	*	31 577 SD0	511	440.83	32 043 GL3	58	*
31 375 DA0	464	*	31 578 SD0	511	465.83	32 067 000	466	279.00
31 375 DC0	464	287.00	31 580 SD0	511	549.17	32 108 003	59	340.00
31 375 DL0	464	*	31 581 SD0	508	1,290.83	32 108 AL3	59	632.00
31 379 000	460	690.00	31 582 SD0	508	1,290.83	32 108 DA3	59	553.00
31 379 A00	460	*	31 583 SD0	509	832.50	32 108 DC3	59	553.00
31 379 AL0	460	*	31 584 SD0	509	915.83	32 108 GL3	59	*
31 379 DC0	460	920.00	31 585 SD0	509	1,707.50	32 109 001	84	182.00
31 391 002	497	142.00	31 586 SD0	509	1,082.50	32 109 DC1	84	250.00
31 395 000	478	626.00	31 587 SD0	514	215.83	32 114 001	84	193.00
31 395 DC0	478	795.00	31 588 SD0	512	290.83	32 114 DC1	84	248.00
31 454 001	437	1,700.00	31 639 AP0	521	*	32 115 000		*
31 454 A01	437	*	31 639 AT0	521	*	32 130 001		*
31 454 AL1	437	*	31 640 AP0	521	*	32 146 000	48	497.00
31 454 DA1	437	*	31 640 AT0	521	*	32 147 000	50	424.00
31 454 DC1	437	*	31 641 AP0	521	*	32 154 002	188	72.00
31 454 DL1	437	*	31 641 AT0	521	*	32 168 000	464	276.00
31 455 001	434	1,700.00	31 642 AP0	521	*	32 168 DC0	464	335.00
31 455 A01	434	*	31 642 AT0	521	*	32 176 000	460	645.00
31 455 AL1	434	*	31 643 AP0	522	*	32 176 DC0	460	838.00
31 455 DA1	434	*	31 643 AT0	522	*	32 204 001	140	141.00
31 455 DC0	435	2,220.00	31 644 AP0	519	*	32 204 10E	140	142.00
31 455 DC1	434	1,950.00	31 644 AT0	519	*	32 207 001	140	110.00
31 455 DL1	434	*	31 645 AP0	519	*	32 208 001	142	141.00
31 456 001	439	1,700.00	31 645 AT0	519	*	32 210 001	142	141.00
31 456 DC1	439	*	31 646 AP0	520	*	32 211 001	143	170.00
31 481 001	492	206.00	31 646 AT0	520	*	32 212 001	143	203.00
31 482 003	488	213.00	31 647 AP0	520	*	32 224 002	497	141.00
31 483 002	485	222.00	31 647 AT0	520	*	32 240 10E	140	137.00
31 483 DC2	485	288.00	31 648 AP0	520	*	32 249 000	49	890.00
31 491 000	484	339.00	31 648 AT0	520	*	32 257 001	482	298.00
31 491 DC0	484	457.00	31 649 AP0	520	*	32 257 002	480	266.00
31 498 001	441	*	31 649 AT0	520	*	32 259 003	480	192.00
31 498 A01	441	*	31 650 AP0	518	*	32 294 002	470	*
31 498 AL1	441	*	31 650 AT0	518	*	32 294 DC2	470	*
31 498 DA1	441	*	31 651 AP0	518	*	32 321 002	466	234.00
31 498 DC1	441	*	31 651 AT0	518	*	32 321 A02	466	*
31 498 DL1	441	*	31 652 AP0	518	*	32 321 AL2	466	*
31 509 002	497	119.00	31 652 AT0	518	*	32 321 DA2	466	*
31 535 000	504	91.00	31 653 AP0	518	*	32 321 DC2	466	304.00
31 536 000	504	91.00	31 653 AT0	518	*	32 321 DL2	466	*
31 538 000	504	88.00	31 654 AP0	519	*	32 322 002	467	234.00
31 539 000	438	1,970.00	31 654 AT0	519	*	32 322 A02	467	*
31 539 DC0	438	*	31 655 AP0	519	*	32 322 AL2	467	*
31 541 000	436	1,970.00	31 655 AT0	519	*	32 322 DA2	467	*
31 541 DC0	436	*	31 656 AP0	522	*	32 322 DC2	467	304.00
31 543 000	440	1,970.00	31 656 AT0	522	*	32 322 DL2	467	*
31 543 DC0	440	2,270.00	31 719 SD0	516	*	32 467 002	168	90.00
31 552 SD0	516	95.83	31 720 SD0	516	*	32 468 003	153	113.00
31 562 SD0	516	165.83	31 721 000	448	*	32 468 20E	147	120.00
31 563 SD0	515	120.83	31 721 DC0	448	*	32 469 20E	134	157.00
31 564 SD0	515	182.50	31 722 000	448	*	32 482 002	497	141.00
31 565 SD0	515	190.83	31 723 000	448	*	32 488 000	466	227.00
31 566 SD0	514	149.99	31 724 000	448	*	32 488 A00	466	*
31 567 SD0	514	215.83	31 726 SD0	511	*	32 488 AL0	466	*
31 568 SD0	513	190.83	31 831 001	502	88.00	32 488 DA0	466	*
31 569 SD0	513	265.83				32 488 DC0	466	244.00
31 570 SD0	514	290.83				32 488 DL0	466	*
31 571 SD0	512	182.50	32 042 003	58	300.00	32 553 002	470	*
31 572 SD0	512	249.17	32 042 AL3	58	558.00	32 553 DC2	470	*
31 573 SD0	512	340.83	32 042 DA3	58	*	32 553 SD0	471	539.00
31 574 AL0	510	*	32 042 DC3	58	488.00	32 555 000		439.00
31 574 DL0	510	*	32 042 GL3	58	*	32 612 002	116	188.00
31 574 GN0	510	*	32 043 003	58	260.00	32 612 003	104	180.00
31 574 SD0	510	265.83	32 043 AL3	58	483.00	32 612 00E	116	194.00
31 575 SD0	510	474.17	32 043 DA3	58	*	32 612 30L	104	*

**32**

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
32 618 002	117	258.00	32 776 000	580	213.00	32 935 GL1	124	206.00
32 618 003	106	280.00	32 778 000	581	248.00	32 935 GN1	124	188.00
32 628 001	122	199.00	32 779 000	581	278.00	32 950 000	460	736.00
32 628 A01	122	264.00	32 780 000	582	126.00	32 950 A00	460	*
32 628 AL1	122	249.00	32 783 000	582	145.00	32 950 AL0	460	*
32 628 BE1	122	264.00	32 784 000	583	113.00	32 950 DC0	460	817.00
32 628 DA1	122	264.00	32 786 000	500	121.00	32 955 000		154.00
32 628 DC1	122	247.00	32 787 000	500	151.00			
32 628 DL1	122	282.00	32 788 000	586	225.00			
32 628 EN1	122	282.00	32 789 000	586	215.00			
32 628 GL1	122	264.00	32 790 000	586	304.00	33 155 002	116	263.00
32 628 GN1	122	282.00	32 792 000	587	373.00	33 156 002	116	188.00
32 629 002	141	170.00	32 793 000	587	358.00	33 163 002	116	188.00
32 635 000		235.00	32 795 000	586	323.00	33 163 003	105	180.00
32 647 003	58	455.40	32 823 000	586	320.00	33 177 002		198.00
32 647 AL3	58	781.00	32 824 000	162	105.00	33 190 002	134	164.00
32 647 DA3	58	*	32 825 000	162	111.00	33 190 20E	134	160.00
32 647 DC3	58	683.00	32 825 00E	162	111.00	33 202 002	496	121.00
32 647 GL3	58	*	32 826 000	51	971.00	33 202 DC2	496	133.00
32 650 003	59	418.00	32 830 001	163	128.00	33 241 002	117	188.00
32 650 AL3	59	669.00	32 831 000	165	132.00	33 241 003	107	*
32 650 DA3	59	*	32 832 000	165	165.00	33 244 002	136	160.00
32 650 DC3	59	544.00	32 837 000	164	111.00	33 249 001	444	745.00
32 650 GL3	59	*	32 839 000	164	108.00	33 249 DC1	444	879.00
32 652 003	59	455.40	32 840 000	164	102.00	33 251 000	444	471.00
32 652 AL3	59	781.00	32 842 000	492	132.00	33 265 002	168	95.00
32 652 DA3	59	*	32 843 000	492	138.00	33 281 002	496	116.00
32 652 DC3	59	683.00	32 843 20E	492	142.00	33 281 20E	496	97.00
32 652 GL3	59	*	32 843 DC2	492	179.00	33 281 DC2	496	126.00
32 653 003	62	1,350.00	32 846 000	51	766.00	33 300 002	170	120.00
32 653 AL3	62	1,890.00	32 847 000	165	240.00	33 302 20A	170	112.00
32 653 DA3	62	*	32 870 000	583	21.00	33 339 000	52	791.00
32 653 DC3	62	1,750.00	32 871 000	583	28.00	33 390 002	137	201.00
32 653 EN3		*	32 880 000	166	132.00	33 395 002	137	239.00
32 653 GL3	62	*	32 882 000		69.00	33 412 002	170	125.00
32 659 001	486	181.00	32 898 001	120	147.00	33 547 002	118	288.00
32 661 003	484	172.00	32 899 001	121	142.00	33 547 003	108	305.00
32 661 DC3	484	222.00	32 901 001	123	276.00	33 552 002	146	131.00
32 663 003	484	209.00	32 901 A01	123	336.00	33 552 20E	146	128.00
32 663 DC3	484	269.00	32 901 AL1	123	382.00	33 553 002	118	229.00
32 667 001	486	174.00	32 901 BE1	123	358.00	33 553 003	108	271.00
32 706 000	49	229.00	32 901 DA1	123	358.00	33 555 002	170	99.00
32 708 000		*	32 901 DC1	123	334.00	33 558 003	152	118.00
32 734 000		71.00	32 901 DL1	123	336.00	33 558 LS3	152	153.00
32 740 000		78.00	32 901 EN1	123	334.00	33 561 002	146	155.00
32 742 000		117.00	32 901 GL1	123	358.00	33 561 003	153	151.00
32 743 000		96.00	32 901 GN1	123	382.00	33 565 002	148	131.00
32 747 000		134.00	32 911 002		*	33 565 003	155	115.00
32 750 000	500	99.00	32 917 000	465	233.00	33 565 LS3	155	149.00
32 752 000	500	99.00	32 917 A00	465	*	33 566 002	148	107.00
32 754 002	52	1,803.20	32 917 AL0	465	*	33 569 002	137	160.00
32 757 000	48	416.00	32 917 DA0	465	*	33 577 002	117	193.00
32 759 000	48	475.00	32 917 DC0	465	286.00	33 577 003	108	217.00
32 760 000	48	669.00	32 917 DL0	465	*	33 590 002	148	131.00
32 762 000	580	120.00	32 917 KSO	465	278.00	33 590 003	156	129.00
32 763 000	580	117.00	32 918 000	465	276.00	33 590 LS3	156	165.00
32 764 000		139.00	32 918 00E	465	272.00	33 591 002	148	172.00
32 765 000	580	241.00	32 918 DC0	465	370.00	33 591 003	156	160.00
32 766 000	580	249.00	32 929 002	169	95.00	33 591 LS3	156	208.00
32 767 000	581	265.00	32 935 001	124	151.00	33 592 002		*
32 768 000	581	239.00	32 935 A01	124	206.00	33 592 20A	149	161.59
32 770 000	581	211.00	32 935 AL1	124	219.00	33 592 30A	157	154.56
32 771 000	581	268.00	32 935 BE1	124	194.00	33 624 001	124	210.00
32 772 000	582	242.00	32 935 DA1	124	193.00	33 624 A01	124	279.00
32 773 000	581	278.00	32 935 DC1	124	221.00	33 624 AL1	124	298.00
32 774 000	582	306.00	32 935 DL1	124	219.00	33 624 BE1	124	261.00
32 775 000	581	291.00	32 935 EN1	124	219.00	33 624 DA1	124	279.00
						33 624 DC1	124	261.00

**33**



# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
33 624 DL1	124	298.00	34 487 000	568	165.00	36 266 000	594	99.00
33 624 EN1	124	298.00	34 488 000	262	356.00	36 267 000	594	84.00
33 624 GL1	124	279.00	34 491 000	262	394.00	36 268 000	594	99.00
33 624 GN1	124	262.00	34 497 000	263	467.00	36 269 000	558	308.00
33 628 001	125	252.00	34 502 000	262	489.00	36 271 000	558	271.00
33 635 002	150	143.00	34 507 000	555, 561	198.00	36 273 000	559	377.00
33 636 001	124	171.00	34 558 000	274	188.00	36 274 000	559	325.00
33 636 A01	124	227.00	34 564 000	274	248.00	36 276 000		95.00
33 636 AL1	124	243.00	34 565 001	275	197.00	36 309 000	296	275.00
33 636 BE1	124	227.00	34 566 001	275	207.00	36 315 000	553	471.00
33 636 DA1	124	227.00	34 567 000	274	244.00	36 316 000	594	35.00
33 636 DC1	124	214.00	34 575 000		*	36 317 000	592	281.00
33 636 DL1	124	243.00	34 576 000	275	236.00	36 318 000	592	305.00
33 636 EN1	124	212.00	34 665 000	570	386.00	36 319 000	592	504.00
33 636 GL1	124	227.00	34 666 000	572	343.00	36 320 000	592	442.00
33 636 GN1	124	243.00	34 667 000	570	309.00	36 321 000	592	316.00
33 637 002	150	155.00	34 671 000	571	383.00	36 322 000	592	140.00
33 637 003	159	149.00	34 681 000	570	305.00	36 325 001	550	442.00
33 769 000	50	252.00	34 705 000	242	1,260.00	36 327 001	550	360.00
33 770 001	482	215.00	34 706 000	242	1,250.00	36 330 001	551	361.00
33 770 002	480	219.00	34 709 000	35	1,200.00	36 331 001	550	365.00
33 772 002	480	222.00	34 712 000	36	1,160.00	36 332 000	552	847.00
33 782 000		*	34 713 000	243	729.00	36 333 000	552	716.00
33 786 000		*	34 714 000	243	694.00	36 334 SD0	552	430.00
33 848 001	86	213.00	34 718 000	244	321.44	36 335 SD0	552	365.00
33 848 DC1	86	271.00	34 719 000	243	261.00	36 336 000	539, 553	307.00
33 849 001	86	278.00	34 720 000	244	395.00	36 337 000	539, 553	112.00
33 849 DC1	86	383.00	34 721 000	244	339.00	36 338 000	530, 534	101.00
33 850 001	86	324.00	34 726 000	249	533.00	36 339 000	540, 553	206.00
33 865 001	86	217.00	34 727 000	249	588.00	36 340 000	530, 533	59.00
33 865 DC1	86	300.00	34 728 000	247	533.00	36 341 000	530, 533	91.00
33 912 000	500, 583	284.00	34 729 000	247	588.00	36 356 000	296	143.00
33 975 004	488	154.00	34 730 000	247	1,080.00	36 359 000	289	1,290.00
33 977 002	489	141.00	34 731 000	249	1,080.00	36 360 000	290	1,100.00
33 982 002	489	171.00	34 732 000	249	946.00	36 362 000	291	3,270.00
<b>34</b>			34 734 000	247	812.00	36 367 000	293	294.00
34 065 002	266	262.00	34 735 000	249	628.00	36 371 000	292	635.00
34 065 A02	266	335.00	34 741 000	94, 100	1,070.00	36 376 000	553	466.00
34 065 AL2	266	357.00	34 742 000	242	1,070.00	36 384 000	558	538.00
34 065 BE2	266	335.00	34 743 000	242	1,000.00	36 386 001	552	716.00
34 065 DA2	266	335.00	34 744 000	242	843.00	36 397 000	292	1,480.00
34 065 DC2	266	312.00	<b>35</b>			36 407 001	530, 533	308.00
34 065 DL2	266	357.00	35 028 000	53, 67	135.00	36 409 000	537	523.00
34 065 EN2	266	357.00	35 034 000	415	215.00	36 410 000	539	600.00
34 065 GL2	266	335.00	35 085 000	576	1,180.00	36 412 000	540	750.00
34 065 GN2	266	357.00	35 087 000	576	1,280.00	36 413 000	537	636.00
34 143 003	270	232.00	35 500 000	572, 573	245.00	36 414 000	538	865.00
34 151 004	271	243.00	35 600 000	34, 35	68.00	36 415 000	541	625.00
34 155 003	270	294.00	<b>36</b>			36 416 000	541	587.00
34 169 001	258	296.00	36 015 001	546	627.00	36 421 000	551	395.00
34 174 001	259	360.00	36 016 001	546	488.00	36 422 000	550	399.00
34 176 001	259	527.00	36 078 000	296	119.00	36 439 000	551	282.00
34 195 001	260	360.00	36 109 000	596	498.00	36 440 000	532	654.00
34 197 001		660.00	36 121 000	596	562.00	36 441 000	532	671.00
34 215 002	266	307.00	36 122 000	596	244.00	36 442 000	532	711.00
34 256 004	270	*	36 133 000	770	16.00	36 444 000	528	575.00
34 274 000	254	459.00	36 157 000		76.00	36 445 000	528	508.00
34 276 000	254	514.00	36 194 000		204.00	36 446 000	528	474.00
34 277 000	254	430.00	36 207 001	546	550.00	36 447 000	529	722.00
34 281 001	260	481.00	36 208 001	546	424.00	36 451 000	564	194.00
34 286 002	266	338.00	36 209 000	590	119.00	36 452 000	564	180.00
34 294 001	121	142.00	36 233 000	590	654.00	36 453 000	564	205.00
34 321 002	267	341.00	36 249 000	590	718.00	<b>37</b>		
34 464 001	258	398.00	36 264 001	529, 533	166.00	37 018 P00	749	67.00
34 469 001	258	333.00	36 265 000	594	129.00	37 035 000	729	12.50
34 482 001	259	507.00				37 036 000	729	17.50

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
37 037 000	729	21.00	37 504 000	542	935.00	38 506 P00	740	73.00
37 038 000	729	17.50	37 505 SD0	542	759.00	38 506 SH0	740	67.00
37 039 000	729	17.50	37 535 000	113, 736	67.00	38 517 001	661	219.00
37 040 000	729	23.00	37 535 A00	736	*	38 519 001	656	335.00
37 042 000	730	16.50	37 535 AL0	736	*	38 525 001	654	314.00
37 043 000	729	32.00	37 535 BE0	736	*	38 526 000	655	337.00
37 044 000	729	17.00	37 535 DA0	736	*	38 528 001	649	248.00
37 048 000	711	330.00	37 535 DC0	736	142.00	38 536 001	649	289.00
37 053 000		95.00	37 535 DL0	736	*	38 539 001	650	229.00
37 059 000	717, 741	180.00	37 535 EN0	736	*	38 541 000	666, 672	124.00
37 060 000	717, 742	112.00	37 535 GL0	736	*	38 543 000	667	279.00
37 063 000	746	36.00	37 535 GN0	736	*	38 544 000	666	224.00
37 063 SH0	746	51.00	37 535 P00	736	67.00	38 545 000	666	309.00
37 069 000	746	311.00	37 535 SH0	736	55.00	38 546 000	665	118.00
37 088 PI0	698	61.00	37 547 000	746	54.00	38 548 001	676, 678	124.00
37 095 000	698	32.00	37 547 P00	746	67.00	38 553 001	666	261.00
37 099 K00	699	70.00	37 547 SH0	746	60.00	38 554 001	664	148.00
37 102 SH0	712	25.00	37 576 000	688	202.00	38 557 001	664	113.00
37 103 SH0	701	11.00	37 578 001	689	198.00	38 558 00M	656, 661	23.00
37 104 K00	701	31.00	37 601 000	736	82.00	38 559 001	672	193.00
37 105 K00	701	31.00	37 601 A00	736	*	38 562 001	681	85.00
37 107 000	709	94.00	37 601 AL0	736	*	38 563 000	681	7.70
37 108 000	709	89.00	37 601 BE0	736	*	38 564 000	741	73.00
37 112 000	709	124.00	37 601 DA0	736	*	38 564 SH0	741	65.00
37 114 000	709	33.00	37 601 DC0	736	142.00	38 565 000	741	68.00
37 115 PI0	701, 780	10.00	37 601 DL0	736	*	38 565 SH0	741	65.00
37 117 PI0	701, 780	10.00	37 601 EN0	736	*	38 573 000	741	73.00
37 119 000	702	2.70	37 601 GL0	736	*	38 573 P00	741	73.00
37 125 000	702	8.10	37 601 GN0	736	*	38 573 SH0	741	65.00
37 131 000	682, 702	13.00	37 601 P00	736	80.00	38 574 000	741	75.00
37 132 000	709	28.00	37 601 SH0	736	65.00	38 581 001	676	500.00
37 133 000	709	94.00	37 624 000	113, 138	82.00	38 584 001	674	408.00
37 134 000	712	57.00	37 624 A00	736	*	38 586 001	675	548.00
37 135 000	710	8.20	37 624 AL0	736	*	38 587 000	675	326.00
37 139 000	708	98.00	37 624 BE0	736	*	38 588 001	653	360.00
37 141 000	708	93.00	37 624 DA0	736	*	38 595 000	749	54.00
37 144 000		333.00	37 624 DC0	736	93.00	38 595 P00	749	60.00
37 153 000	711	268.00	37 624 DL0	736	*	38 595 SH0	749	27.00
37 157 000	711	234.00	37 624 EN0	736	*	38 618 000	655	279.00
37 220 001	681	17.50	37 624 GL0	736	*	38 624 001	650	227.00
37 304 000	689	40.00	37 624 GN0	736	*	38 625 001	665, 672	290.00
37 310 000	681, 689	82.00	37 624 P00	736	79.00	38 629 000	680	46.00
37 311 K00	700	28.00	37 624 SH0	736	65.00	38 630 001	680	158.00
37 321 001	722	548.00	37 636 000	708	137.00	38 636 001	680	176.00
37 321 SD1	722	548.00	37 749 000		427.00	38 642 001	687	203.00
37 321 SH1	722	549.00	37 751 001	723	457.00	38 643 001	686	204.00
37 324 001	723	548.00	37 965 000	736	53.00	38 652 000	281, 678	108.00
37 324 SD1	723	546.00	37 965 SH0	736	44.00	38 661 000	694	162.00
37 336 001	722	531.00	37 998 000	678	78.00	38 672 SD0	741	124.00
37 337 001	722	547.00				38 675 001	652, 670	354.00
37 338 000	542, 723	131.00				38 691 000	695	153.00
37 339 000	728	124.00	38 251 000	709	57.00	38 698 SD1	714	597.00
37 342 000	728	150.00	38 338 000	682	26.00	38 699 001	714	513.00
37 345 000	728	137.00	38 340 001	674	235.00	38 713 001		316.00
37 346 000	728	96.00	38 393 SD1	714	513.00	38 714 000	705, 742	17.50
37 347 000	708	218.00	38 415 001	688	243.00	38 719 001	648	202.00
37 349 000	708	214.00	38 422 000	695	196.00	38 722 001	648	276.00
37 355 SH0	694	90.00	38 437 000	678	95.00	38 723 001	686	200.00
37 396 000	728	95.00	38 445 SD0	746	104.00	38 732 000	739	74.00
37 419 000	714	803.00	38 505 000	740	66.00	38 732 A00	739	120.00
37 419 SD0	714	827.00	38 505 A00	740	57.00	38 732 AL0	739	120.00
37 421 000	720	468.00	38 505 AL0	740	57.00	38 732 BE0	739	120.00
37 426 000	720	399.00	38 505 DA0	740	61.00	38 732 BR0	739	121.00
37 427 000	720	340.00	38 505 GL0	740	120.00	38 732 DA0	739	70.00
37 428 000	721	292.00	38 505 P00	740	75.00	38 732 DL0	739	120.00
37 489 000	701	6.70	38 505 SH0	740	59.00	38 732 EN0	739	120.00
37 503 000	541	759.00	38 506 000	740	75.00	38 732 GL0	739	120.00

**38**

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
38 732 GN0	739	120.00	38 897 000	651	299.00	39 351 000	636	117.00
38 732 P00	739	59.00	38 915 KS0	737	926.00	39 354 SH1	606	2,010.00
38 732 SD0	739	157.00	38 915 LS0	737	928.00	39 367 000	724	573.00
38 732 SH0	739	63.00	38 916 OA0	738	289.00	39 368 000	724	629.00
38 733 000	681	28.00	38 925 000		90.00	39 369 000	725	763.00
38 735 000	699	54.00	38 929 000	648	235.00	39 374 KS0	646	762.00
38 736 000	699	40.00	38 934 SD0	671, 716	468.00	39 374 LS0	646	767.00
38 748 002	529, 533	417.00	38 957 000	738	94.00	39 376 000	660	262.00
38 750 001	647	322.00	38 958 000	738	80.00	39 383 000	538	61.00
38 759 SD0	671, 715	858.00	38 994 000	653	328.00	39 386 00H	618	368.00
38 765 000	737	63.00	38 995 000	654	339.00	39 420 000	632	44.00
38 765 P00	737	70.00				39 421 000	632	38.00
38 765 SH0	737	63.00				39 422 000	632	68.00
38 766 000	738	177.00	39 002 000	651	345.00	39 423 000	625, 632	68.00
38 771 000	696, 742	36.00	39 052 000	664	145.00	39 424 000	632	37.00
38 772 001	648	322.00	39 062 000	652	401.00	39 425 000	633	37.00
38 775 001	647	223.00	39 111 LD0	602	4,370.00	39 426 000	633	42.00
38 776 SD0	739	160.00	39 111 LK0	602	4,370.00	39 427 000	633	70.00
38 778 000	715	692.00	39 111 LP0	602	4,370.00	39 428 000	633	77.00
38 779 000	681	101.00	39 111 SH0	602	3,980.00	39 429 000	634	86.00
38 784 000	748	118.00	39 140 000	670	648.00	39 430 000	634	58.00
38 784 P00	748	115.00	39 141 000	671, 715	533.00	39 431 000	634	58.00
38 784 SD0	748	178.00	39 142 000	671, 715	235.00	39 432 000	635	117.00
38 784 SH0	748	115.00	39 165 000	687	117.00	39 433 000	635	118.00
38 785 000	688	189.00	39 201 000	625	45.00	39 436 000	634	67.00
38 786 001	660	284.00	39 202 000	625	50.00	39 437 000	634	67.00
38 787 000	723, 731	105.00	39 206 000	626	162.00	39 438 000	635	133.00
38 796 000	744	71.00	39 206 00H	626	194.00	39 439 000	635	133.00
38 803 001	660	279.00	39 208 000	628	160.00	39 440 000	632	37.00
38 804 000	748	118.00	39 208 00H	628	193.00	39 453 000	629, 637	*
38 804 SH0	748	115.00	39 300 000	640	157.00	39 454 000	629, 637	*
38 805 000	744	132.00	39 301 000	640	116.00	39 457 000	629, 637	*
38 808 000	749	103.00	39 302 000	640	111.00	39 469 00H	618	318.00
38 808 P00	749	92.00	39 305 000	640	197.00	39 473 00H	618	173.00
38 808 SH0	749	98.00	39 306 000	641	128.00	39 474 00H	618	162.00
38 809 000	737	580.00	39 307 000	641	282.00	39 475 00H	618	368.00
38 813 001	647	235.00	39 308 000	641	243.00	39 476 00H	618	319.00
38 821 000	738	245.00	39 323 000	624	64.00	39 477 00H	619	173.00
38 827 000	647	387.00	39 323 00H	624	96.00	39 478 00H	619	162.00
38 844 000	739	70.00	39 324 000	625	41.00	39 479 00H	619	166.00
38 844 P00	739	70.00	39 324 00H	625	74.00	39 480 00H	619	155.00
38 844 SH0	739	62.00	39 325 000	625	45.00	39 481 00H	619	155.00
38 845 KS0	738	243.00	39 327 000	625	52.00	39 482 00H	619	137.00
38 845 LS0	738	237.00	39 327 00H	625	84.00	39 483 00H	620	134.00
38 845 MF0	738	243.00	39 328 000	626	178.00	39 484 00H	620	343.00
38 846 KS0	748	309.00	39 328 00H	626	210.00	39 485 00H	620	320.00
38 846 LS0	748	277.00	39 329 000	627	133.00	39 486 00H	621	252.00
38 846 MF0	748	277.00	39 329 00H	627	166.00	39 487 00H	621	261.00
38 847 KI0	737	102.00	39 330 001	627	65.00	39 488 000	620	132.00
38 847 LI0	737	101.00	39 331 001	627	*	39 489 000	620	188.00
38 847 XG0	737	98.00	39 332 000	626	129.00	39 490 000	620	188.00
38 857 000	749	115.00	39 333 000	627	129.00	39 491 000	633	55.00
38 857 P00	749	105.00	39 335 000	624	57.00	39 492 000	635	30.00
38 857 SH0	749	109.00	39 335 00H	624	90.00	39 493 000	635	54.00
38 858 000	739	68.00	39 336 000	624	56.00	39 494 000	634	52.00
38 858 P00	739	70.00	39 336 00H	624	89.00	39 497 000	636	83.00
38 858 SH0	739	60.00	39 337 000	624	63.00	39 531 000		*
38 859 XG0	739	100.00	39 337 00H	624	95.00	39 538 000	626	142.00
38 861 000	740	71.00	39 338 000	626	138.00	39 551 000	629, 637	*
38 862 000	740	67.00	39 338 00H	626	171.00	39 564 00H	612	176.00
38 862 P00	740	60.00	39 339 000	627	138.00	39 565 00H	612	164.00
38 862 SD0	740	143.00	39 339 00H	627	170.00	39 566 00H	612	386.00
38 862 SH0	740	58.00	39 340 000	628	141.00	39 567 00H	612	277.00
38 863 000	695	101.00	39 340 00H	628	173.00	39 568 00H	612	190.00
38 882 000	744	8.30	39 346 000	636	197.00	39 570 000	613	103.00
38 895 000	694	188.00	39 347 000	636	189.00	39 571 00H	613	245.00
38 896 000	731	70.00	39 349 000	633	86.00	39 572 00H	613	274.00

**39**

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
39 573 00H	613	255.00	40 312 EN3		*	40 369 DC1	210	27.08
39 574 00H	614	245.00	40 312 GL3	71	*	40 369 DL1	210	33.33
39 575 00H	614	255.00	40 313 003	71	81.66	40 369 EN1	210	29.16
39 576 000	614	68.00	40 313 AL3	71	112.49	40 369 GL1	210	31.24
39 577 000	614	103.00	40 313 DA3	71	*	40 369 GN1	210	33.33
39 578 000	614	154.00	40 313 DC3	71	112.49	40 371 001	211	37.08
39 579 000	614	154.00	40 313 EN3		*	40 371 A01	211	55.41
39 584 00H	624	229.00	40 313 GL3	71	*	40 371 AL1	211	51.66
39 585 00H	624	296.00	40 314 003	71	162.49	40 371 BE1	211	55.41
39 608 00H	612	369.00	40 314 AL3	71	257.50	40 371 DA1	211	55.41
39 609 00H	613	246.00	40 314 DA3	71	*	40 371 DC1	211	51.66
			40 314 DC3	71	224.17	40 371 DL1	211	59.16
			40 314 EN3		*	40 371 EN1	211	51.66
			40 314 GL3	71	*	40 371 GL1	211	55.41
			40 339 000	54	116.66	40 371 GN1	211	59.16
			40 340 000	55	190.83	40 372 001	210, 218	6.91
			40 341 000	54	174.17	40 374 001	214	34.16
			40 342 000	54	174.17	40 374 A01	214	47.49
			40 344 001	215	104.16	40 374 AL1	214	54.58
			40 344 DC1	215	145.83	40 374 BE1	214	51.24
			40 363 000	54	190.83	40 374 DA1	214	51.24
			40 364 001	212	11.24	40 374 DC1	214	47.49
			40 364 A01	212	17.08	40 374 DL1	214	54.58
			40 364 AL1	212	18.33	40 374 EN1	214	54.58
			40 364 BE1	212	17.08	40 374 GL1	214	51.24
			40 364 DA1	212	15.83	40 374 GN1	214	47.49
			40 364 DC1	212	15.83	40 385 001	214	20.83
			40 364 DL1	212	18.33	40 385 A01	214	31.24
			40 364 EN1	212	18.33	40 385 AL1	214	33.33
			40 364 GL1	212	17.08	40 385 BE1	214	29.16
			40 364 GN1	212	15.83	40 385 DA1	214	31.24
			40 365 001	211	20.83	40 385 DC1	214	29.16
			40 365 A01	211	29.16	40 385 DL1	214	33.33
			40 365 AL1	211	33.33	40 385 EN1	214	33.33
			40 365 BE1	211	31.24	40 385 GL1	214	31.24
			40 365 DA1	211	29.16	40 385 GN1	214	29.16
			40 365 DC1	211	29.16	40 386 001	212	41.66
			40 365 DL1	211	29.16	40 386 A01	212	62.49
			40 365 EN1	211	33.33	40 386 AL1	212	66.66
			40 365 GL1	211	31.24	40 386 BE1	212	62.49
			40 365 GN1	211	33.33	40 386 DA1	212	62.49
			40 366 001	211	32.91	40 386 DC1	212	58.33
			40 366 A01	211	46.24	40 386 DL1	212	66.66
			40 366 AL1	211	52.91	40 386 EN1	212	66.66
			40 366 BE1	211	49.58	40 386 GL1	212	62.49
			40 366 DA1	211	46.24	40 386 GN1	212	66.66
			40 366 DC1	211	42.91	40 392 000	214, 220	25.00
			40 366 DL1	211	52.91	40 393 000	214, 220	20.00
			40 366 EN1	211	46.24	40 394 001	210, 218	17.08
			40 366 GL1	211	46.24	40 394 A01	210	25.41
			40 366 GN1	211	46.24	40 394 AL1	210	27.08
			40 367 001	213	27.49	40 394 BE1	210	23.74
			40 367 A01	213	41.24	40 394 DA1	210	25.41
			40 367 AL1	213	38.33	40 394 DC1	210	22.08
			40 367 BE1	213	38.33	40 394 DL1	210	27.08
			40 367 DA1	213	38.33	40 394 EN1	210	27.08
			40 367 DC1	213	35.83	40 394 GL1	210	25.41
			40 367 DL1	213	38.33	40 394 GN1	210	27.08
			40 367 EN1	213	38.33	40 404 001	451	58.33
			40 367 GL1	213	41.24	40 405 000	450	29.16
			40 367 GN1	213	43.74	40 407 001	214	65.41
			40 368 001	210, 218	5.74	40 407 DC1	214	83.33
			40 369 001	210	20.83	40 412 001	451	141.66
			40 369 A01	210	31.24	40 421 001	212	32.91
			40 369 AL1	210	33.33	40 421 A01	212	46.24
			40 369 BE1	210	29.16	40 421 AL1	212	52.91
			40 369 DA1	210	31.24	40 421 BE1	212	49.58

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 421 DA1	212	49.58	40 510 001	219	37.91	40 653 EN1	228	52.91
40 421 DC1	212	46.24	40 511 001	219	15.83	40 654 001	229	56.66
40 421 DL1	212	52.91	40 512 001	219	137.49	40 654 EN1	229	79.58
40 421 EN1	212	52.91	40 513 001	220	54.99	40 655 001	228	20.83
40 421 GL1	212	49.58	40 514 001	220	56.66	40 655 EN1	228	29.16
40 421 GN1	212	46.24	40 535 000	506	60.00	40 656 001	229	11.24
40 422 000	452	66.66	40 535 A00	506	*	40 656 EN1	229	18.33
40 423 000	452	99.99	40 535 AL0	506	*	40 657 001	229	24.58
40 430 001	451	108.33	40 535 BE0	506	*	40 657 EN1	229	39.16
40 432 000	458	24.99	40 535 DA0	506	*	40 658 001	229	34.16
40 434 001	452	33.33	40 535 DC0	506	80.00	40 658 EN1	229	47.49
40 437 000	450	29.16	40 535 DL0	506	*	40 659 001	230	37.08
40 438 001	457	277.00	40 535 EN0	506	*	40 659 EN1	230	48.33
40 444 001	211	26.66	40 535 GL0	506	*	40 660 001	229	112.49
40 444 DC1	211	37.08	40 535 GN0	506	*	40 660 EN1	229	154.16
40 444 EN1	211	42.49	40 536 000	506	55.00	40 661 000		*
40 447 001	211	25.83	40 536 DC0	506	64.00	40 661 IG0		*
40 447 DC1	211	34.58	40 537 000	506	68.00	40 663 001	225	46.24
40 448 001	210	38.74	40 537 ZB0	506	78.00	40 664 001	226	37.08
40 448 DC1	210	49.16	40 547 001	451	74.99	40 684 000	467	75.00
40 448 EN1	210	43.74	40 553 000	506	76.00	40 687 000	452	29.16
40 452 000	450	25.00	40 553 DC0	506	76.24	40 688 001	211	30.41
40 457 001	225	20.41	40 564 000	113, 772	262.00	40 688 A01	211	45.41
40 459 001	224	23.74	40 564 A00	772	*	40 688 AL1	211	48.33
40 460 001	224	16.24	40 564 AL0	772	*	40 688 BE1	211	45.41
40 461 001	225	9.99	40 564 DC0	772	*	40 688 DA1	211	45.41
40 462 001	225	87.49	40 565 000	772	82.00	40 688 DC1	211	39.16
40 463 001	225	26.66	40 565 A00	772	*	40 688 DL1	211	48.33
40 493 000	44	224.17	40 565 AL0	772	*	40 688 EN1	211	42.49
40 493 A00	44	*	40 565 DC0	772	*	40 688 GL1	211	45.41
40 493 AL0	44	*	40 575 001	451	264.00	40 688 GN1	211	48.33
40 493 DC0	44	*	40 585 001	224	16.24	40 689 001	213	24.58
40 494 000	44	340.83	40 621 000	451	26.00	40 689 A01	213	37.08
40 494 A00	44	*	40 623 001	220	26.66	40 689 AL1	213	39.16
40 494 AL0	44	*	40 624 001	219	52.91	40 689 BE1	213	37.08
40 494 DC0	44	*	40 625 000	81	137.49	40 689 DA1	213	37.08
40 496 000	44	182.50	40 625 DA0	81	190.83	40 689 DC1	213	34.58
40 496 A00	44	*	40 625 GL0		141.66	40 689 DL1	213	34.58
40 496 AL0	44	*	40 625 IG0	81	174.17	40 689 EN1	213	34.58
40 496 DC0	44	*	40 626 000	80	133.33	40 689 GL1	213	37.08
40 497 000	44	207.50	40 626 IG0	80	174.17	40 689 GN1	213	34.58
40 497 A00	44	*	40 627 000	80	174.17	40 691 001	451	58.33
40 497 AL0	44	*	40 627 IG0	80	224.17	40 694 000	452	24.99
40 497 DC0	44	*	40 628 000	80	162.49	40 754 001	219	33.33
40 498 000	45	87.49	40 628 IG0	80	207.50	40 755 001	218	32.91
40 498 A00	45	*	40 629 000	80	182.50	40 756 001	218	44.58
40 498 AL0	45	*	40 629 DA0	80	257.50	40 757 001	220	91.66
40 498 DC0	45	*	40 629 IG0	80	232.50	40 758 001	221	141.66
40 499 000	45	182.50	40 630 000	80	112.49	40 766 000	206	52.08
40 499 A00	45	*	40 630 DA0	80	166.66	40 767 000	207	95.83
40 499 AL0	45	*	40 630 IG0	80	145.83	40 768 000	206	145.83
40 499 DC0	45	*	40 631 000	80	52.49	40 775 001	214	64.58
40 500 000	45	290.83	40 631 A00	80	79.16	40 775 DC1	214	91.66
40 500 A00	45	*	40 631 BE0		79.16	40 776 001	214	83.33
40 500 AL0	45	*	40 631 DA0	80	79.16	40 776 DC1	214	116.66
40 500 DC0	45	*	40 631 DL0		83.33	40 777 001	221	80.83
40 503 000	44	265.83	40 631 GL0	80	73.74	40 778 001	221	116.66
40 503 A00	44	*	40 631 GN0		83.33	40 781 000	207	79.58
40 503 AL0	44	*	40 631 IG0	80	68.33	40 782 000	207	27.49
40 503 DC0	44	*	40 632 000	81	190.83	40 783 000	206	24.58
40 504 000	44	265.83	40 632 DA0		290.83	40 784 000	207	36.66
40 504 A00	44	*	40 632 IG0	81	249.17	40 791 001	71, 214	5.16
40 504 AL0	44	*	40 633 000	81	124.99	40 791 KS1	71, 214	5.16
40 504 DC0	44	*	40 633 IG0	81	158.33	40 793 001	212	47.08
40 507 001	220	31.66	40 652 001	228	20.83	40 793 DC1	212	61.66
40 508 001	218	27.49	40 652 EN1	228	29.16	40 794 001	213	56.66
40 509 001	219	42.08	40 653 001	228	32.91	40 794 DC1	213	79.58

# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 797 001	213	145.83	41 130 000	757	59.00	43 536 000	698	3.20
40 799 001	213	37.91	41 133 000	757	47.00	43 537 000	698	22.00
40 799 DC1	213	52.91	41 154 000	756	56.00	43 540 000	703, 780	3.50
40 800 001	212	112.49	41 190 000	756	34.00	43 542 000	703	6.70
40 800 A01	212	166.66	41 206 000		239.00	43 544 000	704, 780	10.50
40 800 AL1	212	174.17	41 208 000		220.00	43 545 000	703	19.00
40 800 BE1	212	166.66	41 212 000		212.00	43 617 000	683, 715	86.00
40 800 DA1	212	166.66	41 230 000	758	33.00	43 722 000	704, 780	7.10
40 800 DC1	212	154.16	41 231 000	758	41.00	43 733 000	699	3.90
40 800 DL1	212	174.17	41 238 000	758	27.00	43 734 000	704	3.10
40 800 EN1	212	154.16	41 239 000	758	25.00	43 735 000	704	2.50
40 800 GL1	212	166.66	41 263 000	754	22.00	43 745 000	704, 780	5.30
40 800 GN1	212	174.17	41 270 000	758	34.00	43 758 00M	699, 780	24.00
40 802 001	212	56.66	41 275 000	758	74.00	43 770 00M	704	7.80
40 802 A01	212	83.33	41 827 000	759	19.00	43 812 000		41.00
40 802 AL1	212	91.66				43 813 000	596, 762	156.00
40 802 BE1	212	83.33	<b>42</b>			43 818 000	731	3.40
40 802 DA1	212	83.33	42 041 000	710	143.00	43 908 000	700	17.50
40 802 DC1	212	79.58	42 074 000		11.50	43 957 000		184.00
40 802 DL1	212	91.66	42 075 000	705	5.30	43 959 000	597	54.00
40 802 EN1	212	91.66	42 132 000		325.00	43 976 000	705	3.10
40 802 GL1	212	79.58	42 133 000		197.00	43 977 000	717, 741	425.00
40 802 GN1	212	91.66	42 137 000	700	28.00	43 996 000	711	205.00
40 804 000	207	274.17	42 229 000	774	105.00	43 997 000	711	236.00
40 805 000	206	45.83	42 233 000	700	9.50	<b>45</b>		
40 806 000	206	30.41	42 242 000	705	9.60	45 058 000		86.00
40 807 000	207	154.16	42 253 000	698	53.00	45 120 000	568	14.00
40 808 000	208	133.33	42 271 00M	699	65.00	45 202 000	282, 766	6.90
40 809 000	208	108.33	42 297 P10	698	55.00	45 203 000	282, 766	14.00
40 824 000	772	19.00	42 300 000	705	17.00	45 247 000		12.50
40 841 001	457	113.00	42 302 000	780	66.00	45 304 000		27.00
40 846 001	215	99.99	42 302 P00		71.00	45 342 000	765	16.50
40 847 001	221	133.33	42 302 SH0	780	69.00	45 346 000	765	27.00
40 848 000	450	8.33	42 303 000	780	67.00	45 388 000	42, 52	133.00
40 848 SD0	450	12.49	42 303 P00		86.00	45 406 000	419	6.20
40 857 000	208	108.33	42 303 SH0	780	72.00	45 459 000	419	14.50
40 865 000	206	36.66	42 304 000	780	55.00	45 473 000		802.00
40 867 000	208	41.66	42 304 P00	780	81.00	45 562 000	489	80.00
40 868 000	208	32.91	42 304 SH0	780	51.00	45 704 000	561, 568	40.00
40 870 000	208	9.58	42 305 000	780	50.00	45 885 000	765	38.00
40 899 000	603, 606	36.00	42 305 P00	780	84.00	45 914 XE0	418	3.10
40 911 000	682, 689	13.00	42 305 SH0	780	49.00	45 937 000	779	9.20
40 919 SD0	457	14.99	42 315 000	703	8.00	45 965 000		6.40
40 934 000	506	*	42 320 000	699	41.00	45 971 001	410	8.74
40 934 DC0	506	*	42 327 000	657, 702	16.00	45 973 001	410	10.83
40 949 000	683, 689	*	42 333 000	656, 702	19.00	45 978 000	765	15.50
40 950 000	682, 689	*	42 388 000	534, 547	46.00	45 984 001	43, 52	444.00
40 953 000	516	*	42 393 000	530, 534	44.00	45 992 000		*
40 954 000	108	97.00	42 397 000	682	8.30	<b>46</b>		
<b>41</b>			42 408 000	555	15.50	46 048 000	762	44.00
41 001 000	758	26.00	42 429 000	292	112.00	46 191 000		96.00
41 007 000	757	27.00	42 766 000	682	7.00	46 257 000	583	52.00
41 010 000	756	28.00	42 773 000	703	8.60	46 259 000	583	22.00
41 015 000	756	59.00	42 774 000	700	55.00	46 277 000	587, 762	9.80
41 020 000	757	86.00	42 791 000		201.00	46 278 000	587, 762	72.00
41 022 000	757	85.00	42 824 000	661	689.00	46 308 000	762	16.50
41 030 000	755	42.00	42 886 000	590, 774	22.00	46 343 000		271.00
41 033 000	756	67.00	42 901 000	712	381.00	46 374 000	762	43.00
41 040 000	756	80.00	42 902 000	712	490.00	46 375 000	762	9.40
41 043 000	756	90.00	42 946 000	657, 702	20.00	46 386 000	762	132.00
41 050 000	757	91.00	<b>43</b>			46 409 000	762	35.00
41 070 000	755	31.00	43 040 000	731	31.00	46 580 000	762	41.00
41 073 000	755	28.00	43 310 000	731	61.00	46 686 000	587	31.00
41 110 000	756	46.00	43 352 000	701	7.70	46 687 000	587	35.00
41 125 000	758	28.00	43 486 000	700	22.00	46 688 000	583	27.00
41 126 000	758	53.00	43 535 000	703, 780	2.90			



# GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
46 689 000	583	24.00	49 532 000	629, 637	*
46 710 000	776	58.00	49 533 000	641	34.00
46 717 000	450	209.00	49 534 000	641	34.00
46 731 000	776	59.00	<b>64</b>		
46 769 000	776	38.00	64 451 000	770	7.80
46 882 00M	602	52.00	64 508 001	451	64.38
46 883 00M	603	97.00	<b>65</b>		
46 884 000	602	79.00	65 790 000	296	61.00
46 901 000	91, 131	69.00	65 807 000	772	51.00
46 907 000	762	35.00	65 807 A00	772	*
46 944 001	606	182.00	65 807 AL0	772	63.00
<b>47</b>			65 807 BE0	772	*
47 010 000	763	91.00	65 807 DA0	772	*
47 019 000	763	158.00	65 807 DC0	772	*
47 095 000		84.00	65 807 DLO	772	*
47 175 000	255, 260	101.00	65 807 EN0	772	*
47 186 000	763	93.00	65 807 GLO	772	*
47 203 000		13.50	65 807 GN0	772	*
47 217 000	763	60.00	65 807 KS0		101.00
47 220 000	763	100.00	65 807 LS0		111.00
47 282 000	763	187.00	65 808 000	772	50.00
47 310 000	763	106.00	<b>66</b>		
47 349 000	763	79.00	66 791 000	683	10.00
47 350 000		352.00			
47 364 000	764	69.00			
47 379 000	763	461.00			
47 439 000	763	80.00			
47 450 000	763	79.00			
47 483 000	763	47.00			
47 533 000	568	40.00			
47 569 000	577	552.00			
47 727 000	296	29.00			
47 732 000		*			
47 733 000		82.00			
47 739 000		17.50			
47 749 000		74.00			
47 763 000		155.00			
47 764 000		9.70			
47 780 000		128.00			
47 781 000		161.00			
47 790 000		49.00			
47 837 000	293	66.00			
47 838 000	293	66.00			
47 867 000	293	66.00			
47 868 000	293	66.00			
47 877 000	293	66.00			
47 910 000	293	53.00			
47 979 000	573	24.00			
47 994 000	573	6.10			
<b>48</b>					
48 021 000	778	6.40			
48 051 000	381, 419	6.30			
48 053 000	330	95.00			
48 054 000	330	73.00			
48 166 000	779	19.00			
48 189 000	770	18.00			
48 190 000	770	18.00			
48 191 000	770	18.00			
48 297 000	762	48.00			
48 348 000	294, 302	30.00			
48 349 000	302, 330	87.00			
48 350 000	302, 330	109.00			
<b>49</b>					
49 003 000	281	181.00			

# DISCOVER THE WORLD OF GROHE

What you see here represents just a small selection of what the world of GROHE has to offer. Whether you are looking for ideas and inspiration or solutions for bath and kitchen, here's where you'll find it.

Just scan the QR codes to view the latest brochures as download or PDF on your tablet or smartphone.

**OR VISIT THE WORLD OF GROHE AT GROHE.COM**



Pure Freude  
an Wasser

**GROHE**

WATER.  
INTELLIGENCE.  
ENJOYMENT.  
GROHE INNOVATIONS 2019

WATER. INTELLIGENCE. ENJOYMENT.  
MAGAZINE





BATH BROCHURE




CERAMICS BROCHURE



SENSIA ARENA BROCHURE




SANITARY SYSTEMS BROCHURE



KITCHEN BROCHURE



BLUE HOME BROCHURE



# A GLOBALLY CONNECTED COMPANY

## GROHE IS PART OF LIXIL – A GLOBAL LEADER IN THE HOUSING AND BUILDING INDUSTRY.

Beginning back in early 20th century Japan, LIXIL is today the most comprehensive company in our industry, with a unique portfolio spanning everything from technologies that revolutionize how we interact with water, to a full lineup of interior and exterior materials and products for houses and major architectural projects. Operating in 150 countries, LIXIL companies design and manufacture products that are used by more than a billion people around the world every day.

**The world is changing rapidly, and LIXIL companies are helping to shape it.** Across our brands and technologies, we design and manufacture tomorrow's living solutions, today. From developing smart innovations in people's homes and offices, to redefining the world's most famous city skylines, LIXIL products are transforming the spaces in which we all work, learn, travel, relax, and live.

**Alongside GROHE in LIXIL's family of world-class brands are American Standard, INAX, DXV by American Standard and Permasteelisa.** Combined, our brands make us number one in faucets and plumbing-related products worldwide and Japan's premier provider of housing products. We're leading the way in many other areas around the world, thanks to our shared focus on creating innovations that genuinely improve people's lives.

**Together we're stronger.** Combining our GROHE expertise as a world leader in sanitary fittings with the unique technology and insights from LIXIL's other Water Technology brands, GROHE now offers complete bathroom solutions, featuring innovative products like shower toilets and SmartControl showers, alongside revolutionary technologies such as AquaCeramic sanitaryware that stays clean for 100 years. Beautiful, functional and reliable, LIXIL's products and solutions are changing the way people live, all over the world.

**Together, we share a powerful vision of a better tomorrow, for our customers and for the world.** As a truly global manufacturing company, we know that we have an important part to play in securing the future of our planet. We're leading the way in areas such as energy efficiency and water saving technology and aim to achieve a net zero environmental footprint by 2030. We believe everyone should have access to clean and safe sanitation, and are committed to using our expertise to help make this possible.

**Together we're creating the future of good living for everyone, everywhere.**






Follow us




## QUALITY

*"No.1 most trusted brand  
in the sanitary industry" –  
Wirtschaftswoche, 2017*



## TECHNOLOGY

*"Top 50 companies  
to change the world" –  
Fortune Magazine, 2017*



## DESIGN

*Over 350 design awards  
won since 2003*



## SUSTAINABILITY

*CSR Award winner of the  
German Government, 2017*

### PLEASE CONTACT OUR LOCAL OFFICES BELOW:

Grohe AG Reprezenanță  
Strada Nicolae Iorga nr. 13,  
Corp B, etaj 2  
RO - 010432 București  
Romania  
Tel.: +40 21 212 50 50  
Fax: +40 21 212 50 48  
info-ro@grohe.com  
www.grohe.ro

Grohe Adria d.o.o.  
Štefanovečka 10  
HR - 10000 Zagreb  
Croatia  
Tel.: +385 (0)1 29 11 470  
Fax: +385 (0)1 29 10 962  
adria-hr@grohe.com  
www.grohe.hr  
www.grohe.si  
www.grohe.rs

Grohe Hungary Kft  
Montevideo utca 3/A.  
H - 1037 Budapest  
Hungary  
Tel: +36 1 238 8045  
info-hu@grohe.com  
www.grohe.hu

GROHE AG  
Representative Office Bulgaria  
81 B, Bulgaria Blvd., floor 8,  
office 21  
1404 Sofia  
Bulgaria  
Tel: +359 (0) 2 / 971 99 59  
grohe-bulgaria@grohe.com  
www.grohe.bg

Grohe AG  
Feldmühleplatz 15  
D - 40545 Düsseldorf  
Germany

CEE\_05/2019 - Copyright by GROHE



www.parsital.com

PART OF LIXIL