

PRICE LIST 2019




FAUCETS FOR THE KITCHEN	13
KWC ERA	14
KWC ZOE touch light PRO	15
KWC ZOE	16
KWC ONO touch light PRO	18
KWC ONO	20
KWC INOX	23
KWC EVE	24
KWC SIN	26
KWC SAROS	27
KWC LIVELLO	28
KWC AVA	29
KWC DOMO	31
KWC ADRENA	33
KWC SUNO	34
KWC LUNA-E	36
KWCISLA	37
KWC VITA PRO	38
KWC ORCINO	39
KWC STAR	40
KWC Soap dispensers	41
KWC Accessories	43
FAUCETS FOR THE COMMERCIAL KITCHEN	45
KWC GASTRO	46

FAUCETS FOR THE BATH	55
KWC MONTA New	56
KWC ZOE	58
KWC ONO	60
KWC ONO touch light PRO	64
KWC DOMO	67
KWC AVA	70
KWC ELLA	75
KWC INTRO	79
KWC VITA	81
KWC VITA PRO	83
KWC VERTICAL SHUT-OFF VALVE	86
KWC BLUEBOX®	87
KWC ADRENA Roman tub	89
KWC Accessories	90
SHOWERCULTURE	93
KWC BOSSANOVA	94
KWC CHOICE	95
KWC ELY	96
KWC FIT-S/FIT-X	97
KWC Shower heads	98
KWC Shower arms	99
KWC Shower systems	101
KWC Shower brackets	103
KWC Sliding wall bars	104
KWC Sliding wall bar kits	105
KWC Hose connections	106
KWC Shower hoses	107
AUTOMATIC FAUCETS	109
KWC IQUA	110
TOOLS/SPARE PARTS	113
KWC Tools	114
KWC Spare parts	118
Index	122
KWC Index	124
General conditions of sale and delivery	127



NEW PRODUCTS FROM KWC



KWC MONTA PAGE 56

KWC MONTA is a timeless yet modern line of faucets with confident, bold design that fits perfectly in any bathroom. At the same time, KWC MONTA also features an array of ingenious features and attention to detail that turns the ordinary into something extraordinary.

KWC +







KWC SwissSmartness

Intelligent design culminating in excellent performance: KWC SwissSmartness embodies superior product design that makes perfection and elegance not only visible, but also tangible.

KWC QualityControl

Exceptional quality from A to Z: with KWC QualityControl, we guarantee the utmost product reliability. KWC performs and continuously monitors all stages of the process: development, production, installation, and even the manufacture of the required tools.

KWC ServiceControl

A commitment to quality that extends long after delivery: KWC ServiceControl is backed by a well-trained team of tried-and-true KWC experts in Switzerland. In the event of a claim, they are on site in no time at all – equipped with the right tools and the necessary expertise.







KWC DetailPassion

Crafted with love, down to the last detail: KWC DetailPassion describes our legendary eye for subtle nuances and that special something. This valuable skill has made us a leading international supplier of superior quality faucets that continue to raise the industry standard.

KWC CertificationGuarantee

Trust is good, certifications are better: our KWC CertificationGuarantee ensures that we have all of our products professionally inspected and certified across all markets.

KWC TimelessDesign

Designed for longevity: KWC TimelessDesign represents exacting aesthetic standards of elegance and perfection that are at once modern and timeless.



KWC InnovationDrive

A tradition of innovation: Our innate passion for challenging the status quo, optimizing products and processes, and setting trends – that is KWC InnovationDrive. A unique spirit that has defined us since 1874.

KWC + SUSTAINABILITY







EcoProtect

For the highest energy classes and responsible use of resources: EcoProtect represents our commitment to promoting a sustainable lifestyle. For example, the turning handle that limits the water flow level. To switch off the water-saving mode, simply turn the handle back past the soft catch point.

HealthProtect


Better hygiene and unchanged water quality: HealthProtect highlights the strict standards we set ourselves to ensure that our faucets do not affect the taste and smell of your water that is why we use high-quality materials (metals, plastics) that are ideally suited for contact with water.

CoolFix

Intelligent and efficient resource usage: With CoolFix, when the lever is in the center – the most common position – the water runs cold. Only when the lever is turned to the left, the water runs warm.

KWC + DESIGN





DesignSpray

Elegant design and functionality: With DesignSpray, the pull-out spray is seamlessly integrated and recessed. It can be easily extended with just one finger.


UniqueLever

Innovative lever designs that allow for natural and intuitive use: UniqueLever features innovative KWC design - elegance and precision that you can not only see, but also feel every day.

KWC + INNOVATION







TouchProtect

Safe to use: An insulated hot water guidance system with a "double skin" principle means the body of the faucet or the pull-out spray can become warm but never hot. In this way, TouchProtect intelligently prevents scalding.



Actively helps with the removal of limescale: With a special faceplate and fastening mechanism, SprayClean prevents limescale buildup. Any deposits are sprayed away automatically when the water is running. The special fastening mechanism helps with more stubborn lime deposits: simply turn, clean, and the job is done.

IntelligentControl

Intuitive control meets modern convenience: IntelligentControl reacts to a tap of your finger, can be programmed based on your personal habits and requirements, and has a light ring that indicates the current water temperature.







SprayLock

Adjust the flow: With SprayLock, you can keep the jet of water from your faucet flowing exactly how you want, even when the water is shut off. When you turn the water back on, the water flows in the same way again.


PowerClean


The spray you want at the touch of a button: PowerClean makes it exceedingly easy to switch the flow of water on the spray head from a standard spray to a fine needle spray.

TwistProtect

Effortless work around the sink: TwistProtect prevents the hose from twisting or knotting.







SkinProtect

Effective protection against scalding: With SkinProtect, your faucet will only supply you with water hotter than 38 °C when you press the safety button on the temperature controller. If the cold water is shut off, the faucet automatically shuts off the hot water immediately.


ShieldProtect

Extended service life and secure protection: ShieldProtect uses a special membrane to seal the faucet, protecting it against cleaning products and dirt.

EasyLock

A spray that is easy to use and automatically snaps into place: EasyLock is equipped with special positioning pins that ensure that the pull-out spray is always in the right position.





HighFlex

Increased freedom of movement and ease of use: HighFlex makes it possible to move the spring hose in every direction while ensuring it remains reliably stable when not in use.


LEDShine

Visible precision and a bright, friendly workspace: LEDShine does more than just contribute to a special working atmosphere - this innovative feature makes it easier to see the tiniest specks of dirt and makes it possible to use the faucet without turning on a light.

KWC + QUALITY







GlacierFinish

Robust surfaces and high-quality craftsmanship: GlacierFinish is equipped with durable surfaces that are exceptionally robust and feature an attractive polished shine that you can enjoy for years to come.

PrecisionMove

Exceptional elegance and precision: PrecisionMove allows for seamless movements and exceptional convenience thanks to our consistent use of top-quality materials and superior craftsmanship.

OptimalSpace

Practical yet elegant ergonomic design: OptimalSpace features long, tall spouts that provide ample space for washing and or working.



IT IS A RECOGNITION THAT WE NEVER TAKE LIGHTLY.

Because we see our life's work for what it truly is: the opportunity to make a product of perfection. One that connects all who use it, with the one true source of life on this planet... a source we in Switzerland have been blessed with in great abundance. Water.

Through design, through a tremendous sense of aesthetic, through precision and handcrafting, and yes, through a good deal of blood, sweat and tears, we recognized a long time ago one undeniable truth:


AT KWC, OUR DESTINY WAS NEVER TO INVENT THE FAUCET, OUR DESTINY WAS TO PERFECT IT.

Fortunately for us, we just happened to be genetically and geographically predisposed to creating perfection, after all, we're Swiss. It's in our DNA.

And so it was, back in 1874, when KWC was founded by Adolf Karrer, that this journey of perfection would begin. Not with faucets to start, but with exquisite music boxes.

Even back then, a strong sense of aesthetic had KWC creating works of art. But it was an art form that combined artistry with mechanical mastery. KWC's music boxes became famous, not only for their beauty, but for their precision and for their tremendous attention to detail.

As all journeys can take interesting turns, so too would ours. Because in the late 1800's, the demand for convenient access of water in households was growing, so much so, that soon KWC would test the waters, so to speak, and begin the production of faucets. It didn't take long before KWC's unique ability to combine artistry with mechanical mastery would set us apart.



By 1906, some of the great brands of the era were knocking on our door to produce custom-made faucets that would meet, or better still, exceed their expectations. These included the Hotel Ritz in Paris, the Hotel Negresco in Nice and many more.

WITH THIS KIND OF ATTENTION, WORD **SOON SPREAD ABOUT KWC, ABOUT ITS ARTISTRY, ABOUT ITS CRAFTSMANSHIP, ABOUT ITS ATTENTION TO DETAIL AND** ITS OUALITY.

The world had discovered the Swiss Watch of Faucets. And it wanted more. KWC perfected the faucet design and created a legacy of industry firsts, like the retractable hand faucet in 1957 ... And they continued to do it again and again with a spirit of innovation never seen before.

TO THIS DAY, IN EVERY SKETCH OUR DE-SIGNERS MAKE, EVERY DIE WE CAST, EVERY **FAUCET WE POLISH BY HAND, ECHOES** OF A GREAT HISTORY ARE ALL AROUND US. SO TOO IS A VISION FOR OUR FUTURE.

It is a vision that recognizes the gift of nature that we Swiss feel to our core and the need for sustainability rather thandisposability.

It is a vision that allows every customer to experience the power, the beauty and the essence of nature that flows through our products. To have a true «Swiss Water Experience». Precise. Pure. Elegant. And it is a vision that keeps us on this journey that began over one hundred and forty years ago ... in the pursuit of perfection and the achievement of excellence in connecting humans

That is purpose. That is Swiss. That is KWC

1 — Blanks for fittings. 2 — View of the foundry in Unterkulm in 1880. Our experience and knowledge have both origins and history. 3 — In 1978, KWC developed and began to use the first low-pressure die-casting machines in the world. The company still employs this technique today. **4** — Each individual part is accurately machined in a step-by-step process. In order to meet the high quality standards, the procedure is continually monitored before moving on to postprocessing. **5** — To make the fittings, pure brass which arrives in the form of ingots is used. **6** — The basic shape of the fitting in brass. **7** — With low-pressure die casting, the brass is first melted and then poured into sand molds – creating the basic shape of the fitting in brass.






FAUCETS FOR THE KITCHEN

KWC ERA	14
KWC ZOE touch light PRO	15
KWC ZOE	16
KWC ONO touch light PRO	18
KWC ONO	20
KWC INOX	23
KWC EVE	24
KWC SIN	26
KWC SAROS	27
KWC LIVELLO	28
KWC AVA	29
KWC DOMO	31
KWC ADRENA	33
KWC SUNO	34
KWC LUNA-E	36
KWC ISLA	37
KWC VITA PRO	38
KWC ORCINO	39
KWC STAR	40
KWC Soap dispensers	41
KWC Accessories	43



KWC ZOE touch light PRO

FUN KWC-No. Price € 115.0393.145 10.201.242.000FL 2'059.70 all chrome, A 215, flexible connection hoses, mains receiver Kitchen • with LEDShine, touch light PRO IntelligentControl - electronic control Covered pull-out spray
touch light PRO control unit, maintenance-free ■ Flexible connection hoses ¾" 115.0393.163 10.201.242.127FL 2'266.70 decor steel, A 215, flexible connection hoses, mains receiver Kitchen ■ with LEDShine, touch light PRO IntelligentControl - electronic control ■ Covered pull-out spray • touch light PRO control unit, maintenance-free ■ Flexible connection hoses ¾" 119.0308.341 Z.536.586.000 338.80 all chrome Soap dispensers Soap dispenser KWC ZOE 119.0308.352 Z.536.586.127 429.20 decor steel Soap dispensers Soap dispenser KWC ZOE



115.0307.911 10.201.102.000FL 684.10 all chrome, A 215, flexible connection hoses 856.10

Price €

1'064.80

115.0308.235 10.201.102.127FL decor steel, A 215, flexible connection hoses

KWC-No.

Lever mixer - Kitchen

Lever mixer

FUN

- Covered pull-out spray
- KWC cartridge S 25
- Flexible connection hoses ¾"



all chrome, A 215, flexible connection hoses, mains receiver


115.0308.233 10.201.122.127FL decor steel, A 215, flexible connection hoses, mains receiver

Lever mixer = Kitchen = with LEDShine

- Covered pull-out spray
- KWC cartridge S 25
- Flexible connection hoses ¾"







Lever mixer ■ Kitchen


Lever mixer

- Covered pull-out spray
- KWC cartridge S 25
- Flexible connection hoses ¾"

115.0340.013 10.201.122.106FL 1'064.80

black, A 215, flexible connection hoses, mains receiver






Lever mixer • Kitchen • with LEDShine

Lever mixer

- Covered pull-out spray
- KWC cartridge S 25
- Flexible connection hoses ¾"








Lever mixer ■ Kitchen

Lever mixer

- Covered pull-out spray
- KWC cartridge S 25
- Flexible connection hoses ¾"





115.0340.014 10.201.122.150FL

glacier white, A 215, flexible connection hoses, mains receiver

Lever mixer = Kitchen = with LEDShine


- Covered pull-out spray
- KWC cartridge \$ 25
- Flexible connection hoses ¾"

1'064.80

	FUN KWC-No.	Price €
	113.0360.379 11.202.033.000	631.30
- 	all chrome, A 175, Trim kit	051.50
- 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	113.0360.380 11.202.034.000 all chrome, A 225, Trim kit	671.10
73 0 59	Trim kit = Lever mixer = Kitchen	
36 32-57 47-72 47-72	Lever mixer Fixed spout KWC cartridge S 25 To be ordered separately: Unit for concealed installation ½" 39.193.400.9	931
- 180 -	112.0308.149 39.193.400.931 Concealed unit	158.50
100 59 77 33 172"	Concealed unit Concealed unit wall two hole Connecting thread ½" To be ordered separately: Installation kit Z.536.828	
	112.0362.929 Z.536.828	137.10
	Installation kit Installation kit Suitable for: Concealed unit wall two hole	
	119.0308.341 Z.536.586.000 all chrome	338.80
95 044 85	119.0308.352 Z.536.586.127 decor steel	429.20
<u>ø24</u> — max.58	Soap dispensers	
255 <u>@70</u>	Soap dispenser KWC ZOE	
100	119.0340.000 Z.536.586.106 black	429.20
95 <u>844</u> 85	Coop dispersers	
max.58 255	Soap dispensers Soap dispenser KWC ZOE	
95 444 85	119.0340.011 Z.536.586.150 glacier white	429.20

Soap dispensersSoap dispenser KWC ZOE

FUN KWC-No. Price € 115.0308.219 10.651.022.000FL 2'201.40 all chrome, A 220, flexible connection hoses, mains receiver Kitchen • with LED-technology IntelligentControl - electronic control Swivel spout 360° touch light PRO control unit, maintenance-free ■ Flexible connection hoses ¾" 115.0308.222 10.651.122.000FL 2'756.30 all chrome, A 220, flexible connection hoses, mains receiver Kitchen • with LED-technology IntelligentControl - electronic control EasyLock - a pull-out spray that easily slides back into place touch light PRO control unit, maintenance-free ■ Flexible connection hoses ¾" 115.0308.217 10.652.012.000FL 2'112.10 all chrome, A 220, flexible connection hoses, mains receiver Kitchen • with LED-technology IntelligentControl - electronic control Swivel spout 360° touch light PRO control unit, maintenance-free ■ Flexible connection hoses ¾" 10.653.112.000FL 115.0308.220 3'553.10 all chrome, A 220, flexible connection hoses, mains receiver Kitchen • with LED-technology IntelligentControl - electronic control ■ EasyLock - a pull-out spray that easily slides back into place touch light PRO control unit, maintenance-free ■ Flexible connection hoses ¾" 115.0308.218 10.651.032.000FL 2'178.80 all chrome, A 220, flexible connection hoses, mains receiver 112.0308.152 7 636 183 11.30 Concealed unit Kitchen ■ with LED-technology IntelligentControl - electronic control Swivel spout 360° ■ touch light PRO control unit, maintenance-free ■ Flexible connection hoses %" ■ To be ordered separately: Rough in for operating unit Z.636.183 115.0308.221 10.652.132.000FL 3'071.30 all chrome, A 220, flexible connection hoses, mains receiver



Concealed unit

Z.636.183

IntelligentControl - electronic control

Kitchen • with LED-technology

112.0308.152

- EasyLock a pull-out spray that easily slides back into place
- touch light PRO control unit, maintenance-free
- Flexible connection hoses ¾"
- To be ordered separately: Rough in for operating unit Z.636.183

11.30


Price €

1'926.10


1'946.50

113.30

KWC ONO touch light PRO







Concealed unit

Concealed unit wall two hole





112.0308.151 Z.536.351.000 all chrome, mains receiver

1'278.20

Accessories ■ with LED-technology

KWC ONO touch light PRO wireless operating unit, with charging station





112.0308.152 Z.636.183 Concealed unit


11.30

Concealed unit

Rough in for touch light PRO operating unit, plastic







119.0307.908 Z.536.060.000

all chrome

119.0308.343 Z.536.060.700


stainless steel

Soap dispensers

Soap dispenser KWC ONO

379.60


	FUN KWC-No.	Price €
220 265 249 150-400 043 88 103 max.45 376 3/8" 3/8"	115.0308.196 10.152.413.000FL all chrome, A 220, flexible connection hoses Lever mixer = Kitchen Lever mixer = Swivel spout 360° = KWC cartridge M 35 = Flexible connection hoses 3/8"	812.10
395 150-250 1643 221 243 221 243 243 243 2551 378"	115.0308.194 10.152.322.000FL all chrome, A 200, flexible connection hoses Lever mixer • Kitchen Lever mixer • Pull-out aerator covered • KWC cartridge M 35 • Flexible connection hoses 3%"	731.40
225 125 125 125 125 125 127 127 1304 271 304 271 304 304 304 305 306 307 307 308 308 308 308 308 308 308 308 308 308	115.0308.193 10.151.013.000FL all chrome, A 225, flexible connection hoses Lever mixer • Kitchen Lever mixer • Swivel spout 360° • KWC cartridge M 35 • Flexible connection hoses ¾"	626.30
220 92 114° 249 944 130 265 144 72 max.45 M33 425 3/8"	115.0308.170 10.151.413.000FL all chrome, A 220, flexible connection hoses 115.0308.208 10.151.413.700FL stainless steel, A 220, flexible connection hoses Lever mixer = Kitchen Lever mixer = Swivel spout 360° = KWC cartridge M 35 = Flexible connection hoses %"	715.50 1'015.90
200 125 95 395 221 200 395 395 38"	115.0308.191 10.151.102.000FL all chrome, A 200, flexible connection hoses 115.0308.185 10.151.102.700FL stainless steel, A 200, flexible connection hoses Lever mixer = Kitchen Lever mixer Pull-out aerator covered KWC cartridge M 35 Flexible connection hoses %"	684.60 799.60
225 196 114° 95 95 95 95 95 95 95 93 93 93 93 93 93 93 93 93 93	115.0308.192 10.151.003.000FL all chrome, A 225, flexible connection hoses Lever mixer • Kitchen Lever mixer • Pull-out spray • KWC cartridge M 35 • Flexible connection hoses 3%"	742.70



Installation kit Installation kit ■ Suitable for:


- Concealed unit wall two hole

	FUN KWC-No.	Price €
225	115.0315.697 10.271.023.700FL stainless steel, A 225, flexible connection hoses	645.30
216 186 186 153 192 153 192 153 193 193 193 193 193 193 193 193 193 19	Lever mixer • Kitchen Lever mixer • Swivel spout 160° • KWC cartridge L 39 - universal • Flexible connection hoses 3%"	
230	115.0315.658 10.271.103.700FL stainless steel, A 230, flexible connection hoses	770.30
18 ³ 156 156 156 156 156 156 156 156 156 156	Lever mixer = Kitchen Lever mixer = Pull-out aerator = KWC cartridge L 39 - universal = Flexible connection hoses 3%"	
230 283 253 253 206	115.0315.698 10.271.303.700FL stainless steel, A 230, flexible connection hoses	868.20
M33 max.45	Lever mixer • Kitchen Lever mixer • Pull-out aerator • KWC cartridge L 39 - universal • Flexible connection hoses 3%"	
235	115.0315.656 10.271.033.700FL stainless steel, A 235, flexible connection hoses	844.50
233 203 30° 154	115.0315.657 10.271.033.736FL stainless steel/matte black, A 235, flexible connection hoses	719.40
370 M33 max.45	Lever mixer • Kitchen Lever mixer • Pull-out spray • KWC cartridge L 39 - universal • Flexible connection hoses 3%"	
100	119.0310.326 Z.536.062.700 stainless steel	348.10
72 631 97 924 H max.58 240	Soap dispensers Soap dispenser KWC INOX	



KWC cartridge M 35
Flexible connection hoses ¾"

	FUN KW	VC-No.	Price €
. 83 .	119.0307.870 Z.5 all chrome	536.063.000	285.00
89 038 76	119.0307.901 Z.5 stainless steel	536.063.700	379.60
924 max.58 240	Soap dispensers Soap dispenser KWC	EVE	
89 / \@38 76	119.0308.348 Z.5 glacier white	536.063.150	379.60
### max.58 240	Soap dispensers Soap dispenser KWC	EVE	
83 89 Ø38, 76	119.0308.349 Z.5 black chrome-plated	536.063.151	379.60
89 <u>938</u> 76 924 — max.58 240	Soap dispensers Soap dispenser KWC	EVE	



		FUN KWC-No.	Price €
\cap	165 101 40	115.0315.705 10.181.992.000FL all chrome, A 165, flexible connection hoses	377.10
"	233 a46 777 max.45	Lever mixer • Kitchen Lever mixer • Swivel spout 160°	
W	422	KWC cartridge S 25Flexible connection hoses %"	
\cap	200 101 40	115.0315.704 10.181.012.000FL all chrome, A 200, flexible connection hoses	377.10
1	250 046 77	Lever mixer ■ Kitchen	
	max.45	Lever mixer • Swivel spout 160°	
	422 	 KWC cartridge \$ 25 Flexible connection hoses ¾" 	
	3/8"	• Flexible connection noses //8	
	180 101 40	115.0307.903 10.181.002.000FL all chrome, A 180, flexible connection hoses	528.30
11	254	Lever mixer • Kitchen	
	max.45 M33	Lever mixer - Pull-out spray - magnetic tight-fit holder	
Ш	422	 KWC cartridge S 25 Flexible connection hoses %" 	
	3/8" 🗸		
\cap	250 101 40	115.0307.902 10.181.003.000FL all chrome, A 250, flexible connection hoses	528.30
	265	Lever mixer ■ Kitchen	
	max.45 M33	Lever mixer • Pull-out spray - magnetic tight-fit holder	
	422	 KWC cartridge S 25 Flexible connection hoses %" 	
•	3/8"	- HEADIC CONNECTION HOSES 78	

FUN KWC-No. Price € 115.0308.215 10.231.013.000FL 320.90 all chrome, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Swivel spout 160° KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0308.216 10.231.013.700FL 481.20 stainless steel, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Swivel spout 160° ■ KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0308.213 10.231.103.000FL 417.20 all chrome, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out aerator KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0308.214 10.231.103.700FL 626.30 stainless steel, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out aerator KWC cartridge M 35 ■ Flexible connection hoses ¾" 10.231.043.700FL 115.0308.256 633.00 stainless steel, A 225, flexible connection hoses Lever mixer = Kitchen = detachable Lever mixer Swivel spout 160° KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0308.257 10.231.053.700FL 773.90 stainless steel, A 225, flexible connection hoses Lever mixer • Kitchen • detachable


Lever mixer

Pull-out aerator

KWC cartridge M 35

Flexible connection hoses %"

	FUN KWC-No.	Price €
210	115.0200.123 10.191.023.000FL all chrome, A 210, flexible connection hoses	316.40
293 248 15°	115.0308.240 10.191.023.127FL decor steel, A 210, flexible connection hoses	418.00
248 15° 176 202	Lever mixer ■ Kitchen	
max.45	Lever mixer Swivel spout 160° KWC cartridge M 35 Flexible connection hoses %"	
210 +	115.0308.200 10.191.113.000FL all chrome, A 210, flexible connection hoses	394.90
304 260	115.0308.242 10.191.113.127FL decor steel, A 210, flexible connection hoses	518.60
260 185 211 Ø48.5	Lever mixer ■ Kitchen	
max.45 400 M33 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Lever mixer Pull-out aerator KWC cartridge M 35 Flexible connection hoses %"	
- 210	115.0200.124 10.191.033.000FL all chrome, A 210, flexible connection hoses	436.60
304 169 215	115.0308.241 10.191.033.127FL decor steel, A 210, flexible connection hoses	576.90
$ \begin{array}{c c} 260 & \phantom{00000000000000000000000000000000000$	Lever mixer ■ Kitchen	
350 M33 M33 M33 M33 M33 M33 M33 M33 M33 M3	Lever mixer • Pull-out spray	
3/8"	 KWC cartridge M 35 Flexible connection hoses ¾" 	
205 1 91.	115.0309.244 10.191.103.000FL all chrome, A 205, flexible connection hoses	394.90
270 247	115.0308.243 10.191.103.127FL decor steel, A 205, flexible connection hoses	518.60
247 142 71 Ø46	Lever mixer ■ Kitchen	
max.45 M33 381	Lever mixer Pull-out aerator	
3/8"	KWC cartridge M 35Flexible connection hoses ¾"	
205 1 91.	115.0309.243 10.191.003.000FL all chrome, A 205, flexible connection hoses	436.60
1140	115.0308.244 10.191.003.127FL decor steel, A 205, flexible connection hoses	576.90
275 236 142 046	Lever mixer ■ Kitchen	
max.45 M33 381	Lever mixer • Pull-out spray	
3/8"	 KWC cartridge M 35 Flexible connection hoses %" 	
- 		



FUN KWC-No. Price € 115.0308.225 10.061.023.000FL 313.60 all chrome, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Swivel spout 160° • KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 115.0308.227 10.061.033.000FL 441.10 all chrome, A 230, flexible connection hoses Lever mixer - Kitchen M33 Lever mixer ■ Pull-out spray 377 ■ KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 115.0308.228 10.061.043.000FL 421.40 all chrome, A 225, flexible connection hoses Lever mixer = Kitchen = detachable Lever mixer ■ Swivel spout 160° KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 115.0308.229 10.061.053.000FL 549.10 all chrome, A 230, flexible connection hoses Lever mixer = Kitchen = detachable Lever mixer ■ Pull-out spray ■ KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 10.061.003.000FL 115.0308.230 439.70 all chrome, A 235, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out spray • KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 115.0308.231 10.061.004.000FL 487.80 all chrome, A 250, flexible connection hoses Lever mixer - Kitchen

■ Pull-out spray - magnetic tight-fit holder

KWC cartridge L 39 - universal
 Flexible connection hoses 3/8"

		FUN KWC-No.	Price €
110°		113.0315.781 11.062.002.000 all chrome, AD 153 +/- 8 mm, A 175	406.30
	450	113.0315.782 11.062.003.000 all chrome, AD 153 +/- 8 mm, A 225	406.30
	98	Lever mixer ■ Kitchen	
		Lever mixer Swivel spout 90°	
	153+/-8 A 3°	KWC cartridge L 39 - universal	
		 Wall connections ½" x ½", without sl 4 mm 	nut-off valve L 40 eccentric

		FUN KWC-No.	Price €
	230	115.0307.925 10.321.023.000FL all chrome, A 230, flexible connection hoses	263.10
	206 173 449 19 132 157 391 M33 78"	Lever mixer • Kitchen Lever mixer • Swivel spout 160° • KWC cartridge M 35 • Flexible connection hoses ¾"	
	230	115.0307.926 10.321.033.000FL all chrome, A 230, flexible connection hoses	368.30
	243 210 049 19 140 175 175 175 175 175 175 175 175 175 175	Lever mixer = Kitchen Lever mixer = Pull-out spray = KWC cartridge M 35 = Flexible connection hoses %"	
	230	115.0308.251 10.321.043.000FL all chrome, A 230, flexible connection hoses	328.90
	216 183 19° 142 167 max.45 3/8"	Lever mixer • Kitchen • detachable Lever mixer • Swivel spout 160° • KWC cartridge M 35 • Flexible connection hoses %"	
-	230	115.0308.248 10.321.053.000FL all chrome, A 230, flexible connection hoses	460.30
	253 220 049 19° 150 185 185 185 488	Lever mixer • Kitchen • detachable Lever mixer • Pull-out spray • KWC cartridge M 35 • Flexible connection hoses 3/8"	

FUN KWC-No. Price € 115.0480.418 10.171.023.000FL 227.70 all chrome, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Swivel spout 160° KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0480.633 10.171.033.000FL 315.70 all chrome, A 230, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out spray ■ KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0480.498 10.171.043.000FL 341.60 all chrome, A 225, flexible connection hoses Lever mixer • Kitchen • detachable Lever mixer max.45 Swivel spout 160° KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0480.637 10.171.053.000FL 476.10 all chrome, A 230, flexible connection hoses Lever mixer = Kitchen = detachable Lever mixer ■ Pull-out spray KWC cartridge M 35 ■ Flexible connection hoses ¾" 10.175.023.000FL 115.0480.492 318.80 all chrome, A 225, flexible connection hoses Lever mixer • Kitchen • Low pressure Lever mixer Swivel spout 160° KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0480.636 10.175.033.000FL 442.00 all chrome, A 230, flexible connection hoses Lever mixer = Kitchen = Low pressure M33 Lever mixer


Pull-out spray
KWC cartridge M 35
Flexible connection hoses 3/8"

FUN KWC-No. Price € 115.0480.661 10.171.013.000FL 258.80 all chrome, A 225, flexible connection hoses _115_ Lever mixer ■ Kitchen Lever mixer ■ Swivel spout 360° ■ KWC cartridge S 25 ■ Flexible connection hoses ¾" 115.0480.671 10.171.003.000FL 351.90 115 all chrome, A 225, flexible connection hoses 80 Lever mixer ■ Kitchen Lever mixer ■ Pull-out spray ■ KWC cartridge S 25 ■ Flexible connection hoses ¾" 115.0480.480 10.171.063.000FL 353.00 all chrome, A 225, flexible connection hoses Lever mixer = Kitchen = Integrated shut-off valve Lever mixer ■ Swivel spout 160°

KWC cartridge M 35
Flexible connection hoses ¾"

FUN KWC-No. Price € 115.0457.304 10.441.023.000FL 194.60 all chrome, A 225, flexible connection hoses Lever mixer ■ Kitchen ø49 Lever mixer max.45 ■ Swivel spout 160° KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0457.309 10.441.033.000FL 271.20 all chrome, A 220, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out spray ■ KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0457.316 10.441.113.000FL 246.40 all chrome, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out aerator ` M33 KWC cartridge M 35 ■ Flexible connection hoses ¾" 115.0481.988 10.441.023.700FL 276.40 stainless steel, A 235, flexible connection hoses Lever mixer ■ Kitchen Lever mixer Swivel spout 160° KWC cartridge M 35 ■ Flexible connection hoses 3/8" 10.441.113.700FL 115.0481.989 349.90 stainless steel, A 220, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out aerator KWC cartridge M 35 ■ Flexible connection hoses ¾"





115.0483.403 10.891.022.000FL all chrome, A 210, flexible connection hoses

150.10

Lever mixer • Kitchen

- Swivel spout 360°
- KWC cartridge M 35 S
- Flexible connection hoses ¾"

		FUN KWC-No.	Price €
	225	115.0473.854 10.371.023.000FL all chrome, A 225, flexible connection hoses	170.80
	220 177 10° 144 169 169 169 169 169 169 169 169 169 169	Lever mixer • Kitchen Lever mixer • Swivel spout 160° • KWC cartridge M 35 H • Flexible connection hoses %"	
	225	115.0473.853 10.371.033.000FL all chrome, A 225, flexible connection hoses	238.10
I	235 194 15° 132 189 189 187 132 189 188 188 188 188 188 188 188 188 188	Lever mixer • Kitchen Lever mixer • Pull-out spray • KWC cartridge M 35 S • Flexible connection hoses %"	

125 125 195 240 102 195 240 103 3/8" 225 FUN KWC-No. Price €

115.0315.707 10.291.023.000FL all chrome, A 225, flexible connection hoses

345.20

Lever mixer ■ Kitchen

Lever mixer

- Swivel spout 160°
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses 3/8"



115.0315.709 10.291.023.000LLFL

all chrome, A 225, flexible connection hoses, with long lever


345.20



Lever mixer

- Swivel spout 160°
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses ¾"





115.0315.706 10.291.033.000FL all chrome, A 230, flexible connection hoses


485.20

Lever mixer ■ Kitchen

Lever mixer

- Pull-out spray
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses ¾"





115.0315.708 10.291.033.000LLFL

all chrome, A 230, flexible connection hoses, with long lever


485.20

Lever mixer ■ Kitchen

- Pull-out spray
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses ¾"

FUN KWC-No. Price € 225 115.0043.798 10.071.023.000FL 364.00 all chrome, A 225, flexible connection hoses Ø55 Lever mixer ■ Kitchen M33 Lever mixer ■ Swivel spout 160° • KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 225 115.0315.702 10.071.023.000LLFL 378.50 all chrome, A 225, flexible connection hoses, with long lever 258 Ø55 Lever mixer - Kitchen Lever mixer M33 ■ Swivel spout 160° • KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 115.0043.799 10.071.033.000FL 509.50 all chrome, A 225, flexible connection hoses Lever mixer ■ Kitchen Lever mixer ■ Pull-out spray ■ KWC cartridge L 39 - universal ■ Flexible connection hoses ¾" 115.0315.701 10.071.033.000LLFL 523.90 all chrome, A 225, flexible connection hoses, with long lever 20° Lever mixer ■ Kitchen Ø55 Lever mixer ■ Pull-out spray • KWC cartridge L 39 - universal

■ Flexible connection hoses ¾"



FUN KWC-No. Price €

115.0315.666 K.10.41.23.000A02 all chrome, A 225, copper tubes

255.60

Two-handle mixer ■ Kitchen


Two-handle mixer

- Swivel spout 160°
- Flat valves M20 x 1.25
- Copper tubes ø10 mm

115.0315.667 K.10.41.03.000A03 all chrome, A 225, copper tubes

393.10






Two-handle mixer ■ Kitchen

Two-handle mixer

- Pull-out spray
- Flat valves M20 x 1.25
- Copper tubes ø10 mm

000



113.0315.688 K.11.42.42.000A76 all chrome, AD 153 +/- 8 mm, A 125


217.30

Two-handle mixer = Kitchen = Basin


Two-handle mixer

- Fixed spout
- Flat valves M20 x 1.25
- \blacksquare Wall connections ½" x ½", without shut-off valve L 40 eccentric 4 mm

KWC Soap dispensers








Soap dispensers

Soap dispenser KWC ERA





119.0307.870 all chrome

Z.536.063.000

285.00

119.0307.901

Z.536.063.700


379.60

stainless steel

Soap dispensers

Soap dispenser KWC EVE





119.0308.348 glacier white


Z.536.063.150

379.60

Soap dispensers

Soap dispenser KWC EVE





Z.536.063.151 119.0308.349


black chrome-plated

379.60

Soap dispensers

Soap dispenser KWC EVE






119.0310.326 stainless steel

Z.536.062.700

348.10


Soap dispensers

Soap dispenser KWC INOX



	FUN	KWC-No.	Price €
3/8"	112.0315.872 all chrome	Z.536.576.000	29.10





Shut-off valve with filter


Shut-off valve with filter • Connecting thread ½"



FAUCETS FOR THE COMMERCIAL KITCHEN

KWC GASTRO

46



Swivel spoutFlat valves M20 x 1.25

7.5 mm

■ Wall connections ¾" x ¾", with shut-off valve L 40 eccentric

Price €

446.20

3/4" 192 284

115.0315.676 K.24.42.22.000C74 **505.30** all chrome, AD 153, A 300

Two-handle mixer - Commercial kitchen

KWC-No.

Two-handle mixer

Swivel spout

FUN

- Flat valves M20 x 1.25
- Wall connections ¾" x ¾", without shut-off valve L 160




115.0315.634 K.24.42.11.000C86 all chrome, AD 153 +/- 15 mm, A 300

Two-handle mixer ■ Commercial kitchen

Two-handle mixer

- Swivel spout
- Flat valves M20 x 1.25
- Wall connections ¾" x ¾", with shut-off valve L 40 eccentric 7.5 mm



115.0493.133 K.24.42.13.000C86 all chrome, AD 153 +/- 15 mm, A 300

469.90


589.60

Commercial kitchen

Two-handle mixer

- Swivel spout
- Flat valves M20 x 1.25
- \blacksquare Wall connections % " x % ", with shut-off valve L 40 eccentric 7.5 mm





115.0315.635 K.24.42.17.000C86 **388.60** all chrome, AD 153 +/- 15 mm, G ¾"


115.0315.636 K.24.42.19.000C86 all chrome, AD 153 +/- 15 mm, G ¾" x DN 20

Two-handle mixer ■ Commercial kitchen

Two-handle mixer

- Threaded outlet for hose connection
- Flat valves M20 x 1.25
- \blacksquare Wall connections $3\!\!\!/4$ " x $3\!\!\!/4$ ", with shut-off valve L 40 eccentric 7.5 mm





115.0315.659 K.25.40.14.000C35 **317.10** all chrome, A 300


115.0315.660 K.25.40.16.000C35 **335.10** all chrome, A 450

Commercial kitchen ■ Wall mounted valve

Wall mounted valve

- Swivel spout
- Flat valves M20 x 1.25
- Connecting thread ¾"






115.0315.639 K.24.42.41.000C74 **446.20** all chrome, AD 153, A 300, B 252, C 345

115.0315.640 K.24.42.42.000C74 **466.50** all chrome, AD 153, A 300, B 356, C 449

Two-handle mixer ■ Commercial kitchen


Two-handle mixer

- Swivel spout 360°
- Flat valves M20 x 1.25
- Pillar connections ¾" x ¾" L 45




		FUN KWC-No.	Price €
	40-90	115.0315.620 K.24.42.74.000C78 all chrome, AD 153 +/- 8 mm, A 300	947.60
	min,120	Two-handle mixer ■ Commercial kito	:hen
	400	Two-handle mixer	
	105 -195	Swivel spout 180°Flat valves M20 x 1.25	
مواجه ا	80 300 326	■ Wall connections ½" x ¾", with shut-of	f valve L 40 eccentric 4 mm
	40-80	115.0315.662 K.24.40.70.000C34 all chrome	625.10
	~725 mln,120 \	Commercial kitchen • Wall mounted	valve
	374	Wall mounted valve	
₩	-205	Pre-rinse sprayFlat valves M20 x 1.25	
₃ -9	40	■ Connecting thread ½"	
	40-90 -400	115.0315.664 K.24.42.62.000C71 all chrome, AD 153	775.50
	1100	Two-handle mixer ■ Commercial kito	:hen
V .		Two-handle mixer	
- 1	9, ~375 8 E	Pre-rinse sprayFlat valves M20 x 1.25	
ŢŢ	1/2"	■ Pillar connections ½" x ¾" L 130	
	40,50 ~400	115.0315.626 K.24.42.64.000C71 all chrome, AD 153, A 300	947.60
	~1055 mln,120	Two-handle mixer ■ Commercial kito	:hen
1		Two-handle mixer	
T 100	559 300 361 ~ 362 ~ 326 ~ 284 ~ ~ 362	Swivel spout 180°Flat valves M20 x 1.25	
Ŋ	112"———————————————————————————————————	■ Pillar connections ½" x ¾" L 130	
	40-80	115.0315.670 K.24.42.61.000C71 all chrome, AD 153, A 180	1'016.10
***************************************		To be all original Comments Like	d
1 39	1325	Two-handle mixer • Commercial kito Two-handle mixer	nen
I 10	812 610	Swivel spout 180°	
	255 355 max.60	 Flat valves M20 x 1.25 Pillar connections ½" x ¾" L 130 	
	max.60	115.0315.692 24.501.064.000	701.00
	645	all chrome, A 300 115.0315.693 24.501.066.000	721.20
	555	all chrome, A 450 Lever mixer • Commercial kitchen	
	430 413 413	Lever mixer - Commercial kitchen	
	max. 60	 Swivel spout 360° KWC cartridge XL 46 - high capacity 	
	* 183 	■ Copper tubes ø15 mm	

■ Copper tubes ø15 mm







all chrome

Lever mixer ■ Commercial kitchen


- Pre-rinse spray
- KWC cartridge XL 46 high capacity
- Copper tubes ø15 mm

51

		FUN	KWC-No.	Price €
		115.0315.647 all chrome, A 2		1'013.20
3344444	40-80 -1020	115.0315.648 all chrome, A 3	24.501.146.000	1'042.00
1 _ 1	497		■ Commercial kitchen	
	275 124 124 125 125 125 125 125 125 125 125 125 125	Lever mixer Swivel spour KWC cartrid Copper tube	ge XL 46 - high capacity	
		115.0315.653 all chrome, AD	24.503.114.000 153, A 200, B 270	1'028.40
***************************************	40-40	115.0392.947		1'171.60
1	200		■ Commercial kitchen	
1 ~		Lever mixer Swivel spou		
ħ	153 372 260 304" 122 373 372 260 374 374 374 374 374 374 374 374 374 374		ge XL 46 - high capacity ctions ½" x ¾" L 130	
		115.0315.654	24.503.124.000 153, A 200, B 270	1'040.50
-	40-80	115.0315.655		1'099.60
	-1300 B B		■ Commercial kitchen	
* ~ 1	780	Lever mixer • Swivel spou	t	
	155 461 477 152 1621 177 188.560 172	KWC cartrid	ge XL 46 - high capacity ctions ½" x ¾" L 340	
		115.0315.649 all chrome. AD	24.502.164.000 153 +/- 8 mm, A 200, B 270	1'040.50
	40-80	115.0315.650		1'099.60
		Lever mixer	■ Commercial kitchen	
I, I	400 344 - 175 97 97	Lever mixer Swivel spou KWC cartrid Wall connec	t 160° lge XL 46 - high capacity ttions ½" x ¾", with shut-off valve L	40 eccentric 4 mm
	365	115.0315.700 all chrome A 2	24.501.103.000LLFL 225, B 184, flexible connection hoses, w	439.40
	457	115.0315.699		476.50
	321		■ Commercial kitchen	J
	Ø55 A B	Lever mixer • Swivel spou	t 160°	
	455 M33 3/8"	KWC cartrid	ge L 39 - universal nection hoses %"	
	365	115.0493.132 all chrome, A 1	24.501.102.000LL 150, copper tubes, with long lever	434.70
P P	457 321 20° B	Lever mixer	■ Commercial kitchen	

Lever mixer

Swivel spout 160°
KWC cartridge L 39 - universal
Copper tubes ø10 mm




- limitation individually adjustable

FUN	KWC-No.	Price €
133.0324.455 stainless steel, L 10	Z.502.844.700 075	130.30
Shower hose f	or pre-rinse spray	
Shower hose for Connecting thr	pre-rinse spray	
133.0325.630 stainless steel, L 12	Z.502.868.700 275	151.50
Shower hose f	or pre-rinse spray	
Shower hose for Connecting thr	pre-rinse spray read $lac{1}{2}$ "	
133.0325.631 stainless steel, L 1!	Z.502.869.700 500	172.60
Shower hose f	or pre-rinse spray	
Shower hose for • Connecting thr	pre-rinse spray ead ½"	
133.0325.632 stainless steel, L 20	Z.502.845.700 045	202.90
Shower hose f	or pre-rinse spray	
Shower hose for Connecting thr Suitable for: KWC GASTRO	pre-rinse spray ead ½"	



FAUCETS FOR THE BATH

KWC MONTA	New 5
KWC ZOE	5
KWC ONO	6
KWC ONO touch light PRO	6-
KWC DOMO	6
KWC AVA	7
KWC ELLA	7
KWC INTRO	7:
KWC VITA	8
KWC VITA PRO	8.
KWC VERTICAL SHUT-OFF V	ALVE 8
KWC BLUEBOX®	8
KWC ADRENA Roman tub	8
KWC Accessories	9



158

3/8"

□43

□ 51

max. 45

3/8"

□ 51

max. 45

265 235 43

459

365

□ 51

max. 45

FUN KWC-No. Price €

113.0553.678 12.411.042.000FL **209.10** all chrome, A 125, flexible connection hoses, with pop-up valve

113.0553.681 12.411.052.000FL **192.60**

all chrome, A 125, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin

Lever mixer

- Fixed spout
- KWC cartridge M 35 OP
- Flexible connection hoses ¾"



all chrome, A 125, flexible connection hoses, with pop-up valve

113.0553.683 12.411.072.000FL **192.60**

all chrome, A 125, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin ■ CoolFix

Lever mixer

- Fixed spout
- KWC cartridge M 35 OP
- Flexible connection hoses ¾"



all chiloffie, A 143, flexible conflection floses, with pop-up valve

113.0553.685 12.411.053.000FL **243.30** all chrome, A 145, flexible connection hoses, without pop-up valve

. . . .

Lever mixer

Basin

Lever mixer

- Fixed spout
- KWC cartridge M 35 OP
- Flexible connection hoses ¾"

113.0553.686 12.411.033.000FL **259.80**

all chrome, A 145, flexible connection hoses, with pop-up valve

113.0553.687 12.411.073.000FL **243.30**

all chrome, A 145, flexible connection hoses, without pop-up valve $\,$

Lever mixer ■ Basin ■ CoolFix

Lever mixer

- Fixed spout
- KWC cartridge M 35 OP
- Flexible connection hoses ¾"




all chrome, A 120, flexible connection hoses, with pop-up valve

Lever mixer • Basin


1-1/4"

Lever mixer

- Fixed spout
- KWC cartridge M 35 OP
- Flexible connection hoses ¾"










Lever mixer

- Fixed spout
- KWC cartridge M 35 OP
- Flexible connection hoses ¾"

209.10

FUN KWC-No. Price €





113.0553.714 20.412.333.000

279.50


all chrome, AD 150 +/- 20 mm, A 160, without hand shower, hose and bracket

Lever mixer ■ Tub

Lever mixer

- Fixed spout
- KWC cartridge M 35 H
- Wall connections ½" x ¾", without shut-off valve eccentric 10 mm





113.0553.700 21.412.330.000

228.80

all chrome, AD 150 +/- 20 mm, without hand shower and hose




Lever mixer ■ Shower

Lever mixer

- KWC cartridge M 35 H
- Wall connections ½" x ¾", without shut-off valve eccentric 10 mm





113.0553.716 20.414.500.000 **281.60**

all chrome, Trim kit

113.0553.717 20.414.510.000 all chrome, Trim kit, with vacuum breaker


403.70

Trim kit - Tub

Trim kit with function unit

- KWC cartridge M 35 H
- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





113.0553.715 21.414.500.000 all chrome, Trim kit

229.80


all Ciliottie, Illiii Ki

Trim kit - Shower

Trim kit with function unit

- KWC cartridge M 35 H
- To be ordered separately:
 - Unit for concealed installation KWC BLUEBOX®





112.0493.140 39.999.900.931 **101.50**

G $\frac{1}{2}$ ", without shut-off valve, Concealed unit

112.0493.301 39.999.910.931


G 34" (1/2"), with shut-off valve, Concealed unit

Concealed unit

Concealed unit compact

■ Connecting thread ½" (stopper ½" incl. in delivery)





112.0493.302 39.999.930.931 G ¾", with shut-off valve, Concealed unit


142.90

142.90

Concealed unit

Concealed unit compact

■ Connecting thread ¾" (stopper ¾" incl. in delivery)



FUN KWC-No. Price €

113.0360.384 12.208.131.000FL 484.00

all chrome, A 150, flexible connection hoses, with pop-up valve

12.208.141.000FL

all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin

Lever mixer

113.0360.381

113.0360.385

- Swivel spout 90°
- KWC cartridge \$ 25
- Flexible connection hoses ¾"

12.203.151.000FL all chrome, A 150, flexible connection hoses, with pop-up valve

12.203.161.000FL 686.20

all chrome, A 150, flexible connection hoses, without pop-up valve

Two-handle mixer ■ Basin

Two-handle mixer

- Swivel spout 90°
- Flexible connection hoses ¾"

113.0360.386 13.201.041.000FL 484.00

all chrome, A 100, flexible connection hoses, with pop-up valve

Lever mixer - Bidet

Lever mixer

- Fixed spout
- KWC cartridge S 25
- Flexible connection hoses ¾"


113.0396.245 20.202.503.000 645.30

444.30

726.00

all chrome, AD 150 +/- 15 mm, A 190, without hand shower and hose





Thermostatic mixer ■ Tub


Thermostat

- Fixed spout
- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", with shut-off valve

113.0396.255 21.202.500.000 537.70

all chrome, AD 150 +/- 15 mm, without hand shower and hose





Thermostatic mixer - Shower

Thermostat

- Thermostatic precision control unit
- Concealed wall connections ½" x ½", with shut-off valve





112.0493.669 26.201.073.000 all chrome, A 200, G 1/2 "

204.50

Bathtub spout

Bathtub spout

- Fixed spout
- Connecting thread ½"

Price €

359.40

485.70

330.40

538.20

709.00


512.40

101.50

142.90

		FUN KWC-No.
		113.0493.528 20.204.500.000
	75-105	all chrome, Trim kit 113.0493.529 20.204.510.000
	o p	all chrome, Trim kit, with vacuum breaker Trim kit = Lever mixer = Tub
	51-81 72-102	Trim kit - Lever mixer - Tub Trim kit with function unit KWC cartridge M 35 To be ordered separately: - Unit for concealed installation KWC BLUEBOX®
		113.0493.527 21.204.500.000 all chrome, Trim kit
	75-105	Trim kit = Lever mixer = Shower Trim kit with function unit
	51-81 72-102	 KWC cartridge M 35 To be ordered separately: Unit for concealed installation KWC BLUEBOX®
		113.0493.518 20.004.801.000 all chrome, Trim kit
10	75-105 31	113.0493.519 20.004.811.000 all chrome, Trim kit, with vacuum breaker
		Trim kit Thermostatic mixer Tub Trim kit with thermostatic function unit
	62-92	 To be ordered separately: Unit for concealed installation KWC BLUEBOX®
		113.0493.517 21.004.801.000 all chrome, Trim kit
	75-105	Trim kit = Thermostatic mixer = Shower
	62-92	Trim kit with thermostatic function unit To be ordered separately: - Unit for concealed installation KWC BLUEBOX®
		112.0493.140 39.999.900.931 G ½", without shut-off valve, Concealed unit
19	75-105 G 1/2" 31	112.0493.301 39.999.910.931 G ¾ " (½ "), with shut-off valve, Concealed unit
S KWC	G 1/2" × 1110 164/180	Concealed unit
3	110 164/180	Concealed unit compact • Connecting thread ½" (stopper ½" incl. in delivery)






112.0493.302 39.999.930.931 G 34", with shut-off valve, Concealed unit

142.90

Concealed unit

Concealed unit compact

■ Connecting thread ¾" (stopper ¾" incl. in delivery)



FUN KWC-No. Price €

113.0315.709 12.151.042.000FL

474.80 all chrome, A 125, flexible connection hoses, with pop-up valve

431.10

665.90

113.0315.710 12.151.052.000FL

all chrome, A 125, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin

Lever mixer

- Fixed spout
- KWC cartridge M 35
- Flexible connection hoses ¾"

113.0315.705 12.151.393.000FL 621.20

all chrome, A 155, flexible connection hoses, with pop-up valve


12.151.093.000FL 572.60

all chrome, A 155, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin

Lever mixer

- Fixed spout
- KWC cartridge M 35
- Flexible connection hoses ¾"



115.0308.178 11.152.033.000

all chrome, A 175, Trim kit


742.10 115.0308.179 11.152.034.000

all chrome, A 225, Trim kit

Trim kit = Lever mixer = Basin

Lever mixer

- Fixed spout
- KWC cartridge M 35
- To be ordered separately:
- Unit for concealed installation ½" 39.151.400.931



39.151.400.931 112.0308.148 all chrome, Concealed unit


158.50

Concealed unit

Concealed unit wall two hole

- Connecting thread ½"
- To be ordered separately:
- Installation kit Z.536.828

112.0362.929 Z.536.828 137.10




Installation kit

Installation kit

- Suitable for:
- Concealed unit wall two hole





113.0315.690 13.151.041.000FL 513.30 all chrome, A 115, flexible connection hoses, with pop-up valve

Lever mixer ■ Bidet

- Fixed spout
- KWC cartridge M 35
- Flexible connection hoses ¾"

FUN KWC-No. Price €



113.0315.691 20.152.422.000

754.20

all chrome, AD 153 +/- 15 mm, A 135, with hand shower and hose

113.0315.693 20.152.442.000

737.30

all chrome, AD 153 \pm /- 15 mm, A 135, without hand shower and hose

Lever mixer ■ Tub

Lever mixer

- Rotatable spout 60°
- KWC cartridge L 40
- S-shaped connections ½" (covered)



113.0315.692 21.152.030.000

680.30

all chrome, AD 153 +/- 15 mm, with hand shower and hose

113.0315.694 21.152.330.000 **663.50** all chrome, AD 153 +/- 15 mm, without hand shower and hose


Lever mixer ■ Shower

Lever mixer

- KWC cartridge L 40
- S-shaped connections ½" (covered)

113.0396.212 20.152.503.000 **678.60** all chrome, AD 150 +/- 15 mm, A 190, without hand shower and hose





Thermostatic mixer ■ Tub

Thermostat


- Fixed spout
- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm

113.0396.214 21.152.500.000

567.70

all chrome, AD 150 +/- 15 mm, without hand shower and hose






Thermostatic mixer - Shower

Thermostat

- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm





112.0396.218 26.156.213.000

2'024.70


all chrome, AD 150 +/- 15 mm, A 300, with hand shower and hose

Thermostatic mixer ■ Shower system

Shower system KWC ONO

- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm





113.0493.531 20.154.500.000 **352.90**

113.0493.531 20.154.500.000 all chrome, Trim kit

KWC-No.

113.0493.532 20.154.510.000 all chrome, Trim kit, with vacuum breaker

Trim kit = Lever mixer = Tub


Trim kit with function unit

KWC cartridge M 35

FUN

- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





113.0493.530 21.154.500.000 all chrome, Trim kit

323.90

538.20

709.00

Price €

479.20

Trim kit = Lever mixer = Shower

Trim kit with function unit

- KWC cartridge M 35
- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





113.0493.518 20.004.801.000

all chrome, Trim kit

113.0493.519 20.004.811.000

all chrome, Trim kit, with vacuum breaker

Trim kit ■ Thermostatic mixer ■ Tub

Trim kit with thermostatic function unit

- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





113.0493.517 21.004.801.000 all chrome, Trim kit


512.40

Trim kit = Thermostatic mixer = Shower

Trim kit with thermostatic function unit

- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





112.0493.140 39.999.900.931 **101.50**

112.0493.301 39.999.910.931


G 34" (1/2"), with shut-off valve, Concealed unit

Concealed unit

Concealed unit compact

■ Connecting thread ½" (stopper ½" incl. in delivery)





112.0493.302 39.999.930.931 G ¾", with shut-off valve, Concealed unit

142.90

142.90

Concealed unit

Concealed unit compact

■ Connecting thread ¾" (stopper ¾" incl. in delivery)

		FUN	KWC-No.	Price €
		112.0315.802 all chrome, Trir		158.50
		Trim kit ■ Sh	nut-off valve • Accessories	
	Ø47 □ Ø75 71	– Unit for co – Shut-off vo – multiport – shut-off vo	ed separately: oncealed installation alve ½" K.38.93.00.931.34 shut-off valve ½" 39.990.011.931 alve ¾" K.38.H3.70.931A35 diverter ¾" 39.990.010.931	
		112.0315.810 G ½", Concea		137.00
	∕ G	112.0315.785 G ¾", Concea		158.50
	G ca. 40-99		unit • Shut-off valve nit for shut-off valve	
3		112.0315.811 G ½", Concea		221.60
	G 1/2" G 1/2" G 1/2" G 1/2"		unit • Multiport diverter nit for multiport shut-off valve thread ½"	
		112.0315.786 G ¾", Concea		221.60
	G 3/4" G 3/4"	Concealed u	unit = Multiport diverter	
	ca <u>. 63-11</u> 3		nit for multiport diverter	
		112.0493.668 all chrome, A 2		204.50
	1/2" 220	Bathtub spo	out	
	200	Bathtub spout Fixed spout Connecting	nt	


FUN KWC-No. Price €


113.0315.744

12.651.021.000FL

2'051.90

all chrome, A 125, flexible connection hoses, w/o pop-up valve, mains receiver






Basin ■ with LED-technology

IntelligentControl - electronic control

- Swivel spout 360°
- touch light PRO control unit, maintenance-free
- Flexible connection hoses ¾"




113.0315.742 12.652.011.000FL 1'989.50

all chrome, A 125, flexible connection hoses, with pop-up valve, mains receiver



IntelligentControl - electronic control

- Swivel spout 360°
- touch light PRO control unit, maintenance-free
- Flexible connection hoses ¾"



113.0315.745 12.652.012.000FL 2'186.30

all chrome, A 220, flexible connection hoses, with pop-up valve, mains receiver

113.0315.747 12.652.122.000FL 2'146.50


all chrome, A 220, flexible connection hoses, w/o pop-up valve, mains receiver

Basin ■ with LED-technology

IntelligentControl - electronic control

- Swivel spout 360°
- touch light PRO control unit, maintenance-free
- Flexible connection hoses ¾"





12.651.031.000FL 113.0315.743

2'053.00

11.30

all chrome, A 125, flexible connection hoses, with pop-up valve, mains receiver

112.0308.152 Z.636.183


Concealed unit

Basin ■ with LED-technology

IntelligentControl - electronic control

- Swivel spout 360°
- touch light PRO control unit, maintenance-free
- Flexible connection hoses ¾"
- To be ordered separately:
- Rough in for operating unit Z.636.183





113.0315.746 12.651.032.000FL

2'117.50 all chrome, A 220, flexible connection hoses, with pop-up valve, mains receiver

113.0315.748 12.651.132.000FL 2'084.10


all chrome, A 220, flexible connection hoses, w/o pop-up valve, mains receiver

Basin ■ with LED-technology

IntelligentControl - electronic control

- Swivel spout 360°
- touch light PRO control unit, maintenance-free
- Flexible connection hoses ¾'
- To be ordered separately:
- Rough in for operating unit Z.636.183





115.0308.223 11.654.003.000

all chrome, A 175, mains receiver, Trim kit

1'926.10

115.0308.224 11.654.004.000

all chrome, A 225, mains receiver, Trim kit

1'946.50

Trim kit = Basin = with LED-technology


IntelligentControl - electronic control

- Fixed spout
- touch light PRO control unit, maintenance-free
- Connecting thread ½"
- To be ordered separately:
 - Unit for concealed installation 39.004.500.931

KWC ONO touch light PRO

FUN	KWC-No.	Price €
112.0308.150 Concealed unit	39.004.500.931	113.30






Concealed unit

Concealed unit wall two hole





113.0315.752 20.657.023.000

2'797 10


all chrome, A 220, power supply for concealed installation, Trim kit

Trim kit = Thermostatic mixer = Tub = Roman tub = with LED-technology

IntelligentControl - electronic control

- Swivel spout 360°
- touch light PRO control unit, maintenance-free
- Connecting thread ½"





113.0315.753 20.657.120.000

2'584.20


all chrome, power supply for concealed installation, Trim kit

Trim kit = Thermostatic mixer = Tub = Roman tub = with LEDtechnology

 $Intelligent Control - electronic \ control \\$

- touch light PRO control unit, maintenance-free
- Connecting thread ½"





113.0315.754 20.657.234.000

2'831.50

all chrome, A 200, power supply for concealed installation, with hand shower, hose and bracket, Trim kit

112.0308.152 Z.636.183 **11.30**


Concealed unit

Trim kit = Thermostatic mixer = Tub = with LED-technology

IntelligentControl - electronic control

- Fixed spout
- touch light PRO control unit, maintenance-free
- Connecting thread ½"
- To be ordered separately: Rough in for operating unit Z.636.183





13.0315.749 21.654.010.000

2'547.60

all chrome, L 1100, power supply for concealed installation, with hand shower and hose, Trim kit $\,$


112.0308.152 Z.636.183 **11.30** Concealed unit

Trim kit • Thermostatic mixer • Shower • with LED-technology

IntelligentControl - electronic control

- touch light PRO control unit, maintenance-free
- Connecting thread ½"
- To be ordered separately: Rough in for operating unit Z.636.183





113.0315.750 21.654.020.000

3'257.40

all chrome, L 1100, power supply for concealed installation, with hand shower and hose, Trim kit

112.0308.152 Concealed unit

Z.636.183

11.30

Trim kit = Thermostatic mixer = Shower = with LED-technology

IntelligentControl - electronic control

- touch light PRO control unit, maintenance-free
- Connecting thread ½"
- To be ordered separately: Rough in for operating unit Z.636.183

FUN KWC-No. Price €

113.0315.751 21.654.030.000 3'257.40

11.30

all chrome, L 1100, power supply for concealed installation, with hand shower and hose, Trim kit

112.0308.152 Z.636.183

Concealed unit

Trim kit = Thermostatic mixer = Shower = with LED-technology

IntelligentControl - electronic control

- touch light PRO control unit, maintenance-free
- Connecting thread ½"
- To be ordered separately: Rough in for operating unit Z.636.183

Z.536.351.000 112.0308.151 all chrome, mains receiver

1'278.20






Accessories - Accessories with LED-technology

KWC ONO touch light PRO wireless operating unit, with charging station





112.0315.812 39.000.510.931 Concealed unit

756.50

Concealed unit

Installation and inspection box, stainless





112.0308.152 Z.636.183 Concealed unit

11.30

Concealed unit

Rough in for touch light PRO operating unit, plastic

112.0362.739

Z.536.405

344.00



Bypass

Bypass for pressure testing and rinsing

- Connecting thread 1/2"
- Suitable for:
- Installation and inspection box 39.000.510.931





133.0308.488 Z.536.352

all chrome, G 3/8"

72.90

Extension set

Price €

420.70

M33

12.068.041.000FL 345.00 113.0315.824

all chrome, A 120, flexible connection hoses, with pop-up valve

KWC-No.

12.068.051.000FL 113.0315.825 299.90 all chrome, A 120, flexible connection hoses, without pop-up valve


Lever mixer ■ Basin

Lever mixer

FUN

- Fixed spout
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"





113.0315.768 12.061.031.000FL 345.00

all chrome, A 120, flexible connection hoses, with pop-up valve


12.061.071.000FL 299.90 all chrome, A 120, flexible connection hoses, without pop-up valve

Lever mixer - Basin - CoolFix

Lever mixer

- Fixed spout
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"





113.0315.826 12.068.042.000FL 375.90

all chrome, A 150, flexible connection hoses, with pop-up valve


113.0315.827 12.068.052.000FL 330.40 all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin

Lever mixer

- Fixed spout
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"





113.0315.772 12.061.032.000FL

all chrome, A 150, flexible connection hoses, with pop-up valve

12.061.072.000FL 113.0315.774 330.40


all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin ■ CoolFix

Lever mixer

- Fixed spout
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"





113.0315.783 12.061.372.000FL


563.50 all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin

Lever mixer

- Fixed spout
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"






113.0315.785 12.061.382.000FL

563.50

all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer - Basin - CoolFix

- Fixed spout
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"



Price €

406.30

113.0315.828 12.068.011.000FL **395.90**

all chrome, A 150, flexible connection hoses, with pop-up valve

KWC-No.

113.0315.829 12.068.021.000FL **352.40**

all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin

Lever mixer

FUN

- Swivel spout 90°
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"




113.0315.782 11.062.003.000 all chrome, AD 153 +/- 8 mm, A 225


Lever mixer • Kitchen • Basin

.ever mixer

- Swivel spout 90°
- KWC cartridge L 39 universal
- \blacksquare Wall connections ½" x ½", without shut-off valve L 40 eccentric 4 mm









Lever mixer ■ Bidet

- Fixed spout
- KWC cartridge L 39 universal
- Flexible connection hoses ¾"







112.0493.302 39.999.930.931 G ¾", with shut-off valve, Concealed unit

142.90

Concealed unit

Concealed unit compact


■ Connecting thread ¾" (stopper ¾" incl. in delivery)

KWC-No. FUN Price € 12.198.041.000FL 318.60 113.0315.818 all chrome, A 110, flexible connection hoses, with pop-up valve 12.198.051.000FL 113.0315.819 272.60 all chrome, A 110, flexible connection hoses, without pop-up valve Lever mixer ■ Basin Lever mixer ■ Fixed spout KWC cartridge S 25 ■ Flexible connection hoses ¾" 113.0315.733 12.191.031.000FL 318.60 all chrome, A 110, flexible connection hoses, with pop-up valve 12.191.071.000FL 272.60 all chrome, A 110, flexible connection hoses, without pop-up valve Lever mixer = Basin = CoolFix Lever mixer ■ Fixed spout KWC cartridge \$ 25 ■ Flexible connection hoses ¾" 113.0315.820 12.198.042.000FL 333.00 all chrome, A 125, flexible connection hoses, with pop-up valve 113.0315.821 12.198.052.000FL 288.30 all chrome, A 125, flexible connection hoses, without pop-up valve Lever mixer ■ Basin Lever mixer ■ Fixed spout KWC cartridge S 25 ■ Flexible connection hoses ¾" 113.0315.722 12.191.032.000FL 333.00 all chrome, A 125, flexible connection hoses, with pop-up valve 12.191.072.000FL 113.0315.724 288.30 all chrome, A 125, flexible connection hoses, without pop-up valve Lever mixer ■ Basin ■ CoolFix Lever mixer ■ Fixed spout ■ KWC cartridge S 25 ■ Flexible connection hoses ¾" 113.0315.725 12.191.393.000FL 544.80 all chrome, A 150, flexible connection hoses, with pop-up valve 12.191.093.000FL 113.0315.726 500.10 all chrome, A 150, flexible connection hoses, without pop-up valve Lever mixer ■ Basin Lever mixer ■ Fixed spout ■ KWC cartridge S 25 ■ Flexible connection hoses ¾" 104 113.0315.822 12.198.131.000FL 519.40 all chrome, A 135, flexible connection hoses, with pop-up valve 12.198.141.000FL 481.20 all chrome, A 135, flexible connection hoses, without pop-up valve Lever mixer ■ Basin Lever mixer ■ Swivel spout 180°

KWC cartridge \$ 25
 Flexible connection hoses ¾"

		FUN	KWC-No.	Price €
700	- 0 - 0- 1030 1055	115.0308.205 all chrome, A 175	11.192.033.000 5, Trim kit	409.20
	172 100 35 56-81	115.0308.206 all chrome, A 225	11.192.034.000 5, Trim kit	454.10
	73 42 42 77	Trim kit ■ Leve	er mixer Basin	
	36 G1/2 32-57 47-72	Lever mixer Fixed spout KWC cartridge To be ordered Unit for cond		
	 - 180 -	112.0308.149 Concealed unit	39.193.400.931	158.50
	1/2"	Concealed un	it	
		Concealed unit Connecting th To be ordered Installation k	wall two hole read ½" separately:	
		112.0362.929	Z.536.828	137.10
21		Installation ki	t	
		Installation kit • Suitable for: – Concealed u	nit wall two hole	
	215	113.0315.727 all chrome, A 110	13.191.041.000FL), flexible connection hoses, with pop-up valve	333.00
	039.5 113	Lever mixer •	Bidet	





- Lever mixer

 Fixed spout

 KWC cartridge \$ 25

 Flexible connection hoses %"

FUN KWC-No. Price €


113.0315.737

20.192.440.000

454.10

all chrome, AD 150 +/- 15 mm, without hand shower and hose





Lever mixer ■ Tub

Lever mixer

- Rotatable spout 45°
- KWC cartridge M 35
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm


113.0315.841

21.192.950.000

381.40

all chrome, AD 150 +/- 15 mm, without hand shower and hose





Lever mixer ■ Shower

Lever mixer

- KWC cartridge M 35
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm


113.0396.244

20.192.503.000

542.50

all chrome, AD 150 +/- 15 mm, A 190, without hand shower and hose





Thermostatic mixer ■ Tub

Thermostat

- Fixed spout
- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm

113.0396.195

21.192.500.000

450.30

all chrome, AD 150 +/- 15 mm, without hand shower and hose






Thermostatic mixer • Shower

Thermostat

- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm





112.0396.211 26.196.213.000

1'672.90

all chrome, AD 150 +/- 15 mm, A 300, with hand shower and hose


Thermostatic mixer ■ Shower system

Shower system KWC AVA

- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm

		FUN KWC-No.	Price €
		113.0493.534 20.194.500.000 all chrome, Trim kit	296.40
	75-105	113.0493.535 20.194.510.000 all chrome, Trim kit, with vacuum breaker	422.60
		Trim kit ■ Lever mixer ■ Tub	
		Trim kit with function unit	
	81-111 81-111	KWC cartridge M 35To be ordered separately:	
l		– Unit for concealed installation KWC B	LUEBOX®
		113.0493.533 21.194.500.000 all chrome, Trim kit	267.40
	75-105		
		Trim kit = Lever mixer = Shower	
	50-80	Trim kit with function unit	
	81-111	KWC cartridge M 35To be ordered separately:	
· ·		– Unit for concealed installation KWC B	LUEBOX®
		113.0493.518 20.004.801.000 all chrome, Trim kit	538.20
6.	75-105 31	113.0493.519 20.004.811.000 all chrome, Trim kit, with vacuum breaker	709.00
Contract of the contract of th		Trim kit = Thermostatic mixer = Tub	
		Trim kit with thermostatic function unit	
	<u>02-72 </u>	 To be ordered separately: Unit for concealed installation KWC B 	LUEBOX®
		113.0493.517 21.004.801.000	512.40
	75-105	all chrome, Trim kit	
	150 31 31 1 1 1 1 1 1 1	Trim kit = Thermostatic mixer = Shov	ver
	62-92	Trim kit with thermostatic function unit To be ordered separately: — Unit for concealed installation KWC B	LUEBOX®
		112.0493.140 39.999.900.931 G ½", without shut-off valve, Concealed uni	101.50
73	75-105 G 1/2" 31	112.0493.301 39.999.910.931 G ¾" (½"), with shut-off valve, Concealed u	142.90 nit
KWC	G 1/2" × 110 164/180	Concealed unit	
	110 164/180	Concealed unit compact • Connecting thread ½" (stopper ½" incl.	in delivery)
		112.0493.302 39.999.930.931 G ¾ ", with shut-off valve, Concealed unit	142.90







Concealed unit

Concealed unit compact
• Connecting thread ¾" (stopper ¾" incl. in delivery)

		FUN	KWC-No.	Price €
		112.0315.814 all chrome, Tri		159.40
	Ø47 □ 75 - 71 -	Trim kit To be order Unit for co Shut-off v multiport shut-off v	red separately: oncealed installation alve ½" K.38.93.00.931.34 shut-off valve ½" 39.990.011.931 alve ¾" K.38.H3.70.931A35 diverter ¾" 39.990.010.931	
4		112.0315.810 G ½", Concea		137.00
i ii	∕ G	112.0315.785 G ¾", Concea	K.38.H3.70.931A35	158.50
	G ca. 40-99	Concealed (unit = Shut-off valve nit for shut-off valve	
		112.0315.811 G ½", Concea		221.60
	G 1/2" G 1/2" G 1/2" G 1/2"		unit = Multiport diverter nit for multiport shut-off valve thread ½"	
		112.0315.786 G ¾", Concea		221.60
	G 3/4" G 3/4" G 3/4" G 3/4"		unit = Multiport diverter nit for multiport diverter thread ¾"	
		112.0315.806 all chrome, A		221.60
	75 1/2" 200 220	Bathtub spot Bathtub spot Fixed spout Connecting Suitable for KWC AVA	ut : : thread ½" r:	

		FUN KWC-No.	Price €
	110	113.0521.651 12.381.041.000FL all chrome, A 110, flexible connection hoses, with pop-up	234.00 o valve
	179 149 1119 1119 1119 max. 45	113.0521.652 12.381.051.000FL all chrome, A 110, flexible connection hoses, without pop	217.40 o-up valve
	M33	Lever mixer • Basin	
	375 & & & & & & & & & & & & & & & & & & &	Lever mixer • Fixed spout	
	3/8" 10 11/4"	 KWC cartridge M 35 OP Flexible connection hoses %" 	
	110	113.0521.653 12.381.031.000FL all chrome, A 110, flexible connection hoses, with pop-up	234.00
	179 149 119 119 0 45 \\S^100 \\	113.0521.654 12.381.071.000FL all chrome, A 110, flexible connection hoses, with pop-up	217.40
	max. 45 M33	Lever mixer = Basin = CoolFix	o ap vaive
	375 Ø 63 E	Lever mixer	
		Fixed spoutKWC cartridge M 35 OP	
	3/8" 130 5	■ Flexible connection hoses ¾"	
	150	113.0521.655 12.381.042.000FL all chrome, A 150, flexible connection hoses, with pop-up	284.70 o valve
	179 149 Ø 45 \(\sigma^2 \) 119	113.0521.656 12.381.052.000FL all chrome, A 150, flexible connection hoses, without pop	268.10 o-up valve
-	max. 45 M33	Lever mixer ■ Basin	
	375 & & & & & & & & & & & & & & & & & & &	Lever mixer	
	3/8"	Fixed spoutKWC cartridge M 35 OP	
	1-1/4"	■ Flexible connection hoses ¾"	
	150	113.0521.657 12.381.032.000FL all chrome, A 150, flexible connection hoses, with pop-up	284.70 o valve
	179 149 0 45 NS 100	113.0521.658 12.381.072.000FL all chrome, A 150, flexible connection hoses, without pop	268.10
	max. 45 M33	Lever mixer = Basin = CoolFix	'
	375 ø 63 ĕ E E	Lever mixer	
	3/8" 710 8	Fixed spoutKWC cartridge M 35 OP	
	130	■ Flexible connection hoses 3/8"	
	150	113.0521.659 12.381.092.000FL	351.90
	299 269 239	all chrome, A 150, flexible connection hoses, without pop	o-up valve
	239		
- 1	Ø 45 NS	Lever mixer ■ Basin	
- 1	max. 45 M33	Lever mixer • Fixed spout	
	525	KWC cartridge M 35 OP	
0	3/8"	■ Flexible connection hoses ¾"	
	150	113.0521.660 12.381.102.000FL all chrome, A 150, flexible connection hoses, without pop	351.90
	299 269 239		. sp5
	max. 45	Lever mixer = Basin = CoolFix	
	M33	Lever mixer Fixed spout	
U	<u> </u>	KWC cartridge M 35 OPFlexible connection hoses ¾"	
	3/8"		





112.0362.929 Z.5:


- Installation kit Z.536.828

Z.536.828 **137.10**

Installation kit

Installation kit

- Suitable for:
- Concealed unit wall two hole



113.0521.671 13.381.041.000FL

all chrome, A 105, flexible connection hoses, with pop-up valve

Lever mixer ■ Bidet

Lever mixer

- Fixed spout
- KWC cartridge M 35 OP
- Flexible connection hoses ¾"

234.00

FUN KWC-No. Price €


113.0521.715

20.382.333.000

304.30

all chrome, AD 150 +/- 20 mm, A 145, without hand shower, hose and bracket $\,$





Lever mixer ■ Tub

Lever mixer

- Fixed spout
- KWC cartridge M 35 H
- Wall connections ½" x ¾", without shut-off valve eccentric 10 mm


113.0521.707

21.382.330.000

253.60

all chrome, AD 150 +/- 20 mm, without hand shower and hose






Lever mixer ■ Shower

Lever mixer

- KWC cartridge M 35 H
- Wall connections ½" x ¾", without shut-off valve eccentric 10 mm





113.0521.682 20.382.483.000

434.70


all chrome, AD 150 +/- 15 mm, A 190, without hand shower, hose and bracket

Lever mixer ■ Tub

Lever mixer

- Fixed spout
- KWC cartridge M 35-S HF
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm





113.0521.674 21.382.480.000

358.20


all chrome, AD 150 +/- 15 mm, without hand shower and hose

Lever mixer ■ Shower

Lever mixer

- KWC cartridge M 35-S HF
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm






113.0521.688 20.382.503.000

542.40

all chrome, AD 150 +/- 15 mm, A 190, without hand shower, hose and bracket



Thermostat

- Fixed spout
- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm


113.0521.685

21.382.500.000

450.30

all chrome, AD 150 +/- 15 mm, without hand shower and hose






Thermostatic mixer ■ Shower

Thermostat

- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm



113.0521.702 20.384.502.000 **306.40** all chrome, Trim kit **113.0521.703** 20.384.512.000 **428.50**

Price €

558.90

429.60

113.0521.703 20.384.512.000 all chrome, Trim kit, with vacuum breaker

KWC-No.

Trim kit = Lever mixer = Tub

Trim kit with function unit


■ KWC cartridge M 35 H

FUN

- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®

113.0521.690 21.384.502.000 **254.70** all chrome, Trim kit





Trim kit = Lever mixer = Shower

Trim kit with function unit

- KWC cartridge M 35 H
- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





113.0493.522 20.004.802.000 **439.90** all chrome, Trim kit

113.0493.523 20.004.812.000 all chrome, Trim kit, with vacuum breaker

Trim kit = Thermostatic mixer = Tub

Trim kit with thermostatic function unit

■ To be ordered separately:

113.0493.520

all chrome, Trim kit

- Unit for concealed installation KWC BLUEBOX®

21.004.802.000






Trim kit = Thermostatic mixer = Shower

Trim kit with thermostatic function unit

- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





112.0493.140 39.999.900.931 **101.50**

112.0493.301 39.999.910.931


G $\frac{3}{4}$ " ($\frac{1}{2}$ "), with shut-off valve, Concealed unit

Concealed unit

Concealed unit compact

■ Connecting thread ½" (stopper ½" incl. in delivery)





112.0493.302 39.999.930.931 G ¾", with shut-off valve, Concealed unit

142.90

142.90

Concealed unit

Concealed unit compact

Connecting thread ¾" (stopper ¾" incl. in delivery)

FUN KWC-No. Price € 115 12.168.041.000FL 188.30 113.0360.207 all chrome, A 115, flexible connection hoses, with pop-up valve 198 12.168.051.000FL 113.0360.208 172.20 163 all chrome, A 115, flexible connection hoses, without pop-up valve Ø47 M33 Lever mixer ■ Basin 390 Lever mixer ø63 ■ Fixed spout 3/8" KWC cartridge M 35 ■ Flexible connection hoses ¾" 5/4" 115 113.0360.373 12.161.031.000FL 188.30 all chrome, A 115, flexible connection hoses, with pop-up valve 198⁷ | 163 12.161.071.000FL 172.20 all chrome, A 115, flexible connection hoses, without pop-up valve Ø47 M33 Lever mixer - Basin - CoolFix 390 Lever mixer ■ Fixed spout 3/8" KWC cartridge M 35 ■ Flexible connection hoses ¾" 145 113.0360.209 12.168.042.000FL 215.10 all chrome, A 145, flexible connection hoses, with pop-up valve 214 113.0360.210 12.168.052.000FL 199.10 179 all chrome, A 145, flexible connection hoses, without pop-up valve Ø47 M33 Lever mixer ■ Basin 374 Lever mixer ø63 ■ Fixed spout 3/8" KWC cartridge M 35 ■ Flexible connection hoses ¾" 5/4" 12.161.032.000FL 113.0360.376 215.10 all chrome, A 145, flexible connection hoses, with pop-up valve 214 12.161.072.000FL 113,0360,377 199.10 179 107 132 <u>| | Ø47</u> all chrome, A 145, flexible connection hoses, without pop-up valve M33 Lever mixer ■ Basin ■ CoolFix Lever mixer ■ Fixed spout 3/8 KWC cartridge M 35 ■ Flexible connection hoses ¾" 5/4 113.0360.378 12.168.092.000FL 342.10 all chrome, A 145, flexible connection hoses, without pop-up valve 309 237 Ø47 Lever mixer ■ Basin 262 130 Lever mixer M33 ■ Fixed spout KWC cartridge M 35 max 45 ■ Flexible connection hoses ¾" 3/8" 110 113.0360.221 13.161.041.000FL 204.50 all chrome, A 110, flexible connection hoses, with pop-up valve 198 163 Ø47 M33 Lever mixer ■ Bidet

Lever mixer

Fixed spout

KWC cartridge M 35
Flexible connection hoses %"

ø63

390

3/8"

FUN KWC-No. Price €



113.0360.224 20.162.313.000 **258.20** all chrome, AD 150 +/- 15 mm, A 170, without hand shower, hose and


Lever mixer ■ Tub

Lever mixer

- Fixed spout
- KWC cartridge M 35
- Wall connections ½" x ¾", without shut-off valve L 46 eccentric
 7.5 mm

113.0360.222 21.162.330.000 **215.10** all chrome, AD 150 +/- 15 mm, without hand shower and hose






Lever mixer ■ Shower

Lever mixer

- KWC cartridge M 35
- \blacksquare Wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm





113.0493.765 20.164.500.000 **209.10**

all chrome, Trim kit


113.0493.766 20.164.510.000 **288.80** all chrome, Trim kit, with vacuum breaker

Trim kit = Lever mixer = Tub

Trim kit with function unit

- KWC cartridge M 35
- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





113.0493.764 21.164.500.000 all chrome, Trim kit


21.164.500.000 195.70

Trim kit = Lever mixer = Shower

Trim kit with function unit

- KWC cartridge M 35
- To be ordered separately:
- Unit for concealed installation KWC BLUEBOX®





112.0493.140 39.999.900.931 **101.50**

G $\frac{1}{2}$ ", without shut-off valve, Concealed unit

112.0493.301 39.999.910.931 **142.90**


G $^3\!\!4$ " ($^1\!\!2$ "), with shut-off valve, Concealed unit

Concealed unit

Concealed unit compact

■ Connecting thread ½" (stopper ½" incl. in delivery)





112.0493.302 39.999.930.931 G ¾", with shut-off valve, Concealed unit

142.90

Concealed unit

Concealed unit compact

Connecting thread ¾" (stopper ¾" incl. in delivery)

Price €

406.30

120 120 145 182 18° 77 145 182 18° 77 145 182 18° 77 145 182 **113.0315.830** 12.288.041.000FL **345.00**

all chrome, A 120, flexible connection hoses, with pop-up valve

KWC-No.

113.0315.831 12.288.051.000FL **299.90**

all chrome, A 120, flexible connection hoses, without pop-up valve


Lever mixer ■ Basin

Lever mixer

FUN

- Fixed spout
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses ¾"





113.0315.790 12.281.031.000FL **345.00**

all chrome, A 120, flexible connection hoses, with pop-up valve

113.0315.792 12.281.071.000FL **299.90**


all chrome, A 120, flexible connection hoses, without pop-up valve

Lever mixer - Basin - CoolFix

Lever mixer

- Fixed spout
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses ¾"





113.0315.832 12.288.042.000FL **375.90**

all chrome, A 150, flexible connection hoses, with pop-up valve

113.0315.833 12.288.052.000FL **330.40**


all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer - Basin

Lever mixer

- Fixed spout
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses ¾"





113.0318.970 12.281.032.000FL **375.90**

all chrome, A 150, flexible connection hoses, with pop-up valve

113.0315.795 12.281.072.000FL **330.40**


all chrome, A 150, flexible connection hoses, without pop-up valve

Lever mixer ■ Basin ■ CoolFix

Lever mixer

- Fixed spout
- KWC cartridge with safety device L 39 universal
- Flexible connection hoses ¾"





113.0315.796 11.282.002.000

all chrome, AD 153 +/- 8 mm, A 175

113.0315.797 11.282.003.000 **406.30**

all chrome, AD 153 +/- 8 mm, A 225

Lever mixer ■ Basin

Lever mixer

- Swivel spout 90°
- KWC cartridge with safety device L 39 universal
- Wall connections ½" x ½", with shut-off valve L 40 eccentric 4 mm

FUN KWC-No. Price €


113.0315.800

20.282.313.000

469.90

all chrome, AD 153 +/- 8 mm, A 175, without hand shower and hose





Lever mixer ■ Tub

Lever mixer

- Fixed spout
- KWC cartridge with safety device L 39 universal
- Wall connections ½" x ¾", with shut-off valve L 40 eccentric 4 mm


113.0315.799

21.282.310.000

353.40

all chrome, AD 153 +/- 8 mm, without hand shower and hose






Lever mixer ■ Shower

- KWC cartridge with safety device L 39 universal
 Wall connections ½" x ½", with shut-off valve L 40 eccentric 4 mm

		FUN KWC-No. Price €
	125	113.0315.801 12.291.041.000FL 379.60 all chrome, A 120, flexible connection hoses, with pop-up valve
	145 182	113.0315.803 12.291.051.000FL 329.90 all chrome, A 120, flexible connection hoses, without pop-up valve
	18° 77 max.45 1	Lever mixer ■ Basin
	3/8" M33 963 Jan 5/4"	Lever mixer Fixed spout KWC cartridge with safety device L 39 - universal Flexible connection hoses %"
	190	113.0315.834 12.291.041.000LLFL 379.60 all chrome, A 120, flexible connection hoses, with pop-up valve, with long lever
	192 260	113.0315.835 12.291.051.000LLFL 329.90 all chrome, A 120, flexible connection hoses, w/o pop-up valve, with long lever
	max,45 M33	Lever mixer = Basin
	3/8"	Lever mixer Fixed spout KWC cartridge with safety device L 39 - universal Flexible connection hoses %"
	150 125 125 145 18° 90 145 18° 90 145 182 90 3/8"	113.0315.805 12.291.042.000FL 412.80 all chrome, A 150, flexible connection hoses, with pop-up valve
		113.0315.807 12.291.052.000FL 363.50 all chrome, A 150, flexible connection hoses, without pop-up valve
		Lever mixer = Basin
		Lever mixer Fixed spout KWC cartridge with safety device L 39 - universal Flexible connection hoses %"
	150	113.0315.836 12.291.042.000LLFL 412.80 all chrome, A 150, flexible connection hoses, with pop-up valve, with long lever
	192 192	113.0315.837 12.291.052.000LLFL 363.50 all chrome, A 150, flexible connection hoses, w/o pop-up valve, with long lever
The state of the s	max.45	Lever mixer = Basin
	3/8"	Lever mixer Fixed spout KWC cartridge with safety device L 39 - universal Flexible connection hoses %"
	150 125	113.0315.806 12.291.032.000FL 462.60 all chrome, A 150, flexible connection hoses, with pop-up valve
	145 182	113.0315.808 12.291.072.000FL 363.50 all chrome, A 150, flexible connection hoses, without pop-up valve
	18° 90 max.45	Lever mixer = Basin = CoolFix
	415 M33 g63 3/8" 5/4"	Lever mixer Fixed spout KWC cartridge with safety device L 39 - universal Flexible connection hoses %"





113.0315.809 11.292.002.000 **447.00**

all chrome, AD 153 +/- 8 mm, A 225

Lever mixer - Basin

Lever mixer


FUN

- Swivel spout 90°
- KWC cartridge with safety device L 39 universal

KWC-No.

■ Wall connections ½" x ½", with shut-off valve L 40 eccentric 4 mm





113.0315.838 11.292.002.000LL **447.00**

all chrome, AD 153 +/- 8 mm, A 175, with long lever

113.0315.839 11.292.003.000LL **447.00**


all chrome, AD 153 +/- 8 mm, A 225, with long lever

Lever mixer - Basin

Lever mixer

- Swivel spout 90°
- KWC cartridge with safety device L 39 universal
- Wall connections ½" x ½", with shut-off valve L 40 eccentric 4 mm





113.0315.842 11.292.092.000LL **534.00**

all chrome, AD 153 +/- 8 mm, A 175, with long lever

113.0315.843 11.292.093.000LL **534.00**

all chrome, AD 153 +/- 8 mm, A 225, with long lever


113.0315.844 11.292.094.000LL **534.00**

all chrome, AD 153 +/- 8 mm, A 300, with long lever

Lever mixer ■ Basin

- Swivel spout 90°
- KWC cartridge with safety device L 39 universal
- Wall connections ½" x ½", with shut-off valve L 40 eccentric 4 mm





113.0315.813 20.292.313.000

516.90

Price €


all chrome, AD 153 +/- 8 mm, A 175, without hand shower and hose

Lever mixer ■ Tub

Lever mixer

- Fixed spout
- KWC cartridge with safety device L 39 universal
- Wall connections ½" x ¾", with shut-off valve L 40 eccentric 4 mm





113.0315.812 21.292.310.000

388.60

all chrome, AD 153 +/- 8 mm, without hand shower and hose

Lever mixer ■ Shower


Lever mixer

- KWC cartridge with safety device L 39 universal
- Wall connections ½" x ½", with shut-off valve L 40 eccentric 4 mm

142.90

FUN KWC-No. Price € 113.0396.242 21.292.500.000 466.30 all chrome, AD 150 +/- 15 mm, without hand shower and hose Thermostatic mixer - Shower Thermostat ■ Thermostatic precision control unit ■ Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm 113.0493.693 305.40 20.294.320.000 all chrome, Trim kit 113.0493.694 20.294.330.000 406.80 all chrome, Trim kit, with vacuum breaker Trim kit = Lever mixer = Tub Trim kit with function unit • KWC cartridge with safety device L 39 - universal ■ To be ordered separately: - Unit for concealed installation KWC BLUEBOX® 113.0493.692 21.294.320.000 282.60 all chrome, Trim kit Trim kit = Lever mixer = Shower Trim kit with function unit • KWC cartridge with safety device L 39 - universal To be ordered separately: - Unit for concealed installation KWC BLUEBOX® 39.999.900.931 112.0493.140 101.50 G ½", without shut-off valve, Concealed unit 39.999.910.931 112.0493.301 142.90 G ¾" (1/2"), with shut-off valve, Concealed unit **Concealed unit** Concealed unit compact 110 ■ Connecting thread ½" (stopper ½" incl. in delivery) 164/180





112.0493.302 39.999.930.931 G ¾ ", with shut-off valve, Concealed unit

Concealed unit

Concealed unit compact


■ Connecting thread ¾" (stopper ¾" incl. in delivery)

FUN KWC-No. Price € 112.0570.049 25.001.010.000 all chrome, A 120, G $\frac{1}{2}$ " Vertical shut-off valve Vertical shut-off valve ■ Fixed spout ■ Ceramic disc valve ½" 90° ■ Connecting thread ½"


FUN KWC-No. Price € 112.0493.140 39.999.900.931 101.50 G $\frac{1}{2}$ ", without shut-off valve, Concealed unit **Concealed unit** Concealed unit compact ■ Connecting thread ½" (stopper ½" incl. in delivery) 112.0493.301 39.999.910.931 142.90 G $\frac{3}{4}$ " ($\frac{1}{2}$ "), with shut-off valve, Concealed unit **Concealed unit** Concealed unit compact ■ Connecting thread ¾" 39.999.930.931 112.0493.302 142.90 G 34", with shut-off valve, Concealed unit **Concealed unit** Concealed unit compact 110 ■ Connecting thread ¾" (stopper ¾" incl. in delivery) 112.0493.305 39.999.920.931 71.50 G ½", Concealed unit **Concealed unit** Concealed unit Connecting angle 31 ■ Connecting thread 1/2" 112.0498.421 Z.537.953 170.80 Reverse adapter

FUN	KWC-No.	Price €
112.0493.794	Z.537.593	71.50
Alignment se	t ±3.5°	
112.0493.791	Z.537.594	88.00
Excutcheon e	xtension 15 mm square	
 112.0493.793	Z.537.595	165.60
Extension set	15 mm	
112.0493.792	Z.537.600	88.00
Excutcheon e	xtension 15 mm round	

KWC ADRENA Roman tub







112.0497.197 Concealed unit


Z.537.564

1'614.60

Concealed unit

Roman tub

■ Connecting thread ¾"






SHOWERCULTURE

KWC BOSSANOVA	94
KWC CHOICE	95
KWC ELY	96
KWC FIT-S/FIT-X	97
KWC Shower heads	98
KWC Shower arms	99
KWC Shower systems	101
KWC Shower brackets	103
KWC Sliding wall bars	104
KWC Sliding wall bar kits	105
KWC Hose connections	106
KWC Shower hoses	107

		FUN KWC-No.	Price €
10		112.0315.815 26.000.110.040 chrome/urban grey	82.10
	235	Hand shower Hand shower KWC BOSSANOVA air ■ Connecting thread ½"	
		112.0315.816 26.000.111.040 chrome/urban grey	69.60
	235	Hand shower Hand shower KWC BOSSANOVA mono Connecting thread ½"	
		112.0324.473 26.000.111.045 chrome/edelweiss	76.80
	235	Hand shower Hand shower KWC BOSSANOVA mono Connecting thread ½"	
		112.0324.477 26.000.112.045 chrome/edelweiss	138.70
	269	Hand shower Hand shower KWC BOSSANOVA duo Connecting thread ½"	





		FUN KWC-No.	Price €
		112.0360.201 26.000.113.000 all chrome	40.90
	1/2"	Hand shower Hand shower KWC FIT-S Connecting thread ½"	
		112.0493.718 26.000.114.000 all chrome, G ½"	25.90
1/2"	Hand shower Hand shower KWC FIT-S easy ■ Connecting thread ½"		
	110	112.0561.444 26.000.119.000 all chrome	54.70
	1/2" 56	Hand shower Hand shower KWC FIT -X trio ■ Connecting thread ½"	
	25	112.0561.445 26.000.103.000 all chrome	47.90
	1/2"	Hand shower Baton shower KWC FIT-X slim ■ Connecting thread ½"	

		FUN	KWC-No.	Price €
		112.0561.314 all chrome, 25	26.000.204.000 50x250	410.90
	∕1/2"	112.0561.315 all chrome, 3	26.000.205.000 00x300	483.40
	2	112.0561.316 all chrome,	26.000.206.000 00x400	604.50
		Shower head Shower head K • Connecting th • To be ordered	WC PIATTO	
		112.0561.317 all chrome, D 25	26.000.214.000 50	362.30
		112.0561.318 all chrome, D 30	26.000.215.000 00	434.70
	[®] D N	112.0561.319 all chrome, D 40	26.000.216.000 00	544.50
		Shower head Shower head K • Connecting th • To be ordered	WC PIATTO	
	4/2"	112.0315.822 all chrome	26.000.220.000	72.90
	108	Shower head Shower head K • Connecting th • To be ordered - Bracket	WC FIT five nread ½"	
<u> </u>		112.0315.823 all chrome	26.000.221.000	48.70
	105 084	Shower head Shower head K Connecting th To be ordered Bracket	WC FIT mono nread ½"	


	FUN KWC-No.	Price €
	112.0315.834 26.000.800.000 all chrome, L 352	164.10
960 T 1/2" 63	Shower arm Shower arm Connecting thread ½"	
	112.0315.835 26.000.801.000 all chrome, L 352	179.00
1/2" 352 1/2" 63	Shower arm Shower arm Connecting thread ½"	
	112.0315.832 26.000.802.000 all chrome, L 352	228.60
1/2" 352 e60 1 1/2" 73	Shower arm Shower arm Connecting thread ½"	
	112.0315.833 26.000.803.000 all chrome, L 352	243.70
1/2" 352 1/2" 73	Shower arm Shower arm Connecting thread ½"	
	112.0315.836 26.000.810.000 all chrome, L 352	191.80
860 1 1/2" 1/2"	Shower arm Shower arm Connecting thread ½"	
	112.0315.837 26.000.813.000 all chrome, L 352	208.00
1/2" 1/2" 1/2"	Shower arm Shower arm • Connecting thread ½"	

■ Connecting thread ½"

		FUN	KWC-No.	Price €
		112.0315.838 all chrome, L 385	26.000.811.000	256.30
	ø125 385 1/2"	Shower arm Shower arm Connecting the	read ½"	
		112.0315.839 all chrome, L 485	26.000.812.000	325.60
	ø125 485	Shower arm Shower arm Connecting the	read ½"	
		112.0315.840 all chrome, L 125	26.000.820.000	111.00
	1/2" Ø60		26.000.821.000	143.20
		112.0315.844 all chrome, L 325	26.000.822.000	167.60
	1/2"	Shower arm		
4		Shower arm • Connecting the	read ½"	
7		112.0315.841 all chrome, L 125	26.000.823.000	125.90
	1/2" 775	112.0315.843 all chrome, L 225	26.000.824.000	159.40
		112.0315.845 all chrome, L 325	26.000.825.000	183.70
	1/2"	Shower arm		
4		Shower arm • Connecting the	read ½"	

2'024.70

FUN KWC-No. Price €




112.0396.211 26.196.213.000 **1'672.90** all chrome, AD 150 +/- 15 mm, A 300, with hand shower and hose

Thermostatic mixer ■ Shower system

Shower system KWC AVA

- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm



112.0396.218 26.156.213.000 **2'0** all chrome, AD 150 +/- 15 mm, A 300, with hand shower and hose

Thermostatic mixer ■ Shower system


Shower system KWC ONO

- Thermostatic precision control unit
- Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm


FUN KWC-No. Price € 112.0396.198 26.195.540.000 680.90 all chrome, AD 150 +/- 15 mm Thermostatic mixer = Shower = Components Thermostat KWC AVA ■ Thermostatic precision control unit ■ Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm ■ To be ordered separately: Water-bearing sliding wall bar kit -26.004.003.000, 26.004.004.000 - Hand shower KWC BOSSANOVA, KWC ELY or KWC CHOICE 150+-15 - shower head KWC PIATTO-X 26.155.540.000 819.40 all chrome, AD 150 +/- 15 mm Thermostatic mixer = Shower = Components Thermostat KWC ONO ■ Thermostatic precision control unit ■ Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm ■ To be ordered separately: Water-bearing sliding wall bar kit -26.004.003.000, 26.004.004.000 - Hand shower KWC BOSSANOVA, KWC ELY or KWC CHOICE - shower head KWC PIATTO-X ======= -112.0315.860 26.004.100.000 456.00 all chrome Components Diverter for shower system surface-mounted ■ To be ordered separately: Water-bearing sliding wall bar kit -26.004.003.000, 26.004.004.000 - Hand shower KWC BOSSANOVA, KWC ELY or KWC CHOICE - shower head KWC PIATTO-X 112.0315.861 26.004.110.000 479.00 all chrome Components Diverter for shower system concealed ■ To be ordered separately: Water-bearing sliding wall bar kit -26.004.003.000, 26.004.004.000 - Hand shower KWC BOSSANOVA, KWC ELY or KWC CHOICE - shower head KWC PIATTO-X 112.0315.856 26.004.003.000 514.80 all chrome, A 300, L 1100 68 112.0315.857 26.004.004.000 514.80 all chrome, A 400, L 1100 Components Sliding wall bar kit

KWC Shower brackets

		FUN	KWC-No.	Price €
		112.0315.804 all chrome	26.000.621.000	110.50
CI	Ø60 O 75 027	Shower bracket Shower bracket Suitable for: All hand showers		
		112.0315.807 all chrome	26.000.620.000	89.00
	75 O 75 027	Shower bracket Shower bracket Suitable for: All hand showers		
		112.0315.850 all chrome	26.000.622.000	8.40
	ø34 152 634 153	Shower bracket Shower bracket Suitable for: All hand showers		
		112.0315.851 all chrome	26.000.623.000	57.90
	67 630	Shower bracket Shower bracket Suitable for: All hand showers		



KWC Sliding wall bar kits



		FUN	KWC-No.	Price €
		112.0315.800 all chrome	26.000.610.000	110.50
	1/2" 63 Ø48	Hose connection Hose connection Connecting thread ½"		
		112.0315.805 all chrome	26.000.611.000	110.50
	75 1/2" 66 75 030 48 1/2"	Hose connection Hose connection Connecting the	on	
		112.0315.852 all chrome	26.000.612.000	114.40
	960 1 1/2" 1/2"	Hose connection Hose connection Connecting the		
		112.0315.853 all chrome	26.000.613.000	127.30
	102 87 54 175 172" 172" 172"	Hose connection Hose connection ■ Connecting thread ½"		
		112.0315.854 all chrome	26.000.614.000	21.10
	### ### ### ### ### #### #############	Hose connection Hose connection ■ Connecting thread ½"		

		FUN	KWC-No.	Price €
		112.0315.878 all chrome, L 1800	26.001.014.000	38.20
/	1/2"	112.0315.879 all chrome, L 1250	26.001.012.000	31.90
	1	Shower hose		
	1/2"	Shower hose Connecting three	ead ½"	
		112.0315.869 all chrome, L 1000	26.001.019.000	71.70
	1/2"			
	1000	Shower hose		
	1/2"	Shower hose • Connecting three	ead ½"	
		133.0326.076 all chrome, L 1800	26.001.004.000	41.20
Hall Hall	1/2"			
	1800	Shower hose		
	1/2"	Shower hose • Connecting three	ead ½"	
		112.0315.791 all chrome, L 2000	Z.200.254.000	44.60
	1/2" 			
	2000	Shower hose		
	H ↓ 1/2"	Shower hose Connecting three	ead ${rac{1}{2}}$ "	
		112.0315.792 all chrome, L 1500	Z.200.076.000	70.80
	1/2"	112.0315.793 all chrome, L 1800	Z.200.077.000	81.70
		112.0315.794 all chrome, L 2000	Z.200.078.000	91.30
	→1.14°=	Shower hose		
		Shower hose • Connecting thre	ead ½"	



AUTOMATIC FAUCETS


KWC IQUA	110

Cód/Art. KWC. **FUN** Precio €



113.0315.708 K.12.JB.52M000B23 863.90


cromado, A 140, tubo conexión flexible, sin vaciador automático, batería



Automatic

- Fixed spout
- Electrovalve
- Flexible connection hose 3/8"






113.0315.707 K.12.JB.52.000B23 914.70

cromado, A 140, tubos conexión flexibles, sin vaciador automático, batería

Automatic, non-contact ■ Basin

- Fixed spout
- Electrovalve
- Flexible connection hoses ¾"





113.0315.706 K.12.QB.51M000B23 850.50


cromado, A 110, tubo conexión flexible, sin vaciador automático, batería

Automatic, non-contact ■ Basin

Automatic

- Fixed spout
- Electrovalve
- Flexible connection hose 3/8"





112.0315.798 K.28.J6.10.102 blanco, preparado para la alimentación de la red 622.90

Hand dryer HT180

Hand dryer HT180

blanco, batería







112.0315.799 K.28.J6.20.102

369.60

Soap dispenser SD80

Soap dispenser SD80, for liquid soap and disinfectant soap (viscosity 2000-6000 mPa*s, contents 0.8 litre)

Precio €

	260 105 105 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100- 100
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

113.0360.400 11.692.033.000 **898.10** cromado, AD 150 +/- 15 mm, A 200, batería

113.0360.404 11.692.035.000 **988.10** cromado, AD 150 +/- 15 mm, A 260, batería

Thermostatic mixer - Automatic, non-contact - Basin


Cód/Art. KWC.

Automatic

FUN

- Fixed spout
- Electrovalve
- \blacksquare Concealed wall connections ½" x ¾", without shut-off valve L 46 eccentric 7.5 mm





113.0360.396 21.692.100.000 cromado, AD 150 +/- 8 mm, batería


1'297.70

1'223.00

Thermostatic mixer ■ Shower

Automatic

- Electrovalve
- Wall connections ½" x ½", with shut-off valve L 40



113.0360.395 21.692.050.000 cromado, AD 150 +/- 8 mm, batería, sin ducha y flexo

Thermostatic mixer ■ Shower

Automatic

- Electrovalve
- Wall connections ½" x ½", with shut-off valve L 40



TOOLS/SPARE PARTS

KWC Tools	114
KWC Spare parts	118
Index	122
KWC Index	124
General conditions of sale and delivery	127

	FUN	KWC-No.	Price €
	112.0362.740	Z.536.028	203.00
	Basin wrench	SW 36	
	112.0362.751	Z.536.448	539.30
	Torque wrenc SW 30, SW 24	h with various inserts SW 3	36, SW 34, SW 32,
	112.0314.435	Z.635.392	21.30
	Combination	wrench KWC ONO	
	112.0362.752 stainless steel	Z.636.126.700	37.40
58-2 16 18-5	Wrench SW 42	2 / SW 45	
	112.0362.753 stainless steel	Z.636.127.700	37.40
	Wrench SW 3	0 / SW 34	
	112.0362.754 stainless steel	Z.636.707.700	37.40
	Wrench SW 3	8 / SW 42	

	FUN	KWC-No.	Price €
	112.0362.755	Z.604.638.901	37.40
	Splined key fo	or KWC valve	
	112.0362.756 all chrome	Z.604.451.000	11.00
	Pin wrench fo	r burglarproof KWC CORONA handles	
	133.0324.524	Z.600.774	5.70
Universalist für Generalister für seinlich füngt. B. KWC grande universalis prur robersteinis seinlich grand universalis prur robersteinis seinlich generalisterin general	Universal faud	et grease, bag 2 g	
	112.0558.929	Z.531.396	73.50
	Universal faud	et grease, can 125 g	
	112.0314.438	Z.635.075	12.40
	Wrench to sho	ower filter KWC SIN	

FUN	KWC-No.	Price €
112.0314.410 Service key No	Z.636.254 eoperl [©] Caché [©] , TT, 16 mm, yellow	3.50
112.0314.431 Service key No	Z.634.729 eoperl [©] Caché [©] , TJ, 18 mm, green	3.50
112.0314.434	Z.635.215	3.50
Service key No 112.0314.437	eoperl [©] Caché [©] , JR, 21 mm, red Z.635.231	3.50
Service key No	eoperl [©] Caché [©] , STD, 24 mm, grey	
112.0329.285 Service key No	Z.635.966 eoperl [©] Caché [©] , SLIM TT, 18 mm, blue	3.50
112.0493.511 Service key No	Z.638.338 eoperl [©] casing M20x1, orange	3.50

FUN	KWC-No.	Price €
112.0511.462	Z.638.306	8.80
Microspray k	еу	
112.0329.286	Z.636.508	20.40
Universal key	ι caché [©] , dark grey	

FUN	KWC-No.	Price €
133.0308.503	Z.536.032	60.20
KWC cartridg	ge S 25	
133.0308.502	Z.534.836	60.20
KWC cartridg	ge M 35	
133.0473.856	Z.537.582	60.10
KWC cartridg	e M 35 H	
133.0521.733	Z.537.710	125.30
KWC cartridg	e M 35 OP	
133.0521.812	Z.537.602	92.70
KWC cartridg	ge M 35-S HF	

	FUN	KWC-No.	Price €
	133.0308.373	K.32.60.00	58.10
	KWC cartridge	e L 39 - universal	
E7	133.0325.664	Z.535.645	81.70
	KWC cartridge	e with safety device L 39 - universal	
7	133.0325.957	Z.535.362	60.20
	KWC cartridge	e L 40	
	133.0325.857	Z.634.819	230.30
	KWC cartridge	e L 40 - electronic	
	133.0324.404	K.32.60.01	74.50
	KWC cartridge	e XL 46 - high capacity	
	133.0326.039	Z.535.647	100.70
	KWC cartridge	e with safety device L 46 - high capaci	ty

	FUN	KWC-No.	Price €
4	133.0308.371	K.32.40.01.931	21.60
	Flat valves M	20 x 1.25	
A.	133.0308.367	K.32.40.10.931	32.30
	Flat valves M	20 x 1.25 with back flow preventer	
	133.0325.414	K.32.44.00.931	22.40
	Conical valve	s M20 x 1.25 Low pressure	
	133.0308.370	Z.501.297	38.10
	Ceramic disc	valve ½"	
	133.0325.966 chrome/clear	Z.536.446.033	147.20
	Flat valves M (cold and hot	20 x 1.25 (2x) with KWC STAR handles water)	

FUN	Page	FUN	Page	FUN	Page	FUN	Page
112.0308.148	22, 60	112.0324.473	94	113.0315.726	70	113.0360.209	79
112.0308.149	17, 30, 71	112.0324.477	94	113.0315.727	70	113.0360.209	79
112.0308.150	19, 65	112.0329.285	116	113.0315.727	70	113.0360.221	79
112.0308.151	19, 66	112.0329.286	117	113.0315.735	70	113.0360.222	80
112.0308.152	18, 19, 64, 65, 66	112.0360.201	97	113.0315.737	72	113.0360.224	80
112.0314.410	116	112.0362.739	66	113.0315.742	64	113.0360.373	79
112.0314.431	116	112.0362.740	114	113.0315.743	64	113.0360.375	79
112.0314.434	116	112.0362.751	114	113.0315.744	64	113.0360.376	79
112.0314.435	114	112.0362.752	114	113.0315.745	64	113.0360.377	79
112.0314.437	116	112.0362.753	114	113.0315.746	64	113.0360.378	79
112.0314.438	115	112.0362.754	114	113.0315.747	64	113.0360.379	17
112.0315.785	63, 74	112.0362.755	115	113.0315.748	64	113.0360.380	17
112.0315.786	63, 74	112.0362.756	115	113.0315.749	65	113.0360.381	58
112.0315.791	107	112.0362.929	17, 22, 30, 60, 71, 76	113.0315.750	65	113.0360.383	58
112.0315.792	107	112.0396.198	102	113.0315.751	66	113.0360.384	58
112.0315.793	107	112.0396.211	72, 101	113.0315.752	65	113.0360.385	58
112.0315.794	107	112.0396.216	102	113.0315.753	65	113.0360.386	58
112.0315.796	104	112.0396.218	61, 101	113.0315.754	65	113.0360.395	111
112.0315.797 112.0315.798	104	112.0493.140	57, 59, 62, 69,	113.0315.768 113.0315.770	67 67	113.0360.396 113.0360.400	111 111
112.0315.796	110 110	112.0493.301	73, 78,80, 85, 87		67	-	111
112.0315.799	110	112.0495.501	57, 59, 62, 69, 73, 78,80, 85, 87	113.0315.772 113.0315.774	67	113.0360.404 113.0396.195	72
112.0315.800	63	112.0493.302	57, 59, 62, 69,	113.0315.774	68	113.0396.193	61
112.0315.804	103	112.0433.302	73, 78, 80, 85, 87	113.0315.775	32, 68	113.0396.214	61
112.0315.805	106	112.0493.305	87	113.0315.782	32,68	113.0396.242	85
112.0315.806	74	112.0493.511	116	113.0315.783	67	113.0396.244	72
112.0315.807	103	112.0493.668	63	113.0315.785	67	113.0396.245	58
112.0315.810	63, 74	112.0493.669	58	113.0315.790	81	113.0396.255	58
112.0315.811	63, 74	112.0493.718	97	113.0315.792	81	113.0493.517	59, 62, 73
112.0315.812	66	112.0493.791	88	113.0315.795	81	113.0493.518	59, 62, 73
112.0315.814	74	112.0493.792	88	113.0315.796	81	113.0493.519	59, 62, 73
112.0315.815	94	112.0493.793	88	113.0315.797	81	113.0493.520	69, 78
112.0315.816	94	112.0493.794	88	113.0315.799	82	113.0493.522	69, 78
112.0315.820	96	112.0497.193	89	113.0315.800	82	113.0493.523	69, 78
112.0315.821	96	112.0497.197	89	113.0315.801	83	113.0493.527	59
112.0315.822	98	112.0497.198	90	113.0315.803	83	113.0493.528	59
112.0315.823	98	112.0497.221	90	113.0315.805	83	113.0493.529	59
112.0315.832	99	112.0498.421	87	113.0315.806	83	113.0493.530	62
112.0315.833	99	112.0511.462	117	113.0315.807	83	113.0493.531	62
112.0315.834 112.0315.835	99 99	112.0521.689 112.0558.929		113.0315.808 113.0315.809	83 84	113.0493.532	62 73
112.0315.835	99	112.0558.929	98	113.0315.809	84	113.0493.533 113.0493.534	73
112.0315.837	99		98			113.0493.535	73
112.0315.837		112.0561.316		113.0315.813		113.0493.661	69
112.0315.839	100		98		70		69
112.0315.840	100	112.0561.318		113.0315.819		113.0493.667	69
112.0315.841	100	112.0561.319	98		70		85
112.0315.842	100	112.0561.441	95		70	113.0493.693	85
112.0315.843	100	112.0561.442	95		70		85
112.0315.844	100	112.0561.443	95	113.0315.823	70	113.0493.764	80
112.0315.845	100	112.0561.444	97	113.0315.824	67	113.0493.765	80
112.0315.846	104	112.0561.445	97	113.0315.825	67	113.0493.766	80
112.0315.847	104	112.0570.049	86	113.0315.826	67	113.0497.192	89
112.0315.848	104	112.0570.179	105	113.0315.827	67	113.0521.599	76
112.0315.849	104	112.0570.221	105		68		76
112.0315.850	103	113.0278.281	104		68	113.0521.651	75
112.0315.851	103	113.0278.286	104		81		75
112.0315.852	106		40		81	113.0521.653	75
112.0315.853	106	113.0315.689	60		81	113.0521.654	75
112.0315.854	106		60		81		75
112.0315.856	102	113.0315.691	61	113.0315.834	83		75
112.0315.857	102	113.0315.692	61	113.0315.835	83	113.0521.657	75
112.0315.860	102	113.0315.693	61		83		75 75
112.0315.861	102	113.0315.694	61	113.0315.837	83	113.0521.659	75 75
112.0315.862	105	113.0315.705	60	113.0315.838	84	113.0521.660	75 76
112.0315.863	105 107	113.0315.706	110		84 72		76 77
112.0315.869		113.0315.707	110	113.0315.841	84	113.0521.674	77 77
112.0315.872 112.0315.874	43, 90	113.0315.708 113.0315.709	110 60	113.0315.842 113.0315.843	84		77
112.0315.875	90		60		84		77
112.0315.876	90	113.0315.710	70		81	113.0521.690	77
112.0315.878	107	113.0315.722	70		79		78
112.0315.879	107	113.0315.725	70			113.0521.702	78
			70				

FUN	Page	FUN	Page	FUN	Page
113.0521.707	77	115.0308.222	18	115.0315.675	52
113.0521.715	77	115.0308.223	19, 64	115.0315.676	47
113.0553.678	56	115.0308.224	19, 64	115.0315.688	50
113.0553.681	56	115.0308.225	31	115.0315.689	50
113.0553.682	56	115.0308.227	31	115.0315.690	50
113.0553.683	56	115.0308.228	31	115.0315.691	50
113.0553.684	56	115.0308.229	31	115.0315.692	49
113.0553.685	56	115.0308.230	31	115.0315.693	49
113.0553.686	56	115.0308.231	31	115.0315.694	50
113.0553.687	56	115.0308.233	16	115.0315.695	50
113.0553.688	56	115.0308.235	16	115.0315.696	50
113.0553.696	56	115.0308.240	29	115.0315.697	23
	57		29		23
113.0553.700	57	115.0308.241	29	115.0315.698	51
113.0553.714		115.0308.242		115.0315.699	51
113.0553.715	57	115.0308.243	29	115.0315.700	39
113.0553.716	57	115.0308.244	29	115.0315.701	
113.0553.717	57	115.0308.248	33	115.0315.702	39
115.0043.798	39	115.0308.251	33	115.0315.704	27
115.0043.799	39	115.0308.254	20	115.0315.705	27
115.0200.123	29	115.0308.255	20	115.0315.706	38
115.0200.124	29	115.0308.256	28	115.0315.707	38
115.0307.869	24	115.0308.257	28	115.0315.708	38
115.0307.892	24	115.0309.243	29	115.0315.709	38
115.0307.893	24	115.0309.244	29	115.0340.013	16
115.0307.894	24	115.0315.620	49	115.0340.014	16
115.0307.902	27	115.0315.621	48	115.0340.019	16
115.0307.903	27	115.0315.622	46	115.0340.020	16
115.0307.905	22	115.0315.623	46	115.0392.947	51
115.0307.911	16	115.0315.624	46	115.0393.145	15
115.0307.913	16	115.0315.625	46	115.0393.163	15
115.0307.925	33	115.0315.626	49	115.0457.304	36
115.0307.926	33	115.0315.627	48	115.0457.309	36
115.0308.169	20	115.0315.628	48	115.0457.316	36
115.0308.170	21	115.0315.629	48	115.0473.853	37
115.0308.177	20	115.0315.630	48	115.0473.854	37
115.0308.178	22, 60	115.0315.631	48	115.0480.418	34
115.0308.179	22, 60	115.0315.632	48	115.0480.480	35
115.0308.180	24	115.0315.633	46	115.0480.492	34
115.0308.181	24	115.0315.634	47	115.0480.498	34
115.0308.182	24	115.0315.635	47	115.0480.633	34
115.0308.183	24	115.0315.636	47	115.0480.636	34
115.0308.184	20	115.0315.637	46	115.0480.637	34
115.0308.185	21			115.0480.661	35
115.0308.190	20	115.0315.639	47	115.0480.671	35
115.0308.191	21	115.0315.640	47	115.0481.988	36
115.0308.192	21	115.0315.647	51	115.0481.989	36
115.0308.193	21	115.0315.648	51	115.0483.403	36
115.0308.194	21	115.0315.649	51	115.0493.132	51
	22	115.0315.650	51		47
115.0308.195 115.0308.196	21	115.0315.651	50	115.0493.133 115.0517.891	14
115.0308.197	22	115.0315.652	50	115.0517.896	14
115.0308.198	20	115.0315.653	51	115.0517.899	14
115.0308.199	20	115.0315.654	51	115.0517.932	14
115.0308.200	29	115.0315.655	51	119.0200.126	30, 41
115.0308.203	24	115.0315.656	23	119.0307.870	25, 41
115.0308.204	24	115.0315.657	23	119.0307.901	25, 41
115.0308.205	30, 71	115.0315.658	23	119.0307.908	20, 42
115.0308.206	30, 71	115.0315.659	47	119.0307.927	42
115.0308.207	22	115.0315.660	47	119.0308.341	15, 17, 42
115.0308.208	21	115.0315.661	48	119.0308.343	20, 42
115.0308.209	26	115.0315.662	49	119.0308.347	30, 41
115.0308.210	26	115.0315.663	48	119.0308.348	25, 41
115.0308.211	26	115.0315.664	49	119.0308.349	25,41
115.0308.212	26	115.0315.665	46	119.0308.350	26,42
115.0308.213	28	115.0315.666	40	119.0308.352	15, 17, 42
115.0308.214	28	115.0315.667	40	119.0310.326	23, 41
115.0308.215	28	115.0315.668	46	119.0340.000	17, 42
115.0308.216	28	115.0315.669	46	119.0340.011	17, 42
115.0308.217	18	115.0315.670	49	119.0517.935	14, 41
115.0308.217	18	115.0315.671	52	133.0308.367	120
115.0308.219	18	115.0315.672	52	133.0308.370	120
115.0308.220	18	115.0315.673	52	133.0308.370	120
115.0308.220	18	115.0315.674	52	133.0308.371	119
5.0500.221	10	. 13.03 13.07 +	JZ		113

FUN	Page
133.0308.488	66
133.0308.502	118
133.0308.503	118
133.0324.404	119
133.0324.455	53
133.0324.479	52
133.0324.524	115
133.0325.414	120
133.0325.630	53
133.0325.631	53
133.0325.632	53
133.0325.664	119
133.0325.857	119
133.0325.957	119
133.0325.966	120
133.0326.039	119
133.0326.076	107
133.0473.856	118
133.0493.135	52
133.0521.733	118
133.0521.812	118

KWC-No.	Page	KWC-No.	Page	KWC-No.	Page	KWC-No.	Page
10.061.003.000FL	31	10.231.013.000FL	28	12.068.021.000FL	68	12.651.032.000FL	64
10.061.004.000FL	31	10.231.013.700FL	28		67	12.651.132.000FL	64
10.061.023.000FL	31	10.231.043.700FL	28	12.068.042.000FL	67	12.652.011.000FL	64
10.061.033.000FL	31	10.231.053.700FL	28	12.068.051.000FL	67	12.652.012.000FL	64
10.061.043.000FL	31	10.231.103.000FL	28	12.068.052.000FL	67	12.652.122.000FL	64
10.061.053.000FL	31	10.231.103.700FL	28	12.151.042.000FL	60	13.061.041.000FL	68
10.071.023.000FL	39	10.261.002.000FL	26	12.151.052.000FL	60	13.151.041.000FL	60
10.071.023.000LLFL	39	10.261.012.000FL	26	12.151.093.000FL	60	13.161.041.000FL	79
10.071.033.000FL	39	10.261.102.000FL	26	12.151.393.000FL	60	13.191.041.000FL	71
10.071.033.000LLFL	39	10.261.432.000FL	26	12.161.031.000FL	79	13.201.041.000FL	58
10.111.102.000FL	24	10.271.023.700FL	23	12.161.032.000FL	79	13.381.041.000FL	76
10.111.102.700FL	24	10.271.033.700FL	23	12.161.071.000FL	79	13.411.041.000FL	56
10.111.103.000FL	24	10.271.033.736FL	23	12.161.072.000FL	79	20.004.801.000	59, 62, 73
10.111.103.700FL	24	10.271.103.700FL	23	12.168.041.000FL	79	20.004.802.000	69, 78
10.121.102.000FL	24	10.271.303.700FL	23	12.168.042.000FL		20.004.811.000	59, 62, 73
10.121.102.700FL 10.121.103.000FL	24 24	10.291.023.000FL 10.291.023.000LLFL	38 38	12.168.051.000FL		20.004.812.000	69, 78
10.121.103.000FL 10.121.103.150FL	24	10.291.023.000ELFL	38	12.168.052.000FL 12.168.092.000FL		20.064.300.000 20.064.310.000	69 69
10.121.103.151FL	24	10.291.033.000LFL	38	12.191.031.000FL	70	20.152.422.000	61
10.121.103.700FL	24	10.321.023.000FL	33	12.191.032.000FL	70	20.152.442.000	61
10.151.003.000FL	21	10.321.033.000FL	33	12.191.071.000FL	70	20.152.503.000	61
10.151.013.000FL	21	10.321.043.000FL	33	12.191.072.000FL	70	20.154.500.000	62
10.151.023.000FL	20	10.321.053.000FL	33	12.191.093.000FL	70	20.154.510.000	62
10.151.023.700FL	20	10.371.023.000FL	37	12.191.393.000FL	70	20.162.313.000	80
10.151.033.000FL	20	10.371.033.000FL	37	12.198.041.000FL	70	20.164.500.000	80
10.151.033.700FL	20	10.392.022.700FL	14	12.198.042.000FL	70	20.164.510.000	80
10.151.043.700FL	20	10.392.023.700FL	14	12.198.051.000FL	70	20.192.440.000	72
10.151.053.700FL	20	10.392.024.700FL	14	12.198.052.000FL	70	20.192.503.000	72
10.151.102.000FL	21	10.392.323.700FL	14	12.198.131.000FL	70	20.194.500.000	73
10.151.102.700FL	21	10.441.023.000FL	36	12.198.141.000FL	70	20.194.510.000	73
10.151.113.000FL	20	10.441.023.700FL	36	12.203.151.000FL	58	20.202.503.000	58
10.151.113.700FL	20	10.441.033.000FL	36	12.203.161.000FL	58	20.204.500.000	59
10.151.413.000FL	21	10.441.113.000FL	36	12.208.131.000FL	58	20.204.510.000	59
10.151.413.700FL	21	10.441.113.700FL	36	12.208.141.000FL	58	20.282.313.000	82
10.151.423.000FL	22	10.651.022.000FL	18	12.281.031.000FL	81	20.292.313.000	84
10.151.423.700FL	22	10.651.032.000FL	18	12.281.032.000FL	81	20.294.320.000	85
10.152.322.000FL	21	10.651.122.000FL	18	12.281.071.000FL	81	20.294.330.000	85
10.152.413.000FL 10.152.423.000FL	21 22	10.652.012.000FL 10.652.132.000FL	18 18	12.281.072.000FL 12.288.041.000FL	81 81	20.327.730.000 20.382.333.000	89 77
10.153.423.000FL	22	10.653.112.000FL	18	12.288.042.000FL	81	20.382.483.000	77
10.171.003.000FL	35	10.891.022.000FL	36	12.288.051.000FL	81	20.382.503.000	77
10.171.013.000FL	35	11.062.002.000	32, 68		81	20.384.502.000	78
10.171.023.000FL	34			12.291.032.000FL	83		78
10.171.033.000FL	34		22, 60			20.412.333.000	57
10.171.043.000FL	34	11.152.034.000	22,60		83		57
10.171.053.000FL	34	11.192.033.000	30,71	12.291.042.000FL	83		57
10.171.063.000FL	35	11.192.034.000	30, 71	12.291.042.000LLFL	83	20.657.023.000	65
10.175.023.000FL	34	11.202.033.000	17	12.291.051.000FL	83	20.657.120.000	65
10.175.033.000FL	34	11.202.034.000	17	12.291.051.000LLFL	83	20.657.234.000	65
10.181.002.000FL	27	11.282.002.000	81	12.291.052.000FL	83	21.004.801.000	59, 62, 73
10.181.003.000FL	27	11.282.003.000	81	12.291.052.000LLFL	83	21.004.802.000	69, 78
10.181.012.000FL	27	11.292.002.000	84	12.291.072.000FL	83	21.064.300.000	69
10.181.992.000FL	27	11.292.002.000LL	84	12.381.031.000FL	75	21.152.030.000	61
10.191.003.000FL	29	11.292.003.000	84	12.381.032.000FL	75	21.152.330.000	61
10.191.003.127FL	29	11.292.003.000LL	84	12.381.041.000FL	75	21.152.500.000	61
10.191.023.000FL	29	11.292.092.000LL	84	12.381.042.000FL	75	21.154.500.000	62
10.191.023.127FL	29	11.292.093.000LL	84	12.381.051.000FL	75	21.162.330.000	80
10.191.033.000FL	29	11.292.094.000LL	84	12.381.052.000FL	75	21.164.500.000	80
10.191.033.127FL	29	11.382.033.000	76		75	21.192.500.000	72
10.191.103.000FL 10.191.103.127FL	29 29	11.382.034.000 11.654.003.000	76 19, 64	12.381.072.000FL 12.381.092.000FL	75 75	<u>21.192.950.000</u> 21.194.500.000	72 73
10.191.113.000FL	29	11.654.004.000	19,64	12.381.102.000FL	75	21.202.500.000	58
10.191.113.000FL	29	11.692.033.000	111	12.411.032.000FL	56	21.202.500.000	59
10.201.102.000FL	16	11.692.035.000	111	12.411.033.000FL	56	21.282.310.000	82
10.201.102.106FL	16	12.000.600.000	90	12.411.042.000FL	56		84
10.201.102.127FL	16	12.000.610.000	90	12.411.043.000FL	56	21.292.500.000	85
10.201.102.150FL	16	12.061.031.000FL	67	12.411.052.000FL	56	21.294.320.000	85
10.201.122.000FL	16	12.061.032.000FL	67	12.411.053.000FL	56	21.382.330.000	77
10.201.122.106FL	16	12.061.071.000FL	67	12.411.072.000FL	56	21.382.480.000	77
10.201.122.127FL	16	12.061.072.000FL	67	12.411.073.000FL	56	21.382.500.000	77
10.201.122.150FL	16	12.061.372.000FL	67	12.411.093.000FL	56	21.384.502.000	78
10.201.242.000FL	15	12.061.382.000FL	67	12.651.021.000FL	64	21.412.330.000	57
10.201.242.127FL	15	12.068.011.000FL	68	12.651.031.000FL	64	21.414.500.000	57

KWC-No.	Page	KWC-No.	Page	KWC-No.	Page
21.654.010.000	65	26.000.823.000	100	K.24.42.74.000C	
21.654.020.000	65	26.000.824.000	100	K.24.42.F1.000C	
21.654.030.000	66	26.000.825.000	100	K.24.42.E1.000C3	
21.692.050.000	111	26.000.900.000	90	K.24.42.K1.000C	
21.692.100.000	111	26.000.910.000	90	K.24.42.K3.000C	
24.501.044.000	50	26.001.004.000	107	K.24.42.K5.000C	
24.501.046.000	50	26.001.012.000	107	K.24.62.14.000B9	
24.501.054.000	50	26.001.014.000	107	K.24.62.16.000B9	
24.501.056.000	50	26.001.019.000	107	K.24.62.44.000B	
24.501.064.000	49	26.001.025.000	90	K.24.62.46.000B8	
24.501.066.000	49	26.003.101.000	105	K.25.40.14.000C	
24.501.102.000LL	51	26.003.102.000	105	K.25.40.16.000C	
24.501.103.000LLFL	51	26.003.401.000	105	K.26.99.01.000	104
24.501.104.000LLFL	51	26.003.402.000	105	K.26.99.02.000	104
24.501.130.000	50	26.004.003.000	102	K.26.99.05.000	104
24.501.144.000	51	26.004.004.000	102	K.26.99.06.000	104
24.501.146.000	51	26.004.100.000	102	K.28.J6.10.102	110
24.502.164.000	51	26.004.110.000	102	K.28.J6.20.102	110
24.502.166.000	51	26.151.073.000	63	K.32.40.01.931	120
24.502.194.000	50	26.155.540.000	102	K.32.40.10.931	120
24.502.196.000	50	26.156.213.000	61, 101	K.32.44.00.931	120
24.503.114.000	51	26.191.073.000	74	K.32.60.00	119
24.503.116.000	51	26.195.540.000	102	K.32.60.01	119
24.503.124.000	51	26.196.213.000	72, 101	K.38.93.00.931.3	
24.503.126.000	51	26.201.073.000	58	K.38.H3.70.931A	· · · · · · · · · · · · · · · · · · ·
24.503.174.000	50	27.150.050.000	63	Z.200.076.000	107
24.503.184.000	50	27.190.050.000	74	Z.200.077.000	107
25.001.010.000	86	39.000.510.931	66	Z.200.078.000	107
26.000.103.000	97	39.001.401.931	76	Z.200.254.000	107
<u>26.000.110.040</u> <u>26.000.111.040</u>	94	39.004.500.931 39.151.400.931	19, 65 22, 60	Z.501.297 Z.502.844.700	120 53
26.000.111.045	94	39.193.400.931	17, 30, 71	Z.502.845.700	53
26.000.111.045	94	39.990.010.931	63, 74	Z.502.868.700	53
26.000.113.000	97	39.990.011.931	63, 74	Z.502.869.700	53
26.000.114.000	97	39.999.900.931	57, 59, 62, 69,	Z.531.396	115
26.000.116.000	95		73, 78, 80, 85, 87	Z.534.836	118
26.000.117.000	95	39.999.910.931	57, 59, 62, 69,	Z.535.362	119
26.000.118.000	95		73, 78, 80, 85, 87	Z.535.645	119
26.000.119.000	97	39.999.920.931	87	Z.535.647	119
26.000.120.000	96	39.999.930.931	57, 59, 62, 69,	Z.536.028	114
26.000.121.000	96		73, 78, 80, 85, 87	Z.536.032	118
26.000.204.000	98		40	Z.536.060.000	20, 42
26.000.205.000	98			Z.536.060.700	20, 42
26.000.206.000	98	K.11.42.42.000A76	40	Z.536.062.700	23, 41
26.000.214.000	98	K.12.JB.52.000B23	110	Z.536.063.000	25, 41
26.000.215.000	98	K.12.JB.52M000B23	110	Z.536.063.150	25, 41
26.000.216.000	98 98	K.12.QB.51M000B23 K.24.40.00.000C35	3 110 52	Z.536.063.151	25, 41 25, 41
<u>26.000.220.000</u> <u>26.000.221.000</u>	98		48	Z.536.063.700	25,41
26.000.502.000	104	K.24.40.60.000C34 K.24.40.70.000C34	40	Z.536.109.000 Z.536.159.000	30, 41
26.000.503.000	104	K.24.40.70.000C34 K.24.41.04.000C07	49	Z.536.159.000 Z.536.159.127	30,41
26.000.504.000	104	K.24.41.04.000C07	46	Z.536.139.127 Z.536.332.000	26, 42
26.000.505.000	104	K.24.41.20.000C07	46	Z.536.351.000	19, 66
26.000.610.000	106	K.24.41.21.000C07	46	Z.536.352	66
26.000.611.000	106	K.24.41.24.000C02	46	Z.536.405	66
26.000.612.000	106	K.24.41.32.000C07	46	Z.536.446.033	120
26.000.613.000	106	K.24.41.34.000C07	46	Z.536.448	114
26.000.614.000	106	K.24.41.60.000C06	48	Z.536.530.145	52
26.000.620.000	103	K.24.41.61.000C06	48	Z.536.576.000	43, 90
26.000.621.000	103	K.24.41.A2.000C07	46	Z.536.586.000	15, 17, 42
26.000.622.000	103	K.24.42.11.000C86	47	Z.536.586.106	17, 42
26.000.623.000	103	K.24.42.13.000C86	47	Z.536.586.127	15, 17,42
26.000.800.000	99	K.24.42.17.000C86	47	Z.536.586.150	17, 42
26.000.801.000	99	K.24.42.19.000C86	47	Z.536.828	17, 22, 30, 60, 71, 76
26.000.802.000	99	K.24.42.21.000C86	46	Z.537.563	89
26.000.803.000	99	K.24.42.22.000C74	47	Z.537.564	89
26.000.810.000	99	K.24.42.24.000C86	46	Z.537.565.000	52
26.000.811.000	100	K.24.42.41.000C74	47	Z.537.582	118
26.000.812.000	99	K.24.42.42.000C74	47	Z.537.593	88
<u>26.000.813.000</u> <u>26.000.820.000</u>	100	K.24.42.61.000C71 K.24.42.62.000C71	49 49	Z.537.594 Z.537.595	
26.000.820.000	100	K.24.42.62.000C71	49	Z.537.595 Z.537.600	88
26.000.822.000	100	K.24.42.70.000C78	48	Z.537.602	118

KWC-No.	Page
Z.537.710	118
Z.537.953	87
Z.538.038.700	14, 41
Z.600.774	115
Z.604.451.000	115
Z.604.638.901	115
Z.634.729	116
Z.634.819	119
Z.635.075	115
Z.635.215	116
Z.635.231	116
Z.635.392	114
Z.635.966	116
Z.636.126.700	114
Z.636.127.700	114
Z.636.183	18, 19, 64, 65, 66
Z.636.254	116
Z.636.508	117
Z.636.707.700	114
Z.638.306	117
Z.638.338	116

Information

Color differences on stainless steel surfaces on different parts of a Franke Water Systems AG, KWC faucet made out of stainless steel, cannot totally be excluded. Different factors may lead to a slight color differentiation.

- Already a slight difference in material composition may cause stainless steel
 to reflect light differently (more blue or yellow reflections). These differences in steel compositions still fulfill DIN valid material standards. They
 may occur within one lot of a steel production unit.
- Different cooling or production treatment parameters may also cause color surface differentiation.
- 3. Different surface consistency caused by the production process may as well lead to a different light reflection, so that other colors appear.

Our aim is not to have another surface process to guarantee a 100 % stainless steel color consistency. Beside the unique KWC faucet design we would like to keep a puristic surface finish of natural stainless steel in match with our design philosophy.

By keeping production tolerances at a narrow level, we try to keep slight stainless steel surface color differentiation as little as possible. But we cannot exclude them totally. As with upper class wooden furniture, where a slight color differentiation is accepted as well on the surface, it has to be accepted that high quality faucets made by our standards may have slight color differences on their surfaces.

Operating Data

Minimal operating pressure 1 bar (15 PSI) Ideal operating pressure 3 bar (45 PSI) Maximal operating pressure 5 bar (70 PSI)

Equal pressures are recommended

Maximal hotwater temperature 70°C (180°F)

Attention:

Before installation, flush pipes thoroughly!
For further information refer to our detailed sales literature.
Damages on the faucet resulting from incorrect handling are excluded from the manufacturers warranty!

General conditions

All our quotations, sales and deliveries shall be subject to the following conditions exclusively, even if the customer expressly specifies otherwise. With the acceptance of our confirmation of order or the delivery of our goods, the customer declares his acceptance of our terms and conditions. Silence on our part as regards the customer's terms and conditions shall not constitute any acknowledgement of, or consent to, the customer's terms and conditions under any circumstances. All quotations are without obligation.

Supplementary agreements and any other informal commitments need to be confirmed in writing by our Head Office in every case. None of the information contained in our catalogues is binding. This also applies to illustrations, weights, measurements and performance data. We reserve the right to alter specifications without notice.

1. Prices and sales tax

The prices and conditions which will apply are those in effect at the date of delivery. The quoted prices for our product range are EX WORKS, incl. packaging, not insured unless otherwise expressly and separately agreed. At the time valid Incoterms shall apply. All prices shall be exclusive of Value Added Tax, which is shown separately in our invoices.

In the case of inter-company deliveries, the purchaser shall give us an undertaking that the goods are being procured for his own company and are subject to the tax regulations applicable in his country. Prices are subject to change without notice.

2. Delivery and acceptance

Quoted delivery periods are approximations. If circumstances arise for which we are not responsible, e.g. a delay occasioned by delivery problems on the part of our subcontractors, the delivery period shall be extended accordingly. The delivery period shall also be appropriately extended in the event of industrial action, particularly strikes and lockouts. In the event of a resultant delay in delivery on our part, the customer shall not be entitled to any claims or cancellation of the transaction.

3. Right of the supplier to withdraw

In the event of a serious deterioration in the customer's business, particularly financial circumstances, stoppage of payments, winding-up or transfer of the business or his death or similar, or if the customer pledges stock, receivables or the purchased goods, or orders them as a security for other creditors, the supplier shall be entitled to demand security and to rescind his obligation to supply if the security is inadequate, and to demand compensation on grounds of nonfulfilment. In the event that we are prevented from manufacturing the ordered goods due to circumstances for which we are not to blame, we reserve the right to withdraw from the contract, wholly or partially, without the client being thereby entitled to make any claim whatsoever for compensation, subsequent delivery or withdrawal from the contract.

4. Packing, transport, carriage charges, small order supplement and transfer of risk

We reserve the right to choose the type of packaging used. Cardboard, paper and plastic packaging will not be taken back but must be disposed of by the receiver of the goods. Pallets, wire-mesh box pallets and other usable containers may be returned to us, carriage paid, within three months. Deliveries by post and express services will be charged at cost. If a carriage paid delivery is agreed, the supplier shall be entitled to choose the method of transport employed. For consignments to third parties, an adequate supplement of a percentage of the value of the goods will be charged.

All risks shall be transferred to the customer when the goods leave our factory/depot or are made available to the customer at our factory/depot.

5. Terms of payment

Our invoices are payable within 30 days net in Swiss Francs or Euro after receipt of invoice unless otherwise expressly and separately agreed. In the event of delays in payment, the customer shall without further reminder be liable to pay to Franke Water Systems AG, KWC default interest at a rate of 2% above the relevant discount rate of the National Bank of Switzerland. As long as older invoices remain unpaid, no entitlement to discount shall exist on the payment of new invoices. Bills of exchange shall not be accepted. If payment is made by cheque or other form of documentary remittance, the charges therefore shall be borne by the customer. If the customer is late in making a payment or his financial situation deteriorates markedly after the conclusion of the contract, all debts shall immediately become due for settlement. The customer may only offset these with uncontested or legally established counter-claims. The punctuality of payments, or otherwise, is determined by the date on which the funds are received by us.

6. Retention of title

We shall retain title to the goods supplied until all the debts due to us and incurred as a result of the business relationship have been settled in full, irrespective of the legal justification therefore. As far as such retention of title has to be recorded in public registers, the customer undertakes to issue all statements legally due for this purpose upon the supplier's first request. The customer shallbe entitled to process our products or to use them with other products within the scope of his regular business operations. As a surety against our aforesaid entitlements, we shall acquire co-ownership of the objects resulting from the processing or combined use of our products, the said co-ownership being assigned to us by the customer coincidentally with the acceptance of these Conditions of Sale. The customer shall be required to keep the objects subject to our co-ownership at no charge to us. The amount of our share of co-ownership shall be determined in accordance with the value of our product relative to the value of the object resulting from its processing or combined use by the customer.

We grant our customers the right of resale in the normal course of business, subject to revocation. The said right shall be withdrawn in the event of a suspension of payments. With the acceptance of these Conditions of Sale, the customer shall assign to us all the debts and additional rights accruing to him from the resale. The assigned debts shall serve as a security for all our claims. The customer shall be entitled to collect the assigned debts, provided we have not revoked this authorisation. The authorisation to collect debts shall be withdrawn, even without any express revocation, if the customer suspends his own payments. If we so request, the customer shall inform us in writing and without delay as to whom he has resold the goods and the debts due to him as a result of the resale, and furnish us with certified documents of transfer of the debts at his expense. The customer shall not be entitled to any other provisions in respect of the objects to which we retain title or of which we hold co-ownership, or in respect of any debts assigned to us. The customer shall notify us with-out delay of any attachments or other legal impairments relating to objects belonging to us, either wholly or partially.

We shall be entitled at any time to call for the return of goods belonging to us if the customer falls into arrears on a payment or if his financial situation deteriorates to a marked extent. If we enforce this right, withdrawal from the contract shall only arise if we expressly declare the same, irrespective of any other mandatory official regulations. If the value of the securities assigned to us exceeds our receivables and entitlements to redemption by more than 20 %, we shall, at the customer's request, release securities to an amount to be decided by us. Samples and drawings shall remain our property, even if the customer bears the costs, or a proportion of the costs, thereof.

7. Returns

Goods may not be returned without our prior consent. Failing this, returned goods shall not be accepted. In the case of returns, we shall be entitled to levy a processing charge according to our goodwill procedure. The costs of any reconditioning required shall be invoiced separately. If goods which have been delivered carriage paid are subsequently returned by the customer, the costs of the initial delivery shall be deducted from the credit note.

8. Warranty and Liability

We guarantee the perfect, functioning of our products provided they are installed correctly and in accordance with their inten-ded purpose. In the event of proven defects in material or work-manship we shall provide full replacement of materials. We shall not be liable for any further damage, particularly as a result of improper handling, overloading or natural wear and tear. This shall apply in particular to surface damage caused by the use of incorrectly used, abrasive or aggressive cleaning agents. Our warranty and liability in respect of materials not manufactured by us shall be restricted to the warranty and liability provi-ded for in the conditions of sale or our subcontracted suppliers. The warranty period shall be 2 years from the date of invoice of the defective fitting. If we manufacture goods to a customer's specification, he shall be wholly responsible for ensuring that no patents or other third party rights are infringed. Any complaints concerning the weight, quantity or quality of the goods shall be notified in writing immediately after their discovery and, in any case, one week at the latest after receipt of the consignment. If the complaint proves to be justified, a replacement consignment shall be delivered free of charge and carriage paid to the original destination; in the event of quality defects, however, this shall only apply if the faulty parts are returned. Any further claims for replacements or abatement or compensation for indirect and/or direct damages shall be excluded, unless we are unable to effect a re-delivery or are guilty of gross negligence. The goods must still be in the condition in which they were delivered. For goods which have been used, the warranty terms agreed by us with suissetec (Schweizerisch-, Lichtensteinischer Gebäudetechnikverband) shall apply.

9. Place of fulfilment, court of jurisdiction, obligations imposed by contracts

The place of fulfilment for all the obligations arising from the contract is the place in which the supplier's premises are located. The court of jurisdiction for both parties is the suppliers domicile.

The contractual relationship is subject to the material laws of Switzerland. Should any provision of the contract be or become partly or entirely invalid, the validity of the remaining provisions of the contract shall not be affected. The invalid provisions are replaced by a valid rule, which attains the parties economic intent and purpose with regard to the invalid provision. The same shall apply in the event of any gaps of the contract. The Swiss original of the "Conditions of Sale and Delivery" is authoritative.



Franke Water Systems AG KWC, Hauptstrasse 57, P.O. Box 179, CH-5726 Unterkulm, Phone +41 62 768 68 68, www.kwc.com

