


JUS^STIME

FLOOR DRAIN

Advantage of JUSTIME Floor Drain

- 1.High Flow Rate : Flow rate Increases as water volume increase.
- 2.Anti Clogging : Unique strainer, preventing hair and foreign objects.
- 3.Anti Odor : Patented strainer,preventing odocinsects,bacicward water flow.
- 4.Removal Parts Easy installation,removal,cleaning.
- 5.Secured Sealing : Products are made io perfectly it the floor and underground pipe.
- 6.Secured Use : No sharp edges,preventing harms.





Disadvantages of Traditional Floor Drain

1. Low on water removing rate.
2. Easy clogging with hair and foreign objects.
3. Water often flow backward,polluting environment.
4. Short life cycle, easy to corrode.

FLOOR DRAIN

Gravity Sealing Type



Maintenance :



1. To clean the grid : please take out the plastic grid and put it back after it is cleaned.
2. To clean the core: please take out the plastic grid and then pull out the core. After clean it, put the core and the plastic grid back.

Product Characters :

1. Noise reduced, Qirtight & Beetle stopped, Multi-Function Check-Sealing design.
2. Made of SUS 304 Stainless Steel, Brass and Plastic for long operating life.

FLOOR DRAIN

Brass



0303-61-79CP
100*100mm



0303-62-79CP
100*100mm




0303-64-79CP
100*100mm



0303-71-79AB
100*100mm

FLOOR DRAIN

Gravity Sealing Type



0305-05-79S1
152*152 mm

Maintenance :


1. To clean the grid : please take out the plastic grid and put it back after it is cleaned.
2. To clean the core: please take out the plastic grid and then pull out the core. After clean it, put the core and the plastic grid back.

Product Characters :

1. Noise reduced, Qirtight & Beetle stopped, Multi-Function Check-Sealing design.
2. Made of SUS 304 Stainless Steel, Brass and Plastic for long operating life.

FLOOR DRAIN

Gravity Sealing Type



Maintenance :


1. To clean the grid : please take out the plastic grid and put it back after it is cleaned.
2. To clean the core: please take out the plastic grid and then pull out the core. After clean it, put the core and the plastic grid back.

Product Characters :

1. Noise reduced , Qirtight & Beetle stopped , Multi - Function Check - sealing design.
2. Made of SUS 304 Stainless Steel and Plastic for long operating life.

FLOOR DRAIN

Steel Stainless



0305-01-79S1
200x100mm



0305-02-79S1
152x152mm



0305-03-79S1
100x100mm



0305-04-79S1
100x100mm

FLOOR DRAIN

Steel Stainless



0305-07-79S1
300x100mm



0305-18-79S1
200*100 mm



0305-19-79S1
100*100 mm



0305-20-79S1
200*100 mm




0305-21-79S1
100x100mm



0305-22-79S1
300*100 mm

FLOOR DRAIN

Steel Stainless



0305-28-79S1
200*200 mm




0305-30-79S1
300*80 mm



0305-51-79S1
500*100 mm



0305-53-79S1
500*100 mm





0305-59-79S1
600*80 mm



0305-90-79S1
900*80 mm

FLOOR DRAIN

Gravity Sealing Type



Maintenance :

1. To clean the grid : please take out the plastic grid and put it back after it is cleaned.
2. To clean the core: please take out the plastic grid and then pull out the core. After clean it, put the core and the plastic back.

Product Characters :


1. Noise reduced , Qirtight & Beetle stopped , Multi - Function Check - sealing design.
2. Made of SUS 304 Stainless Steel and Plastic for long operating life.

EMBEDDED FLOOR DRAIN


Steel Stainless



0306-10-79S1
152x152mm



0306-29-79S1
200x200 mm





0306-54-79S1
525x125mm

0306-60-79S1
600x85 mm

FLOOR DRAIN

Gravity Sealing Type





0305-05-79S1
152*152 mm

Product Characters :

1. Noise reduced , Airtight & Beetle stopped , Multi - Function design.
2. Made of SUS 304 Stainless Steel for long operating life.
3. Easy to remove for cleaning.

EMBEDDED FLOOR DRAIN


Steel Stainless



0306-13-79S1
100x100mm

PUBLIC FLOOR DRAIN

Steel Stainless



0307-27-79S1
150x150mm

Product Characters :

1. 90mm drainage size could drain out water quickly.
2. Made of SUS 304 Stainless Steel for long operating life.
3. 4.0mm thickness Stainless Steel Cover would not be deformed easily.



JUSTIME | 巧時代

SHENG TAI BRASSWARE CO., LTD.

No.99 Sec.3 Chang Tsao Rd, Ho Me Chen Chang Hua, Taiwan

TEL: +886-4-7629971 FAX: +886-4-7526980

E-mail: info@justime.com

Website: www.justime.com

Facebook: www.facebook.com/JUSTIME

www.parsital.com