

# Bathroom

## Bathing



THE BOLD LOOK  
OF **KOHLER**®

# Life without labor is guilt. Labor without art is brutality.

- John Ruskin



and closets that carry the Kohler mark are well designed and well made, to last long indeed. If you use colored fixtures, Kohler colors are pure, uniform, non-toxic. If you prefer white, it is white as an immaculate as freshly laundered linen. Kohler faucets and handles

Kohler VACUUM machine makes both ceramic fixtures clean lasting . . . holds vacuum twice as long as ordinary fixtures.

Kohler STATION sink—With Colored fittings, equipped with Drainstrainer.

Kohler WALDEN swing-spout mixing faucet with three water supply.

escutcheons are advanced in design—all the mechanical parts are sure, silent and safe.

Those who work on Kohler products have the true tradition of craftsmanship. The beautiful village of Kohler is an aristocratic community. The men who do each intricate detail of manufacture work on rigid engineering requirements—and with the earnestness of high art.


As all-Kohler bathroom—at the same cost

Quality is not a matter of money—but of knowledge and wisdom. Even the small home must have the finest fixtures

ELEVEN IMPORTANT POINTS

- 1 Kohler designs are decorative, purposeful, correct.
- 2 Metal—finishes with an everlasting bond . . . smooth, plating surface.
- 3 Ceramic fixtures are covered with a smooth, lasting glaze.
- 4 Kohler colors are soft, health pastels. The colors are permanent.
- 5 Metal fittings match the fixtures in style.
- 6 Made of fine materials . . . show craftsmanship and care.
- 7 These Kohler products are next year's new ideas.
- 8 Kohler products are made to children and laundry.
- 9 Kohler quality costs no more . . . and saves money later.
- 10 Kohler products are installed by qualified plumbers.
- 11 Backed by an entire community . . . beautiful Kohler Village.

KOHLER OF KOHLER





## WHEN A FELLER NEEDS



Roses . . . windows . . . flowers . . . leaves . . .  
plauding . . . and so on, and so on! What a  
help it is to have a few surprises among your  
intimate friends when you come to that hell-  
ing, intricate adventure—building a house.

Get an architect off in a quiet corner and ask him a few pointed questions. He'll tell you that quality always pays, that no budget is too small to cover good design and good service. He'll

to cover good design and good service. It'll show you that integrity at critical points of construction is plain common sense, and a joy forever! It pays, in many ways, to be right.

columns about your way of living. The true story of your character and usefulness is told in your facilities for keeping clean.

others who know more about plumbing than the man on the street. Any one appreciates the fine force and brilliant finish of Kohler ware . . . the rugged claims of its self-protected joints . . . the sheer whiteness of Kohler white and the loftiness of Kohler black. Experts know that the Kohler mark means thoroughness through fitness; that Kohler engineers and workmen put a craftsman's pride in their products . . . a single



AN  
ARCHITECT


Be sure that Kohler quality extends to the metal parts. Weakness here is a terrible blemish, a money-waster and a positive danger. All Kohler designs are made of tough, rustless steel—so strong, so efficient in operation . . . good for many years of fine service.

In country cottage or big-city apartment, the finest plumbing adds relatively little to the building bill and always makes money. Increases in value are proportional, proportionate, correct.

- 1 **Smooth**—done with an overhanging board ... helps its smooth, glistering surface.
- 2 **Smooth**—done with an overhanging board ... helps its smooth, glistering surface.
- 3 **Glossy**—chromed—polished with a fine, fast, automatic machine.

- 3** *Firkins cheese*—covered with a fat, buttery, lacquered glaze.
- 4** *Kohlrabi* eaten raw, steamed, or boiled. The white

- Premises trouble.** — Besides paying daily dividends of comfort and pride, that careful people
- **Antique houses and men, antique pocket. The whole is a perfect whiz.**
- 3 Metal strings match the Solitaire in style,**




What John Michael Kohler saw in 1883 when he looked at a cast-iron horse trough was the bathtub that launched a global plumbing company. That pioneering spirit of ingenuity – the kind that sees a bathing revolution in a horse trough – has defined Kohler Co. from its earliest days. A visionary, John Michael Kohler understood the importance of innovative design and an uncompromising commitment to craft and quality. After four generations, we remain a family-owned company with diverse international businesses and over 26,000 products and 13,000 patents to our name. Still leading the industry in innovation and design. Bolder than ever.

## Historical Highlights

**Form and function. We've been combining the two, never sacrificing one for the other, since 1873.**

### 1883

The first KOHLER® bath is made from a cast-iron horse trough and, as the story goes, sells for 1 cow and 14 chickens.



### 1927

Using new technology, Kohler is the only company to offer cast-iron and vitreous plumbing products in matching pastel colors.



### 1965

Bright, lively accent colors are added to the KOHLER color palette, another industry first.




### 1911

We design the first bath in the industry that features an apron, establishing Kohler as a leader in design and innovation.



### 1929

A design exhibit at the Metropolitan Museum of Art features KOHLER fixtures in Black.



### 1977

Kohler presents Environment, the world's first environmental enclosure able to simulate sun, gentle rain and warm breezes.

**1987**

The Tea-for-Two® bath and complementary Souris® sheetflow bath spout receive the Governor's New Product Award.

**2001**

Kohler launches the iconic sōk® overflowing bath, garnering a significant number of design awards.

**2010**

The Elevance® Rising Wall bath, part of our Aging in Place product line, offers bathers greater accessibility.

**2000**

The flagship Kohler Waters Spa opens its doors for business in the Village of Kohler.

**2008**

VibrAcoustic® sound vibration technology revolutionizes the way people think about bathing.

**2010**

The first KOHLER enameled cast iron BubbleMassage™ baths combine durable beauty with massaging bubbles.

Explore the latest in home spa bathing with Kohler, the only bathing manufacturer in the world to own and operate an award-winning water spa. Our expertise in hydrotherapy allows us to create truly unique experiences that help stimulate the senses and bring the mind and body into balance. Whether you love a deep soak, the feel of water rushing over your body, or the sensation of being immersed in color and sound, you'll find your experience of choice here. We invite you to take a look and discover your bathing style with Kohler.

Also, you'll find great design ideas for the bathroom at [KOHLER.com/BathroomGallery](http://KOHLER.com/BathroomGallery).

# Table of Contents

## Why KOHLER?

Experts in Spa Wellness 10

Design Awards & Innovations 18

KOHLER Enameled Cast Iron 24

A Leading Innovator in Hydrotherapy 30

## Product Portfolio

VibrAcoustic® 48

Effervescence 50

BubbleMassage™ 52

Whirlpools 64

Baths 80

Finishing Touches 106

## Indexes

Glossary of Terms 118

Bathroom Colors & Finishes 120

Bathing Product Summary 122

VibrAcoustic Index 124

Effervescence Index 126

BubbleMassage Index 128

Whirlpool Index 142

Bath Index 168



**Parity® enameled cast iron bath (K-896-FF)** Page 96

**Parity wood bath seat (K-1844-LAW)**

**Oblo® bath faucet trim (K-T10059-9-CP)**

## Why KOHLER®?

Since 1883, people have been choosing KOHLER bathing products for their homes. After so many years, we're pretty sure we know why. It comes down to how we approach each product. For us, every bath we design is a measure of the standards we set in innovation, performance and quality. Every bath we manufacture is evidence of our commitment to you. So year after year, we deliver incredible new designs and hydrotherapies.

## Experts in Spa Wellness

While John Michael Kohler could not have known all the benefits of hydrotherapy when he introduced his first bath, he did recognize water's ability to refresh the body and spirit. We've taken this basic idea and applied the expertise of our human-factors specialists and hydro-massage therapists at Kohler Waters Spas in Kohler, Wisconsin, and St Andrews, Scotland, to create holistic, spa-based bathing experiences that soothe and stimulate, calm and energize your entire being.

## Award-Winning Design from Concept to Product

We've been perfecting bath design inside and out for nearly 130 years. In order to bring you baths that look beautiful in your bathroom and, more important, feel wonderful to sink into, our designers, engineers and ergonomics specialists work together to get every angle just right. Our baths have to deliver timeless style, amazing comfort and lasting value to be inscribed with the name KOHLER.

## KOHLER Enamelled Cast Iron

Nothing makes an enduring statement of innovative design, lasting beauty and timeless craftsmanship in your home like KOHLER enamelled cast iron. A thoroughly modern choice, it is made in part with recycled material. And while other trends come and go, few materials can match cast iron's strength, style and soul.

## A Leading Innovator in Hydrotherapy

Every day, we study the movement of water, tailoring its effects on the body to bring you the most pleasurable and beneficial water treatments we can. Based on our research, we've created five distinct hydrotherapies that shape and move water and air, even sound, over and around your body. Customizable and truly unique, our hydrotherapies help you create your own personal home spa and enhance your sense of well-being.

# Experts in Spa Wellness





K O H L E R *Waters* S P A.

At The American Club® Resort – Wisconsin

At Burr Ridge – Illinois

At The Old Course Hotel – Scotland

[KohlerWatersSpa.com](http://KohlerWatersSpa.com)

## Kohler Waters Spa

Every day at Kohler, we have the luxury of seeing firsthand the healthful effects of water treatments. Kohler Waters Spa, a top-ranked spa with three locations, is our own unique resource for exploring the latest discoveries and trends in wellness and hydrotherapy. Our designers and engineers collaborate with Kohler Waters Spa experts in designing our bathing products so you can bring the benefits of hydrotherapy home.





“Focusing on one’s own wellness is the best gift you can give yourself and those around you. It is critical to a balanced and happy life.”

Director – Kohler Waters Spa

## Enhanced Well-Being



A close-up photograph of a person's lower back and legs, resting in a modern, white, built-in bathtub. The person is wearing a white towel over their head. The bathtub is set into a light-colored wooden deck. The background is a bright, minimalist bathroom.

Our five hydrotherapies harness water's natural ability to carry heat and sound vibration to the body for enhanced well-being. Depending on your choice of hydrotherapy, you may enjoy some of the following spa treatment benefits in the comfort of your home, so you feel centered and energized – your best self.

Renewed focus  
Re-energized senses  
Reduced muscle tension  
Deep, meditative relaxation  
Enhanced overall sense of well-being

# Design Awards & Innovations

## Research & Development



## Concepts & Sketches

## 3-D Modeling & Prototyping

### Research & Development

Research and development is where it all begins for us – understanding our customers' needs, studying wellness and design trends, drawing on technological advances in science and industry, and exploring new materials and technologies.


### Concepts & Sketches

Armed with the latest research, our teams of international designers at design studios in Kohler, Paris and Shanghai begin sketching concepts for baths that deliver new levels of comfort and convenience and push the envelope on design.

### 3-D Modeling & Prototyping

Here's where our ergonomics engineers get involved. Having worked to understand the natural position of the body in its most relaxed state, Kohler engineers use computer models and mock-ups to help shape each bath to fit the 5'4" as well as the 6'2" bather.

We believe your bath should truly delight you at every turn, inside and out. To create baths that do just that, we take a holistic approach to bath design at Kohler, bringing together a team of our best industrial designers, engineers and human-factors experts. Together, they ensure that our baths deliver beautiful style, an incredibly comfortable fit and a water experience to suit your individual preference.



### Performance Testing

Our domestic and international test labs perform hundreds of tests and measurements from cycle testing to stain-resistance testing. Third-party evaluations by IAPMO\* help ensure that our labs are compliant with the ISO\*\* Guide 17025 for calibration and testing laboratories.

\*International Association of Plumbing and Mechanical Officials  
\*\*International Organization for Standardization

### Design Review

At various stages in the process, each design is reviewed by our executive team to ensure that each product represents the KOHLER brand and stays on the leading edge of design and innovation.

### Manufacturing

We manufacture our fixtures and faucets in advanced facilities located in 16 countries. Kohler manages every step from concept to end product with the goal of creating award-winning products that bring beauty and comfort to life.

## Innovative Design

A stylish alternative to institutional-looking options, the Elevance® Rising Wall bath lets you lounge comfortably and safely at a perfect soaking depth.



# Elevance



KOHLER.com/Independence

## Comfortable Fit

The Elevance® Rising Wall bath's soaking depth, together with the footwell and comfortable contoured back, allows you to lounge in a relaxing, deep soak instead of sitting upright. The extra-wide opening and chair-height seat let you enter and exit the bath safely and comfortably.

## Smart Design

The rising wall lifts with just one hand – with less effort than lifting a half-gallon of milk. It locks into place easily, and two watertight seals inflate to prevent leaks. The bath drains in less than two minutes. Simply tap the drain with your toe and lightly touch a secondary drain on the rising wall.



## Soothing Water

The unique waterfall fill eliminates the need for protruding spouts, while optional BubbleMassage™ technology creates a blissful experience with soft bubbles. Ensure your ideal temperature by testing the water in the footwell before you lift your legs into the bath.


## Design Awards and Highlights

Recognized for innovation and design excellence, KOHLER® kitchen and bath products have received industry and media awards as well as celebrated design awards. We've designed thousands of products and registered thousands of patents, and we remain committed to bringing beautiful, purposeful design to life.





iF  
INTERNATIONAL DESIGN  
EXCELLENCE AWARDS '09



**iF award winners**  
Numi® Comfort Height® toilet with bidet functionality (K-3900)  
WaterTile® Round 27-nozzle/bodyspray (K-8013)  
Askew® freestanding bath (K-1801)

**Good Design award winner**  
Numi Comfort Height toilet with bidet functionality (K-3900)

**Bronze IDEA award winner**  
Karbon® articulating deck-mount kitchen faucet (K-6227-C11)

**Design highlights**  
Flipside® 02 multifunction handshower (K-17492)  
Steward® waterless urinal (K-4918)

# Strength. Style. Soul.

KOHLER® Enameled Cast Iron



Birthday Bath® enameled cast iron bath (K-100-0) Page 92

Antique ball and claw legs (K-102-CP)

Antique bath faucet with handshower (K-110-4-CP)



**Strength. Style. Soul.**

The perfect house is hard to come by. And when you find it, there are a thousand things you'll change to make it the home you've always imagined – a home that holds up for generations. But these days, that's no small challenge. It's tough to find things that are made to last and don't go out of style. The options are too often designed to be temporary instead of timeless. With KOHLER® enameled cast iron, there is no trendy disposability. It's made in part with recycled material and is guaranteed for life.\* Just strength, style and soul.



Parity® enameled cast iron bath (K-896-FF) Page 96

Oblo® bath faucet trim (K-T10059-9-CP)

Parity wood seat (K-1844-LAW)

\*KOHLER enameled cast iron baths installed in North America carry a Lifetime Limited Warranty for as long as the original consumer purchaser owns his or her home. For complete warranty information, visit KOHLER.com/Warranty.



**Crafted for Life**

KOHLER® enameled cast iron is singular in character, creating one-of-a-kind pieces that will last for generations. It withstands whatever you and your family dish out, from kids' toys banging around in the bath to dropped shampoo bottles. And our Lifetime Limited Warranty guarantees\* it will not chip, crack or flex – yet it's soft and reassuring to the touch.





\*KOHLER enameled cast iron baths installed in North America carry a Lifetime Limited Warranty for as long as the original consumer purchaser owns his or her home.  
For complete warranty information, visit [Kohler.com/Warranty](http://Kohler.com/Warranty).

[Kohler.com/CastIron](http://Kohler.com/CastIron)

# A Leading Innovator in Hydrotherapy





# VibrAcoustic

Collaborating with a renowned sound therapist, we designed four distinct compositions, layering calming instrumental arrangements heard above the water with sweeping acoustic vibrations experienced within the water.

## Solitude

Universal tones and rhythms evoke the constancy of tides and steady the breath.

## Letting Go

Music rises and gently dissipates leading the body into a meditative repose.

## Awakening

Upbeat soundscapes with an emphasis on melodic guitar stimulate the mind and body.

## Transcendence

Cohesive yet deliberately random notes invite the mind to wander, to simply be.

**VibrAcoustic.** hydrotherapy adapts the science of sound therapy, helps to ease stress and enhance well-being, and creates an environment of harmony both invigorating and restful. Music and sound vibration completely surround you, permeating the core of your body. Your breathing and heart rate actually begin to synchronize with slow yoga-inspired rhythms. The effect is truly irresistible relaxation.



KOHLER.com/VibrAcoustic

## What will I experience?

Designed to relax both the mind and body, VibrAcoustic hydrotherapy balances sound vibration that soothes the body at its very core with preset, original compositions that engage the mind. Using steady beats, the sound vibration and music encourage the breath and heart rate to synchronize with a slower rhythm. The body and mind are led to an oasis of calm repose.

## How does it work?

VibrAcoustic panels broadcast sound waves that travel through the water and gently resound in the body. Strategically positioned throughout the bath to provide the most beneficial effects to the entire body, these panels are concealed under the shell of the bath for a smooth, uninterrupted bathing surface. Music and optional chromatherapy are choreographed to work in unison with the VibrAcoustic panels for a holistic approach to profound relaxation.


## What else should I know?

An easy-to-use, conveniently located user interface controls all VibrAcoustic features and affords bathers the option of listening to the four compositions or their own music. Visit us at KOHLER.com/VibrAcoustic to preview each of the four original compositions – Solitude, Letting Go, Awakening and Transcendence – created in collaboration with a renowned sound therapist.

# Effervescence



Effervescence hydrotherapy caresses your body in a warm, slow-moving embrace. Water and air gently travel through unique ports designed to pamper your body with champagne-like bubbles that cling to your skin. Creating a serene and meditative environment, Effervescence envelops your body with sensory delight.



KOHLER.com/Effervescence

## What will I experience?

Small, soothing bubbles travel slowly along the body, surrounding the bather in a warm embrace. A heightened awareness of the senses occurs. The skin feels replenished. The result is a sensory retreat.

## How does it work?

Unlike a standard whirlpool, Effervescence hydrotherapy features discreet ports that deliver gentle, caressing bubbles. These ports have been carefully positioned along the bath to achieve optimal coverage of the entire body.

## What else should I know?

An in-line heater is included to help ensure a comfortable, consistent water temperature. Optional chromatherapy, a sequence of soothing colored lights, and a floating remote control allow bathers to easily and conveniently customize the experience.

# BubbleMassage



BubbleMassage™ hydrotherapy is designed to deliver a holistic, full-body experience. Warm air is pushed through the 360-degree staggered airjet design, creating thousands of bubbles. Your entire body is thoroughly massaged, while the random motion of bubbles traveling along your body to the surface helps center and clear your mind. And, you can tailor the intensity of each bathing experience, from a soothing caress to a vigorous massage.



Create rejuvenating bathing experiences at home with bath salts and oils from our online boutique at [KohlerWatersSpa.com](http://KohlerWatersSpa.com).

[KOHLER.com/BubbleMassage](http://KOHLER.com/BubbleMassage)

## What will I experience?

Bubbles completely surround and massage the body at your preferred level of intensity, helping to center the mind and stimulate the release of muscle tension. Depending on the choice of airflow setting, the experience is anything from a gentle bubble action to an energizing massage.

## How does it work?

The proprietary 360-degree airjet system fills the bath with thousands of bubbles. Staggered jets push bubbles into the center of the bath, creating a balanced, all-encompassing body massage. A variable speed blower provides a range of airflow settings to increase or decrease the intensity of the massage for a complete, comfortable and customizable experience.

## What else should I know?

The Zones of Control™ feature, available on select baths, allows bathers to choose a complete body massage or one that focuses on the back, legs or feet. BubbleMassage technology delivers a constant level of intensity or, with the surge feature, creates a repeating sequence of increasing and decreasing intensity. Automatic or manual purge cycles ensure an exceptionally hygienic and easy-to-clean system. And, with BubbleMassage baths, bath oils and salts may be used.

# Whirlpools



Whirlpools are engineered to maximize the unique benefits of targeted hydro-massage and, similar to a deep tissue massage, can potentially increase blood flow. Delivering powerful directed massage, our whirlpools offer real solutions for unwinding and revitalization. KOHLER® whirlpool jets rotate for precise positioning and adjust for intensity, customizing each bathing experience.



KOHLER.com/Whirlpools

## What will I experience?

Enabling the individual to personalize the experience, KOHLER® whirlpool jets adjust for directional positioning and massage intensity. This allows bathers to massage individual stress points along the body, helping to release tension and soothe muscle soreness.

## How does it work?

Optimally positioned whirlpool jets provide targeted hydrotherapy with an ideal mix of air and water. Each jet can be rotated for targeted, effective hydro-massage, while the outer ring gives the user complete control over water flow volume. Our variable-speed control, available on select models, allows bathers to choose between intensity settings for a customized bathing experience.

## What else should I know?

Enhanced options are available on select models. An in-line heater maintains the water temperature and helps ease tense muscles. The Bodyssage backjet system targets pressure points along the spine and across the shoulders, encouraging deep breathing. Two adjustable neckjets cradle the neck and pulse alternately from left to right, helping to decrease tension. The optional floating remote control offers greater convenience.

# Baths



**Baths.** Sometimes, a simple approach is the best. Uncomplicated and well-conceived. We engineer our baths so that nothing comes between you, your bathing preferences and all-encompassing comfort. Our baths are ergonomically crafted to gently support the natural curves and angles of the body. For the bathing purist in each of us, KOHLER® baths help keep life simple.



Abrazo<sup>™</sup> Lithocast<sup>®</sup> bath (K-1800-HW1) Page 86  
Purist<sup>®</sup> bath faucet with handshower (K-10129-4-CP)

KOHLER.com/Bathing

## Essential Details

Here's a closer look at the technology systems that drive KOHLER® hydrotherapies. Each of these technologies has been developed by our own design and engineering teams to bring you the best in hydrotherapy options and experiences.



### Whirlpool Jets



KOHLER whirlpool jets are individually adjustable to target specific areas of your body. Delivering the optimal mix of air and water, they fully adjust for water flow intensity and directional control.

### Backjets

On select models, the Bodyssage backjet system, featuring ten KOHLER backjets, loosens tension throughout the back and shoulders and encourages deep breathing. Our backjets fire two by two, targeting the lower back first and moving all the way to the shoulders. In this way, our backjets simulate the natural progression of a hands-on massage.

### Neckjets

Available on select models, a factory-installed pillow with two integral neckjets pulses alternately from left to right for a stimulating, stress-relieving massage at the back of the neck. Customize your experience by adjusting the pulse and water flow to your level of comfort.



Acrylic



Enameled Cast Iron

## Effervescence Technology

A series of ports, optimally located, distributes champagne-like bubbles that are comprised of the perfect combination of air and water, allowing them to cling to and caress your skin. The result is a sublime, all-encompassing experience.

## Chromatherapy

A color experience designed to enhance bathing, this 8-color spectrum washes over the body in a repeating one-minute sequence or may be programmed to rest on any one of the colors, to help create a soothing or energizing ambience.

## BubbleMassage™ Airjet Design

This proprietary design ensures comfortable and consistent bubbling action, making KOHLER® BubbleMassage the ultimate air bath experience. The 360-degree staggered airjet design, along with targeted foot and lumbar airjets, delivers a full-body massage.

## Enhance Your Comfort

We offer various accessories to make your bathing experience even more relaxing and tailored to your preferences. A pillow and footstop provide added comfort and are available in the most popular KOHLER colors. Bath and whirlpool trim options, drains and under-mount installation accessories allow you even more flexibility for customization. To learn more about our bathing accessories, visit KOHLER.com/Bathing.



### Removable Pillows


The optional pillow (K-1491) provides a comfortable addition to any KOHLER® bath, whirlpool or BubbleMassage™ bath. Suction cups hold the pillow firmly in place, yet allow it to be removed easily for cleaning. It is available in White, Almond, Biscuit and Black Black™ to coordinate with any KOHLER color.

### Removable Footstops

An optional footstop (K-1601) can be placed at the base of the feet or under the thighs to comfortably adjust your bathing position in larger basins. Available in White, Almond, Biscuit and Black Black, it coordinates with any KOHLER bath, whirlpool or BubbleMassage bath.

### Clearflo Slotted Overflows

Kohler offers you a wide array of features, including the Clearflo slotted overflow drain that affords up to an additional 1½ inches of water depth. Recommended overflow/drain combinations for each bath are listed in the feature charts on pages 124-181. To view our complete selection of drains, visit KOHLER.com.



## Electronic Controls

All hydrotherapy features may be independently controlled with ease. Some models include a lighted keypad and floating remote control to add further customization and convenience.

## PureFlo™ Cable Drains

Completely modular, PureFlo rough drains let you choose from a basic rotary-handle trim kit or contemporary, traditional and Victorian designs with rotary and push handles. At any point in the life of the drain, the trim can be changed without accessing plumbing behind the bath or wall – perfect for remodeling. Rough drains and trim kits are sold separately.

## Bask™ Heated Surface

Select baths are available with a heated back surface for additional spa-like comfort. Three adjustable temperature settings invite you to customize your bathing experience and immerse yourself in warmth and relaxation.

For bathers who prefer a deeply relaxing, gentle experience, we've designed two unique hydrotherapies. VibrAcoustic® hydrotherapy combines the ultimate in bathing comfort with sound-wave vibration to achieve relaxation that literally resonates deep within the entire body. Effervescence hydrotherapy delivers an utterly divine combination of water and air that envelops the body with sensory delight. To help you determine which is the right hydrotherapy for you, we've outlined the features and benefits of each on pages 32-35.

**VibrAcoustic.<sup>®</sup>**  
**Underscore<sup>®</sup> 49**

**Effervescence**  
**Consonance<sup>®</sup> 51**  
**Memoirs<sup>®</sup> 51**  
**Portrait<sup>®</sup> 51**  
**Purist<sup>®</sup> 51**  
**sōk<sup>®</sup> overflowing bath 51**  
**Tea-for-Two<sup>®</sup> 51**

**VibrAcoustic®****Purist wall-mount bath faucet lever-handle trim (K-T14429-4-CP)****Purist wall-mount bath spout (K-14426-CP)****Underscore® 5.5' VibrAcoustic bath with chromatherapy and interface (K-1173-VBC-0, K-1190050-K-CP) Page 49**

For complete VibrAcoustic listing, see pages 124-125.



ADA



ADA



**Underscore®**  
Drop-in or under-mount

72" x 42" x 23"

K-1174-VB/-VBC

**Underscore®**  
Drop-in or under-mount

72" x 36" x 23"

K-1835-VB/-VBC

**Underscore®**  
Drop-in or under-mount

66" x 36" x 22"

K-1173-VB/-VBC

**Underscore®**  
Drop-in or under-mount

66" x 32" x 22"

K-1822-VB/-VBC

**Underscore®**  
Drop-in or under-mount

60" x 36" x 21"

K-1849-VB/-VBC

**Underscore®**  
Drop-in or under-mount

60" x 32" x 21"

K-1168-VB/-VBC

**Underscore®**  
Drop-in or under-mount

60" x 30" x 19"

K-1167-VB/-VBC

**Underscore®**  
Three-wall alcove

60" x 30" x 19"

K-1167-LVB/-LVBC

**Underscore Cube®**  
Drop-in or under-mount

48" x 48" x 34"

K-1969-VB/-VBC

## Effervescence



sök® overflowing bath for two with Effervescence and chromatherapy (K-1166-C1-0) Page 51

Purist® deck-mount bath faucet lever-handle trim (K-T14429-4-CP)

Floor-mount bath faucet (K-8359-CP)

For complete Effervescence listing, see pages 126-127.



**sōk<sub>®</sub> overflowing bath for two**  
Drop-in or under-mount

104" x 41" x 26" K-1166-RE/-C1

**sōk overflowing bath**  
Drop-in or under-mount

75" x 41" x 25" K-1189-RE/-C1

**Purist<sub>®</sub>**  
Drop-in or under-mount

72" x 46" x 26" K-1110-CT/-AH/-V

**Memoirs<sub>®</sub>**  
Drop-in

72" x 42" x 22" K-1418-CT/-AH/-V

**Consonance<sub>®</sub>**  
Drop-in or under-mount

69½" x 69¼" x 24" K-1111-VLN

**Portrait<sub>®</sub>**  
Drop-in

67" x 42" x 22" K-1457-CT/-AH/-LV/-RV

**Tea-for-Two<sub>®</sub>**  
Drop-in

66" x 36" x 24" K-856-CT/-AH/-V

**Offering a comprehensive, whole-body experience, our BubbleMassage™ hydrotherapy delivers thousands of bubbles that massage the body.**

To help you determine if BubbleMassage offers the bathing experience you desire, we've highlighted its features and benefits on pages 36-37. For additional information, watch our hydrotherapy videos at [KOHLER.com/Bathing](http://KOHLER.com/Bathing).

# BubbleMassage™

<b>Drop-In &amp; Under-Mount</b>	<b>Alcove with Apron</b>
6' Archer® 56	6' Archer 60
6' Memoirs® 56	6' Mariposa® 60
6' Purist® 56	6' Windward 60
6' Sunward® 56	5' Archer 61
6' Underscore® 56	5' Bancroft® 61
6' Windward® 56	5' Devonshire 61
5.5' Iron Works® 57	5' Elevance® Rising Wall 60
5.5' Portrait® 57	5' Memoirs 60
5.5' Rêve™ 57	5' Tercet 61
5.5' Tea-for-Two® 57	5' Windward 60
5.5' Underscore 57, 58	<b>Alcove with Tile Flange</b>
5' Archer 59	6' Mariposa 62
5' Devonshire® 59	6' Windward 62
5' Serif® 58	5' Underscore 62
5' Sunward 58	5' Windward 62
5' Tea-for-Two 58	
5' Tercet® 59	
5' Underscore 58, 59	
5' Windward 58	
4' Underscore Cube 59	

## 6' &amp; 5.5' Drop-In/Under-Mount BubbleMassage™ Baths



**Purist®**  
Drop-in or under-mount  
72" x 46" x 23<sup>1</sup>/<sub>16</sub>" (shown)  
With chromatherapy

K-1110-G  
K-1110-GCR

**Memoirs®**  
Drop-in  
72" x 42" x 22" (shown)  
With chromatherapy

K-1418-G  
K-1418-GCR

**Underscore®**  
Drop-in or under-mount  
72" x 42" x 23" (shown)  
With chromatherapy

K-1174-G  
K-1174-GCR

**Windward®**  
Drop-in  
72" x 42" x 21"

K-1114-G

**Sunward®**  
Drop-in or under-mount  
72" x 42" x 21"

K-1164-G

**Archer®**  
Drop-in  
72" x 36" x 19"

K-1124-G



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.

**Portrait®**

Drop-in

67" x 42" x 22" (shown)  
With chromatherapyK-1457-G  
K-1457-GCR**Tea-for-Two®**

Drop-in or under-mount

66" x 36" x 24" (shown)  
With chromatherapyK-856-G0  
K-856-GC0**Rêve®**

Drop-in or under-mount

66 $\frac{1}{16}$ " x 36" x 19 $\frac{1}{16}$ " (shown)  
With chromatherapyK-899-G0  
K-899-GC0**Underscore®**

Drop-in or under-mount

66" x 36" x 22" (shown)  
With chromatherapyK-1173-G  
K-1173-GCR**Iron Works®**

Drop-in

66" x 36" x 19 $\frac{1}{4}$ "

K-712-G0

**Rêve®**

Drop-in or under-mount

66 $\frac{1}{16}$ " x 31 $\frac{1}{2}$ " x 19 $\frac{1}{16}$ " (shown)  
With chromatherapyK-820-G0  
K-820-GC0

## 5.5', 5' &amp; 4' Drop-In/Under-Mount BubbleMassage™ Baths



**Underscore®**  
Drop-in or under-mount  
66" x 32" x 22" (shown)  
With chromatherapy

K-1822-G  
K-1822-GCR

**Windward®**  
Drop-in  
60" x 42" x 21"

K-1112-G

**Serif®**  
Drop-in  
60" x 42½" x 21"

K-1337-G

**Sunward®**  
Drop-in or under-mount  
60" x 42" x 21"

K-1162-G

**Underscore**  
Drop-in or under-mount  
60" x 36" x 21" (shown)  
With chromatherapy

K-1849-G  
K-1849-GCR

**Tea-for-Two®**  
Drop-in or under-mount  
60" x 32" x 18"

K-852-G0



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.



**Underscore®**  
Drop-in or under-mount  
60" x 32" x 21" (shown)  
With chromatherapy

K-1168-G  
K-1168-GCR

**Underscore**  
Drop-in or under-mount  
60" x 30" x 19" (shown)  
With chromatherapy

K-1167-G  
K-1167-GCR

**Archer®**  
Drop-in  
60" x 32" x 19"

K-1122-G

**Devonshire®**  
Drop-in  
60" x 32" x 20"

K-1357-G

**Tercet®**  
Drop-in  
60" x 60" x 21"

K-1160-G

**Underscore Cube**  
Drop-in or under-mount  
48" x 48" x 34" (shown)  
With chromatherapy

K-1969-G  
K-1969-GCR

## 6' &amp; 5' Integral Apron BubbleMassage™ Baths

**Windward®**

Three-wall alcove with apron

72" x 42" x 21"

K-1114-GLA

**Archer®**

Three-wall alcove with apron

72" x 36" x 19"

K-1124-GLA

**Mariposa®**

Three-wall alcove with apron

72" x 36" x 20"

K-1257-GLA

**Windward**

Three-wall alcove with apron

60" x 42" x 21"

K-1112-GLA

**Elevance® Rising Wall**

Three-wall alcove with apron

60" x 33½" x 38"

K-1914-GLB

**Memoirs®**

Three-wall alcove with apron

60" x 33¾" x 17⅝"

K-723-G0



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.

To learn more about Elevance Rising Wall bath, visit KOHLER.com/Independence.



**Bancroft®**  
Three-wall alcove with apron  
60" x 32" x 20"  
K-1151-GLA

**Archer®**  
Three-wall alcove with apron  
60" x 32" x 19"  
K-1122-GLA

**Devonshire®**  
Three-wall alcove with apron  
60" x 32" x 20"  
K-1357-GLA

**Tercet®**  
Corner alcove with apron  
60½" x 60½" x 21"  
K-1160-GLA

## 6' &amp; 5' Integral Tile Flange BubbleMassage™ Baths



**Windward®**  
Three-wall alcove  
72" x 42" x 21"

K-1114-GLF

**Mariposa®**  
Three-wall alcove  
72" x 36" x 20"

K-1257-GLF

**Windward**  
Three-wall alcove  
60" x 42" x 21"

K-1112-GLF

**Underscore®**  
Three-wall alcove  
60" x 30" x 19" (shown)  
With chromatherapy

K-1167-LFG  
K-1167-LGCR



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.



KOHLER® whirlpools deliver powerful directed massage, providing real solutions for unwinding and revitalization, and encouraging a sense of increased well-being. To help you determine if a whirlpool is the right hydrotherapy for you, review the features and benefits listed on pages 38-39 and watch our hydrotherapy videos at [KOHLER.com/Bathing](http://KOHLER.com/Bathing).

# Whirlpools

<b>Drop-In &amp; Under-Mount</b>	<b>5' Mariposa</b> 74	<b>Alcove with Apron</b>
<b>6' 7236</b> 70	<b>5' Overture®</b> 72	<b>6' Archer</b> 78
<b>6' 7242</b> 69	<b>5' Serif®</b> 73	<b>6' Mariposa</b> 78
<b>6' Archer®</b> 70	<b>5' Steeping™</b> 73	<b>6' Windward</b> 78
<b>6' Caribbean®</b> 69	<b>5' Sunward</b> 73	<b>5.5' Mariposa</b> 78
<b>6' Consonance®</b> 68	<b>5' Tea-for-Two</b> 74	
<b>6' Mariposa®</b> 70	<b>5' Tercet®</b> 75	<b>5' Archer</b> 79
<b>6' Memoirs®</b> 68	<b>5' Underscore</b> 73, 74	<b>5' Bancroft</b> 79
<b>6' Purist®</b> 68	<b>5' Windward</b> 72	<b>5' Devonshire</b> 79
<b>6' RiverBath®</b> 68	<b>4.5' 5454</b> 75	<b>5' Guardian™</b> 78
<b>6' Sunward®</b> 69		<b>5' Hourglass</b> ☒ 79
<b>6' Tea-for-Two®</b> 70	<b>4' Greek®</b> 75	<b>5' Mariposa</b> 78
<b>6' Underscore®</b> 68, 70	<b>4' Underscore Cube</b> 75	<b>5' Memoirs</b> 78
<b>6' Vintage®</b> 69		<b>5' Mendota®</b> 78
<b>6' Windward®</b> 69	<b>Alcove with Tile Flange</b>	<b>5' Tercet</b> 79
<b>5.5' Bancroft®</b> 71	<b>6' 7236</b> 76	<b>5' Windward</b> 78
<b>5.5' Iron Works®</b> 72	<b>6' 7242</b> 76	
<b>5.5' Kathryn®</b> 71	<b>6' Mariposa</b> 76	
<b>5.5' Maestro™</b> 72	<b>6' Windward</b> 76	
<b>5.5' Mariposa</b> 72		
<b>5.5' Memoirs</b> 71	<b>5.5' Kathryn</b> 76	
<b>5.5' Portrait®</b> 71	<b>5.5' Mariposa</b> 76	
<b>5.5' RiverBath</b> 70	<b>5.5' Tea-for-Two</b> 76	
<b>5.5' Tea-for-Two</b> 71		
<b>5.5' Underscore</b> 71, 72	<b>5' 5454</b> 77	
<b>5' 6032</b> 74	<b>5' 6032</b> 77	
<b>5' 6036</b> 74	<b>5' 6036</b> 77	
<b>5' 6040 Oval</b> 73	<b>5' 6042</b> 76	
<b>5' 6042</b> 73	<b>5' Hourglass</b> ☒ 77	
<b>5' Archer</b> 74	<b>5' Mariposa</b> 77	
<b>5' Devonshire®</b> 74	<b>5' Tercet</b> 77	
<b>5' Hourglass</b> ☒ 74	<b>5' Underscore</b> 77	
	<b>5' Windward</b> 76	

## 6' Drop-In/Under-Mount Whirlpools



**RiverBath® Round**  
Drop-in

75" diameter x 25"

K-1397-H2

**RiverBath Quadrangle**  
Drop-in

75" x 45" x 25"

K-1360-H2

**Consonance®**  
Drop-in or under-mount

69¼" x 69¼" x 24"

K-1111-H2

**Purist®**  
Drop-in or under-mount

72" x 46" x 25½"  
with spa package  
with massage package (shown)  
with spa/massage package

K-1110  
K-1110-AH  
K-1110-M  
K-1110-V

**Memoirs®**  
Drop-in

72" x 42" x 22" (shown)  
with spa package  
with massage package  
with spa/massage package

K-1418-H2  
K-1418-AH  
K-1418-M  
K-1418-V

**Underscore®**  
Drop-in or under-mount

72" x 42" x 23"

K-1174-H2



KOHLER® whirlpools are available in a wide array of colors. See pages 142-167 for details.

**Windward®**

Drop-in

72" x 42" x 21"

K-1114

**7242**

Drop-in or under-mount

72" x 42" x 20½"

K-1131

**Vintage®**

Drop-in

72" x 42" x 21¾"  
With neckjets (shown)K-702-H2  
K-702-N1**Sunward®**

Drop-in or under-mount

72" x 42" x 21"

K-1164

**7242 Oval**

Drop-in

72" x 42½" x 19¾"

K-1148

**Caribbean®**

Drop-in or under-mount

72" x 36" x 18¾"  
With neckjets (shown)K-812-H2  
K-812-N1

## 6' &amp; 5.5' Drop-In/Under-Mount Whirlpools



**Tea-for-Two®**  
Drop-in or under-mount  
71 $\frac{1}{4}$ " x 36" x 20 $\frac{7}{8}$ "  
With neckjets (shown)

K-865-H2  
K-865-N1

**Underscore®**  
Drop-in or under-mount  
72" x 36" x 23"

K-1835-H2

**Mariposa®**  
Drop-in  
72" x 36" x 20"  
K-1257

**7236**  
Drop-in  
72" x 36" x 20 $\frac{1}{8}$ "

K-1157

**Archer®**  
Drop-in  
72" x 36" x 19"

K-1124

**RiverBath® Round**  
Drop-in  
66" diameter x 25"  
K-1394-H2



KOHLER® whirlpools are available in a wide array of colors. See pages 142-167 for details.



**Portrait®**  
Drop-in

67" x 42" x 22" (shown)  
with spa package  
with massage package  
with spa/massage package

K-1457-H2  
K-1457-AH  
K-1457-LM  
K-1457-LV

**Kathryn®**  
Drop-in or under-mount

66" x 36" x 24"

K-809-H2

**Memoirs®**  
Drop-in

66" x 42" x 22"

K-1170-H2

**Tea-for-Two®**  
Drop-in or under-mount

66" x 36" x 24" (shown)  
with spa package  
with massage package  
with spa/massage package

K-856-H2  
K-856-AH  
K-856-M  
K-856-V

**Bancroft®**  
Drop-in

66" x 42" x 22"

K-1158-H2

**Underscore®**  
Drop-in or under-mount

66" x 36" x 22"

K-1173-H2

## 5.5' &amp; 5' Drop-In/Under-Mount Whirlpools



**Mariposa®**  
Drop-in

66" x 35 $\frac{5}{8}$ " x 20"

K-1224

**Iron Works®**  
Drop-in

66" x 36" x 19 $\frac{1}{4}$ "

K-712-H2

**Maestro™**  
Drop-in or under-mount

66" x 32" x 18 $\frac{1}{4}$ "

K-845-H2/K-842-H2

**Underscore®**  
Drop-in or under-mount

66" x 32" x 22"

K-1822-H2

**Overture®**  
Drop-in

60" x 42" x 20"

K-1226

**Windward®**  
Drop-in

60" x 42" x 21"

K-1112



KOHLER® whirlpools are available in a wide array of colors. See pages 142-167 for details.



**6042**  
Drop-in  
60" x 42" x 18 $\frac{1}{8}$ "

K-1126

**6040 Oval**  
Drop-in  
60" x 40" x 17 $\frac{1}{8}$ "

K-1146

**Serif®**  
Drop-in  
60" x 42 $\frac{1}{4}$ " x 21"

K-1337

**Sunward®**  
Drop-in or under-mount  
60" x 42" x 21"

K-1162

**Steeping™**  
Drop-in or under-mount  
60" x 36" x 20 $\frac{1}{8}$ "  
With neckjets

K-792-H2  
K-792-N1

**Underscore®**  
Drop-in or under-mount  
60" x 36" x 21"

K-1849-H2

## 5', 4.5' &amp; 4' Drop-In/Under-Mount Whirlpools



**Mariposa®**  
Drop-in

60" x 36" x 20"

K-1239

**6036**  
Drop-in

60" x 36" x 18 $\frac{5}{8}$ "

K-1139

**Tea-for-Two®**  
Drop-in or under-mount

60" x 32" x 18 $\frac{1}{4}$ "

K-852-H2

**Underscore®**  
Drop-in or under-mount

60" x 32" x 21"

K-1168-H2

**Hourglass® 32**  
Drop-in

60" x 32" x 20"

K-1209

**Archer®**  
Drop-in

60" x 32" x 19"

K-1122

**6032**  
Drop-in

60" x 32" x 18 $\frac{5}{8}$ "

K-1106

**Devonshire®**  
Drop-in

60" x 32" x 20"

K-1357

**Underscore**  
Drop-in or under-mount

60" x 30" x 19"

K-1167-H2

For complete whirlpool listing, see pages 142-167.



**Tercet®**  
Drop-in

60" x 60" x 21"

K-1160

**5454**  
Drop-in

54" x 54" x 20½"

K-1154

**Underscore® Cube**  
Drop-in or under-mount

48" x 48" x 34"

K-1969-H2

**Greek®**  
Drop-in or under-mount

48" x 32" x 23⅓"

K-1492-H2

**Integral Tile Flange Whirlpools**

**Windward®**  
Three-wall alcove

72" x 42" x 21"

K-1114-L

**7242**  
Three-wall alcove

72" x 42" x 20 1/8"

K-1131-F

**Mariposa®**  
Three-wall alcove

72" x 36" x 20"

K-1257-L

**7236**  
Three-wall alcove

72" x 36" x 20 1/8"

K-1157-L

**Kathryn®**  
Three-wall alcove

66" x 36" x 24"

K-809-LH

**Tea-for-Two®**  
Three-wall alcove

66" x 36" x 24"

K-856-LH

**Mariposa**  
Three-wall alcove

66" x 35 7/8" x 20"

K-1224-L

**Windward**  
Three-wall alcove

60" x 42" x 21"

K-1112-L

**6042**  
Three-wall alcove

60" x 32" x 18 1/8"

K-1126-L

For complete whirlpool listing, see pages 142-167.



**Mariposa®**  
Three-wall alcove

60" x 36" x 20"

K-1239-L

**6036**  
Three-wall alcove

60" x 36" x 18½"

K-1139-L

**Hourglass® 32**  
Three-wall alcove

60" x 32" x 20"

K-1209-L

**6032**  
Three-wall alcove

60" x 32" x 18½"

K-1106-L

**Underscore®**  
Three-wall alcove

60" x 30" x 19"

K-1167-LH2

**Tercet®**  
Corner alcove

60" x 60" x 21"

K-1160-F

**5454**  
Corner alcove

54" x 54" x 20½"

K-1154-F

## Integral Apron Whirlpools



**Windward®**  
Three-wall alcove with apron  
72" x 42" x 21"

K-1114-LA

**Mariposa**  
Three-wall alcove with apron  
66" x 35½" x 20"

K-1224-LA

**Memoirs**  
Three-wall alcove with apron  
60" x 33¾" x 17½"

K-723-H2

**Mariposa®**  
Three-wall alcove with apron  
72" x 36" x 20"

K-1257-LA

**Windward**  
Three-wall alcove with apron  
60" x 42" x 21"

K-1112-LA

**Mendota®**  
Three-wall alcove with apron  
60" x 32" x 16¼"

K-513-H2

**Archer®**  
Three-wall alcove with apron  
72" x 36" x 19"

K-1124-LA

**Mariposa**  
Three-wall alcove with apron  
60" x 36" x 20"

K-1239-LA

**Guardian™**  
Three-wall alcove with apron  
60" x 32" x 16¼"

K-783-H2

For complete whirlpool listing, see pages 142-167.



**Hourglass® 32**  
Three-wall alcove with apron  
60" x 32" x 20"

K-1209-LA

**Bancroft**  
Three-wall alcove with apron  
60" x 32" x 20"

K-1151-LA

**Archer®**  
Three-wall alcove with apron  
60" x 32" x 19"

K-1122-LA

**Devonshire®**  
Three-wall alcove with apron  
60" x 32" x 20"

K-1357-LA

**Tercet®**  
Corner alcove with apron  
60" x 60" x 21"

K-1160-LA

**Just calm, quiet water and you. If a simple bath is the hydrotherapy for you, and you would like to learn more about the exceptional quality and comfort of KOHLER® baths, see pages 40-41.**

# Baths

<b>Freestanding</b>		
Abrazo™ 86	5' 6040 97	<b>Alcove with Apron</b>
Aliento® 85	5' 6042 97	6' Archer 102
Askew® 84	5' Archer 98	6' Mariposa 102
Birthday Bath® 92	5' Devonshire® 98	6' Windward 102
Escale® 88	5' Hourglass® 98	
Iron Works® Historic™ 90	5' Mariposa 97	5.5' Dynametric® 102
Iron Works Tellieur® 91	5' Serif® 97	5.5' Mariposa 102
Rêve™ 87	5' Soissons® 98	
Vintage® 89	5' Steeping™ 97	5' Archer 104
	5' Sunward® 97	5' Bancroft 103
<b>Drop-In &amp; Under-Mount</b>	5' Tea-for-Two 98	5' Bellwether® 103, 104
6' 7236 95	5' Tercet® 99	5' Devonshire 104
6' 7242 94	5' Underscore 97, 98	5' Dynametric 103
6' 7242 Oval 94	5' Windward 97	5' Elevance®
6' Archer® 95	4.5' 5454 99	Rising Wall 102
6' Caribbean® 95	4' Greek® 99	5' Expanse® 103
6' Escale 94	4' Underscore Cube 99	5' Guardian™ 102
6' Mariposa® 95		5' Hourglass 98
6' Memoirs® 94	<b>Alcove with Tile Flange</b>	5' Mariposa 102
6' Purist® 94	6' 7236 100	5' Memoirs 103
6' Sunward® 94	6' 7242 100	5' Mendota® 103
6' Tea-for-Two® 94	6' Mariposa 100	5' Tercet 104
6' Underscore® 94, 95	6' Windward 100	5' Villager™ 103, 104
6' Windward® 94		5' Windward 102
	5.5' Kathryn 100	4.5' Seaforth™ 104
5.5' Bancroft® 95	5.5' Mariposa 100	
5.5' Blove® 96	5.5' Tea-for-Two 100	4' Mayflower® 104
5.5' Iron Works 96		
5.5' Kathryn® 95	5' 5454 101	
5.5' Maestro™ 96	5' 6032 101	
5.5' Mariposa 96	5' 6036 101	
5.5' Memoirs 95	5' 6042 100	
5.5' Parity® 96	5' Highbridge® 101	
5.5' Portrait® 95	5' Hourglass 98	
5.5' Rêve 96	5' Mariposa 101	
5.5' Tea-for-Two 96	5' Tercet 101	
5.5' Underscore 96, 97	5' Underscore 101	
	5' Windward 100	
5' 6032 98		
5' 6036 98		



Iron Works® Historic™ enameled cast iron bath (K-710-W-0) Page 90

Antique floor-mount bath faucet (K-110-4-CP)





**Askew®**  
Freestanding

72 $\frac{3}{8}$ " x 34 $\frac{9}{16}$ " x 24 $\frac{9}{16}$ "

K-1801-HW1



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



**Aliento®**  
Freestanding

65<sup>13/16</sup>" x 36" x 25<sup>1/16</sup>"

K-1805-HW1



NEW


**Abrazo™**  
Freestanding

66" x 31½" x 28½"

K-1800-HW1



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



**Rêve™**  
Freestanding

66<sup>15/16</sup>" x 31<sup>1/2</sup>" x 22<sup>1/16</sup>" (shown)      K-819-F62  
66<sup>15/16</sup>" x 36" x 22<sup>1/16</sup>"      K-894-F62



**Escale®**  
Freestanding

72" x 36" x 24½"  
Drilled for Symbol® bath filler (shown) K-14037  
K-11344



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



ENAMELED  
**CAST IRON**

**Vintage®**  
Freestanding

72" x 42" x 24"  
Ceramic base (shown)  
Wood base

K-700  
K-709  
K-705

**Iron Works® Historic**

Freestanding

66" x 36" x 24½"

Iron Works Historic™ claw feet

K-710

K-1103



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



ENAMELED  
**CAST IRON**

**Iron Works Tellieur®**  
Freestanding with surround

66" x 36" x 24½"

K-727



ENAMELED  
CAST IRON

**Birthday Bath®**

Freestanding

72" x 37½" x 27"

Antique ball and claw legs

K-100

K-102



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



Vintage® enameled cast iron freestanding bath with ceramic base (K-700-NY/K-709-NY) Page 89  
Antique floor-mount bath faucet with handshower (K-110-4-CP)

KOHLER.com/Bathing

## 6' &amp; 5.5' Drop-In/Under-Mount Baths



**Purist®**  
Drop-in or under-mount

72" x 46" x 25<sup>1</sup>/<sub>16</sub>"

K-1190

**Memoirs®**  
Drop-in

72" x 42" x 22"

K-1417

**Underscore®**  
Drop-in or under-mount

72" x 42" x 23"

K-1137

**Windward®**  
Drop-in

72" x 42" x 21"

K-1115

**7242**  
Drop-in

72" x 42" x 20<sup>1</sup>/<sub>8</sub>"

K-1132

**Sunward®**  
Drop-in or under-mount

72" x 42" x 20"

K-1165-S1

**7242 Oval**  
Drop-in

72" x 42<sup>1</sup>/<sub>8</sub>" x 19<sup>3</sup>/<sub>4</sub>"

K-1149

**Escale®**  
Drop-in

72" x 36" x 24<sup>1</sup>/<sub>8</sub>"

K-11343

**Tea-for-Two®**  
Drop-in or under-mount

71<sup>1</sup>/<sub>4</sub>" x 36" x 20<sup>1</sup>/<sub>8</sub>"

K-863

For complete bath listing, see pages 168-181.

ENAMELED  
CAST IRON  
**Caribbean®**

NEW



ADA

**Caribbean®**  
Drop-in or under-mount

72" x 36" x 18¼"

K-810

**Underscore®**  
Drop-in or under-mount

72" x 36" x 23"

K-1834

**7236**  
Drop-in

72" x 36" x 20½"

K-1159

**Archer®**  
Drop-in

72" x 36" x 19"

K-1125

**Mariposa®**  
Drop-in

72" x 36" x 20"

K-1259

**Portrait®**  
Drop-in

67" x 42" x 22"

K-1454

**Memoirs®**  
Drop-in

66" x 42" x 22"

K-1169

**Bancroft®**  
Drop-in

65¾" x 41¼" x 22"

K-1156

**Kathryn®**  
Drop-in or under-mount

66" x 36" x 24"

K-804

## 5.5' &amp; 5' Drop-In/Under-Mount Baths



**Tea-for-Two®**  
Drop-in or under-mount  
66" x 36" x 24"

**Mariposa®**  
Drop-in  
66" x 35 $\frac{7}{8}$ " x 20"

**Rêve**  
Drop-in or under-mount  
66 $\frac{5}{16}$ " x 31 $\frac{1}{2}$ " x 19 $\frac{1}{16}$ "

**Rêve™**  
Drop-in or under-mount  
66 $\frac{5}{16}$ " x 36" x 19 $\frac{1}{16}$ "

**Iron Works®**  
Drop-in  
66" x 36" x 19 $\frac{1}{4}$ "

**Biove®**  
Drop-in  
66 $\frac{5}{16}$ " x 29 $\frac{1}{2}$ " x 19 $\frac{1}{16}$ "

**Underscore®**  
Drop-in or under-mount  
66" x 36" x 22"

**Parity®**  
Drop-in  
65 $\frac{5}{8}$ " x 32 $\frac{5}{16}$ " x 18" (shown)  
Under-mount

**Maestro™**  
Drop-in or under-mount  
66" x 32" x 18 $\frac{1}{4}$ "

For complete bath listing, see pages 168-181.



**Underscore®**  
Drop-in or under-mount

66" x 32" x 22"

K-1821

**Windward®**  
Drop-in

60" x 42" x 21"

K-1113

**6042**  
Drop-in

60" x 42" x 18½"

K-1127

**Serif®**  
Drop-in

60" x 42¼" x 21"

K-1183

**Sunward®**  
Drop-in or under-mount

60" x 42" x 21"

K-1163-S1

**6040 Oval**  
Drop-in

60" x 40" x 17½"

K-1147

**Steeping™**  
Drop-in or under-mount

60" x 36" x 20%

K-790

**Underscore**  
Drop-in or under-mount

60" x 36" x 21"

K-1848

**Mariposa®**  
Drop-in

60" x 36" x 20"

K-1242

## 5' &amp; 4' Drop-In/Under-Mount Baths



**6036**  
Drop-in

60" x 36" x 18½"

K-1142

**Tea-for-Two®**  
Drop-in or under-mount

60" x 32" x 18¼"

K-850

**Underscore®**  
Drop-in or under-mount

60" x 32" x 21"

K-1130

**Hourglass® 32**  
Drop-in

60" x 32" x 20"

K-1219

**6032**  
Drop-in

60" x 32" x 18½"

K-1107

**Archer®**  
Drop-in

60" x 32" x 19"

K-1123

**Devonshire®**  
Drop-in

60" x 32" x 20"

K-1184

**Underscore**  
Drop-in or under-mount

60" x 30" x 19"

K-1121

**Soissons®**  
Drop-in

59" x 27½" x 16¾"

K-941

For complete bath listing, see pages 168-181.



**Tercet®**  
Drop-in

60" x 60" x 21"

K-1161

**5454**  
Drop-in

54" x 54" x 20½"

K-1155

**Underscore® Cube**  
Drop-in or under-mount

48" x 48" x 34"

K-1968

**Greek®**  
Drop-in or under-mount

48" x 32" x 23¾"

K-1490-X

**Integral Tile Flange Baths**

**Windward®**  
Three-wall alcove

72" x 42" x 21"

K-1115-L

**7242**  
Three-wall alcove

72" x 42" x 20½"

K-1132-F

**7236**  
Three-wall alcove

72" x 36" x 20½"

K-1159-L

**Mariposa®**  
Three-wall alcove

72" x 36" x 20"

K-1259-L

**Kathryn®**  
Three-wall alcove

66" x 36" x 24"

K-804-L

**Tea-for-Two®**  
Three-wall alcove

66" x 36" x 24"

K-855-L

**Mariposa**  
Three-wall alcove

66" x 35½" x 20"

K-1229-L

**Windward**  
Three-wall alcove

60" x 42" x 21"

K-1113-L

**6042**  
Three-wall alcove

60" x 42" x 18½"

K-1127-L

For complete bath listing, see pages 168-181.



**Mariposa®**  
Three-wall alcove

60" x 36" x 20"

K-1242-L

**6036**  
Three-wall alcove

60" x 36" x 18½"

K-1142-L

**Highbridge®**  
Three-wall alcove

60" x 32" x 17½" (shown)  
With enameled apron

K-877  
K-877-S

**Hourglass® 32**  
Three-wall alcove

60" x 32" x 20"

K-1219-L

**6032**  
Three-wall alcove

60" x 32" x 18½"

K-1107-L

**Underscore®**  
Three-wall alcove

60" x 30" x 19"

K-1121-L

**Tercet®**  
Corner alcove

60" x 60" x 21"

K-1161-F

**5454**  
Corner alcove

54" x 54" x 20½"

K-1155-F

## 6', 5.5' &amp; 5' Integral Apron Baths



**Windward®**  
Three-wall alcove with apron

72" x 42" x 21"

K-1115-LA

**Mariposa**  
Three-wall alcove with apron

66" x 36" x 20"

K-1229-LA

**Mariposa**  
Three-wall alcove with apron

60" x 36" x 20"

K-1242-LA

**Archer®**  
Three-wall alcove with apron

72" x 36" x 19"

K-1125-LA

**Dynametric®**  
Three-wall alcove with apron

66" x 32" x 16¼"

K-515

**Elevance® Rising Wall**  
Three-wall alcove with apron

60¼" x 33½" x 38"

K-1913-LB/L

**Mariposa®**  
Three-wall alcove with apron

72" x 36" x 20"

K-1259-LA

**Windward**  
Three-wall alcove with apron

60" x 42" x 21"

K-1113-LA

**Guardian™**  
Three-wall alcove with apron

60" x 32" x 16¼"

K-785

For complete bath listing, see pages 168-181.

ENAMELED  
CAST IRONENAMELED  
CAST IRONENAMELED  
CAST IRONENAMELED  
CAST IRON**Memoirs**  
Three-wall alcove with apron

60" x 33¾" x 17⅞"

K-721

**Dynametric**  
Three-wall alcove with apron

60" x 32" x 16¼"

K-519

**Mendota**  
Three-wall alcove with apron

60" x 32" x 16¼"

K-505

**Expanse**  
Three-wall alcove with apron

60" x 32" x 17"

K-1100-LA

**Bellwether**  
Three-wall alcove with apron

60" x 32" x 15½"

K-875

**Hourglass 32**  
Three-wall alcove with apron

60" x 32" x 20"

K-1219-LA

**Villager™ with 4" ledge**  
Three-wall alcove with apron

60" x 34¾" x 14"

K-713

**Expanse**  
Three-wall alcove with apron

60" x 30" x 17"

K-1118-LA

**Bancroft**  
Three-wall alcove with apron

60" x 32" x 20"

K-1150-LA

## 5' &amp; Under Integral Apron Baths

For complete bath listing, see pages 168-181.



**Archer®**  
Three-wall alcove with apron

60" x 32" x 19"

K-1123-LA

**Devonshire®**  
Three-wall alcove with apron

60" x 32" x 20"

K-1184-LA

**Bellwether®**  
Three-wall alcove with apron

60" x 30" x 14"

K-837

**Villager™**  
Three-wall alcove with apron

60" x 30 1/4" x 14"

K-715

**Tercet®**  
Corner alcove with apron

60" x 60" x 21"

K-1161-LA

**Seaforth™**  
Three-wall alcove with apron

54" x 30 1/4" x 14"

K-745

**Mayflower®**  
Corner alcove with apron

48" x 44" x 14"

K-821



Expanse® three-wall alcove bath with apron (K-1100-RA-0) Page 103

Expanse curved shower rod (K-9351-BS)

Purist® Rite-Temp® pressure-balancing bath/shower trim set (K-T14420-4-BN)

KOHLER.com/Bathing

Whether you're refreshing an existing bathroom or building, Kohler helps you enhance your bathing space with a few finishing touches. Our designers and engineers study how people bathe – and how to make the experience more convenient and safe. We offer everything from decorative bath drains to designer shower rods and grab bars. Explore a range of finishing touches on the following pages, and find convenient solutions designed to complement your bathroom décor.

## **Finishing Touches**

**Deck-Mount Bath Faucets** 110

**Bath Faucets with Handshowers** 112

**PureFlo™ Bath Drain Trim** 113

**Grab Bars** 114

**Shower Rods** 114

**Storage** 115

**Seating** 115



Elevance® Rising Wall BubbleMassage™ bath with grab bar (K-1914-GRB-0) Page 60  
Purist® 12" grab bar (K-11891-S) Page 114



## Deck-Mount Bath Faucets



**Antique**  
Deck-mount bath faucet trim  
K-T125-4-CP

**Devonshire®**  
Deck-mount bath faucet trim  
K-T398-4-CP

**Fairfax®**  
Deck-mount bath faucet trim  
K-T12885-4-CP

**Finial, Traditional**  
Deck-mount bath faucet trim  
K-T314-4M-CP

**Forté®**  
Deck-mount bath faucet trim  
Traditional (shown) K-T10278-4A-CP  
Sculpted K-T10278-4-CP

**IV Georges Brass®**  
Deck-mount bath faucet trim  
K-T6906-4-SN

**Margaux®**  
Deck-mount bath faucet trim  
K-T16237-4-CP

**Memoirs®**  
Deck-mount bath faucet trim  
K-T469-4S-CP

**Pinstripe®**  
Deck-mount bath faucet trim  
Pinstripe (shown) K-T13140-4B-CP  
Pinstripe Pure K-T13140-4A-CP

**Revival®**  
Deck-mount bath faucet trim  
9½" spout (shown) K-T16119-4A-CP  
6½" spout K-T16122-4A-CP

**Alteo®**  
Deck-mount bath faucet trim  
K-T45115-4-CP

**Bancroft®**  
Deck-mount bath faucet trim  
K-T10592-4-CP



KOHLER® faucets are available in a wide array of finishes. View finish swatches on page 121.

Bath faucets with a model number that begins with K-T are trim only and require a valve.



**Coralais**  
Deck-mount bath faucet trim

8" spout (shown) K-T15290-4-CP  
5½" spout K-T15294-4-CP

**Kelston**  
Deck-mount bath faucet trim

K-T13494-4-CP

**Taboret**  
Deck-mount bath faucet trim

K-T8235-4-CP

**Taboret**  
Deck-mount bath faucet trim

6" spout (shown) K-T8238-4-CP  
9¾" spout K-T8230-4-CP

**Loure**  
Deck-mount bath faucet  
K-14675-4-CP

**Oblo**  
Deck-mount bath faucet trim  
K-T10059-9-CP

**Purist**  
Deck-mount bath faucet trim  
K-T14428-4-CP

**Refinia**  
Deck-mount bath faucet trim  
K-T5323-4-CP

**Stance**  
Deck-mount bath faucet  
K-14775-4-CP

**Stillness**  
Deck-mount bath faucet trim  
K-T954-4-CP

**Bath Faucets with Handshowers**

**Toobi®**  
Deck-mount bath faucet  
with handshower  
  
K-8973-7-CP

**Symbol®**  
Deck-mount bath faucet  
with handshower  
  
K-18486-4-CP

**Antique**  
Deck-mount bath faucet  
with handshower  
  
K-110-4-CP

**Revival**  
Deck-mount bath faucet  
with handshower  
  
K-16210-4A-CP

**Finial® Traditional**  
Deck-mount bath faucet  
with handshower  
  
K-331-4M-CP

**IV Georges Brass®**  
Deck-mount bath faucet  
with handshower  
  
K-6905-4-SN

**Stillness®**  
Floor-mount bath faucet  
with handshower  
  
K-994-4-CP

**Purist®**  
Floor-mount bath faucet  
with handshower  
  
K-10129-4-CP

**PureFlo™ Bath Drain Trim**

**Contemporary Rotary**  
PureFlo cable bath drain trim  
K-T37392-CP

**Traditional Rotary**  
PureFlo cable bath drain trim  
K-T37393-CP


**Victorian Rotary**  
PureFlo cable bath drain trim  
K-T37394-CP

**Basic Rotary**  
PureFlo cable bath drain trim  
K-T37391-CP

**Contemporary Push**  
PureFlo cable bath drain trim  
K-T37395-CP

**Traditional Push**  
PureFlo cable bath drain trim  
K-T37396-CP

**Victorian Push**  
PureFlo cable bath drain trim  
K-T37397-CP

**Grab Bars & Shower Rods****Margaux®**

9" K-11880 32" K-11884  
12" K-11881 36" K-11885  
18" K-11882 42" K-11886  
24" K-11883 48" K-11887\*

**Traditional decorative**

9" K-11870 32" K-11874  
12" K-11871 36" K-11875  
18" K-11872 42" K-11876  
24" K-11873 48" K-11877

**Purist®**

9" K-11890 32" K-11894  
12" K-11891 36" K-11895  
18" K-11892 42" K-11896  
24" K-11893 48" K-11897

**Traditional**

12" K-10540 36" K-10544  
18" K-10541 42" K-10545  
24" K-10542 48" K-10546  
32" K-10543 54" K-10547

**Transitional**

12" K-11390 36" K-11394  
18" K-11391 42" K-11395  
24" K-11392 48" K-11396  
32" K-11393 54" K-11397

**Contemporary**

12" K-14560 36" K-14564  
18" K-14561 42" K-14565  
24" K-14562 48" K-14566  
32" K-14563 54" K-14567

\*All grab bars featured are ADA-compliant except K-11887.

**Shower Rods**

**Expanse® curved shower rod**  
Adjustable to fit 5'-6' bath/showers

Available in three designs.

**Traditional design**  
K-9349

**Transitional design**  
K-9350

**Contemporary design**  
K-9351

**Bath/Shower Storage and Seating**

**Large**  
Corner shower basket  
K-1897

**Medium**  
Corner shower basket  
K-1896

**Small**  
Corner shower basket  
K-1898

**Pilaster®**  
Aluminum Shower Locker® unit  
K-1840

**Echelon®**  
Acrylic Shower Locker unit  
K-1842

**Echelon**  
Acrylic shower seat  
K-1843

We encourage you to use the following charts and indexes to compare the full bathing product line and determine which product meets your needs.

It may be helpful to select your hydrotherapy first from pages 30-45, and then choose the style and size of your bath from the corresponding product portfolio pages. At that point, our charts will provide additional details as you make your final selection.

If you still have questions, we invite you to talk with your nearest showroom representative and visit us online for more information.

## **Indexes**

**Glossary of Terms** 118

**Bathroom Colors & Finishes** 120

**Bathing Product Summary** 122

**VibrAcoustic® Index** 124

**Effervescence Index** 126

**BubbleMassage™ Index** 128

**Whirlpool Index** 142

**Bath Index** 168

## Glossary of Terms

### Acrylic

A strong material used in manufacturing KOHLER® baths. Acrylic can be pressed into a range of sizes and shapes and resists chipping and cracking.

### Bath Pillow

A small waterproof pillow designed to provide comfort and support for the head and neck while bathing.

### Chromatherapy

A color experience designed to enhance bathing. Bathers may choose an 8-color spectrum that washes over the body in a repeating one-minute sequence or may choose to rest on any one of the colors of the sequence.

### Floating Remote Control

A remote control that floats in the bath or whirlpool making it easy for reclining bathers to operate and adjust hydrotherapy features.

### Integral Apron

A decorative panel that covers the exposed front of an alcove bath, air bath or whirlpool. Integral aprons are built into the design of one-piece baths, air baths and whirlpools.

### **ADA** ADA-Compliant

A product designation that indicates the product will comply with the Americans with Disabilities Act when installed per the requirements of the accessibility guidelines of the 2010 ADA Standards for Accessible Design for the appropriate product or component category.

### Bodyssage Backjet System

A series of ten KOHLER backjets that massage two by two, targeting the lower back, shoulders and neck, and moving up and down in sequence.

### Drop-In

A bath, air bath or whirlpool with self-rimming edges designed to rest on top of the surrounding tile, stone, laminate or other surface.

### Footstop

A weighted pillow that can be positioned at the base of a bather's feet or under the thighs to ensure comfort in larger baths.

### KOHLER® Enameled Cast Iron

A material made in part with recycled iron that is poured into castings, cooled to a solid state and then reheated, covered with a powdered glass mixture and fired to a smooth, high-gloss enamel finish.

### Alcove

A bath, air bath or whirlpool designed to be installed within a two- or three-wall alcove. These baths and whirlpools feature integral flanges for tile-in installation and, often, an integral apron.

### BubbleMassage™ Hydrotherapy

An air bath technology patented by Kohler. A pump blows air through more than 100 airjets positioned 360 degrees around the interior of the bath. BubbleMassage hydrotherapy features a range of intensity settings.

### Effervescence

A gentle whirlpool technology. A pump blows air through 8 to 10 specially designed ports that release champagne-like bubbles.

### Freestanding

A bath that is mounted on the floor, remote from adjacent walls to allow access from multiple sides.

### Lithocast® Material

A premium acrylic material that can be cast into unique bath designs. The texture looks like stone, but feels warm against the body.

**Massage Whirlpool Package**

A premium whirlpool package that includes whirlpool jets, Bodyssage backjets and neckjets.

**Spa/Massage Whirlpool Package**

A premium whirlpool package that includes whirlpool jets, Bodyssage backjets, neckjets, Effervescence and chromatherapy.

**Under-Mount Bath**

A bath, air bath or whirlpool designed to be installed by mounting the deck of the bath or whirlpool to the bottom of your choice of deck material.

**Neckjet Pillow**

A factory-installed pillow for a whirlpool with two integral jets that pulse alternately from left to right at the back of the neck.

**Spa Whirlpool Package**

A premium whirlpool package that includes whirlpool jets and Effervescence.

**VibrAcoustic® Technology**

A bathing experience that adapts the science of sound therapy using special speakers hidden behind the shell of the bath to emit sound vibrations that resound throughout the body. VibrAcoustic includes four preprogrammed musical compositions, an aux port for playing a smartphone, tablet or MP3 player and Bluetooth for streaming wirelessly.

**Relax Whirlpool Package**

A premium whirlpool package that includes Effervescence and chromatherapy.


**Tile Flange**

A flat, vertical rim along the edge(s) of a bath or whirlpool that attaches directly to the studs and is covered over by tile or a wall surround to help prevent water from seeping behind the bath, tile or surround.

**Zones of Control™ Feature**

A technology developed for BubbleMassage™ baths that allows bathers to alternate bubble action between three different areas for a concentrated massage on the back, legs or feet.

## Bathroom Color Index



White (0)



Honed White (HW1)




Dune (NY)



Biscuit (96)



Innocent Blush™ (55)



Almond (47)




Ice™ Grey (95)



Sandbar (G9)




Mexican Sand™ (33)



Cashmere™ (K4)




Thunder™ Grey (58)


Black Black™ (7)

---

## Dimensional Colors



Sea Salt™ (FF)



Cane Sugar™ (FD)



Frost (FE)



Basalt™ (FT)

## Finish Index



Polished Chrome (CP)




Brushed Chrome (G)



Vibrant® Polished Nickel (SN)



Vibrant Brushed Nickel (BN)



Vibrant Hammered Nickel (RN)



Vibrant French Gold\* (AF)



Vibrant Polished Brass (PB)



Vibrant Moderne Brushed Gold\* (BGD)



Vibrant Brushed Bronze (BV)



Oil-Rubbed Bronze (2BZ)



Oil-Rubbed Bronze† (BRZ)

\*No gold content.

†All options displaying this symbol will be available until 12/31/12.

## Bathing Product Summary

Name	VibrAcoustic	Effervescence	BubbleMassage	Whirlpool	Bath
<b>Over 6'</b>					
RiverBath 72" Round				K-1397	
RiverBath Quadrangle				K-1360	
sök overflowing bath		K-1166/K-1188/K-1189			
<b>6'</b>					
7236				K-1157	K-1159
7242 Decked Oval				K-1131	K-1132
7242 Oval				K-1148	K-1149
Archer			K-1124	K-1124	K-1125
Askew					K-1801
Birthday Bath					K-100
Caribbean				K-812	K-810
Escale				K-11343	K-11343
Escale Freestanding					K-11344
Mariposa			K-1257	K-1257	K-1259
Memoirs		K-1418	K-1418	K-1418	K-1417
Purist		K-1110	K-1110	K-1110	K-1190
Revival		K-1375	K-1375	K-1375	K-1377
Seadream				K-1221	
Sunward				K-1164	K-1165
Tea-for-Two			K-865	K-865	K-863
Underscore 72" x 36"	K-1835		K-1835	K-1835	K-1834
Underscore 72" x 42"	K-1174		K-1174	K-1174	K-1137
Vintage				K-702	K-700
Vintage Freestanding					K-700
Windward			K-1114	K-1114	K-1115
<b>5.5'</b>					
Abrazo					K-1800
Aliento					K-1805
Bancroft			K-1158	K-1158	K-1156
Biove					K-8277
Consonance				K-1111	
Dynametric					K-515/K-516
Iron Works			K-712	K-712	K-711
Iron Works Historic					K-710
Iron Works Tellieur					K-727
Kathryn			K-809	K-809	K-804
Maestro				K-842/K-845	K-839/K-840
Mariposa				K-1224	K-1229
Memoirs				K-1170	K-1169
Parity					K-895/K-896
Portrait		K-1457	K-1457	K-712	K-1454
RiverBath 66" Round				K-1394	
Rêve 32"			K-820		K-817/K-819
Rêve 36"			K-899		K-892/K-894
Tea-for-Two		K-856	K-856	K-856	K-855
Underscore 66" x 32"	K-1822		K-1822	K-1822	K-1821
Underscore 66" x 36"	K-1173		K-1173	K-1173	K-1136

## Bathing Product Summary

Name	VibrAcoustic	Effervescence	BubbleMassage	Whirlpool	Bath
<b>5'</b>					
6032				K-1106	K-1107
6036				K-1139	K-1142
6040 Oval				K-1146	K-1147
6042 Decked Oval				K-1126	K-1127
Archer			K-1122	K-1122	K-1123
Bancroft			K-1151	K-1151	K-1150
Bellwether 60" x 30"					K-837/K-838
Bellwether 60" x 32"					K-875/K-876
Devonshire			K-1357	K-1357	K-1184
Dynametric					K-519/K-520
Elevance Rising Wall			K-1914		K-1913
Expanse					K-1100
Guardian				K-784	K-785/K-786
Highbridge					K-877/K-878
Hourglass 32				K-1209	K-1219
Infinity ∞ Bath				K-1487	K-1449
Mariposa				K-1239	K-1242
Memoirs			K-723/K-724	K-723/K-724	K-721/K-722
Mendota				K-513/K-514	K-505/K-506
Overture				K-1126	K-1127
Serif			K-1337	K-1337	K-1183
Steeping				K-792	K-790
Sunward			K-1162	K-1162	K-1163
Synchrony				K-1192	K-1193
Tea-for-Two			K-852	K-852	K-850
Tercet Corner			K-1160	K-1160	K-1161
Underscore 60" x 30"	K-1167		K-1167	K-1167	K-1121
Underscore 60" x 32"	K-1168		K-1168	K-1168	K-1130
Underscore 60" x 36"	K-1849		K-1849	K-1849	K-1848
Villager 60" x 30"					K-715/K-716
Villager 60" x 34"					K-713/K-714
Windward			K-1112	K-1112	K-1113
<b>Less than 5'</b>					
5454 Corner				K-1154	K-1155
Greek				K-1492	K-1490
Mayflower Corner					K-821/K-824
Seaforth					K-745/K-746
Soissons					K-941
Underscore Cube	K-1969		K-1969	K-1969	K-1968

## VibrAcoustic® Features & Colors Index

Name	Page Number	Model Number	Material	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GCFI		Reversible Drain	Left	Right	Center	
<b>VibrAcoustic – 6'</b>																
Underscore	49	K-1174-VB	ACR	72" x 42" x 23"		•		•		•	K-7271 K-7272				•	2
	49	K-1174-VBC	ACR	72" x 42" x 23"		•	•			•	K-7271 K-7272				•	2
	49	K-1835-VB	ACR	72" x 36" x 23"		•		•		•	K-7271 K-7272				•	2
	49	K-1835-VBC	ACR	72" x 36" x 23"		•	•			•	K-7271 K-7272				•	2
<b>VibrAcoustic – 5.5'</b>																
Underscore	49	K-1173-VB	ACR	66" x 36" x 22"		•		•		•	K-7271 K-7272	•				1
	49	K-1173-VBC	ACR	66" x 36" x 22"		•	•			•	K-7271 K-7272	•				1
	49	K-1822-VB	ACR	66" x 32" x 22"		•		•		•	K-7271 K-7272	•				1
	49	K-1822-VBC	ACR	66" x 32" x 22"		•	•			•	K-7271 K-7272	•				1
<b>VibrAcoustic – 5'</b>																
Underscore	49	K-1167-VB	ACR	60" x 30" x 19"		•		•		•	K-7271 K-7272	•				1
	49	K-1167-VBC	ACR	60" x 30" x 19"		•	•			•	K-7271 K-7272	•				1
	49	K-1167-LVB	ACR	60" x 30" x 19"			IF			•	K-7271 K-7272		•			1
	49	K-1167-LVBC	ACR	60" x 30" x 19"		•		IF			K-7271 K-7272			•		1
	49	K-1167-RVB	ACR	60" x 30" x 19"			IF			•	K-7271 K-7272			•		1
	49	K-1167-RVBC	ACR	60" x 30" x 19"		•		IF			K-7271 K-7272			•		1
	49	K-1168-VB	ACR	60" x 32" x 21"		•				•	K-7271 K-7272	•				1
	49	K-1168-VBC	ACR	60" x 32" x 21"		•	•			•	K-7271 K-7272	•				1
	49	K-1849-VB	ACR	60" x 36" x 21"		•		•		•	K-7271 K-7272	•				1
	49	K-1849-VBC	ACR	60" x 36" x 21"		•	•			•	K-7271 K-7272	•				1
<b>VibrAcoustic – Under 5'</b>																
Underscore Cube	49	K-1969-VB	ACR	48" x 48" x 34"		•		•		•	K-8150 K-8134 required				•	2
	49	K-1969-VBC	ACR	48" x 48" x 34"		•	•			•	K-8150 K-8134 required				•	2

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Name																
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
<b>VibrAcoustic – 6'</b>																			
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•			•			•					Underscore	
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•			•			•						
45¾" x 25½"	65¾" x 29½"	19¾"/82 gal	•		•		•			•			•						
45¾" x 25½"	65¾" x 29½"	19¾"/82 gal	•		•		•			•			•						
<b>VibrAcoustic – 5.5'</b>																			
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•			•			•					Underscore	
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•			•			•						
44½" x 22½"	59¾" x 25½"	18"/85½ gal	•		•		•			•			•						
44½" x 22½"	59¾" x 25½"	18"/85½ gal	•		•		•			•			•						
<b>VibrAcoustic – 5'</b>																			
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•					Underscore	
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						
42⅞" x 20"	54⅞" x 24"	15"/60 gal	•		•		•			•			•						
42⅞" x 20"	54⅞" x 24"	15"/60 gal	•		•		•			•			•						
42⅞" x 20"	54⅞" x 24"	15"/60 gal	•		•		•			•			•						
42⅞" x 20"	54⅞" x 24"	15"/60 gal	•		•		•			•			•						
42⅞" x 20"	54⅞" x 24"	15"/60 gal	•		•		•			•			•						
42" x 23½"	55⅛" x 27⅛"	17⅛"/81 gal	•		•		•			•			•						
42" x 23½"	55⅛" x 27⅛"	17⅛"/81 gal	•		•		•			•			•						
39⅞" x 24⅛"	53¾" x 29½"	17⅛"/81 gal	•		•		•			•			•						
39⅞" x 24⅛"	53¾" x 29½"	17⅛"/81 gal	•		•		•			•			•						
<b>VibrAcoustic – Under 5'</b>																			
39¾" x 39¾"	44½" x 44½"	27½"/171 gal	•				•											Underscore Cube	
39¾" x 39¾"	44½" x 44½"	27½"/171 gal	•				•												

## Effervescence Features & Colors Index

Name	Page Number	Model Number	Material	Dimensions L x W x H	With Inline Heater	Chromatherapy	Installation Types			Electrical Requirements	Recommended Drain	Required Jet Trim	Drain Locations				Number of People
							Drop-in	Three-Wall Alcove or Corner	Under-Mount				Reversible Drain	Left	Right	Center	
<b>Effervescence – Over 6'</b>																	
sōk overflowing bath	51	K-1166-C1	ACR	103¾" x 41" x 26½"	•	•	•		•	2•	K-7223 required					•	2
	51	K-1166-RE	ACR	103¾" x 41" x 26½"	•		•		•	2•	K-7223 required				•	2	
	*	K-1188-C1	ACR	75" x 41" x 25"	•	•	•		•	2•	K-7193 required		•			1	
	*	K-1188-RE	ACR	75" x 41" x 25"	•		•		•	2•	K-7193 required		•			1	
	51	K-1189-C1	ACR	75" x 41" x 25"	•	•	•		•	2•	K-7193 required		•			1	
	51	K-1189-RE	ACR	75" x 41" x 25"	•		•		•	2•	K-7193 required		•			1	
<b>Effervescence – 6'</b>																	
Memoirs	51	K-1418-CT	ACR	72" x 42" x 22"	•	•	•			•	K-7265				•	2	
	51	K-1418-AH	ACR	72" x 42" x 22"	•	•	•			•	K-7265				•	2	
	51	K-1418-V	ACR	72" x 42" x 22"	•	•	•			•	K-7265				•	2	
Purist	51	K-1110-CT	ACR	72" x 46" x 25⅛"	•	•	•		•	•	K-7273 required		•			1	
	51	K-1110-AH	ACR	72" x 46" x 25⅛"	•	•	•		•	•	K-7273 required		•			1	
	51	K-1110-V	ACR	72" x 46" x 25⅛"	•	•	•		•	•	K-7273 required		•			1	
<b>Effervescence – 5.5'</b>																	
Consonance	51	K-1111-VLN	ACR	69¼" x 69¼" x 24"	•	•	•		•	2•	K-7167	K-9696	•			2	
Portrait	51	K-1457-CT	ACR	67" x 42" x 22"	•	•	•			•	K-7265				•	2	
	51	K-1457-AH	ACR	67" x 42" x 22"	•	•	•			•	K-7265				•	2	
	51	K-1457-LV	ACR	67" x 42" x 22"	•	•	•			•	K-7265				•	2	
	51	K-1457-RV	ACR	67" x 42" x 22"	•	•	•			•	K-7265				•	2	
Tea-for-Two	51	K-856-CT	KECI	66" x 36" x 24"	•	•	•		•	•	K-7147-AF		•			1	
	51	K-856-AH	KECI	66" x 36" x 24"	•	•	•		•	•	K-7147-AF		•			1	
	51	K-856-V	KECI	66" x 36" x 27"	•	•	•		•	•	K-7147-AF		•			1	

\*To learn more about KOHLER® baths not featured in this catalog, visit [KOHLER.com/Bathing](http://KOHLER.com/Bathing).

ACR = Acrylic, LITHO = Lithocast<sub>®</sub> Cast Acrylic, KECL = KOHLER Enameled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

## BubbleMassage™ Features & Colors Index

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
<b>BubbleMassage Baths – 6'</b>																
Archer	56	ACR	K-1124-G	72" x 36" x 19"		•				•	K-7271 K-7272 required	•				1
	60	ACR	K-1124-GLA	72" x 36" x 19"			IA			•	K-7271 K-7272 required		•			1
	60	ACR	K-1124-GRA	72" x 36" x 19"			IA			•	K-7271 K-7272 required			•		1
Escale	*	ACR	K-11343-G	71½" x 35½" x 24½"		•			•		K-7219 K-37383				•	1
	*	ACR	K-11343-GCR	71½" x 35½" x 24½"		•	•		•		K-7219 K-37383				•	1
Mariposa	*	ACR	K-1257-G	72" x 36" x 20"		•			•		K-37380	•				1
	60	ACR	K-1257-GLA	72" x 36" x 20"			IA			•	K-37380		•			1
	62	ACR	K-1257-GLF	72" x 36" x 20"			IF			•	K-37380		•			1
	60	ACR	K-1257-GRA	72" x 36" x 20"			IA			•	K-37380			•		1
	62	ACR	K-1257-GRF	72" x 36" x 20"			IF			•	K-37380			•		1
Memoirs	56	ACR	K-1418-G	72" x 42" x 22"		•			•		K-37382				•	2
	56	ACR	K-1418-GCR	72" x 42" x 22"		•	•		•		K-37382				•	2
Portrait	57	ACR	K-1457-G	67" x 42" x 22"		•			•		K-7265				•	2
	57	ACR	K-1457-GCR	67" x 42" x 22"		•	•		•		K-7265				•	2
Purist	56	ACR	K-1110-G	72" x 46" x 25½"		•		•	•		K-7273	•				1
	56	ACR	K-1110-GCR	72" x 46" x 25½"		•	•		•		K-7273	•				1
Sunward	56	ACR	K-1164-G	72" x 42" x 21"		•		•		•	K-11677	•				2
Tea-for-Two	*	KECI	K-865-G0	71¾" x 36" x 20¾"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-G47	71¾" x 36" x 20¾"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-G96	71¾" x 36" x 20¾"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GNY	71¾" x 36" x 20¾"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GBN K-865-GCP K-865-GSN	71¾" x 36" x 20¾"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GC0	71¾" x 36" x 20¾"		•	•		•		K-7169-AF required	•				2
	*	KECI	K-865-GC47	71¾" x 36" x 20¾"		•	•		•		K-7169-AF required	•				2
	*	KECI	K-865-GC96	71¾" x 36" x 20¾"		•	•		•		K-7169-AF required	•				2

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECL = KOHLER Enameled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

## BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromotherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People	
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center		
<b>BubbleMassage Baths – 6'</b>																	
Tea-for-Two	*	KECI	K-865-GCNY	71¾" x 36" x 20⅜"	•	•		•	•		K-7169-AF required	•				2	
	*	KECI	K-865-GCBN K-865-GCCP K-865-GCSN	71¾" x 36" x 20⅜"	•	•		•	•		K-7169-AF required	•				2	
Underscore	56	ACR	K-1174-G	72" x 42" x 23"		•		•		•	K-7271 K-7272 required					•	2
	56	ACR	K-1174-GCR	72" x 42" x 23"	•	•		•	•		K-7271 K-7272 required					•	2
	*	ACR	K-1835-G	72" x 36" x 23"		•		•	•		K-7271 K-7272 required					•	2
	*	ACR	K-1835-GCR	72" x 36" x 23"	•	•		•	•		K-7271 K-7272 required					•	2
Winward	60	ACR	K-1114-GLA	72" x 42" x 21"			IA			•	K-11677 K-37380		•			2	
	62	ACR	K-1114-GLF	72" x 42" x 21"			IF			•	K-11677 K-37380		•			2	
	60	ACR	K-1114-GRA	72" x 42" x 21"			IA			•	K-11677 K-37380			•		2	
	62	ACR	K-1114-GRF	72" x 42" x 21"			IF			•	K-11677 K-37380			•		2	
<b>BubbleMassage Baths – 5.5'</b>																	
Bancroft	*	ACR	K-1158-G	65⅞" x 41¾" x 22"		•		•	•		K-37382	•				2	
	*	ACR	K-1158-GCR	65⅞" x 41¾" x 22"	•	•		•	•		K-37382	•				2	
Iron Works	57	KECI	K-712-G0	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1	
	57	KECI	K-712-G47	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1	
	57	KECI	K-712-G96	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1	
	57	KECI	K-712-GNY	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1	
	57	KECI	K-712-GBN K-712-GCP K-712-GSN	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1	
Kathryn	*	KECI	K-809-G0	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1	
	*	KECI	K-809-G47	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1	
	*	KECI	K-809-G96	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1	

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Name																
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
<b>BubbleMassage Baths – 6'</b>																			
49" x 22"	62" x 28"	17"/89 gal			•													Tea-for-Two	
49" x 22"	62" x 28"	17"/89 gal	•		•	•	•	•	•	•			•	•			•		
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•				•			•				Underscore	
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•				•			•					
45¾" x 23½" 16"	65¾" x 29½" 16"	19½" /82 gal	•		•		•				•			•					
45¾" x 23½" 16"	65¾" x 29½" 16"	19½" /82 gal	•		•		•				•			•					
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•				•	•		•				Winward	
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•				•	•		•					
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•				•	•		•					
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•				•	•		•					
<b>BubbleMassage Baths – 5.5'</b>																			
46" x 30"	57" x 34"	16"/95 gal	•		•		•		•	•	•	•	•	•	•	•	•	Bancroft	
46" x 30"	57" x 34"	16"/95 gal	•		•		•		•	•	•	•	•	•	•	•	•		
47½" x 25"	55" x 29"	12½" /64 gal	•			•												Iron Works	
47½" x 25"	55" x 29"	12½" /64 gal							•		•								
47½" x 25"	55" x 29"	12½" /64 gal					•												
47½" x 25"	55" x 29"	12½" /64 gal				•													
47½" x 25"	55" x 29"	12½" /64 gal					•												
45" x 25"	58" x 29"	17¾" /97 gal	•			•												Kathryn	
45" x 25"	58" x 29"	17¾" /97 gal							•		•								
45" x 25"	58" x 29"	17¾" /97 gal					•												

## BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromotherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location			Number of People	
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right		
<b>BubbleMassage Baths – 5.5'</b>																
Kathryn	*	KECI	K-809-GNY	66" x 36" x 24"		•		•	•		K-7145 K-7265	•			1	
	*	KECI	K-809-GBN K-809-GCP K-809-GSN	66" x 36" x 24"		•		•	•		K-7145 K-7265	•			1	
Portrait	57	ACR	K-1457-G	67" x 42" x 22"		•			•		K-7265 K-37382				•	2
	57	ACR	K-1457-GCR	67" x 42" x 22"	•	•			•		K-7265 K-37382				•	2
Rêve	57	KECI	K-820-G0	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-G47	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-G96	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GNY	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GBN K-820-GCP K-820-GSN	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GC0	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GC47	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GC96	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GCNY	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GCBN K-820-GCCP K-820-GCSN	66 <sup>15</sup> / <sub>16</sub> " x 31 <sup>1</sup> / <sub>2</sub> " x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-G0	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-G47	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-G96	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	BubbleMassage Baths — 5.5'														Name		
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
45" x 25"	58" x 29"	17¾"/97 gal			•														Kathryn
45" x 25"	58" x 29"	17¾"/97 gal	•		•	•	•	•	•	•				•	•	•	•	•	
50" x 29"	61" x 32"	16"/100 gal	•		•		•			•	•	•		•	•	•	•	•	Portrait
50" x 29"	61" x 32"	16"/100 gal	•		•		•			•	•	•		•	•	•	•	•	
49" x 22"	62½" x 24¾"	19"/75 gal	•			•													Rêve
49" x 22"	62½" x 24¾"	19"/75 gal							•		•								
49" x 22"	62½" x 24¾"	19"/75 gal							•										
49" x 22"	62½" x 24¾"	19"/75 gal					•												
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•	•	•	•	•		•	•	•	•	•	
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•	•	•	•	•		•	•	•	•	•	
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•	•	•	•	•		•	•	•	•	•	
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•	•	•	•	•		•	•	•	•	•	
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•	•	•	•	•		•	•	•	•	•	
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•	•	•	•	•		•	•	•	•	•	
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•	•	•	•	•		•	•	•	•	•	
49" x 26½"	62½" x 29¼"	19"/90 gal	•			•													
49" x 26½"	62½" x 29¼"	19"/90 gal																	
49" x 26½"	62½" x 29¼"	19"/90 gal																	
49" x 26½"	62½" x 29¼"	19"/90 gal							•										

## BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromotherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location			Number of People	
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right		
<b>BubbleMassage Baths – 5.5'</b>																
Rêve	57	KECI	K-899-GNY	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GBN K-899-GCP K-899-GSN	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GC0	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GC47	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GC96	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GCNY	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GCBN K-899-GCCP K-899-GCSN	66 <sup>15</sup> / <sub>16</sub> " x 36" x 19 <sup>1</sup> / <sub>16</sub> "	•	•		•	•		K-7271 K-7272 required				•	1
Tea-for-Two	57	KECI	K-856-G0	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-G47	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-G96	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GNY	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GBN K-856-GCP K-856-GSN	66" x 36" x 24"		•		•	•		K-7147-AF					2
	57	KECI	K-856-GC0	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GC47	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GC96	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GCNY	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GCBN K-856-GCCP K-856-GCSN	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
Underscore	57	ACR	K-1173-G	66" x 36" x 22"		•		•	•		K-7271 K-7272 required	•				1
	57	ACR	K-1173-GCR	66" x 36" x 22"	•	•		•	•		K-7271 K-7272 required	•				1
	58	ACR	K-1822-G	66" x 32" x 22"		•		•	•		K-7271 K-7272 required	•				1
	58	ACR	K-1822-GCR	66" x 32" x 22"	•	•		•	•		K-7271 K-7272 required	•				1

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	BubbleMassage Baths — 5.5'														Name		
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
49" x 26½"	62½" x 29¼"	19"/90 gal			•														Rêve
49" x 26½"	62½" x 29¼"	19"/90 gal	•		•	•	•	•	•	•				•	•		•		
49" x 26½"	62½" x 29¼"	19"/90 gal	•			•													
49" x 26½"	62½" x 29¼"	19"/90 gal							•		•								
49" x 26½"	62½" x 29¼"	19"/90 gal						•											
49" x 26½"	62½" x 29¼"	19"/90 gal				•													
49" x 26½"	62½" x 29¼"	19"/90 gal																	
45" x 25"	58" x 29"	19½"/105 gal	•			•													Tea-for-Two
45" x 25"	58" x 29"	19½"/105 gal							•		•								
45" x 25"	58" x 29"	19½"/105 gal						•											
45" x 25"	58" x 29"	19½"/105 gal					•												
45" x 25"	58" x 29"	19½"/105 gal			•		•	•	•	•	•	•	•	•	•	•	•	•	
45" x 25"	58" x 29"	19½"/105 gal				•	•	•	•	•	•	•	•	•	•	•	•	•	
45" x 25"	58" x 29"	19½"/105 gal					•												
45" x 25"	58" x 29"	19½"/105 gal																	
45" x 25"	58" x 29"	19½"/105 gal																	
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•	•				•		•					Underscore
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•	•				•		•					
44½" x 22½"	59¾" x 25½"	18"/85% gal	•		•		•	•				•		•					
44½" x 22½"	59¾" x 25½"	18"/85% gal	•		•		•	•				•		•					

## BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromotherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
<b>BubbleMassage Baths – 5'</b>																
Archer	59	ACR	K-1122-G	60" x 32" x 19"		•				•	K-7271 K-7272 required	•				1
	61	ACR	K-1122-GLA	60" x 32" x 19"			IA			•	K-7271 K-7272 required		•			1
	61	ACR	K-1122-GRA	60" x 32" x 19"			IA			•	K-7271 K-7272 required			•		1
Bancroft	61	ACR	K-1151-GLA	60" x 32" x 20"			IA			•	K-11677		•			1
	61	ACR	K-1151-GRA	60" x 32" x 20"			IA			•	K-11677			•		1
Devonshire	59	ACR	K-1357-G	60" x 32" x 20"		•				•	K-37382 K-37383	•				1
	61	ACR	K-1357-GLA	60" x 32" x 20"			IA			•	K-37382 K-37383		•			1
	61	ACR	K-1357-GRA	60" x 32" x 20"			IA			•	K-37382 K-37383			•		1
Elevance Rising Wall	60	ACR	K-1914-GL	60½" x 33½" x 38"			IA			•	K-7271 K-7272 required		•			1
	60	ACR	K-1914-GLB	60½" x 33½" x 38"			IA			•	K-7271 K-7272 required			•		1
	60	ACR	K-1914-GR	60½" x 33½" x 38"			IA			•	K-7271 K-7272 required			•		1
	60	ACR	K-1914-GRB	60½" x 33½" x 38"			IA			•	K-7271 K-7272 required			•		1
Memoirs	60	KECI	K-723-G0	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382			•			1
	60	KECI	K-723-G47	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382			•			1
	60	KECI	K-723-G96	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382			•			1
	60	KECI	K-723-GNY	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382			•			1
	60	KECI	K-723-GBN K-723-GCP K-723-GSN	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382			•			1
	*	KECI	K-724-G0	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382				•		1
	*	KECI	K-724-G47	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382				•		1
	*	KECI	K-724-G96	60" x 33¾" x 17⅓"			IA		•	K-7259 K-37382				•		1

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	BubbleMassage Baths – 5'														Name	
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58
45½" x 19½"	52¾" x 25½"	15"/60 gal	•		•			•		•	•	•		•	•	•	•	Archer
45½" x 19½"	52¾" x 25½"	15"/60 gal	•		•		•		•	•	•	•	•	•	•	•	•	•
45½" x 19½"	52¾" x 25½"	15"/60 gal	•		•		•		•	•	•	•	•	•	•	•	•	•
45" x 22"	54" x 25"	15"/60 gal	•		•		•		•	•	•	•	•	•	•	•	•	Bancroft
45" x 22"	54" x 25"	15"/60 gal	•		•		•		•	•	•	•	•	•	•	•	•	•
42" x 20"	51" x 24"	14"/60 gal	•		•		•		•	•	•	•	•	•	•	•	•	Devonshire
42" x 20"	51" x 24"	14"/60 gal	•		•		•		•	•	•	•	•	•	•	•	•	•
42" x 20"	51" x 24"	14"/60 gal	•		•		•		•	•	•	•	•	•	•	•	•	•
43" x 22½"	48¾" x 23¾"	19¾"/72 gal	•		•		•			•								Elevance Rising Wall
43" x 22½"	48¾" x 23¾"	19¾"/72 gal	•															
43" x 22½"	48¾" x 23¾"	19¾"/72 gal	•		•		•			•								
43" x 22½"	48¾" x 23¾"	19¾"/72 gal	•															
43" x 22½"	48¾" x 23¾"	19¾"/72 gal	•															
45" x 23"	54" x 25"	11½"/52 gal	•				•											Memoirs
45" x 23"	54" x 25"	11½"/52 gal							•		•							
45" x 23"	54" x 25"	11½"/52 gal						•										
45" x 23"	54" x 25"	11½"/52 gal				•												
45" x 23"	54" x 25"	11½"/52 gal	•			•		•		•	•			•	•		•	
45" x 23"	54" x 25"	11½"/52 gal	•			•		•		•	•			•	•		•	
45" x 23"	54" x 25"	11½"/52 gal	•			•		•		•	•			•	•		•	
45" x 23"	54" x 25"	11½"/52 gal	•			•		•		•	•			•	•		•	
45" x 23"	54" x 25"	11½"/52 gal							•		•							
45" x 23"	54" x 25"	11½"/52 gal								•								
45" x 23"	54" x 25"	11½"/52 gal									•							

## BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromotherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location			Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	
<b>BubbleMassage Baths – 5'</b>															
Memoirs	*	KECI	K-724-GNY	60" x 33¾" x 17⅞"			IA		•		K-7259 K-37382			•	1
	*	KECI	K-724-GBN K-724-GCP K-724-GSN	60" x 33¾" x 17⅞"			IA		•		K-7259 K-37382			•	1
Serif	58	ACR	K-1337-G	60" x 42¼" x 21"		•				•	K-7265	•			1
Sunward	58	ACR	K-1162-G	60" x 42" x 21"		•		•		•	K-11677 K-37383	•			1
Tea-for-Two	58	KECI	K-852-G0	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•			1
	58	KECI	K-852-G47	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•			1
	58	KECI	K-852-G96	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•			1
	58	KECI	K-852-GNY	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•			1
	58	KECI	K-852-GBN K-852-GCP K-852-GSN	60" x 32" x 18¼"		•		•	•		K-7169-AF required				1
Tercet	59	ACR	K-1160-G	60" x 60" x 21"		•				•	K-11677			•	2
	*	ACR	K-1160-GF	60" x 60" x 21"			IF			•	K-11677			•	2
	61	ACR	K-1160-GLA	60" x 60" x 21"			IA			•	K-11677			•	2
Underscore	59	ACR	K-1167-G	60" x 30" x 19"		•		•	•		K-7271 K-7272 required	•			1
	59	ACR	K-1167-GCR	60" x 30" x 19"		•	•		•	•	K-7271 K-7272 required	•			1
	62	ACR	K-1167-LFG	60" x 30" x 19"			IF			•	K-7271 K-7272 required		•		1
	62	ACR	K-1167-RFG	60" x 30" x 19"			IF			•	K-7271 K-7272 required			•	1
	62	ACR	K-1167-LGCR	60" x 30" x 19"		•		IF			K-7271 K-7272 required		•		1
	62	ACR	K-1167-RGCR	60" x 30" x 19"		•		IF			K-7271 K-7272 required			•	1
	59	ACR	K-1168-G	60" x 32" x 21"		•		•	•		K-7271 K-7272 required	•			1
	59	ACR	K-1168-GCR	60" x 32" x 21"		•	•		•	•	K-7271 K-7272 required	•			1

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Name																
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
BubbleMassage Baths – 5'																			
45" x 23"	54" x 25"	11½"/52 gal			•														Memoirs
45" x 23"	54" x 25"	11½"/52 gal	•		•	•	•	•	•	•				•	•			•	
42" x 28"	55" x 40"	15½"/73 gal	•		•		•				•	•			•			•	Serif
43" x 24½"	53½" x 32½"	15"/57 gal	•		•		•				•	•			•				Sunward
40½" x 20"	52¾" x 24"	13½"/60 gal	•			•													Tea-for-Two
40½" x 20"	52¾" x 24"	13½"/60 gal							•		•								
40½" x 20"	52¾" x 24"	13½"/60 gal						•											
40½" x 20"	52¾" x 24"	13½"/60 gal				•													
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•				•	•			•				Tercet
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•				•	•			•				
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•				•	•			•				
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•				•				•				Underscore
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•				•				•				
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•				•				•				
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•				•				•				
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•				•				•				
42" x 23½"	55½" x 27½"	17½"/81 gal	•		•		•				•				•				
42" x 23½"	55½" x 27½"	17½"/81 gal	•		•		•				•				•				

## BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location			Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	
<b>BubbleMassage Baths – 5'</b>															
Underscore	58	ACR	K-1849-G	60" x 36" x 21"		•		•	•		K-7271 K-7272 required	•			1
	58	ACR	K-1849-GCR	60" x 36" x 21"		•	•	•	•		K-7271 K-7272 required	•			1
Windward	58	ACR	K-1112-G	60" x 42" x 21"		•				•	K-11677	•			1
	58	ACR	K-1112-GF	60" x 42" x 21"		•				•	K-11677	•			1
	60	ACR	K-1112-GLA	60" x 42" x 21"			IA			•	K-11677		•		1
	62	ACR	K-1112-GLF	60" x 42" x 21"			IF			•	K-11677		•		1
	60	ACR	K-1112-GRA	60" x 42" x 21"			IA			•	K-11677		•		1
	62	ACR	K-1112-GRF	60" x 42" x 21"			IF			•	K-11677		•		1
<b>BubbleMassage Baths – Under 5'</b>															
Underscore Cube	59	ACR	K-1969-G	48" x 48" x 34"		•		•	•		K-8150 K-8134 required				2
	59	ACR	K-1969-GCR	48" x 48" x 34"		•	•	•	•		K-8150 K-8134 required			•	2

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Name																
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
<b>BubbleMassage Baths — 5'</b>																			
39 $\frac{1}{16}$ " x 24 $\frac{1}{16}$ "	53 $\frac{5}{8}$ " x 29 $\frac{1}{2}$ "	17 $\frac{1}{8}$ "/81 gal	•		•			•		•		•		•				Underscore	
39 $\frac{1}{16}$ " x 24 $\frac{1}{16}$ "	53 $\frac{5}{8}$ " x 29 $\frac{1}{2}$ "	17 $\frac{1}{8}$ "/81 gal	•		•			•		•		•		•					
43" x 24 $\frac{5}{8}$ "	53 $\frac{1}{2}$ " x 32 $\frac{1}{8}$ "	15"/57 gal	•		•			•		•	•	•		•				Windward	
43" x 24 $\frac{5}{8}$ "	53 $\frac{1}{2}$ " x 32 $\frac{1}{8}$ "	15"/57 gal	•		•			•		•	•	•		•					
43" x 24 $\frac{5}{8}$ "	53 $\frac{1}{2}$ " x 32 $\frac{1}{8}$ "	15"/57 gal	•		•			•		•	•	•		•					
43" x 24 $\frac{5}{8}$ "	53 $\frac{1}{2}$ " x 32 $\frac{1}{8}$ "	15"/57 gal	•		•			•		•	•	•		•					
43" x 24 $\frac{5}{8}$ "	53 $\frac{1}{2}$ " x 32 $\frac{1}{8}$ "	15"/57 gal	•		•			•		•	•	•		•					
43" x 24 $\frac{5}{8}$ "	53 $\frac{1}{2}$ " x 32 $\frac{1}{8}$ "	15"/57 gal	•		•			•		•	•	•		•					
<b>BubbleMassage Baths — Under 5'</b>																			
39 $\frac{5}{8}$ " x 39 $\frac{5}{8}$ "	44 $\frac{5}{8}$ " x 44 $\frac{5}{8}$ "	27 $\frac{1}{2}$ "/171 gal	•					•										Underscore Cube	
39 $\frac{5}{8}$ " x 39 $\frac{5}{8}$ "	44 $\frac{5}{8}$ " x 44 $\frac{5}{8}$ "	27 $\frac{1}{2}$ "/171 gal	•					•											

## Whirlpool Features & Colors Index

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center	
Whirlpools – Over 6'																	
RiverBath Quadrangle	68	ACR	K-1360-H2	75" x 45" x 25"	•		•			2•		K-7167			•	2	46" x 34"
	68	ACR	K-1360-H3	75" x 45" x 25"	•		•			2•		K-7167			•	2	46" x 34"
	*	ACR	K-1365-F2	75" x 45" x 26 1/4"	•		•			2•		K-7167			•	2	46" x 34"
	*	ACR	K-1365-F3	75" x 45" x 26 1/4"	•		•			2•		K-7167			•	2	46" x 34"
	*	ACR	K-1365-H2	75" x 45" x 25"	•		•			2•		K-7167			•	2	46" x 34"
	*	ACR	K-1365-H3	75" x 45" x 25"	•		•			2•		K-7167			•	2	46" x 34"
RiverBath Round	68	ACR	K-1397-H2	75" diameter	•		•			2•		K-7167	•			2	61" x 46"
	68	ACR	K-1397-H3	75" diameter	•		•			2•		K-7167	•			2	61" x 46"
	68	ACR	K-1399-H2	75" diameter	•		•			2•		K-7167	•			2	61" x 46"
	68	ACR	K-1399-H3	75" diameter	•		•			2•		K-7167	•			2	61" x 46"
Whirlpools – 6'																	
7236	70	ACR	K-1157	72" x 36" x 20 1/8"			•				•	K-7265 K-11677	•			1	55" x 21"
	70	ACR	K-1157-H	72" x 36" x 20 1/8"	•		•				2•	K-7265 K-11677	•			1	55" x 21"
	70	ACR	K-1157-HN	72" x 36" x 20 1/8"	•	•	•				2•	K-7265 K-11677	•			1	55" x 21"
	70	ACR	K-1157-CN	72" x 36" x 20 1/8"		•	•				•	K-7265 K-11677	•			1	55" x 21"
	76	ACR	K-1157-L	72" x 36" x 20 1/8"				IF			•	K-7265 K-11677	•			1	55" x 21"
	76	ACR	K-1157-LH	72" x 36" x 20 1/8"	•			IF			2•	K-7265 K-11677	•			1	55" x 21"
	76	ACR	K-1157-R	72" x 36" x 20 1/8"				IF			•	K-7265 K-11677		•		1	55" x 21"
	76	ACR	K-1157-RH	72" x 36" x 20 1/8"	•			IF			2•	K-7265 K-11677		•		1	55" x 21"
7242	69	ACR	K-1131	72" x 42" x 20 1/8"			•				•	K-7259 K-11677 K-37383			•	2	53" x 26"
	76	ACR	K-1131-F	72" x 42" x 20 1/8"				IF			•	K-7259 K-11677 K-37383			•	2	53" x 26"
	69	ACR	K-1131-H	72" x 42" x 20 1/8"	•		•				2•	K-7259 K-11677 K-37383			•	2	53" x 26"

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECl = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
Whirlpools — Over 6'																				
At Rim	To Overflow	Number of Jets	Required Jet Trim																	
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•								RiverBath Quadrangle	
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•								RiverBath Round	
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									
Whirlpools — 6'																			7236	
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•				•			•								7242	
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•				•			•									
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•				•			•									

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People
<b>Whirlpools – 6'</b>																
7242	69	ACR	K-1131-HE	72" x 42" x 20½"	•	•	•			2•	K-7259 K-11677 K-37383				•	2 53" x 26"
	76	ACR	K-1131-FH	72" x 42" x 20½"	•			IF		2•	K-7259 K-11677 K-37383				•	2 53" x 26"
	69	ACR	K-1131-CE	72" x 42" x 20½"		•	•				•	K-7259 K-11677 K-37383			•	2 53" x 26"
7242 Oval	69	ACR	K-1148	72" x 42½" x 19¾"			•		•	•	K-7265 K-11677				•	2 53" x 26"
	69	ACR	K-1148-CD K-1148-CH	72" x 42½" x 19¾"		•	•		•	•	K-7265 K-11677				•	2 53" x 26"
	69	ACR	K-1148-H	72" x 42½" x 19¾"	•		•		•	2•	K-7265 K-11677				•	2 53" x 26"
	69	ACR	K-1148-HD K-1148-HH	72" x 42½" x 19¾"	•	•	•		•	2•	K-7265 K-11677				•	2 53" x 26"
Archer	70	ACR	K-1124	72" x 36" x 19"			•			•	K-7271 K-7272 required		•			1 51¾" x 21"
	70	ACR	K-1124-H	72" x 36" x 19"	•		•			2•	K-7271 K-7272 required		•			1 51¾" x 21"
	78	ACR	K-1124-HL	72" x 36" x 19"	•			IA		2•	K-7271 K-7272 required		•			1 51¾" x 21"
	78	ACR	K-1124-HR	72" x 36" x 19"	•			IA		2•	K-7271 K-7272 required			•		1 51¾" x 21"
	78	ACR	K-1124-LA	72" x 36" x 19"				IA		•	K-7271 K-7272 required		•			1 51¾" x 21"
	78	ACR	K-1124-RA	72" x 36" x 19"				IA		•	K-7271 K-7272 required			•		1 51¾" x 21"
Caribbean	69	KECI	K-812-H2	72" x 36" x 18¼"	•		•		•	•	K-7259 K-37383	•				1 47" x 24"
	69	KECI	K-812-N1	72" x 36" x 18¼"	•		•		•	•	K-7259 K-37383	•				1 47" x 24"
Consonance	51	ACR	K-1111-VLN	69¼" x 69¼" x 24"	•		•		•	2•	K-7167	•				2 45" x 43"
	68	ACR	K-1111-H2	69¼" x 69¼" x 24"	•		•		•	•	K-7167	•				2 45" x 43"
Mariposa	70	ACR	K-1257	72" x 36" x 20"			•			•	K-7259 K-37380 K-37383	•				1 50" x 24"
	70	ACR	K-1257-H	72" x 36" x 20"	•		•			2•	K-7259 K-37380 K-37383	•				1 50" x 24"

For larger color swatches, see page 120.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 6'
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•					•		•									7242
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•					•		•									
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•					•		•									
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•					•		•									7242 Oval
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•					•		•									
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•					•		•									
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•					•		•									
64½" x 30½"	15"/72 gal	8	color-matched included	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	Archer
64½" x 30½"	15"/72 gal	8	color-matched included	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
64½" x 30½"	15"/72 gal	8	color-matched included	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
64½" x 30½"	15"/72 gal	8	color-matched included	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
64½" x 30½"	15"/72 gal	8	color-matched included	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
64½" x 30½"	15"/72 gal	8	color-matched included	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
67" x 29"	12¾"/52 gal	6 Flexjet	K-9696	•		•	•	•			•	•		•						Caribbean
67" x 29"	12¾"/52 gal	6 Flexjet, 2 neckjets	K-9696	•		•	•	•			•	•		•						
57" x 57"	19½"/170 gal	20 backjets, 8 Effervescence, 6 Flexjet	K-9696	•		•	•	•			•									Consonance
57" x 57"	19½"/170 gal	6 Flexjet	K-9696	•		•	•	•			•									
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•	•	•			•	•		•						Mariposa
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•	•	•			•	•		•						

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People
<b>Whirlpools – 6'</b>																
Mariposa	70	ACR	K-1257-HB	72" x 36" x 20"	•	•	•			2•	K-7259 K-37380 K-37383	•			1	50" x 24"
	70	ACR	K-1257-HL	72" x 36" x 20"	•			IA		2•	K-7259 K-37380 K-37383		•		1	50" x 24"
	78	ACR	K-1257-HR	72" x 36" x 20"	•			IA		2•	K-7259 K-37380 K-37383		•		1	50" x 24"
	76	ACR	K-1257-L	72" x 36" x 20"				IF		•	K-7259 K-37380 K-37383		•		1	50" x 24"
	78	ACR	K-1257-LA	72" x 36" x 20"				IA		•	K-7259 K-37380 K-37383		•		1	50" x 24"
	76	ACR	K-1257-LH	72" x 36" x 20"	•			IF		2•	K-7259 K-37380 K-37383		•		1	50" x 24"
	76	ACR	K-1257-R	72" x 36" x 20"				IF		•	K-7259 K-37380 K-37383		•		1	50" x 24"
	78	ACR	K-1257-RA	72" x 36" x 20"				IA		•	K-7259 K-37380 K-37383		•		1	50" x 24"
	70	ACR	K-1257-CB	72" x 36" x 20"		•	•			•	K-7259 K-37380 K-37383	•			1	50" x 24"
	76	ACR	K-1257-RH	72" x 36" x 20"	•			IF		2•	K-7259 K-37380 K-37383		•		1	50" x 24"
Memoirs	68	ACR	K-1418-H2	72" x 42" x 22"	•		•			•	K-7265			•	2	48" x 27"
	68	ACR	K-1418-HC K-1418-HE K-1418-HH K-1418-HN	72" x 42" x 22"		•	•	•		•	K-7265			•	2	48" x 27"
	68	ACR	K-1418-AH	72" x 42" x 22"	•		•			•	K-7265			•	2	48" x 27"
	68	ACR	K-1418-M	72" x 42" x 22"	•		•			•	K-7265			•	2	42" x 27"
	68	ACR	K-1418-V	72" x 42" x 22"	•		•			•	K-7265			•	2	42" x 27"
Purist	68	ACR	K-1110	72" x 46" x 25 <sup>1</sup> / <sub>16</sub> "	•		•		•	•	K-7273 required	•			1	45" x 25 <sup>1</sup> / <sub>2</sub> "
	68	ACR	K-1110-AH	72" x 46" x 25 <sup>1</sup> / <sub>16</sub> "	•		•		•	•	K-7273 required	•			1	45" x 25 <sup>1</sup> / <sub>2</sub> "

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 6'
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						Mariposa
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
60" x 30"	16"/94 gal	8 Flexjet	K-9698	•		•		•			•	•		•		•	•	•	•	Memoirs
60" x 30"	16"/94 gal	8 Flexjet	K-9698			•		•			•	•		•		•	•	•	•	
60" x 30"	16"/94 gal	8 Effervescence, 8 Flexjet	K-9698	•		•		•			•	•		•		•	•	•	•	
60" x 30"	16"/86 gal	10 backjets, 6 Flexjet, 2 neckjets	K-9698	•		•		•			•	•		•		•	•	•	•	
60" x 30"	16"/86 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets,	K-9698	•		•		•			•	•		•		•	•	•	•	
63" x 31½"	21"/115 gal	8 Flexjet	K-9698	•				•			•	•		•		•	•	•	•	Purist
63" x 31½"	21"/115 gal	8 Effervescence, 6 Flexjet	K-9698	•				•			•	•		•		•	•	•	•	

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center	
<b>Whirlpools – 6'</b>																	
Purist	68	ACR	K-1110-M	72" x 46" x 23 <sup>3</sup> / <sub>16</sub> "	•		•		•	•		K-7273 required	•				1 42" x 25 <sup>1</sup> / <sub>2</sub> "
	68	ACR	K-1110-V	72" x 46" x 23 <sup>3</sup> / <sub>16</sub> "	•		•		•	•		K-7273 required	•				1 42" x 25 <sup>1</sup> / <sub>2</sub> "
Sunward	69	ACR	K-1164	72" x 42" x 21"			•		•		•	K-7259 K-11677	•				2 55 <sup>1</sup> / <sub>4</sub> " x 23 <sup>1</sup> / <sub>2</sub> "
	69	ACR	K-1164-CB	72" x 42" x 21"		•	•		•		•	K-7259 K-11677	•				2 55 <sup>1</sup> / <sub>4</sub> " x 23 <sup>1</sup> / <sub>2</sub> "
	69	ACR	K-1164-H	72" x 42" x 21"	•		•		•		2*	K-7259 K-11677	•				2 55 <sup>1</sup> / <sub>4</sub> " x 23 <sup>1</sup> / <sub>2</sub> "
	69	ACR	K-1164-HB	72" x 42" x 21"	•	•	•		•		2*	K-7259 K-11677	•				2 55 <sup>1</sup> / <sub>4</sub> " x 23 <sup>1</sup> / <sub>2</sub> "
Tea-for-Two	70	KECI	K-865-H2	71 <sup>3</sup> / <sub>4</sub> " x 36" x 20 <sup>7</sup> / <sub>8</sub> "	•		•		•	•		K-7169-AF required	•				2 49" x 22"
	70	KECI	K-865-N1	71 <sup>3</sup> / <sub>4</sub> " x 36" x 20 <sup>7</sup> / <sub>8</sub> "	•		•		•	•		K-7169-AF required	•				2 49" x 22"
	70	KECI	K-865-HD K-865-HB K-865-HM	71 <sup>3</sup> / <sub>4</sub> " x 36" x 20 <sup>7</sup> / <sub>8</sub> "	•	•	•		•	•		K-7169-AF required	•				2 49" x 22"
Underscore	68	ACR	K-1174-H2	72" x 42" x 23"	•		•		•	•		K-7271 K-7272			•		2 45 <sup>3</sup> / <sub>4</sub> " x 32"
	70	ACR	K-1835-H2	72" x 36" x 23"	•		•		•	•		K-7271 K-7272			•		2 45 <sup>3</sup> / <sub>4</sub> " x 25 <sup>15</sup> / <sub>16</sub> "
Vintage	69	KECI	K-702-H2	72" x 42" x 21 <sup>9</sup> / <sub>16</sub> "	•		•			•		K-7158 K-7265 K-37383			•		2 44" x 28"
	69	KECI	K-702-N1	72" x 42" x 21 <sup>9</sup> / <sub>16</sub> "	•		•			•		K-7158 K-7265 K-37383			•		2 44" x 28"
Windward	69	ACR	K-1114	72" x 42" x 21"			•				•	K-7259 K-11677 K-37383	•				2 55" x 23 <sup>1</sup> / <sub>4</sub> "
	69	ACR	K-1114-CB	72" x 42" x 21"		•	•				•	K-7259 K-11677 K-37383	•				2 55" x 23 <sup>1</sup> / <sub>4</sub> "
	69	ACR	K-1114-H	72" x 42" x 21"	•		•				2*	K-7259 K-11677 K-37383	•				2 55" x 23 <sup>1</sup> / <sub>4</sub> "
	69	ACR	K-1114-HB	72" x 42" x 21"	•	•	•				2*	K-7259 K-11677 K-37383	•				2 55" x 23 <sup>1</sup> / <sub>4</sub> "
	78	ACR	K-1114-HL	72" x 42" x 21"	•			IA			2*	K-7259 K-11677 K-37383	•				2 55" x 23 <sup>1</sup> / <sub>4</sub> "

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim	Whirlpools – 6'																
63" x 31½"	19¼"/96 gal	10 backjets, 6 Flexjet, 2 neckjets	K-9698	•				•		•	•	•		•	•	•	•	•	•	Purist
63" x 31½"	19¼"/96 gal	10 backjets, 8 Efferescence, 6 Flexjet, 2 neckjets,	K-9698	•				•		•	•	•		•	•	•	•	•	•	
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•		•	•	•		•	•	•				Sunward
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•		•	•	•		•	•	•				
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•		•	•	•		•	•	•				
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•		•	•	•		•	•	•				
62" x 28"	17"/89 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•		•	•	•	•	•	•	Tea-for-Two
62" x 28"	17"/89 gal	6 Flexjet, 2 neckjets	K-9696	•		•	•	•	•	•	•	•		•	•	•	•	•	•	
62" x 28"	17"/89 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•		•	•	•	•	•	•	
66" x 36"	19"/139 gal	8 Flexjet	K-9698	•		•		•		•		•			•					Underscore
65¾" x 29½"	19¾"/113 gal	8 Flexjet	K-9698	•		•		•		•		•			•					
60" x 32"	15"/82 gal	5 Flexjet	K-9695	•		•		•		•		•			•					Vintage
60" x 32"	15"/82 gal	5 Flexjet, 2 neckjets	K-9695	•		•		•		•		•			•					
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•		•		•		•	•		•			Windward
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•		•		•		•	•		•			
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•		•		•		•	•		•			
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•		•		•		•	•		•			
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•		•		•		•	•		•			

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center	
<b>Whirlpools – 6'</b>																	
Windward	78	ACR	K-1114-HR	72" x 42" x 21"	•			IA		2•	K-7259 K-11677 K-37383		•		2	55" x 23½"	
	76	ACR	K-1114-L	72" x 42" x 21"				IF		•	K-7259 K-11677 K-37383		•		2	55" x 23½"	
	78	ACR	K-1114-LA	72" x 42" x 21"				IA		•	K-7259 K-11677 K-37383		•		2	55" x 23½"	
	76	ACR	K-1114-LH	72" x 42" x 21"	•			IF		2•	K-7259 K-11677 K-37383		•		2	55" x 23½"	
	76	ACR	K-1114-R	72" x 42" x 21"				IF		•	K-7259 K-11677 K-37383			•	2	55" x 23½"	
	78	ACR	K-1114-RA	72" x 42" x 21"				IA		•	K-7259 K-11677 K-37383			•	2	55" x 23½"	
	76	ACR	K-1114-RH	72" x 42" x 21"	•		•	IF		2•	K-7259 K-11677 K-37383			•	2	55" x 23½"	
<b>Whirlpools – 5.5'</b>																	
Bancroft	71	ACR	K-1158-H2	65¾" x 41¾" x 22"	•		•			•	K-7265 K-37382	•			2	46" x 30"	
	71	ACR	K-1158-HB K-1158-HE K-1158-HJ	65¾" x 41¾" x 22"	•	•	•			•	K-7265 K-37382	•			2	46" x 30"	
Iron Works	72	KECI	K-712-H2	66" x 36" x 19¼"	•		•			•	K-7103 K-7259	•			1	47½" x 25"	
Kathryn	71	KECI	K-809-H2	66" x 36" x 24"	•		•		•	•	K-7145 K-7265	•			1	45" x 25"	
	71	KECI	K-809-HE K-809-HN	66" x 36" x 24"	•	•	•		•	•	K-7145 K-7265	•			1	45" x 25"	
	76	KECI	K-809-LH	66" x 36" x 24"	•			IF		•	K-7145 K-7265		•		1	45" x 25"	
	76	KECI	K-809-RH	66" x 36" x 24"	•			IF		•	K-7145 K-7265		•		1	45" x 25"	
Maestro	72	KECI	K-842-H2	66" x 32" x 18¼"	•		•		•	•	K-37383	•			1	47" x 21"	
	72	KECI	K-845-H2	66" x 32" x 18¼"	•		•		•	•	K-37383	•			1	47" x 21"	
Mariposa	72	ACR	K-1224	66" x 35¾" x 20"			•			•	K-7259 K-37382 K-37383	•			1	48" x 24"	
	72	ACR	K-1224-CB	66" x 35¾" x 20"		•	•			•	K-7259 K-37382 K-37383	•			1	48" x 24"	
	72	ACR	K-1224-H	66" x 35¾" x 20"	•		•			2•	K-7259 K-37382 K-37383	•			1	48" x 24"	

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 6'
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•						Windward
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
Whirlpools – 5.5'																				
57" x 34"	16"/95 gal	8 Flexjet	K-9698	•		•		•		•	•	•	•	•	•	•	•	•	•	Bancroft
57" x 34"	16"/95 gal	8 Flexjet	K-9698	•		•		•		•	•	•	•	•	•	•	•	•	•	
55" x 29"	12½"/64 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	Iron Works
58" x 29"	17¾"/97 gal	8 Flexjet	K-9698	•		•	•	•	•											Kathryn
58" x 29"	17¾"/97 gal	8 Flexjet	K-9698	•		•	•	•	•											
58" x 29"	17¾"/97 gal	8 Flexjet	K-9698	•		•	•	•	•											
57" x 25"	13"/55 gal	5 Flexjet	K-9695	•		•		•			•	•		•	•					Maestro
57" x 25"	13"/55 gal	5 Flexjet	K-9695	•		•		•			•	•		•	•					
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						Mariposa
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•	•					
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•	•					

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People
<b>Whirlpools – 5.5'</b>																
Mariposa	72	ACR	K-1224-HB	66" x 35 7/8" x 20"	•	•	•			2*	K-7259 K-37382 K-37383	•			1	48" x 24"
	78	ACR	K-1224-HL	66" x 35 7/8" x 20"	•			IA		2*	K-7259 K-37382 K-37383		•		1	48" x 24"
	78	ACR	K-1224-HR	66" x 35 7/8" x 20"	•			IA		2*	K-7259 K-37382 K-37383		•		1	48" x 24"
	76	ACR	K-1224-L	66" x 35 7/8" x 20"				IF		•	K-7259 K-37382 K-37383		•		1	48" x 24"
	78	ACR	K-1224-LA	66" x 35 7/8" x 20"				IA		•	K-7259 K-37382 K-37383		•		1	48" x 24"
	76	ACR	K-1224-LH	66" x 35 7/8" x 20"				IF		2*	K-7259 K-37382 K-37383		•		1	48" x 24"
	76	ACR	K-1224-R	66" x 35 7/8" x 20"				IF		•	K-7259 K-37382 K-37383		•		1	48" x 24"
	78	ACR	K-1224-RA	66" x 35 7/8" x 20"				IA		•	K-7259 K-37382 K-37383		•		1	48" x 24"
	76	ACR	K-1224-RH	66" x 35 7/8" x 20"	•			IF		2*	K-7259 K-37382 K-37383		•		1	48" x 24"
Memoirs	71	ACR	K-1170-H2	66" x 42" x 22"	•		•			•	K-7265			•	2	42" x 27"
	71	ACR	K-1170-HC K-1170-HE K-1170-HH K-1170-HN	66" x 42" x 22"		•	•	•		•	K-7265			•	2	42" x 27"
Portrait	71	ACR	K-1457-H2	67" x 42" x 22"	•		•			•	K-7265 K-37382			•	2	50" x 29"
	71	ACR	K-1457-HB K-1457-HF K-1457-HJ K-1457-HN	67" x 42" x 22"		•	•	•		•	K-7265 K-37382			•	2	50" x 29"
	71	ACR	K-1457-AH	67" x 42" x 22"	•		•			•	K-7265 K-37382			•	2	50" x 29"
	71	ACR	K-1457-LM K-1457-RM	67" x 42" x 22"	•		•			•	K-7265 K-37382			•	1	40" x 27"
Portrait	71	ACR	K-1457-LV K-1457-RV	67" x 42" x 22"	•		•			•	K-7265 K-37382			•	1	40" x 27"
RiverBath Round	70	ACR	K-1394-H2 K-1394-H3	66" diameter x 25"	•		•			2*	K-7167	•			2	54 1/2" x 44"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 5.5'
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						Mariposa
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
54" x 30"	16"/81 gal	8 Flexjet	K-9698	•		•		•			•	•		•						Memoirs
54" x 30"	16"/81 gal	8 Flexjet	K-9698	•		•		•			•	•		•						
61" x 32"	16"/100 gal	8 Flexjet	K-9698	•		•		•			•	•		•						Portrait
61" x 32"	16"/100 gal	8 Flexjet	K-9698	•		•		•			•	•		•						
61" x 32"	16"/100 gal	8 Effervescence, 8 Flexjet	K-9698	•		•		•			•	•		•						
61" x 32"	16"/90 gal	10 backjets, 6 Flexjet, 2 neckjets	K-9698	•		•		•			•	•		•						
61" x 32"	16"/90 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets,	K-9698	•		•		•			•	•		•						Portrait
61½" x 54½"	19"/196 gal	8 Flexjets, 4 Riverjets	K-9398	•		•		•			•									RiverBath Round

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions	
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People	At Base
<b>Whirlpools – 5.5'</b>																	
Tea-for-Two	71	KECI	K-856-H2	66" x 36" x 24"	•		•		•	•		K-7147-AF required	•			2	45" x 25"
	71	KECI	K-856-HE	66" x 36" x 24"	•	•	•		•	•		K-7147-AF required	•			2	45" x 25"
	71	KECI	K-856-HN	66" x 36" x 24"	•	•	•		•	•		K-7147-AF required	•			2	45" x 25"
	76	KECI	K-856-LH	66" x 36" x 24"	•			IF		•		K-7147-AF required		•		2	45" x 25"
	76	KECI	K-856-RH	66" x 36" x 24"	•			IF		•		K-7147-AF required		•		2	45" x 25"
	71	KECI	K-856-AH	66" x 36" x 24"	•		•		•	•		K-7147-AF required	•			2	45" x 25"
	71	KECI	K-856-M	66" x 36" x 23"	•		•			•		K-7148-AF required	•			1	42" x 25"
	71	KECI	K-856-V	66" x 36" x 23"	•		•			•		K-7148-AF required	•			1	42" x 25"
Underscore	71	ACR	K-1173-H2	66" x 36" x 22"	•		•		•	•		K-7271 K-7272 required			•	1	44½" x 26½"
	72	ACR	K-1822-H2	66" x 32" x 22"	•		•		•	•		K-7271 K-7272 required			•	1	44½" x 22½"
<b>Whirlpools – 5'</b>																	
6032	74	ACR	K-1106	60" x 32" x 18½"			•				•	K-7259 K-11677 K-37383	•			1	46" x 20"
	74	ACR	K-1106-H	60" x 32" x 18½"	•		•				2•	K-7259 K-11677 K-37383	•			1	46" x 20"
	74	ACR	K-1106-HN	60" x 32" x 18½"	•	•	•				2•	K-7259 K-11677 K-37383	•			1	46" x 20"
	77	ACR	K-1106-L	60" x 32" x 18½"				IF			•	K-7259 K-11677 K-37383	•			1	46" x 20"
	77	ACR	K-1106-LH	60" x 32" x 18½"	•			IF			2•	K-7259 K-11677 K-37383	•			1	46" x 20"
	77	ACR	K-1106-R	60" x 32" x 18½"				IF			•	K-7259 K-11677 K-37383		•		1	46" x 20"
	77	ACR	K-1106-RH	60" x 32" x 18½"	•			IF			2•	K-7259 K-11677 K-37383		•		1	46" x 20"
	74	ACR	K-1106-CN	60" x 32" x 18½"		•	•	•			•	K-7259 K-11677 K-37383	•			1	46" x 20"

For larger color swatches, see page 120.

ACR = Acrylic, LITHO = Lithocast<sub>®</sub> Cast Acrylic, KECL = KOHLER<sub>®</sub> Enameled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People
<b>Whirlpools – 5'</b>																
6036	74	ACR	K-1139	60" x 36" x 18½"			•				•		•			1 46" x 15"
	74	ACR	K-1139-H	60" x 36" x 18½"	•		•				2•	K-7259 K-11677	•			1 46" x 15"
	74	ACR	K-1139-L	60" x 36" x 18½"				IF			•	K-7259 K-11677		•		1 46" x 15"
	77	ACR	K-1139-R	60" x 36" x 18½"				IF			•	K-7259 K-11677			•	1 46" x 15"
	77	ACR	K-1139-LH	60" x 36" x 18½"	•			IF			2•	K-7259 K-11677		•		1 46" x 15"
	77	ACR	K-1139-RH	60" x 36" x 18½"	•			IF			2•	K-7259 K-11677			•	1 46" x 15"
	74	ACR	K-1139-CN	60" x 36" x 18½"		•	•				•	K-7259 K-11677	•			1 46" x 15"
	74	ACR	K-1139-HN	60" x 36" x 18½"	•	•	•				2•	K-7259 K-11677	•			1 46" x 15"
6040 Oval	73	ACR	K-1146	60" x 40" x 17½"			•		•		•	K-7259 K-11677 K-37383	•			1 46" x 19"
	73	ACR	K-1146-CK	60" x 40" x 17½"		•	•		•		•	K-7259 K-11677 K-37383	•			1 46" x 19"
	73	ACR	K-1146-CN	60" x 40" x 17½"		•	•		•		•	K-7259 K-11677 K-37383	•			1 46" x 19"
	73	ACR	K-1146-H	60" x 40" x 17½"	•		•		•		2•	K-7259 K-11677 K-37383	•			1 46" x 19"
	73	ACR	K-1146-HK K-1146-HN	60" x 40" x 17½"	•	•	•		•		2•	K-7259 K-11677 K-37383	•			1 46" x 19"
6042	73	ACR	K-1126	60" x 42" x 18½"			•				•	K-7259 K-11677 K-37383	•			1 46" x 21"
	73	ACR	K-1126-CN	60" x 42" x 18½"		•	•				•	K-7259 K-11677 K-37383	•			1 46" x 21"
	73	ACR	K-1126-H	60" x 42" x 18½"	•		•				2•	K-7259 K-11677 K-37383	•			1 46" x 21"
	73	ACR	K-1126-HN	60" x 42" x 18½"	•	•	•				2•	K-7259 K-11677 K-37383	•			1 46" x 21"
	76	ACR	K-1126-L	60" x 42" x 18½"				IF			•	K-7259 K-11677 K-37383		•		1 46" x 21"
	76	ACR	K-1126-LH	60" x 42" x 18½"	•			IF			2•	K-7259 K-11677 K-37383		•		1 46" x 21"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 5'
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									6036
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 25"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 29"	14"/54 gal	6 ProFlex	color-matched included	•					•		•									6040 Oval
55" x 29"	14"/54 gal	6 ProFlex	color-matched included	•					•		•									
55" x 29"	14"/54 gal	6 ProFlex	color-matched included	•					•		•									
55" x 29"	14"/54 gal	6 ProFlex	color-matched included	•					•		•									
55" x 29"	14"/54 gal	6 ProFlex	color-matched included	•					•		•									
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									6042
55" x 31"	14"/54 gal	6 ProFlex	color-matched included	•					•		•									
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center	
<b>Whirlpools – 5'</b>																	
6042	76	ACR	K-1126-R	60" x 42" x 18½"				IF			•	K-7259 K-11677 K-37383		•		1	46" x 21"
	76	ACR	K-1126-RH	60" x 42" x 18½"	•			IF			2•	K-7259 K-11677 K-37383		•		1	46" x 21"
Archer	74	ACR	K-1122	60" x 32" x 19"			•				•	K-7271 K-7272 required	•			1	45½" x 19¹¹/₁₆"
	74	ACR	K-1122-H	60" x 32" x 19"	•		•				2•	K-7271 K-7272 required	•			1	45½" x 19¹¹/₁₆"
	79	ACR	K-1122-HL	60" x 32" x 19"	•			IA			2•	K-7271 K-7272 required		•		1	45½" x 19¹¹/₁₆"
	79	ACR	K-1122-HR	60" x 32" x 19"	•			IA			2•	K-7271 K-7272 required		•		1	45½" x 19¹¹/₁₆"
	79	ACR	K-1122-LA	60" x 32" x 19"				IA			•	K-7271 K-7272 required		•		1	45½" x 19¹¹/₁₆"
	79	ACR	K-1122-RA	60" x 32" x 19"				IA			•	K-7271 K-7272 required		•		1	45½" x 19¹¹/₁₆"
Bancroft	79	ACR	K-1151-LA	60" x 32" x 20"				IA			•	K-7259 K-11677		•		1	45" x 22"
	79	ACR	K-1151-RA	60" x 32" x 20"				IA			•	K-7259 K-11677		•		1	45" x 22"
	79	ACR	K-1151-HL	60" x 32" x 20"	•			IA			2•	K-7259 K-11677		•		1	45" x 22"
	79	ACR	K-1151-HR	60" x 32" x 20"	•			IA			2•	K-7259 K-11677		•		1	45" x 22"
Devonshire	74	ACR	K-1357	60" x 32" x 20"			•				•	K-7259 K-37382 K-37383	•			1	42" x 20"
	74	ACR	K-1357-H	60" x 32" x 20"	•		•				2•	K-7259 K-37382 K-37383	•			1	42" x 20"
	79	ACR	K-1357-HL	60" x 32" x 20"	•			IA			2•	K-7259 K-37382 K-37383		•		1	42" x 20"
	79	ACR	K-1357-HR	60" x 32" x 20"	•			IA			2•	K-7259 K-37382 K-37383		•		1	42" x 20"
	79	ACR	K-1357-LA	60" x 32" x 20"				IA			•	K-7259 K-37382 K-37383		•		1	42" x 20"
	79	ACR	K-1357-RA	60" x 32" x 20"				IA			•	K-7259 K-37382 K-37383		•		1	42" x 20"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 5'
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									6042
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•					•		•									
52¾" x 25½"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	Archer
52¾" x 25½"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
52¾" x 25½"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
52¾" x 25½"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
52¾" x 25½"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
52¾" x 25½"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	Bancroft
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	Devonshire
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•	•	•	•	

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions	
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People	At Base
<b>Whirlpools – 5'</b>																	
Guardian	78	KECI	K-783-H2	60" x 32" x 16 1/4"	•			IA		•		K-7259		•		1	46" x 20"
	78	KECI	K-784-H2	60" x 32" x 16 1/4"	•			IA		•		K-7259		•		1	46" x 20"
Hourglass 32	74	ACR	K-1209	60" x 32" x 20"			•				•	K-7259 K-37383	•			1	47" x 20"
	74	ACR	K-1209-CB	60" x 32" x 20"		•	•				•	K-37383 K-7259	•				47" x 20"
	74	ACR	K-1209-H	60" x 32" x 20"	•		•				2•	K-37383 K-7259	•			1	47" x 20"
	74	ACR	K-1209-HB	60" x 32" x 20"	•	•	•				2•	K-37383 K-7259	•			1	47" x 20"
	79	ACR	K-1209-HL	60" x 32" x 20"	•			IA			2•	K-7213 K-7259	•			1	47" x 20"
	79	ACR	K-1209-HR	60" x 32" x 20"	•			IA			2•	K-7259 K-37383		•		1	47" x 20"
	77	ACR	K-1209-L	60" x 32" x 20"				IF			•	K-7259 K-37383	•			1	47" x 20"
	79	ACR	K-1209-LA	60" x 32" x 20"				IA			•	K-7259 K-37383	•			1	47" x 20"
	77	ACR	K-1209-LH	60" x 32" x 20"	•			IF			2•	K-7259 K-37383	•			1	47" x 20"
	77	ACR	K-1209-R	60" x 32" x 20"				IF			•	K-7259 K-37383		•		1	47" x 20"
	79	ACR	K-1209-RA	60" x 32" x 20"				IA			•	K-7259 K-37383		•		1	47" x 20"
	77	ACR	K-1209-RH	60" x 32" x 20"	•			IF			2•	K-7259 K-37383		•		1	47" x 20"
Mariposa	74	ACR	K-1239	60" x 36" x 20"			•				•	K-7259 K-37382	•			1	46" x 24"
	74	ACR	K-1239-CB	60" x 36" x 20"		•	•				•	K-7259 K-37382	•			1	46" x 24"
	74	ACR	K-1239-H	60" x 36" x 20"	•		•				2•	K-7259 K-37382	•			1	46" x 24"
	74	ACR	K-1239-HB	60" x 36" x 20"	•	•	•				2•	K-7259 K-37382	•			1	46" x 24"
	78	ACR	K-1239-HL	60" x 36" x 20"	•			IA			2•	K-7259 K-37382	•			1	46" x 24"
	78	ACR	K-1239-HR	60" x 36" x 20"	•			IA			2•	K-7259 K-37382		•		1	46" x 24"
	77	ACR	K-1239-L	60" x 36" x 20"				IF			•	K-7259 K-37382	•			1	46" x 24"
	78	ACR	K-1239-LA	60" x 36" x 20"				IA			•	K-7259 K-37382	•			1	46" x 24"
	77	ACR	K-1239-LH	60" x 36" x 20"	•			IF			2•	K-7259 K-37382	•			1	46" x 24"
	77	ACR	K-1239-R	60" x 36" x 20"				IF			•	K-7259 K-37382		•		1	46" x 24"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECl = KOHLER® Enameled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center	
<b>Whirlpools – 5'</b>																	
Mariposa	78	ACR	K-1239-RA	60" x 36" x 20"				IA			•	K-7259 K-37382			•	1	46" x 24"
	77	ACR	K-1239-RH	60" x 36" x 20"	•			IF			2•	K-7259 K-37382			•	1	46" x 24"
Memoirs	78	KECI	K-723-H2	60" x 32" x 17 <sup>11</sup> / <sub>16</sub> "	•			IA		•		K-7259 K-37382		•		1	45" x 23"
	78	KECI	K-724-H2	60" x 32" x 17 <sup>11</sup> / <sub>16</sub> "	•			IA		•		K-7259 K-37382		•		1	45" x 23"
Mendota	78	KECI	K-513-H2	60" x 32" x 16 <sup>1</sup> / <sub>4</sub> "	•			IA		•		K-7259 K-37380		•		1	46" x 20"
	78	KECI	K-514-H2	60" x 32" x 16 <sup>1</sup> / <sub>4</sub> "	•			IA		•		K-7259 K-37380		•		1	46" x 20"
Overture	72	Vikrell	K-1226	60" x 42" x 20"			•				•	K-7259 K-37382 K-37383			•	1	37" x 26"
	72	Vikrell	K-1226-CD	60" x 42" x 20"		•	•				•	K-7259 K-37382 K-37383			•	1	37" x 26"
Serif	73	ACR	K-1337	60" x 42 <sup>1</sup> / <sub>4</sub> " x 21"			•				•	K-7259 K-37382 K-37383	•			1	42" x 28"
	73	ACR	K-1337-CN	60" x 42 <sup>1</sup> / <sub>4</sub> " x 21"		•	•				•	K-7259 K-37382 K-37383	•			1	42" x 28"
	73	ACR	K-1337-H	60" x 42 <sup>1</sup> / <sub>4</sub> " x 21"	•		•				2•	K-7259 K-37382 K-37383	•			1	42" x 28"
	73	ACR	K-1337-HN	60" x 42 <sup>1</sup> / <sub>4</sub> " x 21"	•	•	•				2•	K-7259 K-37382 K-37383	•			1	42" x 28"
Steeping	73	KECI	K-792-H2	60" x 36" x 20 <sup>5</sup> / <sub>8</sub> "	•		•		•	•		K-7259	•			1	43" x 19"
	73	KECI	K-792-HB K-792-HE K-792-HJ	60" x 36" x 20 <sup>5</sup> / <sub>8</sub> "	•	•	•		•	•		K-7259	•			1	43" x 19"
	73	KECI	K-792-N1	60" x 36" x 20 <sup>5</sup> / <sub>8</sub> "	•		•		•	•		K-7259	•			1	43" x 19"
Sunward	73	ACR	K-1162	60" x 42" x 21"			•		•		•	K-7265 K-11677 K-37383	•			1	43" x 24 <sup>5</sup> / <sub>8</sub> "
	73	ACR	K-1162-CB	60" x 42" x 21"		•	•		•		•	K-7265 K-11677 K-37383	•			1	43" x 24 <sup>5</sup> / <sub>8</sub> "
	73	ACR	K-1162-H	60" x 42" x 21"	•		•		•		2•	K-7265 K-11677 K-37383	•			1	43" x 24 <sup>5</sup> / <sub>8</sub> "
	73	ACR	K-1162-HB	60" x 42" x 21"	•	•	•		•		2•	K-7265 K-11677 K-37383	•			1	43" x 24 <sup>5</sup> / <sub>8</sub> "

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 5'
54" x 27"	14"/63 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						Mariposa
54" x 27"	14"/63 gal	5 ProFlex	color-matched included	•		•		•			•	•		•						
54" x 25"	11½"/52 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•		•	•	•	•	•	•	Memoirs
54" x 25"	11½"/52 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•		•	•	•	•	•	•	
53¾" x 24"	10¾"/45 gal	4 Flexjet	K-9694	•		•		•		•	•	•		•	•	•	•	•	•	Mendota
53¾" x 24"	10¾"/45 gal	4 Flexjet	K-9694	•		•		•		•	•	•		•	•	•	•	•	•	
54" x 37"	14¼"/69 gal	4 ProFlex	color-matched included	•				•			•									Overture
54" x 37"	14¼"/69 gal	4 ProFlex	color-matched included	•				•			•									
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•						Serif
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•						
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•						
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•						
54" x 30"	15"/62 gal	6 Flexjet	K-9696	•		•		•			•	•		•		•				Steeping
54" x 30"	15"/62 gal	6 Flexjet	K-9696	•		•		•			•	•		•		•				
54" x 30"	15"/62 gal	6 Flexjet, 2 neckjets	K-9696	•		•		•			•	•		•		•				
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•		•				Sunward
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•		•				
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•		•				

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions	
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People	At Base
<b>Whirlpools – 5'</b>																	
Tea-for-Two	74	KECI	K-852-H2	60" x 32" x 18¼"	•		•		•	•		K-7169-AF required	•			1	40½" x 20"
	74	KECI	K-852-HB K-852-HE	60" x 32" x 18¼"	•	•	•		•	•		K-7169-AF required	•			1	40½" x 20"
Tercet	75	ACR	K-1160	60" x 60" x 21"			•				•	K-7259 K-11677			•	2	52" x 38¾"
	75	ACR	K-1160-CD	60" x 60" x 21"		•	•				•	K-7259 K-11677			•	2	52" x 38¾"
	77	ACR	K-1160-F	60" x 60" x 21"				IF			•	K-7259 K-11677			•	2	52" x 38¾"
	77	ACR	K-1160-FH	60" x 60" x 21"	•			IF			2•	K-7259 K-11677			•	2	52" x 38¾"
	75	ACR	K-1160-H	60" x 60" x 21"	•		•				2•	K-7259 K-11677			•	2	52" x 38¾"
	75	ACR	K-1160-HD	60" x 60" x 21"	•	•	•				2•	K-7259 K-11677			•	2	52" x 38¾"
	79	ACR	K-1160-HL	60" x 60" x 21"	•			IA			2•	K-7259 K-11677			•	2	52" x 38¾"
	79	ACR	K-1160-LA	60" x 60" x 21"				IA			•	K-7259 K-11677			•	2	52" x 38¾"
Underscore	74	ACR	K-1167-H2	60" x 30" x 19"	•		•		•	•		K-7271 K-7272 required	•			1	42¾" x 20"
	77	ACR	K-1167-LH2	60" x 30" x 19"	•			IF		•		K-7271 K-7272 required		•		1	42¾" x 20"
	77	ACR	K-1167-RH2	60" x 30" x 19"	•			IF		•		K-7271 K-7272 required		•		1	42¾" x 20"
	74	ACR	K-1168-H2	60" x 32" x 21"	•		•		•	•		K-7271 K-7272 required	•			1	42" x 23½"
	73	ACR	K-1849-H2	60" x 36" x 21"	•		•		•	•		K-7271 K-7272 required	•			1	39¾" x 24¹/₁₆"
Windward	72	ACR	K-1112	60" x 42" x 21"			•				•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	72	ACR	K-1112-CB	60" x 42" x 21"		•	•				•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	72	ACR	K-1112-F	60" x 42" x 21"			•				•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	72	ACR	K-1112-FH	60" x 42" x 21"	•		•				2•	K-7265 K-11677 K-37383	•			1	43" x 24½"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name	
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 5'	
52¾" x 24"	13½"/60 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	Tea-for-Two	
52¾" x 24"	13½"/60 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•		
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							Tercet
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
54¾" x 24½"	15⅓"/60 gal	8 Flexjet	K-9698	•		•		•			•			•							Underscore
54¾" x 24½"	15⅓"/60 gal	8 Flexjet	K-9698	•		•		•			•			•							
54¾" x 24½"	15⅓"/60 gal	8 Flexjet	K-9698	•		•		•			•			•							
55½" x 27½"	17½"/81 gal	8 Flexjet	K-9698	•		•		•			•	•		•							
53½" x 29½"	17½"/81 gal	8 Flexjet	K-9698	•		•		•			•			•							
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•			•	•						Windward
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•			•	•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•			•	•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•			•	•						

## Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Drain Locations				Bathing Well Dimensions
							Drop-In	Three-Wall Above or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI	Recommended Drain	Reversible	Left	Right	Number of People
<b>Whirlpools – 5'</b>																
Windward	72	ACR	K-1112-H	60" x 42" x 21"	•		•			2•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	72	ACR	K-1112-HB	60" x 42" x 21"	•	•	•			2•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	76	ACR	K-1112-L	60" x 42" x 21"				IF		•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	76	ACR	K-1112-LA	60" x 42" x 21"				IA		•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	76	ACR	K-1112-LH	60" x 42" x 21"	•			IF		2•	K-7265 K-11677 K-37383	•			1	43" x 24½"
	76	ACR	K-1112-R	60" x 42" x 21"				IF		•	K-7265 K-11677 K-37383		•		1	43" x 24½"
	78	ACR	K-1112-RA	60" x 42" x 21"				IA		•	K-7265 K-11677 K-37383		•		1	43" x 24½"
	76	ACR	K-1112-RH	60" x 42" x 21"	•			IF		2•	K-7265 K-11677 K-37383		•		1	43" x 24½"
<b>Whirlpools – Less than 5'</b>																
5454	75	ACR	K-1154	54" x 54" x 20½"			•			•	K-7265 K-11677 K-37383			•	2	44" x 36"
	75	ACR	K-1154-H	54" x 54" x 20½"	•		•			2•	K-7265 K-11677 K-37383			•	2	44" x 36"
	77	ACR	K-1154-F	54" x 54" x 20½"				IF		•	K-7265 K-11677 K-37383			•	2	44" x 36"
	77	ACR	K-1154-FH	54" x 54" x 20½"	•			IF		2•	K-7265 K-11677 K-37383			•	2	44" x 36"
	75	ACR	K-1154-CC	54" x 54" x 20½"		•	•			•	K-7265 K-11677 K-37383			•	2	44" x 36"
	75	ACR	K-1154-HC	54" x 54" x 20½"	•	•	•			2•	K-7265 K-11677 K-37383			•	2	44" x 36"
	75	ACR	K-1492-H2	48" x 32" x 23½"	•		•			•	K-7163 K-37383 K-7265	•			1	36" x 20½"
Underscore Cube	75	ACR	K-1969-H2	48" x 48" x 34"	•		•		•	•	K-8150 K-8134 required			•	2	39¾" x 39¾"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																	Whirlpools – 5'
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						Windward
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						
Whirlpools – 5'																				
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•					•			•								5454
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•					•			•								
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•					•			•								
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•					•			•								
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•					•			•								
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•					•			•								
42" x 26"	17½"/68 gal	4 Flexjet	K-9694	•		•		•			•	•		•						Greek
44½" x 44½"	27½"/171 gal	8 Flexjet	K-9698	•					•											Underscore Cube

## Bath Features & Colors Index

Name	Page Number	Material	Model Number	Dimensions L x W x H	Back Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People	
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount		
<b>Baths – 6'</b>																
7236	95	ACR	K-1159	72" x 36" x 20½"		•				K-7265 K-11677	•					1
	100	ACR	K-1159-L	72" x 36" x 20½"				•		K-7265 K-11677		IF				1
	100	ACR	K-1159-R	72" x 36" x 20½"					•	K-7265 K-11677		IF				1
7242	94	ACR	K-1132	72" x 42" x 20½"			•			K-11677	•					2
	100	ACR	K-1132-F	72" x 42" x 20½"			•			K-11677		IF				2
7242 Oval	94	ACR	K-1149	72" x 42½" x 19¾"			•			K-11677	•					2
Archer	95	ACR	K-1125	72" x 36" x 19"		•				K-7271 K-7272 required	•					1
	102	ACR	K-1125-LA	72" x 36" x 19"				•		K-7271 K-7272 required		IA				1
	102	ACR	K-1125-RA	72" x 36" x 19"					•	K-7271 K-7272 required		IA				1
Askew	84	LITHO	K-1801	72¾" x 34½" x 24¾"			•			included			•			2
Birthday Bath	92	KECI	K-100	72" x 37½" x 27"		•				K-106			•			1
Caribbean	95	KECI	K-810	72" x 36" x 18¼"		•				K-37382	•			•		1
Escale	94	ACR	K-11343	72" x 36" x 24½"			•			K-7219 K-37382	•					1
	88	ACR	K-14037	72" x 36" x 24½"			•			K-7219			•			1
	88	ACR	K-11344	72" x 36" x 24½"			•			K-7219			•			1
Mariposa	95	ACR	K-1259	72" x 36" x 20"		•				K-37380	•					1
	100	ACR	K-1259-L	72" x 36" x 20"				•		K-37380		IF				1
	102	ACR	K-1259-LA	72" x 36" x 20"				•		K-37380		IA				1
	100	ACR	K-1259-R	72" x 36" x 20"					•	K-37380		IF				1
	102	ACR	K-1259-RA	72" x 36" x 20"					•	K-37380		IA				1
Memoirs	94	ACR	K-1417	72" x 42" x 22"			•			K-37382	•					2
Purist	94	ACR	K-1190	72" x 46" x 25½"		•				K-7273	•			•		1
Sunward	94	ACR	K-1165-S1	72" x 42" x 20"		•				K-37382 K-37383	•			•		2
Tea-for-Two	94	KECI	K-863	71¾" x 36" x 20¾"		•				K-7169-AF	•			•		2
Underscore	94	ACR	K-1137	72" x 42" x 23"		•		•		K-7271 K-7272 required	•			•		2
	95	ACR	K-1834	72" x 36" x 23"		•		•		K-7271 K-7272 required	•			•		2
Vintage	89	KECI	K-700	72" x 42" x 24"				•		drop-in K-7158 free-standing K-7159	•		•			2

For larger color swatches, see page 120.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Baths												Name					
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
55" x 21"	65" x 26"	15"/72 gal	•					•			•									7236
55" x 21"	65" x 26"	15"/72 gal	•					•			•									
55" x 21"	65" x 26"	15"/72 gal	•					•			•									
53" x 26"	65" x 34"	15"/78 gal	•					•			•									7242
53" x 26"	65" x 34"	15"/78 gal	•					•			•									
53" x 26"	65" x 34"	15"/78 gal	•					•			•									7242 Oval
51½" x 21"	64½" x 30½"	15"/72 gal	•		•			•		•	•	•		•	•	•	•	•	•	Archer
51½" x 21"	64½" x 30½"	15"/72 gal	•		•			•		•	•	•		•	•	•	•	•	•	
51½" x 21"	64½" x 30½"	15"/72 gal	•		•			•		•	•	•		•	•	•	•	•	•	
43¾" x 27"	65½" x 30½"	18½"/100 gal		•																Askew
43" x 21"	67" x 31"	11½"/50 gal	•		•			•			•			•						Birthday Bath
47" x 24"	67" x 29"	12½"/52 gal	•		•			•			•	•		•						Caribbean
46¾" x 21½"	69½" x 34¾"	16½"/71 gal	•					•			•									Escale
46¾" x 21½"	69½" x 34¾"	16½"/71 gal	•					•			•									
46¾" x 21½"	69½" x 34¾"	16½"/71 gal	•					•			•									
50" x 24"	65" x 27"	14"/72 gal	•		•			•			•	•		•						Mariposa
50" x 24"	65" x 27"	14"/72 gal	•		•			•			•	•		•						
50" x 24"	65" x 27"	14"/72 gal	•		•			•			•	•		•						
50" x 24"	65" x 27"	14"/72 gal	•		•			•			•	•		•						
48" x 27"	60" x 30"	16"/94 gal	•		•			•			•	•		•	•	•	•	•	•	Memoirs
45" x 25½"	63" x 31½"	21"/115 gal	•					•			•	•		•	•	•	•	•	•	Purist
55¼" x 23½"	64½" x 32"	15"/75 gal	•		•			•			•	•		•						Sunward
49" x 22"	62" x 28"	17"/89 gal	•			•		•			•	•		•	•	•	•	•	•	Tea-for-Two
45¾" x 32"	66" x 36"	19"/139 gal	•		•			•			•									Underscore
45¾" x 25½"	65¾" x 29½"	19¾"/113 gal	•		•			•			•									
44" x 28"	60" x 32"	15"/82 gal	•		•			•			•			•						Vintage

## Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Base Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
<b>Baths – 6'</b>															
Windward	94	ACR	K-1115	72" x 42" x 21"		•				K-11677 K-37383	•				2
	100	ACR	K-1115-L	72" x 42" x 21"				•		K-11677 K-37383		IF			2
	102	ACR	K-1115-LA	72" x 42" x 21"				•		K-11677 K-37383		IA			2
	100	ACR	K-1115-R	72" x 42" x 21"					•	K-11677 K-37383		IF			2
	102	ACR	K-1115-RA	72" x 42" x 21"					•	K-11677 K-37383		IA			2
<b>Baths – 5.5'</b>															
Abrazo	86	LITHO	K-1800	66" x 31½" x 28½"			•			included			•		1
Aliento	85	LITHO	K-1805	65¹³/₁₆" x 36" x 25³/₁₆"			•			included			•		2
Bancroft	95	ACR	K-1156	65⁷/₈" x 41¼" x 22"		•				K-7265 K-37382	•				1
Biove	96	KECI	K-8277	66¹⁵/₁₆" x 29½" x 19¹/₄"		•				K-37382	•				1
Dynametric	102	KECI	K-515	66" x 32" x 16¹/₄"				•		K-7259 K-37383		IA			1
	102	KECI	K-516	66" x 32" x 16¹/₄"					•	K-7259 K-37383		IA			1
Iron Works	96	KECI	K-711	66" x 36" x 19¹/₄"		•				K-7103 K-7259	•				1
Iron Works Historic	90	KECI	K-710-A	66" x 36" x 24½"		•				K-7104 K-7178		•			1
	90	KECI	K-710-B	66" x 36" x 24½"		•				K-7104 K-7178		•			1
	90	KECI	K-710-S	66" x 36" x 24½"		•				K-7104 K-7178		•			1
	90	KECI	K-710-W	66" x 36" x 24½"		•				K-7104 K-7178		•			1
Iron Works Tellier	91	KECI	K-727-2A	66" x 36" x 24½"		•				K-7104 K-7178		•			1
	91	KECI	K-727-2B	66" x 36" x 24½"		•				K-7104 K-7178		•			1
	91	KECI	K-727-2S	66" x 36" x 24½"		•				K-7104 K-7178		•			1
	91	KECI	K-727-2W	66" x 36" x 24½"		•				K-7104 K-7178		•			1
Kathryn	95	KECI	K-804	66" x 36" x 24"		•				K-7145 K-7265	•		•		1
	100	KECI	K-804-L	66" x 36" x 24"				•		K-7145 K-7265		IF			1
	100	KECI	K-804-R	66" x 36" x 24"					•	K-7145 K-7265		IF			1

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Name																
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
<b>Baths – 6'</b>															Windward				
55" x 23½"	64" x 32"	15" / 78½ gal	•			•		•			•	•		•					
55" x 23½"	64" x 32"	15" / 78½ gal	•		•		•			•	•		•						
55" x 23½"	64" x 32"	15" / 78½ gal	•		•		•			•	•		•						
55" x 23½"	64" x 32"	15" / 78½ gal	•		•		•			•	•		•						
55" x 23½"	64" x 32"	15" / 78½ gal	•		•		•			•	•		•						
<b>Baths – 5.5'</b>															Abrazo				
41½" x 26"	64¾" x 30" x 27"	18" / 90 gal		•												Aliento			
45½" x 26"	63¼" x 30¾" x 26"	18½" / 115 gal		•												Bancroft			
46" x 30"	57" x 34"	16" / 95 gal	•		•		•		•	•	•	•	•	•	•	•	•	•	
50⅓" x 20⅓"	58" x 24½"	13⅓" / 61½ gal	•				•									Biove			
47" x 22"	60" x 25"	107¾" / 47 gal	•		•		•		•	•	•	•	•	•	•	Dynametric			
47" x 22"	60" x 25"	107¾" / 47 gal	•		•		•		•	•	•	•	•	•	•				
47½" x 25"	55" x 29"	12¾" / 64 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 25"	55" x 29"	12¾" / 64 gal					•	•	•				•			Iron Works			
47½" x 25"	55" x 29"	12¾" / 64 gal						•	•				•			Iron Works Historic			
47½" x 25"	55" x 29"	12¾" / 64 gal						•	•				•			Iron Works Tellier			
47½" x 25"	55" x 29"	12¾" / 64 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 25"	55" x 29"	12¾" / 64 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 25"	55" x 29"	12¾" / 64 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 25"	55" x 29"	12¾" / 64 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 25"	55" x 29"	12¾" / 64 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 25"	55" x 29"	12¾" / 64 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
45" x 25"	58" x 29"	17¾" / 97 gal	•			•	•	•					•			•	•	•	
45" x 25"	58" x 29"	17¾" / 97 gal	•			•	•	•	•				•			•	•	•	
45" x 25"	58" x 29"	17¾" / 97 gal	•			•	•	•	•				•			•	•	•	

## Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Base Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
<b>Baths – 5.5'</b>															
Maestro	96	KECI	K-839	66" x 32" x 18 1/4"		•				K-7259 K-37383	•				1
	96	KECI	K-840	66" x 32" x 18 1/4"		•				K-7259 K-37383	•			•	1
Mariposa	96	ACR	K-1229	66" x 35 7/8" x 20"		•				K-7259 K-37383	•				1
	100	ACR	K-1229-L	66" x 35 7/8" x 20"				•		K-7259 K-37383		IF			1
	102	ACR	K-1229-LA	66" x 35 7/8" x 20"				•		K-7259 K-37383		IA			1
	100	ACR	K-1229-R	66" x 35 7/8" x 20"					•	K-7259 K-37383		IF			1
	102	ACR	K-1229-RA	66" x 35 7/8" x 20"					•	K-7259 K-37383		IA			1
Memoirs	95	ACR	K-1169	66" x 42" x 22"			•			K-7265 K-37383	•				2
Parity	96	KECI	K-895	65 7/8" x 32 5/16" x 18"		•				K-7271 K-7272 required				•	1
	96	KECI	K-896	65 7/8" x 32 5/16" x 18"		•				K-7271 K-7272 required	•				1
Portrait	95	ACR	K-1454	67" x 42" x 22"			•			7161-AF	•				2
Rêve	96	KECI	K-817	66 15/16" x 31 1/2" x 19 1/16"			•			K-7271 K-7272 required	•			•	1
	87	KECI	K-819-F62	66 15/16" x 31 1/2" x 22 1/16"			•			K-7271 K-7272 required		•			1
	*	KECI	K-819-F63	66 15/16" x 31 1/2" x 22 1/16"			•			K-7271 K-7272 required		•			1
	96	KECI	K-892	66 15/16" x 36" x 19 1/16"			•			K-7271 K-7272 required	•			•	1
	87	KECI	K-894-F62	66 15/16" x 36" x 22 1/16"			•			K-7271 K-7272 required		•			1
	*	KECI	K-894-F63	66 15/16" x 36" x 22 1/16"			•			K-7271 K-7272 required		•			1
	96	KECI	K-855	66" x 36" x 24"		•				K-7147	•			•	2
Tea-for-Two	100	KECI	K-855-L	66" x 36" x 24"				•		K-7147		IF			2
	100	KECI	K-855-R	66" x 36" x 24"					•	K-7147		IF			2

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECl = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Baths												Name					
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
Baths – 5.5'																				
47" x 21"	57" x 25"	13"/55 gal	•			•		•			•	•		•						Maestro
47" x 21"	57" x 25"	13"/55 gal	•		•		•			•	•	•		•						
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•	•		•						Mariposa
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•	•		•						
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•	•		•						
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•	•		•						
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•	•		•						
42" x 27"	54" x 30"	16"/81 gal	•		•		•			•	•	•		•	•	•	•	•	•	Memoirs
45¾" x 21½"	60⅞" x 30"	13⅞"/61 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	Parity
45¾" x 21½"	60⅞" x 30"	13⅞"/61 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	
50" x 29"	61" x 32"	16"/98 gal	•		•		•			•	•	•		•	•	•	•	•	•	Portrait
49" x 22"	62½" x 24¾"	15¼"/75 gal	•		•	•	•	•		•	•	•		•	•	•	•	•	•	Rêve
49" x 22"	62½" x 24¾"	15¼"/75 gal	•																	
49" x 22"	62½" x 24¾"	15¼"/75 gal	•																	
49" x 26½"	62½" x 29¼"	15¼"/90 gal	•		•	•	•	•		•	•	•		•	•	•	•	•	•	
49" x 26½"	62½" x 29¼"	15¼"/90 gal	•																	
49" x 26½"	62½" x 29¼"	15¼"/90 gal	•																	
45" x 25"	58" x 29"	19½"/105 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	Tea-for-Two
45" x 25"	58" x 29"	19½"/105 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	
45" x 25"	58" x 29"	19½"/105 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	

## Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Base Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
<b>Baths – 5'</b>															
Underscore	96	ACR	K-1136	66" x 36" x 22"		•	•			K-7271 K-7272 required	•			•	1
	97	ACR	K-1821	66" x 32" x 22"		•	•			K-7271 K-7272 required	•			•	1
<b>Baths – 5'</b>															
6032	98	ACR	K-1107	60" x 32" x 18½"			•			K-7259 K-37383	•				1
	101	ACR	K-1107-L	60" x 32" x 18½"					•	K-7259 K-37383		IF			1
	101	ACR	K-1107-R	60" x 32" x 18½"					•	K-7259 K-37383		IF			1
6036	98	ACR	K-1142	60" x 36" x 18½"			•			K-7259 K-11677	•				1
	101	ACR	K-1142-L	60" x 36" x 18½"					•	K-7259 K-11677		IF			1
	101	ACR	K-1142-R	60" x 36" x 18½"					•	K-7259 K-11677		IF			1
6040 Oval	97	ACR	K-1147	60" x 40" x 17½"			•			K-7259 K-37383	•				1
6042	97	ACR	K-1127	60" x 42" x 18½"			•			K-7259 K-11677	•				
	100	ACR	K-1127-L	60" x 42" x 18½"					•	K-7259 K-11677		•			
	100	ACR	K-1127-R	60" x 42" x 18½"					•	K-7259 K-11677		•			
Archer	98	ACR	K-1123	60" x 32" x 19"			•			K-7271 K-7272 required	•				1
	104	ACR	K-1123-LA	60" x 32" x 19"					•	K-7271 K-7272 required		IA			1
	104	ACR	K-1123-RA	60" x 32" x 19"					•	K-7271 K-7272 required		IA			1
Bancroft	103	ACR	K-1150-LA	60" x 32" x 20"					•	K-7259 K-11677		IA			1
	103	ACR	K-1150-RA	60" x 32" x 20"					•	K-7259 K-11677		IA			1
Bellwether	104	KECI	K-837	60" x 30½" x 14"					•	K-37383 K-7259		IA			1
	104	KECI	K-838	60" x 30½" x 14"					•	K-37383 K-7259		IA			1
	103	KECI	K-875	60" x 32" x 15½"					•	K-7259		IA			1
	103	KECI	K-876	60" x 32" x 15½"					•	K-7259		IA			1
Devonshire	98	ACR	K-1184	60" x 32" x 20"			•			K-7259 K-37383	•				1

For larger color swatches, see page 120.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Name																
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
Baths – 5.5'																			
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•			•			•						Underscore
44½" x 22⁹₁₆"	59⁹₁₆" x 25½"	18"/85½ gal	•		•		•			•			•						
Baths – 5'																			
46" x 20"	55" x 22"	12½"/49 gal	•					•			•								6032
46" x 20"	55" x 22"	12½"/49 gal	•					•			•								
46" x 20"	55" x 22"	12½"/49 gal	•					•			•								
46" x 15"	55" x 25"	14"/57 gal	•					•			•								6036
46" x 15"	55" x 25"	14"/57 gal	•					•			•								
46" x 15"	55" x 25"	14"/57 gal	•					•			•								
46" x 19"	55" x 29"	14"/54 gal	•					•			•								6040 Oval
46" x 21"	55" x 31"	14"/57 gal	•					•			•								6042
46" x 21"	55" x 31"	14"/57 gal	•					•			•								
46" x 21"	55" x 31"	14"/57 gal	•					•			•								
45½" x 19¹₁₆"	52¾" x 25⁹₁₆"	15"/58 gal	•		•		•	•	•	•	•	•	•	•	•	•	•	Archer	
45½" x 19¹₁₆"	52¾" x 25⁹₁₆"	15"/58 gal	•		•		•	•	•	•	•	•	•	•	•	•	•		
45½" x 19¹₁₆"	52¾" x 25⁹₁₆"	15"/58 gal	•		•		•	•	•	•	•	•	•	•	•	•	•		
45" x 22"	54" x 25"	15"/60 gal	•		•		•	•	•	•	•	•	•	•	•	•	•	Bancroft	
45" x 22"	54" x 25"	15"/60 gal	•		•		•	•	•	•	•	•	•	•	•	•	•		
48¾" x 19¹₁₆"	54¹₁₆" x 21³₁₆"	9"/32 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	Bellwether	
48¾" x 19¹₁₆"	54¹₁₆" x 21³₁₆"	9"/32 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•		
41¼" x 18³₁₆"	51¼" x 23⁹₁₆"	11⁹₁₆"/44 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•		
41¼" x 18³₁₆"	51¼" x 23⁹₁₆"	11⁹₁₆"/44 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•		
42" x 20"	51" x 24"	14"/60 gal	•		•		•	•	•	•	•	•	•	•	•	•	•	Devonshire	

## Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Base Heated Surface	Drain Locations			Recommended Drain	Installation Types			Number of People	
						Reversible	Center	Left		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
<b>Baths – 5'</b>														
Devonshire	104	ACR	K-1184-LA	60" x 32" x 20"				•		K-7259 K-37383		IA		1
	104	ACR	K-1184-RA	60" x 32" x 20"					•	K-7259 K-37383		IA		1
Dynametric	103	KECI	K-519	60" x 32" x 16½"				•		K-7259 K-37383		IA		1
	103	KECI	K-520	60" x 32" x 16½"					•	K-7259 K-37383		IA		1
Elevance Rising Wall	102	ACR	K-1913-L	60¼" x 33½" x 38"				•		K-7271 K-7272 required		IA		1
	102	ACR	K-1913-LB	60¼" x 33½" x 38"				•		K-7271 K-7272 required		IA		1
	102	ACR	K-1913-R	60¼" x 33½" x 38"					•	K-7271 K-7272 required		IA		1
	102	ACR	K-1913-RB	60¼" x 33½" x 38"					•	K-7271 K-7272 required		IA		1
Expanse	103	ACR	K-1100-LA	60" x 32" x 17"				•		K-7259 K-37383		IA		1
	103	ACR	K-1100-RA	60" x 32" x 17"					•	K-7259 K-37383		IA		1
	*	ACR	K-1118-LA	60" x 30" x 17"				•		K-7259 K-37383		IA		1
	*	ACR	K-1118-RA	60" x 30" x 17"					•	K-7259 K-37383		IA		1
Guardian	102	KECI	K-785	60" x 32" x 16½"				•		K-7259 K-37383		IA		1
	102	KECI	K-786	59½" x 32" x 16½"					•	K-7259 K-37383		IA		1
Highbridge	101	KECI	K-877	60" x 32" x 17½"				•		K-7259 K-37383		IF		1
	101	KECI	K-877-S	60" x 32" x 17½"				•		K-7259 K-37383		IF		1
	101	KECI	K-878	60" x 32" x 17½"					•	K-7259 K-37383		IF		1
	101	KECI	K-878-S	60" x 32" x 17½"		•			•	K-7259 K-37383		IF		1
Hourglass 32	98	ACR	K-1219	60" x 32" x 20"		•				K-7259 K-37383	•			1
	101	ACR	K-1219-L	60" x 32" x 20"				•		K-7259 K-37383		IF		1
	103	ACR	K-1219-LA	60" x 32" x 20"				•		K-7259 K-37383		IA		1

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECl = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Baths												Name				
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
42" x 20"	51" x 24"	14"/60 gal	•			•		•		•	•	•		•	•		•	•	Devonshire
42" x 20"	51" x 24"	14"/60 gal	•		•		•		•	•	•	•		•	•		•	•	
41" x 22"	54" x 25"	8½"/35 gal	•		•		•		•	•	•	•		•	•	•			Dynametric
41" x 22"	54" x 25"	8½"/35 gal	•		•		•		•	•	•	•		•	•	•			
48¾" x 23¾"	43" x 22½"	19¾"/72 gal	•		•		•				•								Elevance Rising Wall
48¾" x 23¾"	43" x 22½"	19¾"/72 gal	•																
48¾" x 23¾"	43" x 22½"	19¾"/72 gal	•		•		•				•								
48¾" x 23¾"	43" x 22½"	19¾"/72 gal	•																
45¹¹₁₆" x 27⁵₈"	54" x 31"	12⁵₈"/60 gal	•		•		•				•								Expanse
45¹¹₁₆" x 27⁵₈"	54" x 31"	12⁵₈"/60 gal	•		•		•				•								
45⁵₁₆" x 25⁹₁₆"	52⁷₁₆" x 28¹₁₆"	12¹¹₁₆"/55% gal	•		•		•				•								
45⁵₁₆" x 25⁹₁₆"	52⁷₁₆" x 28¹₁₆"	12¹¹₁₆"/55% gal	•		•		•				•								
45" x 22"	55" x 25"	10¾"/45 gal	•					•			•	•		•					Guardian
46" x 20"	54" x 24"	10¾"/45 gal	•					•			•	•		•					
43⁷₈" x 20¹⁵₁₆"	53³₁₆" x 23⁵₁₆"	12¹³₁₆"/49½ gal	•		•	•	•	•	•	•	•		•	•	•	•	•	•	Highbridge
43⁷₈" x 20¹⁵₁₆"	53³₁₆" x 23⁵₁₆"	12¹³₁₆"/49½ gal	•		•	•	•	•	•	•	•		•	•	•	•	•	•	
43⁷₈" x 20¹⁵₁₆"	53³₁₆" x 23⁵₁₆"	12¹³₁₆"/49½ gal	•		•	•	•	•	•	•	•		•	•	•	•	•	•	
43⁷₈" x 20¹⁵₁₆"	53³₁₆" x 23⁵₁₆"	12¹³₁₆"/49½ gal	•		•	•	•	•	•	•	•		•	•	•	•	•	•	
47" x 20"	53" x 23"	14½"/64 gal	•		•		•				•	•		•					Hourglass 32
47" x 20"	53" x 23"	14½"/64 gal	•		•		•				•	•		•					
47" x 20"	53" x 23"	14½"/64 gal	•		•		•				•	•		•					

## Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Base Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People	
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount		
<b>Baths — 5'</b>																
Hourglass 32	98	ACR	K-1219-R	60" x 32" x 20"					•	K-7259 K-37383		IF			1	
	103	ACR	K-1219-RA	60" x 32" x 20"					•	K-7259 K-37383		IA			1	
Mariposa	97	ACR	K-1242	60" x 36" x 20"		•				K-7259 K-37382		•			1	
	101	ACR	K-1242-L	60" x 36" x 20"				•		K-7259 K-37382		IF			1	
	102	ACR	K-1242-LA	60" x 36" x 20"				•		K-7259 K-37382		IA			1	
	101	ACR	K-1242-R	60" x 36" x 20"					•	K-7259 K-37382		IF			1	
	102	ACR	K-1242-RA	60" x 36" x 20"					•	K-7259 K-37382		IA			1	
Memoirs	103	KECI	K-721	60" x 33¾" x 17⅞"				•		K-7259 K-37383		IA			1	
	103	KECI	K-722	60" x 32" x 17⅞"					•	K-7259 K-37383		IA			1	
Mendota	103	KECI	K-505	59½" x 32" x 16¼"				•		K-7259 K-37383		IA			1	
	103	KECI	K-506	59½" x 32" x 16¼"					•	K-7259 K-37383		IA			1	
Overture	*	Vikrell	K-1227	60" x 42" x 20"			•			K-7259 K-37383		•			1	
Serif	97	ACR	K-1183	60" x 42¼" x 21"		•				K-7265 K-37383.		•			1	
Steeping	97	KECI	K-790	60" x 36" x 20¾"		•				K-7259 K-37383		•		•	1	
Sunward	97	ExoC	K-1163-S1	60" x 42" x 20"		•				K-7265 K-37383		•		•	1	
Tea-for-Two	98	KECI	K-850	60" x 32" x 18¼"		•				K-37382		•		•	1	
Tercet	99	ACR	K-1161	60" x 60" x 21"				•		K-7259 K-7213 K-7214		•			2	
	101	ACR	K-1161-F	60" x 60" x 21"				•		K-7259 K-37383		IF			2	
	104	ACR	K-1161-LA	60" x 60" x 21"				•		K-7259 K-37383		IA			2	
Underscore	98	ACR	K-1121	60" x 30" x 19"		•	•			K-7271 K-7272 required		•		•	1	
	101	ACR	K-1121-L	60" x 30" x 19"		•			•	K-7271 K-7272 required		IF			1	
	101	ACR	K-1121-R	60" x 30" x 19"		•				K-7271 K-7272 required		IF			1	

\*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, ExoC = ExoCrylic™, LITHO = Lithocast® Cast Acrylic, KECl = KOHLER Enamelled Cast Iron  
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Baths												Name					
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
47" x 20"	53" x 23"	14½"/64 gal	•			•		•			•	•		•						Hourglass 32
47" x 20"	53" x 23"	14½"/64 gal	•		•		•			•	•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•	•		•						Mariposa
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•	•		•						
45" x 23"	54" x 25"	11¾"/52 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	Memoirs
45" x 23"	54" x 25"	11¾"/52 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	
43" x 20"	54" x 24"	10¾"/45 gal	•		•		•		•	•	•	•		•	•	•	•	•	•	Mendota
43" x 20"	54" x 24"	10¾"/45 gal	•		•		•		•	•	•	•		•	•	•	•	•	•	
37" x 26"	54" x 37"	14¼"/69 gal	•				•			•										Overture
42" x 28"	55" x 40"	15½"/73 gal	•		•		•			•	•	•		•				•		Serif
43" x 19"	54" x 30"	15"/62 gal	•		•		•			•	•	•		•						Steeping
43" x 21½"	53½" x 32½"	15"/57 gal	•		•		•			•	•	•		•						Sunward
40½" x 20"	52¾" x 24"	13¾"/60 gal	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•	Tea-for-Two
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•	•		•						Tercet
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•	•		•						
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•	•		•						
42¾" x 20"	54¾" x 24½"	15½"/59½ gal	•		•		•			•				•						Underscore
42¾" x 20"	54¾" x 24½"	15½"/59½ gal	•		•		•			•				•						
42¾" x 20"	54¾" x 24½"	15½"/59½ gal	•		•		•			•				•						

## Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Base Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
<b>Baths — 5'</b>															
Underscore	98	ACR	K-1130	60" x 32" x 21"		•	•			K-7271 K-7272 required	•			•	1
	97	ACR	K-1848	60" x 36" x 21"		•	•			K-7271 K-7272 required	•			•	1
Villager	103	KECI	K-713	60" x 34½" x 14"				•		K-7259 K-37383		IA			1
	103	KECI	K-714	60" x 34½" x 14"					•	K-7259 K-37383		IA			1
	104	KECI	K-715	60" x 30¼" x 14"				•		K-7259 K-37383		IA			1
	104	KECI	K-716	60" x 30¼" x 14"					•	K-7259 K-37383		IA			1
Windward	97	ACR	K-1113 K-1113-F	60" x 42" x 21"			•			K-7265 K-37383	•				1
	100	ACR	K-1113-L	60" x 42" x 21"				•		K-7265 K-37383		IF			1
	102	ACR	K-1113-LA	60" x 42" x 21"				•		K-7265 K-37383		IA			1
	100	ACR	K-1113-R	60" x 42" x 21"					•	K-7265 K-37383		IF			1
	102	ACR	K-1113-RA	60" x 42" x 21"					•	K-7265 K-37383		IA			1
<b>Baths — Under 5'</b>															
5454	99	ACR	K-1155	54" x 54" x 20½"				•		K-7259 K-37383	•				2
	101	ACR	K-1155-F	54" x 54" x 20½"				•		K-7213 K-7214		IF			2
Greek	99	ACR	K-1490-X	48" x 32" x 23¾"			•			K-7265	•				1
Mayflower	104	KECI	K-821	48" x 44" x 14"					•	K-7259 K-37383		IA			1
	104	KECI	K-824	48" x 44" x 14"					•	K-7259 K-37383		IA			1
Seaforth	104	KECI	K-745	54" x 30¼" x 14"					•	K-7259 K-37383		IA			1
	104	KECI	K-746	54" x 30¼" x 14"					•	K-7259 K-37383		IA			1
Soissons	98	KECI	K-941	59" x 27½" x 16¾"			•			K-37382 K-37383	•				1
Underscore Cube	99	ACR	K-1968	48" x 48" x 34"		•		•		K-7259 K-37383	•			•	2

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enamelled Cast Iron  
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Name																
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7
Baths – 5'															Underscore				
42" x 23½"	55⅛" x 27⅛"	17⅛"/81 gal	•		•		•			•		•		•					
39⁹/₁₆" x 24¹⁵/₁₆"	53⁹/₈" x 29½"	17⅛"/81 gal	•		•		•			•		•		•					
45" x 22"	55" x 24"	8⁹/₈"/33 gal	•		•		•		•	•	•	•		•	•	•		Villager	
45" x 22"	55" x 24"	8⁹/₈"/33 gal	•		•		•		•	•	•	•		•	•	•			
45" x 22"	55" x 24"	8⁹/₈"/33 gal	•		•		•		•	•	•	•		•	•	•			
45" x 22"	55" x 24"	8⁹/₈"/33 gal	•		•		•		•	•	•	•		•	•	•			
43" x 25⁹/₈"	53½" x 32⅛"	15"/57 gal	•		•		•			•	•	•		•				Windward	
43" x 25⁹/₈"	53½" x 32⅛"	15"/57 gal	•		•		•			•	•	•		•					
43" x 25⁹/₈"	53½" x 32⅛"	15"/57 gal	•		•		•			•	•	•		•					
43" x 25⁹/₈"	53½" x 32⅛"	15"/57 gal	•		•		•			•	•	•		•					
43" x 25⁹/₈"	53½" x 32⅛"	15"/57 gal	•		•		•			•	•	•		•					
Baths – Under 5'															5454				
44" x 36"	56" x 43"	15"/76 gal	•				•			•									
44" x 36"	56" x 43"	15"/76 gal	•				•			•									
36" x 21"	42" x 26"	17⁹/₁₆"/68 gal	•		•		•			•				•			•	Greek	
43" x 25"	48" x 30"	8⁹/₈"/33 gal	•		•		•			•	•	•		•				Mayflower	
43" x 25"	48" x 30"	8⁹/₈"/33 gal	•		•		•			•	•	•		•					
37" x 22"	48" x 24"	8⁹/₈"/30 gal	•		•		•			•	•	•		•				Seaford	
37" x 22"	48" x 24"	8⁹/₈"/30 gal	•		•		•			•	•	•		•					
43⁹/₈" x 17⁹/₁₆"	51⁹/₁₆" x 21¹⁵/₁₆"	11⁹/₁₆"/33⁹/₁₆ gal	•				•			•								Soissons	
39⁹/₈" x 39⁹/₈"	44⁹/₈" x 44⁹/₈"	27½"/171 gal	•				•											Underscore Cube	

## Thank you.

If you'd like to learn more about Kohler and our complete product offering, we invite you to take a look at our literature, visit us online or stop by a KOHLER® Showroom.

### Literature

Concise and easy to use, our full-line category books inspire you to create beautiful spaces and guide you through choosing kitchen and bath products that are right for you and your home.

In addition, *bold* features ideas we're passionate about, the latest introductions to the KOHLER kitchen and bath lines, as well as a selection of our timeless, classic offerings.

View the full magazine at [KOHLER.com/LiteratureStore](http://KOHLER.com/LiteratureStore). There you can download additional category books and brochures. KOHLER literature also can be ordered by calling 800-4-KOHLER.

### [us.KOHLER.com](http://us.KOHLER.com)

For design inspiration and tips, help planning your space, and a comprehensive look at KOHLER kitchen and bath products, visit us at [us.KOHLER.com](http://us.KOHLER.com).

### Showrooms

To experience KOHLER kitchen and bath products firsthand and to talk with a KOHLER representative, visit [KOHLER.com/WhereToBuy](http://KOHLER.com/WhereToBuy) to find a showroom near you.

# Kohler Invites You to Explore

## Full-Line Category Books



*bold*

[us.KOHLER.com](http://us.KOHLER.com)

Showrooms

**bold**

Ideas from Kohler  
Innovative Water Conservation  
Design & Home Trends  
Dishwashers  
Functionality in the Kitchen  
Product Portfolio

THE BOLD LOOK  
OF KOHLER

**THE BOLD LOOK OF KOHLER**

Bathroom Kitchen Search

Grace your bathroom with the smooth, matte surface of Honed White.

Karbon™  
Flipside™  
Water-Efficiency  
Collections

See how we turn showering on its head.  
Learn how we won an AIA award. Again.  
Create a room that works beautifully for you.



# The Kohler Family of Businesses

---



---

We are pleased to offer you additional resources as you design and furnish your home. In each of our businesses – kitchen and bath, tile and furniture, and residential generators – we are committed to designing innovative products that bring beauty and comfort to life. Discover the entire family of businesses at [KOHLER.com](http://KOHLER.com).



**KOHLER**<sup>®</sup>

KALLISTA<sup>®</sup>

ANN SACKS<sup>®</sup>

robern<sup>®</sup>

*Baker*<sup>®</sup>

M c G U I R E

**STERLING**  
A KOHLER COMPANY

**KOHLER**  
POWER SYSTEMS

# A KOHLER Experience®

---



---

Join us for an unforgettable stay at the Old Course Hotel in St Andrews, Scotland, or The American Club® Resort in Kohler, Wisconsin, where you'll enjoy classically elegant settings, sumptuous cuisine, exclusive spa and golf experiences, luxurious amenities and quietly confident service. Plan your experience at [aKOHLERexperience.com](http://aKOHLERexperience.com).



Athe  
American  
club.<sup>®</sup>

R I V E R B E N D

WHISTLING  
STRAITS

BLACKWOLF  
RUN

HANDMADE  
KOHLER  
ORIGINAL RECIPE  
Chocolates

  
OLD COURSE HOTEL  
ST ANDREWS  
GOLF RESORT & SPA

JINN ON  
WOODLAKE

JIGGER INN

  
THE DUKE'S  
S T A N D R E W S

K O H L E R  
*Water*  
S P A.<sup>®</sup>



Learn more about our unique  
hydrotherapies and bathing products  
at [KOHLER.com/Bathing](http://KOHLER.com/Bathing).

THE BOLD LOOK  
OF **KOHLER**®

[www.parsital.com](http://www.parsital.com)

Form 11-1238-0912  
© 2012 by Kohler Co.  
Kohler Co., Kohler, Wisconsin 53044  
Printed in U.S.A.  
1-800-4-KOHLER  
(1-800-456-4537)