



prime



History

The importance of water consumption has always been a sensitive subject for either public or private organizations in the world. The crisis of water consumption has led to the necessity of establishing a high-tech and high-quality faucet manufacturer who is able to produce economical, beautifully designed faucets for luxury kitchens and bathrooms within Iran.

Consequently, Prime Faucets company has started this mission, in 1984 located in Saveh / Iran. Our factory is facilitated with high-tech casting, machining, robotic polishing, electroplating, PVD coating, Assembly and technical design department. It has benefited from European technology and standards.

In addition, our professional full equipped quality control section helps us to check 100% of our products before reaching our customers. Shine Faucets company has dramatically improved the culture of water consumption among Iranians, especially in the recent years. Nowadays we become one of the most well-known faucet manufacturers, in Iran and worldwide.

prime

SAVE THE WATER

SAVE THE WORLD



Mission and Vision

The most important goal of the Prime Faucets is to provide a wide range of services to customers in order to increase customer's satisfaction. Whether it is a residential or commercial project, Shine mission remains the same:

- Help customers to protect themselves against rising energy costs.
- Provide the most relevant and advanced solutions available.
- Employ in-house technical expertise capable of delivering advance solutions.
- Providing long term warranties and customer support, with our strong supply chain management and trained technical staffs.
- Improve and align company strategy considering a global environment of continuous changes.
- Embrace and promote the innovative ideas with our resourceful R&D department.

INDEX



KITCHEN

10



BATHROOM

17



INTELLIGENT

30



BUILT-IN-SYSTEM

36



MULTI-COLOR

42



ASSESSORY

49





Save The water

Save The world




K i t c h e n





Jet




Kitchen

Product code : 7120-11-103
Neoperl aerator
Swiveling 360° spout
Ultra-Flex® connection hoses




Xmart



Kitchen

Product code : 7119-11-111
Neoperl aerator
Swiveling 360° spout
Ultra-Flex® connection hoses




Kitchen

Product code : 7119-11-113
Pull-out aerator covered
Neoperl aerator
Up to 600 mm pull-out length
Swiveling 360° spout
Ultra-Flex® connection hoses



Eros




Kitchen

product code : 7118-11-101
Neoperl aerator
swiveling 360° spout
Ultra-Flex® connection hoses



Merit




Kitchen

Product code : 7129-11-101
Neoperl-Cache aerator
Swiveling 360° spout
Ultra-Flex® connection hoses



Rita



Kitchen

Product code : 7133-11-101
Neoperl-Cache aerator
Swiveling 360° spout
Ultra-Flex® connection hoses



14




Kitchen

Product code : 7133-11-110
Pull-out aerator covered
Neoperl-Cache aerator
Up to 600 mm pull-out length
Swiveling 360° spout
Ultra-Flex® connection hoses



Rita Touch




Kitchen

Product code : 7133-11-191



Tetra




Kitchen

Product code : 7127-11-101
Neoperl aerator
Swiveling 360° spout
Ultra-Flex® connection hoses



Meloda




Kitchen

Product code : 7112-11-101
Top line
Neoperl aerator
Swiveling 360° spout
Ultra-Flex® connection hoses



Verona



Kitchen

Product code : 7134-11-101
Neoperl aerator
Swiveling 360° spout
Ultra-Flex® connection hoses





B a t h r o o m





Basin

Eros




Basin

Product code : 7118-12-101
Lever mixer
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Rita



Basin

Product code : 7133-12-101
Lever mixer
Neoperl-Cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Rita




Basin

Product code : 7133-12-106
Tall basin
Lever mixer
Neoperl-Cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Zeus



Basin

Product code : 7125-12-101
Lever mixer
Neoperl aerator / Neoperl-Straightner aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Genesis




Basin

Product code : 7128-12-101
Lever mixer
Neoperl-Cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Basin

Jet




Basin

Product code : 7120-12-101
Lever mixer
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Merit



Basin

Product code : 7129-12-103
Lever mixer
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses




Basin Joystick

Product code : 7129-12-101
Joy-stick lever mixer
Neoperl-Straightner aerator
Flow rate : 9-12 L/min
Ultra-flex® connection hoses
Flow regulators are installed on the
Connection hoses



Quattro



Basin

Product code : 7139-12-101
Lever mixer
Neoperl-Cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Meloda




Basin

Product code : 7112-12-101
Lever mixer
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Basin

Verona



Basin

Product code : 7134-12-101
Lever mixer
Neoperl-Cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Verona




Tall Basin

Product code : 7134-12-106
Lever mixer
Neoperl-Cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Xmart




Basin

Product code : 7119-12-101
Lever mixer
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Dolphin



Basin

Product code : 7113-12-103
Neoperl aerator
Ultra-flex® connection hoses



Docol




Basin

Product code : 7113-12-105
Neoperl aerator
Ultra-flex® connection hoses



Shower

Jet



Shower

Product code : 7120-14-101
Lever mixer



Eros




Shower

Product code : 7118-14-101
Lever mixer



Xmart




Shower

Product code : 7119-14-101
Lever mixer



Merit




Shower

Product code : 7129-14-101
Lever mixer



Rita




Shower

Product code : 7133-14-101
Lever mixer



Shower

Zeus




Shower

Product code : 7125-14-101
Lever mixer



Genesis




Thermostatic Shower

Product code : 7128-14-101
Thermostatic mixer
Red stop button up to 38 degrees



Splenda




Thermostatic Shower

Product code : 7125-14-105
Thermostatic mixer
red stop button up to 38 degrees



Verona




Shower

Product code : 7134-14-101
Lever mixer



Meloda




Shower

Product code : 7112-14-101
Lever mixer



Shower

Quattro




Shower

Product code : 7139-14-101
Lever mixer



Tub

Jet




Tub

Product code : 7120-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Eros




Tub

Product code : 7118-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Xmart




Tub

Product code : 7119-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Merit




Tub

Product code : 7129-13-101
Swivelled spout
Neoperl aerator
Flow rate : 9-12 L/min
Below diverter



Rita




Tub

Product code : 7133-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Tub

Zeus




Tub

Product code : 7125-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Genesis




Tub

Product code : 7128-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Splenda




Thermostatic Tub

Product code : 7125-13-105
Thermostatic mixer
Red stop button up to 38 degrees
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Verona




Tub

Product code : 7134-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Meloda




Tub

Product code : 7112-13-101
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Tub

Quattro



Tub

Product code : 7139-13-101
Lever mixer






Intelligent





Harmonia




Intelligent Basin

Product code : 7135-12-110
Programmable intelligent electronic sensor
Battery information : 6 volt DC
Power supply information : 220 to 6 volt AC/DC
Flow rate time : 0.5 to 4 sec
The maximum water temperature : Up to 80 ° C
Low battery notification
Sensor domain : 18 to 22 cm
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Allura




Intelligent Basin

Product code : 7113-12-102
Programmable intelligent electronic sensor
Battery information : 6 volt DC
Power supply information : 220 to 6 volt AC/DC
Flow rate time : 0.5 to 4 sec
The maximum water temperature : Up to 80 ° C
Low battery notification
Sensor domain : 18 to 22 cm
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Zeus




Intelligent Basin

Product code : 7125-12-110
Programmable intelligent electronic sensor
Battery information : 6 volt DC
Power supply information : 220 to 6 volt AC/DC
Flow rate time : 0.5 to 4 sec
The maximum water temperature : Up to 80 ° C
Low battery notification
Sensor domain : 18 to 22 cm
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Merit




Intelligent Bsin

Product code : 7129-12-110
 Programmable intelligent electronic sensor
 Battery information : 6 volt DC
 Power supply information : 220 to 6 volt AC/DC
 Flow rate time : 0.5 to 4 sec
 The maximum water temperature : Up to 80 °C
 Low battery notification
 Sensor domain : 18 to 22 cm
 Neoperl aerator
 Flow rate : 12 L/min
 Ultra-flex® connection hoses



Splenda LED




Intelligent Bsin

Product code : 7114-12-114
 Advanced Light Technology®
 Red and blue LED
 Programmable intelligent electronic sensor
 Battery information : 6 volt DC
 Power supply information : 220 to 6 volt AC/DC
 Flow rate time : 0.5 to 4 sec
 The maximum water temperature : Up to 80 °C
 Low battery notification
 Sensor domain : 18 to 22 cm
 Neoperl aerator
 Flow rate : 12 L/min
 Ultra-flex® connection hoses



Tetra LED



Intelligent Bsin

Product code : 7127-12-110
 Advanced Light Technology®
 Red and blue LED
 Programmable intelligent electronic sensor
 Lever mixer
 Battery information : 6 volt DC
 Power supply information : 220 to 6 volt AC/DC
 Flow rate time : 0.5 to 4 sec
 The maximum water temperature : Up to 80 °C
 Low battery notification
 Sensor domain : 18 to 22 cm
 Neoperl-cache aerator
 Flow rate : 12 L/min
 Ultra-flex® connection hoses





Built-in-system



Central



Basin

Product code : 7136-12-101



Tub

Product code : 7136-13-101



Shower

Product code : 7136-14-101



Tetra



Tub 1

Product code : 7136-13-102



Tub 2

Product code : 7136-13-103



Tub 3

Product code : 7136-13-104



Tub

Tetra



Tub 4

Product code : 7136-13-105



Basin

Tetra



Basin

Product code : 7136-12-102



Shower heads

Tetra



Heads

Product code : 7136-13-110



Shower

Tetra



Shower

Product code : 7136-14-102



Multi-Color



Merit



Kitchen

Product code : 7129-11-133
Neoperl-Cache aerator
Swiveling 360° spout
Ultra-Flex® connection hoses



Splenda



Kitchen

Product code : 7111-11-123
Neoperl aerator
Swiveling 360° spout
Ultra-Flex® connection hoses



Splenda



Basin

Product code : 7114-12-105
Lever mixer
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Splenda



Tub

Product code : 7114-13-102
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Xmart



Kitchen

Product code : 7119-11-114
Neoperl aerator
Swiveling 360° spout
Ultra-Flex® connection hoses



Xmart



Basin

Product code : 7119-12-104
Lever mixer
Neoperl aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Xmart



Tub

Product code : 7119-13-103
Fixed spout
Neoperl aerator
Flow rate : 12 L/min
Top diverter



Oracle



Product code : 7199-13-404



Product code : 7199-13-401



Product code : 7199-13-400



Tetra Electronic



Basin

Product code : 7127-12-117
Advanced Light Technology®
Red and blue LED
Programmable intelligent electronic sensor
Battery information : 6 volt DC
Power supply information : 220 to 6 volt AC/DC
Flow rate time : 0.5 to 4 sec
The maximum water temperature : Up to 80 ° C
Low battery notification
Sensor domain : 18 to 22 cm
Neoperl-cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Tetra Electronic



Basin

Product code : 7127-12-118
Advanced Light Technology®
Red and blue LED
Programmable intelligent electronic sensor
Battery information : 6 volt DC
Power supply information : 220 to 6 volt AC/DC
Flow rate time : 0.5 to 4 sec
The maximum water temperature : Up to 80 ° C
Low battery notification
Sensor domain : 18 to 22 cm
Neoperl-cache aerator
Flow rate : 12 L/min
Ultra-flex® connection hoses



Tetra



Basin

Product code : 7136-12-104



Tetra



Basin

Product code : 7136-12-116





Accessory



Vision 1



Vision 2



Otana



Otana S



Oracel



Tub

Product code : 7199-13-151
Bluetooth support: V3.0 + EDR.
Bluetooth valid distance: 10 meters range
Operating time: approximate 10 hours
of music or talking
Transmitting frequency:10G Hz
Charger Power supply:DC5V 500mA Max
Battery:1100mAh lithium



Product code : 7199-13-157
Bluetooth support: V3.0 + EDR.
Bluetooth valid distance: 10 meters range
Operating time: approximate 10 hours
of music or talking
Transmitting frequency:10G Hz
Charger Power supply:DC5V 500mA Max
Battery:1100mAh lithium



Thermostatic Tub

Product code : 7199-13-152



Product code : 7199-13-170



Product code : 7199-13-150



Oracel S



Product code : 7199-13-170



Product code : 7199-13-169



Tenis



Product code : 7199-13-133



Hose



Hose

Product code : 7199-14-101



Hose



Hose

Product code : 7199-14-102







prime

CONTACT US VIA

www.primetaps.com

info@primetaps.com



www.parsital.com